

3-1-2006

Justification for Class III Permit Modification March 2006 AOC 1117 Operable Unit 1295 Building 9982 Drywell (Solar Tower Complex)

Sandia National Laboratories/NM

Follow this and additional works at: https://digitalrepository.unm.edu/snl_complete

Recommended Citation

Sandia National Laboratories/NM. "Justification for Class III Permit Modification March 2006 AOC 1117 Operable Unit 1295 Building 9982 Drywell (Solar Tower Complex)." (2006). https://digitalrepository.unm.edu/snl_complete/158


This Technical Report is brought to you for free and open access by the Sandia National Labs/NM Technical Reports at UNM Digital Repository. It has been accepted for inclusion in Regulatorily Completed by an authorized administrator of UNM Digital Repository. For more information, please contact disc@unm.edu.



This work supported by the United States Department of Energy under contract DE-AC04-94185000.



Drain and Septic Systems (DSS) Areas of Concern (AOCs) 1090, 1094, 1095, 1114, 1115, 1116, and 1117 (Poster 1 of 2)



Environmental Restoration Project

Site Histories

Drain and septic system site histories for the seven AOCs are as follows:

AOC Number	Site Name	Location	Year Building and System Built	Year Drain or Septic System Abandoned	Year(s) Septic Tank and/or Seepage Pits Backfilled
1090	Bldg 6721 Septic System	TA-III	1959	1991	Late 1990s
1094	Live Fire Range East Septic System	Lurance Canyon	Unknown	Unit is active	Septic system is still in use
1095	Bldg 9938 Seepage Pit	Coyote Test Field	1971	Unknown	2005
1114	Bldg 9978 Drywell	Coyote Test Field	1971	Unit is active	No septic tank or seepage pit at this site
1115	Former Offices Septic System	Solar Tower Complex	1976	1979	2005
1116	Bldg 9981A Seepage Pit	Solar Tower Complex	1981	Unit is active	Seepage pit is still in use
1117	Bldg 9982 Drywell	Solar Tower Complex	1980	1990s	No septic tank or seepage pit at this site

Depth to Groundwater

Depth to the regional aquifer at these seven AOCs is as follows:

AOC Number	Site Name	Location	Groundwater Depth (ft bgs)
1090	Bldg 6721 Septic System	TA-III	473
1094	Live Fire Range East Septic System	Lurance Canyon	107
1095	Bldg 9938 Seepage Pit	Coyote Test Field	300
1114	Bldg 9978 Drywell	Coyote Test Field	41
1115	Former Offices Septic System	Solar Tower Complex	150
1116	Bldg 9981A Seepage Pit	Solar Tower Complex	150
1117	Bldg 9982 Drywell	Solar Tower Complex	150

Constituents of Concern:

- VOCs
- SVOCs
- PCBs
- PCBs
- HE Compounds
- Metals
- Cyanide
- Radionuclides

Investigations

- A backhoe was used to positively locate buried components (drainfield drain lines, drywells, and seepage pits) so that locations for soil-vapor samplers and soil borings could be selected.
- Two of the seven AOCs were selected by NMED for passive soil-vapor sampling to screen for VOCs; no significant VOC contamination was identified at either site.
- Soil samples were collected from directly beneath drainfield drain lines, seepage pits, and drywells to determine if COCs were released to the environment from drain systems.

The years that site-specific characterization activities were conducted and soil sampling depths at each of these seven AOC sites are as follows:

Site Number	Site Name	Buried Components (Drain Lines, Drywells) Located With a Backhoe	Soil Sampling Beneath Drainlines, Seepage Pits, Drywells	Type(s) of Drain System and Soil Sampling Depths (ft bgs)	Passive Soil-Vapor Sampling
1090	Bldg 6721 Septic System	2002	2002, 2005	Drainfield: 4, 9	None
1094	Live Fire Range East Septic System	1999	1999, 2005	Drainfield: Borehole 1: 7, 12 Borehole 2: 7, 12, 17, 22 Borehole 3: 7, 11, 17, 22	2002
1095	Bldg 9938 Seepage Pit	None	1999, 2005	Seepage Pit: 8.5, 9.5	2002
1114	Bldg 9978 Drywell	2002	2002	Drywell: 6, 11	None
1115	Former Offices Septic System	1999	1999, 2005	Drainfield: 5, 10, 15, 20	None
1116	Bldg 9981A Seepage Pit	None	1999, 2005	Seepage Pit: Boreholes 1 & 3: 8, 13 Borehole 2: 8, 13.5	None
1117	Bldg 9982 Drywell	None	1999, 2005	Drywell: 11, 16	None

Summary of Data Used for CAC Justification

- Soil samples were analyzed at off-site laboratories for VOCs, SVOCs, PCBs, HE compounds, RCRA metals, chromium VI, cyanide, and gross alpha/beta activity, and at on- and off-site laboratories for radionuclides by gamma spectroscopy.
- VOCs were detected at AOCs 1090, 1094, 1114, 1115, and 1116. PCBs were detected at AOC 1115. Chromium VI was detected at AOCs 1094, 1095, 1115, 1116, and 1117. Cyanide was detected at AOCs 1095, 1114, and 1115. SVOCs were detected at AOCs 1090 and 1115; however, further investigation at AOC 1090, indicated that ubiquitous or widespread SVOC contamination was not present.
- Arsenic and barium were detected above background values at AOC 1090. Lead was detected above the background value at AOC 1115, and silver was detected above the background value at AOC 1094. No other metals were detected above background values.
- U-235 was detected above the background activity at AOC 1090 and, although not detected, the MDA for U-235 exceeded the background activity at all seven sites. U-238 was detected above the background activity at AOC 1115, and Th-232 was detected slightly above the background activity at AOC 1116. Gross beta activity was slightly above background activity at AOC 1090.
- For six of the sites all of the confirmatory soil sample analytical results were used for characterizing that site, for performing the risk screening assessment, and as justification for the CAC proposal. For AOC 1090, the 2005 SVOC results and the remainder of the non-SVOC 2002 analytical results were used for characterizing the site, for performing the risk screening assessment, and as justification for the proposal of CAC.

Recommended Future Land Use

- Recreational land use was established for AOC 1094.
- Industrial land use was established for AOCs 1090, 1095, 1114, 1115, 1116, and 1117.

Results of Risk Analysis

- Risk assessment results for industrial and residential land-use scenarios are calculated per NMED risk assessment guidance as presented in "Supplemental Risk Document Supporting Class 3 Permit Modification Process."
- Because COCs were present in concentrations greater than background-screening levels or because constituents were present that did not have background-screening levels, it was necessary to perform risk assessments for these all of these sites. The risk assessment analysis evaluated the potential for adverse health effects for the residential land-use scenario.
- The non-radiological total human health HIs for all seven sites are below NMED guidelines for a residential land-use scenario.
- For AOC 1090, the total estimated excess cancer risk is at the residential land-use scenario guideline. However, the incremental excess cancer risk value for this site is below the NMED residential land-use scenario guideline.
- The incremental human health TEDEs for the industrial land-use scenario ranged from 7.2E-4 to 2.5E-2 mrem/yr at six of the sites; at AOC 1094, the incremental human health TEDE was 1.9E-3 mrem/yr for the recreational land-use scenario. All of these incremental human health TEDEs are substantially below the EPA numerical guideline of 15 mrem/yr. The incremental human health TEDE for the residential land-use scenario for all the sites ranged from 4.8E-3 to 6.4E-2 mrem/yr, all of which are substantially below the EPA numerical guideline of 75 mrem/yr. Therefore, all of these sites are eligible for unrestricted radiological release.
- Using the SNL predictive ecological risk methodology, it was concluded that there is not a complete ecological pathway at six of the sites. Thus, a more detailed ecological risk assessment to predict the level of risk was not deemed necessary for these sites. Ecological risk for the remaining site, AOC 1090, was predicted to be low.
- In conclusion, human health risks under a residential land-use scenario and ecological risks are acceptable per NMED guidance. Thus, these sites are proposed for CAC without institutional controls.

The total HIs and excess cancer risk values for the nonradiological COCs at the seven sites are as follows:


Site Number	Site Name	Residential Land-Use Scenario	
		Total Hazard Index	Excess Cancer Risk
1090	Bldg 6721 Septic System	0.28	1E-5 ^a Total / 1.44E-6 Incremental
1094	Live Fire Range East Septic System	0.00	7E-10 Total
1095	Bldg 9938 Seepage Pit	0.00	6E-10 Total
1114	Bldg 9978 Drywell	0.00	1E-10 Total
1115	Former Offices Septic System	0.00	7E-10 Total
1116	Bldg 9981A Seepage Pit	0.00	7E-10 Total
1117	Bldg 9982 Drywell	0.00	5E-10 Total
NMED Guidance		< 1	< 1E-5

^aValue exceeds NMED guidance for residential land-use scenario; therefore, incremental values are shown.





This work supported by the
United States Department of Energy
under contract DE-AC04-94185000.

Drain and Septic Systems (DSS) Areas of Concern (AOCs) 1090, 1094, 1095, 1114, 1115, 1116, 1117, (Poster 2 of 2)





Environmental Restoration Project






Auger drilling through the gravel aggregate to collect additional soil samples for VOC analysis at the AOC 1117 Drywell.



Backfilling the seepage pit excavation at AOC 1095. The section of metal culvert that was removed from the seepage pit is next to the worker in the foreground. The Solar Tower is in the background.




Collecting additional soil samples for VOCs from a borehole drilled adjacent to the seepage pit at AOC 1116 with the Solar Tower in background.



For More Information Contact

U.S. Department of Energy
Sandia Site Office
Environmental Restoration
Mr. John Gould
Telephone (505) 845-6089

Sandia National Laboratories
Environmental Restoration Project
Task Leader: Mike Sanders
Telephone (505) 284-2478



Sandia National Laboratories

Justification for Class III Permit Modification

March 2006

AOC 1117

Operable Unit 1295

**Building 9982 Drywell (Solar Tower
Complex)**

RSI Submitted April 2005

CAC (SWMU Assessment Report) Submitted September 2005

**Environmental
Restoration
Project**



**United States Department of Energy
Sandia Site Office**

RSI



National Nuclear Security Administration

Sandia Site Office

P.O. Box 5400

Albuquerque, New Mexico 87185-5400



APR 7 2005

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Mr James Bearzi, Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Road East, Building 1
Santa Fe, NM 87505

Dear Mr. Bearzi,

On behalf of the Department of Energy (DOE) and Sandia Corporation, DOE is submitting the enclosed Quality Control (QC) Report, and copies of gamma spectroscopy analytical results for the entire Drain and Septic Systems (DSS) project, in response to the New Mexico Environment Department Request for Supplemental Information: Environmental Restoration Project SWMU Assessment Reports and Proposals for Corrective Action Complete: Drain and Septic Systems Sites 1034, 1035, 1036, 1078, 1079, 1084, 1098, 1104, and 1120, (DSS Round 6); September 2004, Environmental Restoration Project at Sandia National Laboratories, New Mexico, EPA ID No. NM589011518, dated January 14, 2005.

One hardcopy (consisting of seven volumes) will be delivered to Will Moats (NMED), and an electronic CD will be sent by certified mail to you and Laurie King (EPA).

If you have any questions, please contact John Gould at (505) 845-6089.

Sincerely,

Patty Wagner
Manager

Enclosure

Mr. J. Bearzi

(2)

APR 7 2005

cc w/ enclosure:

W. Moats, NMED-HWB (via Certified Mail)

L. King, EPA, Region 6 (Via Certified Mail)

M. Gardipe, NNSA/SC/ERD

J. Volkerding, DOE-NMED-OB

cc w/o enclosure:

D. Pepe, NMED-OB

J. Estrada, NNSA/SSO, MS 0184

F. Nimick, SNL, MS 1089

R. E. Fate, SNL, MS 1089

M. J. Davis, SNL, MS 1089


D. Stockham, SNL, MS 1087

~~B. Langkopf~~, SNL, MS 1087

P. Puissant, SNL, MS 1087

M. Sanders, SNL, MS 1087

A. Blumberg, SNL, MS 0141



Sandia National Laboratories

Drain and Septic Systems Project
Quality Control (QC) Report

April 2005

Volume 1 of 7
Master Index
and

Field Duplicate Relative Percent Difference Tables

Environmental
Restoration
Project



United States Department of Energy
Sandia Site Office

Sandia National Laboratories/New Mexico
Drain and Septic Systems Project Quality Control Report
April 2005

In response to the New Mexico Environmental Department (NMED) request for supplemental information dated January 14, 2005, the Sandia National Laboratories/New Mexico (SNL/NM) Environmental Restoration (ER) project is providing a complete set of laboratory analytical quality control (QC) documentation for approximately 1,200 soil and associated field blank and duplicate samples collected at the SNL/NM Drain and Septic System (DSS) sites from 1998 to 2002.

The documentation set is comprised of seven report binders. The first binder contains a master index sorted by DSS Site number, and then by analytical parameter. The master index also includes the site names, binder number in which the pertinent QC information can be found for any individual sample, Analytical Request/Chain of Custody (AR/COC) numbers, ER sample IDs, ER sample numbers, sample collection dates, sample matrix, analytical laboratory, and the laboratory analytical batch number for these DSS samples. The first binder also contains tables of calculated relative percent differences (RPDs) for primary and field duplicate sample pairs collected at the DSS sites from 1998 to 2002.

Binders 2 through 5 include the detailed QC information for General Engineering Laboratories (GEL). Binder 6 includes the same type of information for the ER Chemistry Laboratory (ERCL). Binders 2 through 6 include general narratives which address condition on receipt at the laboratory, and sample integrity issues (proper preservation, shipping, AR/COC, etc.). Technical narratives are also provided for each analytical method used. These narratives address holding time and any other specific QC method conformance issues. QC summaries are included for each QC batch. These include the result data and applicable calculations (percent recovery, RPD) for analytical blanks, spikes, and replicates. Finally, Binder 7 includes both complete gamma spectroscopy data documentation, and the associated batch QC from the SNL Radiation Protection Sample Diagnostic (RPSD) Laboratory. For each data set indicated by the AR/COC number, an individual cross reference summary sheet is provided.

DRAIN AND SEPTIC SYSTEMS PROJECT QC MASTER INDEX

Site #	Site Name	Blinder #	COC#	ER Sample ID	Sample #	SAMPLE DATE	MATRIX	LAB TEST	Lab	BATCH #
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-13-S	050056-003	30-AUG-99	SOIL	BNA-8270	GEL	158016
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050057-003	30-AUG-99	SOIL	BNA-8270	GEL	158016
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-13-S	050058-001	30-AUG-99	SOIL	VOA-8260	GEL	158044
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-13-S	050057-001	30-AUG-99	SOIL	VOA-8260	GEL	158044
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050058-003	30-AUG-99	SOIL	POB-8082	GEL	158065
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050057-003	30-AUG-99	SOIL	POB-8082	GEL	158065
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-13-S	050058-003	30-AUG-99	SOIL	TOTAL-CN	GEL	158099
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-13-S	050057-004	30-AUG-99	SOIL	TOTAL-CN	GEL	158099
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050058-003	30-AUG-99	SOIL	GAMMA SPEC	GEL	158553
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050057-003	30-AUG-99	SOIL	GAMMA SPEC	GEL	158553
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050058-004	30-AUG-99	SOIL	Cr+6	GEL	158556
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050057-003	30-AUG-99	SOIL	Cr+6	GEL	158556
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-13-S	050058-004	30-AUG-99	SOIL	GROSS-A/B	GEL	158647
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050057-003	30-AUG-99	SOIL	GROSS-A/B	GEL	158647
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-13-S	050058-003	30-AUG-99	SOIL	RCRA METALS	GEL	158059, 158023
1116	Bldg. 9981A SP	Volume 3	602817	SOLAR 9981A-SP1-BH1-8-S	050057-004	30-AUG-99	SOIL	RCRA METALS	GEL	158059, 158023
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-003	30-AUG-99	SOIL	HE-R330	GEL	158012
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050060-003	31-AUG-99	SOIL	HE-3330	GEL	158012
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-003	30-AUG-99	SOIL	HE-8330	GEL	158012
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050060-003	30-AUG-99	SOIL	BNA-8270	GEL	158016
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-16-S	050059-003	30-AUG-99	SOIL	BNA-8270	GEL	158016
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-001	31-AUG-99	SOIL	BNA-8270	GEL	158016
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050060-003	30-AUG-99	SOIL	VOA-8260	GEL	158044
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050059-001	30-AUG-99	SOIL	VOA-8260	GEL	158044
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-001	31-AUG-99	SOIL	VOA-8260	GEL	158044
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-16-S	050060-003	30-AUG-99	SOIL	PCB-8082	GEL	158065
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-16-S	050059-003	30-AUG-99	SOIL	PCB-8082	GEL	158065
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-003	31-AUG-99	SOIL	PCB-8082	GEL	158065
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050060-003	30-AUG-99	SOIL	TOTAL-CN	GEL	158099
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-16-S	050059-003	30-AUG-99	SOIL	TOTAL-CN	GEL	158099
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-003	31-AUG-99	SOIL	TOTAL-CN	GEL	158110
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050060-004	30-AUG-99	SOIL	GAMMA SPEC	GEL	158553
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-16-S	050059-004	30-AUG-99	SOIL	GAMMA SPEC	GEL	158553
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-004	31-AUG-99	SOIL	GAMMA SPEC	GEL	158553
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050059-003	30-AUG-99	SOIL	Cr+6	GEL	158556
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-16-S	050058-003	30-AUG-99	SOIL	Cr+6	GEL	158556
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-003	31-AUG-99	SOIL	GROSS-A/B	GEL	158647
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-16-S	050060-004	30-AUG-99	SOIL	GROSS-A/B	GEL	158647
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050061-004	31-AUG-99	SOIL	GROSS-A/B	GEL	158647
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050060-003	30-AUG-99	SOIL	RCRA METALS	GEL	158059, 158023
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-11-S	050059-003	30-AUG-99	SOIL	RCRA METALS	GEL	158059, 158023

NOTE: Multiple batch numbers are listed for reanalysis and RCRA metals for the PCB run and the mercury CVBA run.

DRAIN AND SEPTIC SYSTEMS PROJECT QC MASTER INDEX

Site #	Site Name	Blinder #	COC#	ER Sample ID	Sample #	SAMPLE DATE	MATRIX	LAB TEST	Lab	BATCH #
1117	Bldg. 9982 DW	Volume 3	602817	SOLAR 9982-DW1-BH1-16-S	050061-003	31-AUG-99	SOIL	RCRA METALS	GEL	158059, 158023
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-13-S	059699-002	22-AUG-02	SOIL	PCB-8082	GEL	197835
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-8-S	059699-002	22-AUG-02	SOIL	PCB-8082	GEL	197835
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-13-S	059699-002	22-AUG-02	SOIL	TOTAL-CN	GEL	197853
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-8-S	059699-002	22-AUG-02	SOIL	TOTAL-CN	GEL	197853
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-13-S	059699-002	22-AUG-02	SOIL	BNA-8270	GEL	197857
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-8-S	059699-001	22-AUG-02	SOIL	BNA-8270	GEL	197857
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-8-S	059699-001	22-AUG-02	SOIL	VOA-8260	GEL	197932
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-13-S	059699-002	22-AUG-02	SOIL	VOA-8260	GEL	197932
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-8-S	059699-002	22-AUG-02	SOIL	Cr+6	GEL	198031
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-13-S	059699-002	22-AUG-02	SOIL	Cr+6	GEL	198031
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-13-S	059699-002	22-AUG-02	SOIL	HE-8330	GEL	198039
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-8-S	059699-002	22-AUG-02	SOIL	HE-8330	GEL	198039
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-13-S	059699-002	22-AUG-02	SOIL	GROSS-AB	GEL	198986
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-8-S	059699-002	22-AUG-02	SOIL	GROSS-AB	GEL	198986
1120	Bldg. 6643 DW	Volume 7	605641	6643/1120-DW1-BH1-13-S	059699-003	22-AUG-02	SOIL	GAMMA SPEC	RP/SD	201191
1120	Bldg. 6643 DW	Volume 7	605641	6643/1120-DW1-BH1-8-S	059699-003	22-AUG-02	SOIL	GAMMA SPEC	RP/SD	201191
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-13-S	059699-002	22-AUG-02	SOIL	RCRA METALS	GEL	197718, 197762
1120	Bldg. 6643 DW	Volume 3	605653	6643/1120-DW1-BH1-8-S	059699-002	22-AUG-02	SOIL	RCRA METALS	GEL	197718, 197762

NOTE: Multiple batch numbers are listed for reanalysis and PCB matrix for the PCB run and the mercury CVAA run

Acronym List

GEL	= General Engineering Laboratory.
ERCL	= Environmental Restoration Chemistry Laboratory.
mg/kg	= milligram per kilogram.
NC	= Not calculated for nondetected results.
ND	= Not detected.
PCB	= Polychlorinated biphenyls.
pCi/g	= picocurie(s) per gram.
RPD	= Relative percent difference and is calculated as: $\frac{ x_1 - x_2 }{((x_1 + x_2)/2)} \times 100.$
	Where:
	x1 = concentration detected in the primary sample
	x2 = concentration detected in the duplicate environmental sample.
RPSD	= Radiation Protection and Sample Diagnostics Laboratory
SVOC	= Semivolatile organic compounds.
$\mu\text{g}/\text{kg}$	= microgram per kilogram.
VOC	= Volatile Organic Compounds.

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
RPD's Calculated for VOC Soil Samples
Collected in August 1999

Parameter	9982-DW1-BH1-11-S	9982-DW1-BH1-11-DU	RPD
	Primary Sample (GEL)	Duplicate Sample (GEL)	
	µg/kg		
Acetone	ND	ND	NC
Benzene	ND	ND	NC
Bromodichloromethane	ND	ND	NC
Bromoform	ND	ND	NC
Bromomethane	ND	ND	NC
2-Butanone	36	49	30.59
Carbon disulfide	ND	ND	NC
Carbon tetrachloride	ND	ND	NC
Chlorobenzene	ND	ND	NC
Chloroethane	ND	ND	NC
Chloroform	ND	ND	NC
Chloromethane	ND	ND	NC
Dibromochloromethane	ND	ND	NC
1,1-Dichloroethane	ND	ND	NC
1,2-Dichloroethane	ND	ND	NC
1,1-Dichloroethene	ND	ND	NC
cis-1,2-Dichloroethene	ND	ND	NC
trans-1,2-Dichloroethene	ND	ND	NC
1,2-Dichloropropane	ND	ND	NC
cis-1,3-Dichloropropene	ND	ND	NC
trans-1,3-Dichloropropene	ND	ND	NC
Ethyl benzene	ND	ND	NC
2-Hexanone	ND	ND	NC
Methylene chloride	3.2	3	6.45
4-methyl-, 2-Pentanone	ND	ND	NC
Styrene	ND	ND	NC
1,1,2,2-Tetrachloroethane	ND	ND	NC
Tetrachloroethane	ND	ND	NC
Toluene	3.3	4.3	26.32
1,1,1-Trichloroethane	ND	ND	NC
1,1,2-Trichloroethane	ND	ND	NC
Trichloroethene	ND	ND	NC
Vinyl acetate	ND	ND	NC
Vinyl chloride	ND	ND	NC
Xylene	ND	ND	NC

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
RPD's Calculated for SVOC Soil Samples
Collected in August 1999

Parameter	9982-DW1-BH1-11-S	9982-DW1-BH1-11-DU	RPD
	Primary Sample (GEL)	Duplicate Sample (GEL)	
	$\mu\text{g/kg}$		
Acenaphthene	ND	ND	NC
Acenaphthylene	ND	ND	NC
Anthracene	ND	ND	NC
Benzo(a)anthracene	ND	ND	NC
Benzo(a)pyrene	ND	ND	NC
Benzo(b)fluoranthene	ND	ND	NC
Benzo(ghi)perylene	ND	ND	NC
Benzo(k)fluoranthene	ND	ND	NC
4-Bromophenyl phenyl ether	ND	ND	NC
Butylbenzyl phthalate	ND	ND	NC
Carbazole	ND	ND	NC
4-Chloro-3-methylphenol	ND	ND	NC
4-Chlorobenzenamine	ND	ND	NC
bis(2-Chloroethoxy)methane	ND	ND	NC
bis(2-Chloroethyl)ether	ND	ND	NC
bis-Chloroisopropyl ether	ND	ND	NC
2-Chloronaphthalene	ND	ND	NC
2-Chlorophenol	ND	ND	NC
4-Chlorophenyl phenyl ether	ND	ND	NC
Chrysene	ND	ND	NC
m-, p-Cresol	ND	ND	NC
o-Cresol	ND	ND	NC
Di-n-butyl phthalate	ND	ND	NC
Di-n-octyl phthalate	ND	ND	NC
Dibenz[a,h]anthracene	ND	ND	NC
Dibenzofuran	ND	ND	NC
1,2-Dichlorobenzene	ND	ND	NC
1,3-Dichlorobenzene	ND	ND	NC
1,4-Dichlorobenzene	ND	ND	NC
3,3'-Dichlorobenzidine	ND	ND	NC
2,4-Dichlorophenol	ND	ND	NC
Diethylphthalate	ND	ND	NC
2,4-Dimethylphenol	ND	ND	NC
Dimethylphthalate	ND	ND	NC
Dinitro-o-cresol	ND	ND	NC
2,4-Dinitrophenol	ND	ND	NC
2,4-Dinitrotoluene	ND	ND	NC
2,6-Dinitrotoluene	ND	ND	NC
1,2-Diphenylhydrazine	ND	ND	NC
bis(2-Ethylhexyl)phthalate	ND	ND	NC
Fluoranthene	ND	ND	NC
Fluorene	ND	ND	NC
Hexachlorobenzene	ND	ND	NC
Hexachlorobutadiene	ND	ND	NC

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
 RPD's Calculated for SVOC Soil Samples
 Collected in August 1999

Parameter	9982-DW1-BH1-11-S Primary Sample (GEL)	9982-DW1-BH1-11-DJ Duplicate Sample (GEL)	RPD
	µg/kg		
Hexachlorocyclopentadiene	ND	ND	NC
Hexachloroethane	ND	ND	NC
Indeno(1,2,3-c,d)pyrene	ND	ND	NC
Isophorone	ND	ND	NC
2-Methylnaphthalene	ND	ND	NC
Naphthalene	ND	ND	NC
Nitro-benzene	ND	ND	NC
2-Nitroaniline	ND	ND	NC
3-Nitroaniline	ND	ND	NC
4-Nitroaniline	ND	ND	NC
2-Nitrophenol	ND	ND	NC
4-Nitrophenol	ND	ND	NC
n-Nitrosodiphenylamine	ND	ND	NC
Pentachlorophenol	ND	ND	NC
Phenanthrene	ND	230	NC
Phenol	ND	ND	NC
Pyrene	ND	220	NC
1,2,4-Trichlorobenzene	ND	ND	NC
2,4,5-Trichlorophenol	ND	ND	NC
2,4,6-Trichlorophenol	ND	ND	NC

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
 RPD's Calculated for PCB Soil Samples
 Collected in August 1999

Parameter	9982-DW1-BH1-11-S Primary Sample (GEL)	9982-DW1-BH1-11-DU Duplicate Sample (GEL)	RPD
	$\mu\text{g}/\text{kg}$		
Aroclor 1016	ND	ND	NC
Aroclor 1221	ND	ND	NC
Aroclor 1232	ND	ND	NC
Aroclor 1242	ND	ND	NC
Aroclor 1248	ND	ND	NC
Aroclor 1254	ND	ND	NC
Aroclor 1260	ND	ND	NC

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
RPD's Calculated for High Explosives Soil Samples
Collected in August 1999

Parameter	9982-DW1-BH1-11-S Primary Sample (GEL)	9982-DW1-BH1-11-5U Duplicate Sample (GEL)	RPD
	$\mu\text{g}/\text{kg}$		
4-Amino-2,6-dinitrotoluene	ND	ND	NC
2-Amino-4,6-dinitrotoluene	ND	ND	NC
1,3-Dinitrobenzene	ND	ND	NC
2,4-Dinitrotoluene	ND	ND	NC
2,6-Dinitrotoluene	ND	ND	NC
HMX	ND	ND	NC
Nitro-benzene	ND	ND	NC
2-Nitrotoluene	ND	ND	NC
3-Nitrotoluene	ND	ND	NC
4-Nitrotoluene	ND	ND	NC
RDX	ND	ND	NC
Tetryl	ND	ND	NC
1,3,5-Trinitrobenzene	ND	ND	NC
2,4,6-Trinitrotoluene	ND	ND	NC

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
RPD's Calculated for Metals Soil Samples
Collected in August 1999

Parameter	9982-DW1-BH1-11-S Primary Sample (GEL)	9982-DW1-BH1-11-DU Duplicate Sample (GEL)	RPD
	mg/kg		
Arsenic	3.2	3.89	19.46
Barium	85.7	113	27.48
Cadmium	ND	ND	NC
Chromium	3.84	4.75	21.19
Lead	5.78	8.3	35.80
Mercury	0.00603	0.003	67.11
Selenium	ND	ND	NC
Silver	0.474	0.492	3.73

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
RPD's Calculated for Chromium VI Soil Samples
Collected in August 1999

Parameter:	9982-DW1-BH1-11-S Primary Sample (GEL)	9982-DW1-BH1-11-DU Duplicate Sample (GEL)	RPD
	mg/kg		
Chromium (VI)	0.105	ND	NC

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
RPD's Calculated for Cyanide Soil Samples
Collected in August 1999

Parameter	9982-DW1-BH1-11-S Primary Sample (GEL)	9982-DW1-BH1-11-DU Duplicate Sample (GEL)	RPD
	mg/kg		
Cyanide, total	ND	ND	NC


DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
RPD's Calculated for Gamma Spectroscopy Soil Samples
Collected in August 1999

Parameter	9982-DW1-BH1-11-S Primary Sample (GEL)	9982-DW1-BH1-11-DU Duplicate Sample (GEL)	RPD
	pCi/g		
Cesium-137	ND	ND	NC
Thorium-232	0.698	0.794	12.87
Uranium-235	0.14	ND	NC
Uranium-238	0.79	0.58	30.66

DSS Site 1117, Bldg. 9982 Drywell (Solar Tower Complex)
RPD's Calculated for Gross Alpha/Beta Soil Samples
Collected in August 1999

Parameter	9982-DW1-BH1-11-S Primary Sample (GEL)	9982-DW1-BH1-11-DU Duplicate Sample (GEL)	RPD
	pCi/g		
Gross Alpha	9.75	4.57	72.35
Gross Beta	20.8	17.9	14.99





Sandia National Laboratories


Drain and Septic Systems Project
Quality Control (QC) Report

April 2005

Volume 3 of 7

General Engineering Laboratories, Inc. (GEL) QC Data

Environmental
Restoration
Project



United States Department of Energy
Sandia Site Office



COC# 602817



GEL QC CROSS REFERENCE

COC 602817

Site #	Site Name	SAMPLE#	F#	DISP_ER_SAMP_LOC	SAMPLE DATE	MATRIX	LAB TEST	BATCH #
1116	Bldg. 9981A SP	050057	003	SOLAR 9981A-SP1-BH1-8-S	30-AUG-99	SOIL	PCB-8082	158065
1116	Bldg. 9981A SP	050057	003	SOLAR 9981A-SP1-BH1-8-S	30-AUG-99	SOIL	RCRA METALS	158059, 158023
1116	Bldg. 9981A SP	050057	003	SOLAR 9981A-SP1-BH1-8-S	30-AUG-99	SOIL	TOTAL-CN	158099, 158110
1116	Bldg. 9981A SP	050057	004	SOLAR 9981A-SP1-BH1-8-S	30-AUG-99	SOIL	GAMMA SPEC	158553
1116	Bldg. 9981A SP	050057	004	SOLAR 9981A-SP1-BH1-8-S	30-AUG-99	SOIL	GROSS-A/B	158646, 158647
1116	Bldg. 9981A SP	050058	001	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	VOA-8260	158044
1116	Bldg. 9981A SP	050058	003	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	BNA-8270	158016
1116	Bldg. 9981A SP	050058	003	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	Cr+6	158555, 158556
1116	Bldg. 9981A SP	050058	003	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	HE-8330	158012
1116	Bldg. 9981A SP	050058	003	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	PCB-8082	158065
1116	Bldg. 9981A SP	050058	003	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	RCRA METALS	158059, 158023
1116	Bldg. 9981A SP	050058	003	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	TOTAL-CN	158099, 158110
1116	Bldg. 9981A SP	050058	004	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	GAMMA SPEC	158553
1116	Bldg. 9981A SP	050058	004	SOLAR 9981A-SP1-BH1-13-S	30-AUG-99	SOIL	GROSS-A/B	158646, 158647
1117	Bldg. 9982 DW	050059	001	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	VOA-8260	158044
1117	Bldg. 9982 DW	050059	003	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	BNA-8270	158016
1117	Bldg. 9982 DW	050059	003	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	Cr+6	158555, 158556
1117	Bldg. 9982 DW	050059	003	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	HE-8330	158012
1117	Bldg. 9982 DW	050059	003	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	PCB-8082	158065
1117	Bldg. 9982 DW	050059	003	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	RCRA METALS	158059, 158023
1117	Bldg. 9982 DW	050059	003	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	TOTAL-CN	158099, 158110
1117	Bldg. 9982 DW	050059	004	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	GAMMA SPEC	158553
1117	Bldg. 9982 DW	050059	004	SOLAR 9982-DW1-BH1-11-S	30-AUG-99	SOIL	GROSS-A/B	158646, 158647
1117	Bldg. 9982 DW	050060	001	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	VOA-8260	158044
1117	Bldg. 9982 DW	050060	003	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	BNA-8270	158016
1117	Bldg. 9982 DW	050060	003	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	Cr+6	158555, 158556
1117	Bldg. 9982 DW	050060	003	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	HE-8330	158012
1117	Bldg. 9982 DW	050060	003	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	PCB-8082	158065
1117	Bldg. 9982 DW	050060	003	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	RCRA METALS	158059, 158023

GEL QC CROSS REFERENCE

COC 602817

Site #	Site Name	SAMPLE#	F#	DISP_ER_SAMP_LOC	SAMPLE DATE	MATRIX	LAB TEST	BATCH #
1117	Bldg. 9982 DW	050060	003	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	TOTAL-CN	158099, 158110
1117	Bldg. 9982 DW	050060	004	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	GAMMA SPEC	158553
1117	Bldg. 9982 DW	050060	004	SOLAR 9982-DW1-BH1-11-DU	30-AUG-99	SOIL	GROSS-A/B	158646, 158647
1117	Bldg. 9982 DW	050061	001	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	VOA-8260	158044
1117	Bldg. 9982 DW	050061	003	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	BNA-8270	158016
1117	Bldg. 9982 DW	050061	003	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	Cr+6	158555, 158556
1117	Bldg. 9982 DW	050061	003	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	HE-8330	158012
1117	Bldg. 9982 DW	050061	003	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	PCB-8082	158065
1117	Bldg. 9982 DW	050061	003	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	RCRA METALS	158059, 158023
1117	Bldg. 9982 DW	050061	003	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	TOTAL-CN	158099, 158110
1117	Bldg. 9982 DW	050061	004	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	GAMMA SPEC	158553
1117	Bldg. 9982 DW	050061	004	SOLAR 9982-DW1-BH1-16-S	31-AUG-99	SOIL	GROSS-A/B	158646, 158647
1094	LFR E. SS	050062	001	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	VOA-8260	158044
1094	LFR E. SS	050062	003	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	BNA-8270	158016
1094	LFR E. SS	050062	003	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	Cr+6	158555, 158556
1094	LFR E. SS	050062	003	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	HE-8330	158012
1094	LFR E. SS	050062	003	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	PCB-8082	158065
1094	LFR E. SS	050062	003	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	RCRA METALS	158059, 158023
1094	LFR E. SS	050062	003	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	TOTAL-CN	158099, 158110
1094	LFR E. SS	050062	004	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	GAMMA SPEC	158553
1094	LFR E. SS	050062	004	LFB-DF1-BH1-7-S	01-SEP-99	SOIL	GROSS-A/B	158646, 158647
1094	LFR E. SS	050063	001	LFB-DF1-BH1-12-S	01-SEP-99	SOIL	VOA-8260	158044
1094	LFR E. SS	050063	003	LFB-DF1-BH1-12-S	01-SEP-99	SOIL	BNA-8270	158016
1094	LFR E. SS	050063	003	LFB-DF1-BH1-12-S	01-SEP-99	SOIL	Cr+6	158555, 158556
1094	LFR E. SS	050063	003	LFB-DF1-BH1-12-S	01-SEP-99	SOIL	HE-8330	158012
1094	LFR E. SS	050063	003	LFB-DF1-BH1-12-S	01-SEP-99	SOIL	PCB-8082	158065
1094	LFR E. SS	050063	003	LFB-DF1-BH1-12-S	01-SEP-99	SOIL	RCRA METALS	158059, 158023
1094	LFR E. SS	050063	003	LFB-DF1-BH1-12-S	01-SEP-99	SOIL	TOTAL-CN	158099, 158110
1094	LFR E. SS	050063	004	LFB-DF1-BH1-12-S	01-SEP-99	SOIL	GAMMA SPEC	158553

RECORDS CENTER/
ORIGINAL COPY

CASE NARRATIVE
for
Sandia National Laboratories
ARCOC- 602820
9909228A
ARCOC- 602817
9909228B
Case No. 7223.230

RECEIVED

OCT 11 1999

SNL/SMO

October 1, 1999

Laboratory Identification:

General Engineering Laboratories, Inc.

Mailing Address:

P.O. Box 30712
Charleston, South Carolina 29417

Express Mail Delivery and Shipping Address:

2040 Savage Road
Charleston, South Carolina 29407

Telephone Number:

(843) 556-8171

Summary:

Sample receipt

Fifty-seven soils and eleven aqueous samples were collected by Sandia on August 27, 30 and 31, September 1st, 2nd and 7, 1999. The samples arrived at General Engineering Laboratories, Inc., (GEL) Charleston, South Carolina on September 8, 1999, for Environmental Analyses. Cooler clearance (screening, temperature check, etc.) was done upon login. The cooler arrived without any visible signs of tampering or breakage and with custody seals intact. The samples were delivered with chain of custody documentation and signatures.

The temperature of the samples was 4°C. The samples were screened according to GEL Standard Operating Procedures (SOP) EPI SOP S-007 rev. 2 "The Receiving of Radioactive Samples." The samples were stored properly according to SW-846 procedures and GEL SOP.



The samples were received as follows:

ARCOC	SDG#	#of samples	Collection Date	Date Rec'd by Lab
602820	9909228A	4	08/31/99	09/8/99
602817	9909228B	64	08/27,30,31/99 9/1 9/2/99	09/8/99

The laboratory received the following samples:

<u>Laboratory ID</u>	<u>Description</u>
602820:	
9909228-01	050109-001 B9938-SP1-BH1-9.5-S
9909228-02	050109-003 B9938-SP1-BH1-9.5-S
9909228-03	050109-004 B9938-SP1-BH1-9.5-S
9909228-04	050110-005 B9938-SP1-BH1-9.5-TB
602817:	
9909228-05	050049-001 SOLARDETOX-DF1-BH3-
9909228-06	050049-003 SOLARDETOX-DF1-BH3-
9909228-07	050049-004 SOLARDETOX-DF1-BH3-
9909228-08	050050-001 SOLARDETOX-DF1-BH3-
9909228-09	050050-003 SOLARDETOX-DF1-BH3-
9909228-10	050050-004 SOLADEXTOX-DF1-BH3-
9909228-11	050052-001 SOLARDETOX-DF1-BH2
9909228-12	050052-003 SOLARDETOX-DF1-BH2-
9909228-13	050052-004 SOLARDETOX-DF1-BH2-
9909228-14	050053-001 SOLARDETOX-DF1-BH2-
9909228-15	050053-003 SOLARDETOX-DF1-BH2-
9909228-16	050053-004 SOLARDETOX-DF1-BH2-
9909228-17	050055-001 SOLARDETOX-DF1-BH1-
9909228-18	050055-003 SOLARDETOX-DF1-BH1-
9909228-19	050055-004 SOLARDETOX-DF1-BH1-
9909228-20	050056-001 SOLARDETOX-DF1-BH1-
9909228-21	050056-003 SOLARDETOX-DF1-BH1-
9909228-22	050056-004 SOLARDETOX-DF1-BH1-
9909228-23	050057-001 SOLAR-9981A-SP1-BH1-
9909228-24	050057-003 SOLAR 9981A-SP1-BH1
9909228-25	050057-004 SOLAR 9981A-SP1-BH1
9909228-26	050058-001 SOLAR 9981A-SP1-BH1
9909228-27	050058-003 SOLAR 9981A-SP1-BH1
9909228-28	050058-004 SOLAR 9981A-SP1-BH1
9909228-29	050059-001 SOLAR 9982-DW1-BH1-
9909228-30	050059-003 SOLAR 9982-DW1-BH1-
9909228-31	050059-004 SOLAR 9982-DW1-BH1-
9909228-32	050060-001 SOLAR 9982-DW1-BH1
9909228-33	050060-003 SOLAR 9982-DW1-BH1

The laboratory received the following samples:

<u>Laboratory ID</u>	<u>Description</u>
602817:	
9909228-34	050060-004 SOLAR 9982-DW1-BH1
9909228-35	050061-001 SOLAR 9982-DW1-BH1
9909228-36	050061-003 SOLAR 9982-DW1-BH1
9909228-37	050061-004 SOLAR 9982-DW1-BH1
9909228-38	050062-001 LFR-DF1-BH1-7-S
9909228-39	050062-003 LFR-DF1-BH1-7-S
9909228-40	050062-004 LFR-DF1-BH1-7-S
9909228-41	050063-001 LFR-DF1-BH1-12-S
9909228-42	050063-003 LFR-DF1-BH1-12-S
9909228-43	050063-004 LFR-DF1-BH1-12-S
9909228-44	050064-001 LFR-DF1-BH1-7-MS/MD
9909228-45	050064-003 LFR-DF1-BH1-7-MS/MD
9909228-46	050064-004 LFR-DF1-BH1-7-MS/MD
9909228-47	050065-001 LFR-DF1-BH2-7-S
9909228-48	050065-003 LFR-DF1-BH2-7-S
9909228-49	050065-004 LFR-DF1-BH2-7-S
9909228-50	050066-001 LFR-DF1-BH2-12-S
9909228-51	050066-003 LFR-DF1-BH2-12-S
9909228-52	050066-004 LFR-DF1-BH2-12-S
9909228-53	050067-001 LFR-DF1-BH3-7-S
9909228-54	050067-003 LFR-DF1-BH3-7-S
9909228-55	050067-004 LFR-DF1-BH3-7-S
9909228-56	050068-001 LFR-DF1-BH3-12-S
9909228-57	050068-003 LFR-DF1-BH3-12-S
9909228-58	050068-004 LFR-DF1-BH3-12-S
9909228-59	050069-005 LFR-DF1-BH3-GS
9909228-60	050069-006 LFR-DF1-BH3-GRAB
9909228-61	050069-007 LFR-DF1-BH3-RCRA
9909228-62	050069-008 LFR-DF1-BH3-SVOC
9909228-63	050069-009 LFR-DF1-BH3-HE
9909228-64	050069-010 LFR-DF1-BH3-CN
9909228-65	050069-011 LFR-DF1-BH3-CR6+
9909228-66	050069-012 LFR-DF1-BH3-PCB
9909228-67	050069-013 LFR-DF1-BH3-EB
9909228-68	050069-014 LFR-DF1-BH3-TB

Case Narrative

Sample analyses were conducted using methodology as outlined in General Engineering Laboratories (GEL) Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are contained in the analytical case narratives in the enclosed data package.

Internal Chain of Custody:

Custody was maintained for all samples.

Data Package:

The enclosed data package contains the following sections: Case Narrative, Chain of Custody, Cooler Receipt Checklist, Qualifier Flag and Data Package Definitions, Sample Data, QC Summary and Raw Data.

This data package, to the best of my knowledge, is in compliance with technical and administrative requirements.

William J. Davis
for Edith M. Kent

Project Manager

fc:snls9909228

GC/MS
VOLATILE
ANALYSIS

CASE NARRATIVE
SNLS
SDG# 99228S-VOA
Analysis by GC/MS

Sample Analysis:

The following samples were analyzed for Volatile Organic Compounds using the analytical protocol from EPA SW-846 Third Edition, Method 8260A, Revision 1, September 1994:

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-01	050109-001 B9938-SP1-BH1-9.5-S
9909228-05	050049-001 SOLARDETOX-DF1-BH3-
9909228-08	050050-001 SOLARDETOX-DF1-BH3-
9909228-11	050-052-001 SOLARDETOX-DF1-BH2
9909228-14	050053-001 SOLARDETOX-DF1-BH2-
9909228-17	050055-001 SOLARDETOX-DF1-BH1-
9909228-20	050056-001 SOLARDETOX-DF1-BH1-
9909228-23	050057-001 SOLAR-9981A-SP1-BH1-
9909228-26	050058-001 SOLAR 9981A-SP1-BH1
9909228-29	050059-001 SOLAR 9982-DW1-BH1-
9909228-32	050060-001 SOLAR 9982-DW1-BH1
9909228-35	050061-001 SOLAR 9982-DW1-BH1
9909228-38	050062-001 LFR-DF1-BH1-7-S
9909228-41	050063-001 LFR-DF1-BH1-12-S
9909228-44	050064-001 LFR-DF1-BH1-7-MS/MD
9909228-47	050065-001 LFR-DF1-BH2-7-S
9909228-50	050066-001 LFR-DF1-BH2-12-S
9909228-53	050067-001 LFR-DF1-BH3-7-S
9909228-56	050068-001 LFR-DF1-BH3-12-S
QC646985	VBLK01 (Blank)
QC646986	VBLK01LCS (Laboratory Control Sample)
QC646987	050064-001IMS (Matrix Spike)
QC646988	050064-001MSD (Matrix Spike Duplicate)
QC646989	VBLK02LCS (Laboratory Control Sample Duplicate)
QC647288	VBLK02 (Blank)
QC647289	VBLK02LCS (Laboratory Control Sample)
QC647660	VBLK03 (Blank)
QC647661	VBLK03LCS (Laboratory Control Sample)

System Configuration:

The laboratory utilizes a variety of instrument configurations for volatile analyses. These analyses are accomplished using one or more of the GC and MS couplings, as follows:

<u>GC/MS</u>	<u>Interface</u>	<u>Purge and Trap-Concentrator / Autosampler</u>
5890 Series II / 5970	Jet Separator	Tekmar 2000 / Archon
5890 Series II / 5972	Direct	OI 4560 / Archon
6890 Series / 5973	Direct	Tekmar 3000 / Precept

6890 Series / 5973
6890 Series / 5973

Direct
Direct

OI 4560 / DPM-16
Tekmar 2000 / Archon

Chromatographic Column:

Chromatographic separation of volatile components is accomplished through analysis on one or more of the following columns:

J&W1 DB - 624, 60 m x 0.32 mm, 1.8um (identified by the J&W1 designation)
J&W2: DB - 624, 75 m x 0.53 mm, 3 um (identified by the J&W2 designation)
Rtx1 Rtx Volatiles, 60 m x 0.53 mm, 1.5 um (identified by the Rtx VOA designation)
J&W3 DB-624, 60 m x 0.25 mm, 1.4 um (identified by the J&W3 designation)

Samples are prepared using Purge and Trap samplers containing the following P & T trap:

VOCARB 3000: Carboxen B/ Carboxen 1000 & 1001

Instrument Configuration:

The samples reported in this SDG were analyzed on one or more of the following instrument systems (instrument systems are identified by the instrument ID designations listed below which can be found on the raw data or individual form headers):

Instrument ID	System Configuration	Chromatographic Column	P & T Trap
VOA1	HP5890/HP5970	J&W2	VOCARB 3000
VOA2	HP6890/HP5973	J&W3	VOCARB 3000
VOA4	HP5890/HP5972	Rtx VOA	VOCARB 3000
VOA5	HP5890/HP5972	J&W3	VOCARB 3000
VOA7	HP5890/HP5972	Rtx VOA	VOCARB 3000
VOA8	HP6890/HP5973	J&W3	VOCARB 3000
VOA9	HP6890/HP5973	J&W3	Tenax/Silicagel/ Charcoal

Instrument Calibration:

The instrument was properly calibrated.

For a complete list of data files for the initial calibration, see the Calibration History Report.

Holding Time:

All samples were analyzed within the required holding time.

Surrogates:

Surrogate recoveries in all samples were within the required acceptance limits.

Internal Standards:

Internal Standard areas in all samples were within the required acceptance limits.

Blanks:

There were no target analytes detected in the method blanks above the required reporting limit.

Spike Analyses:

The matrix spike (MS) and matrix spike duplicate (MSD) were analyzed on the following Sample Number:

9909228-44 050064-001 LFR-DF1-BH1-7-MS/MD

All analytes in the MS and MSD were within the required acceptance limits for percent recovery.

All analytes in the MS/MSD set were within the required acceptance limits for relative percent difference.

Laboratory Control Samples:

All analytes in the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) were within the required acceptance limits for percent recovery.

All analytes in the LCS/LCSD set were within the required acceptance limits for relative percent difference.

Dilutions:

The samples in this SDG did not require dilutions.

Non Conformance Reports:

There were no Nonconformance Reports associated with this SDG.

General Comments:

Data files associated with both the initial calibration and continuing calibration check may have been manually integrated to correct misidentification of peaks by the integration software. Manual integrations are performed because of poor peak shapes exhibited by selective compounds at low concentrations, or as a result of overlapping retention time windows of similar isomeric compounds contained on the extended reporting list. If applicable, peak profiles for the affected compounds are contained in the raw data section.

The preceding narrative has been reviewed by:



Date: 10-04-99

GC/MS
VOLATILE
ANALYSIS

CASE NARRATIVE
SNLS
SDG# 99228W-VOA
Analysis by GC/MS

Sample Analysis:

The following samples were analyzed for Volatile Organic Compounds using the analytical protocol from EPA SW-846 Third Edition, Method 8260A, Revision 1, September 1994:

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-04	050110-005 B9938-SP1-BH1-9.5-T
9909228-67	050069-013 LFR-DF1-BH3-EB
9909228-68	050069-014 LFR-DF1-BH3-TB
QC647130	VBLK01LCSD (Laboratory Control Sample Duplicate)
QC647662	VBLK01 (Blank)
QC647663	VBLK01LCS (Laboratory Control Sample)

System Configuration:

The laboratory utilizes a variety of instrument configurations for volatile analyses. These analyses are accomplished using one or more of the GC and MS couplings, as follows:

<u>GC/MS</u>	<u>Interface</u>	<u>Purge and Trap-Concentrator / Autosampler</u>
5890 Series II / 5970	Jet Separator	Tekmar 2000 / Archon
5890 Series II / 5972	Direct	OI 4560 / Archon
6890 Series / 5973	Direct	Tekmar 3000 / Precept
6890 Series / 5973	Direct	OI 4560 / DPM-16
6890 Series / 5973	Direct	Tekmar 2000 / Archon

Chromatographic Column:

Chromatographic separation of volatile components is accomplished through analysis on one or more of the following columns:

J&W1	DB - 624, 60 m x 0.32 mm, 1.8um (identified by the J&W1 designation)
J&W2:	DB - 624, 75 m x 0.53 mm, 3 um (identified by the J&W2 designation)
Rtx1	Rtx Volatiles, 60 m x 0.53 mm, 1.5 um (identified by the Rtx VOA designation)
J&W3	DB-624, 60 m x 0.25 mm, 1.4 um (identified by the J&W3 designation)

Samples are prepared using Purge and Trap samplers containing the following P & T trap:

VOCARB 3000: Carbopack B/ Carboxen 1000 &1001

Instrument Configuration:

The samples reported in this SDG were analyzed on one or more of the following instrument systems (instrument systems are identified by the instrument ID designations listed below which can be found on the raw data or individual form headers):

Instrument ID	System Configuration	Chromatographic Column	P & T Trap
VOA1	HP5890/HP5970	J&W2	VOCARB 3000
VOA2	HP6890/HP5973	J&W3	VOCARB 3000
VOA4	HP5890/HP5972	Rtx VOA	VOCARB 3000
VOA5	HP5890/HP5972	J&W3	VOCARB 5000
VOA7	HP5890/HP5972	Rtx VOA	VOCARB 3000
VOA8	HP6890/HP5973	J&W3	VOCARB 3000
VOA9	HP6890/HP5973	J&W3	Tenax/Silicagel/ Charcoal

Instrument Calibration:

The instrument was properly calibrated.

For a complete list of data files for the initial calibration, see the Calibration History Report.

Holding Time:

All samples were analyzed within the required holding time.

Surrogates:

Surrogate recoveries in all samples were within the required acceptance limits.

Internal Standards:

Internal Standard areas in all samples were within the required acceptance limits.

Blanks:

There were no target analytes detected in the method blank above the required reporting limit.

Spike Analyses:

The analysis of a matrix spike (MS) and matrix spike duplicate (MSD) was not required for the samples in this SDG.

Laboratory Control Samples:

All analytes in the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) were within the required acceptance limits for percent recovery.

All analytes in the LCS/LCSD set were within the required acceptance limits for relative percent difference.

Dilutions:

Samples in this SDG did not require dilutions.

Non Conformance Reports:

There were no Nonconformance Reports associated with this SDG.

General Comments:

Data files associated with both the initial calibration and continuing calibration check may have been manually integrated to correct misidentification of peaks by the integration software. Manual integrations are performed because of poor peak shapes exhibited by selective compounds at low concentrations, or as a result of overlapping retention time windows of similar isomeric compounds contained on the extended reporting list. If applicable, peak profiles for the affected compounds are contained in the raw data section.

The preceding narrative has been reviewed by: Charles W. Lam Date: 10-04-95

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 1 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Volatile Organics													
QC646985	BLANK	158044											
1,1-Dichloroethylene					U	ND	ug/kg					MAP 09/09/99	0900
Benzene					U	ND	ug/kg						
Chlorobenzene					U	ND	ug/kg						
Toluene					U	ND	ug/kg						
Trichloroethylene					U	ND	ug/kg						
*Bromofluorobenzene			50.0			53	ug/kg		107	(73.0 - 129.)			
*Dibromofluoromethane			50.0			49	ug/kg		97.4	(66.0 - 117.)			
*Toluene-d8			50.0			50	ug/kg		100	(73.0 - 122.)			
1,1,1-Trichloroethane					U	ND	ug/kg						
1,1,2,2-Tetrachloroethane					U	ND	ug/kg						
1,1,2-Trichloroethane					U	ND	ug/kg						
1,1-Dichloroethane					U	ND	ug/kg						
1,2-Dichloroethane					U	ND	ug/kg						
1,2-Dichloropropane					U	ND	ug/kg						
1,2-cis-Dichloroethylene					U	ND	ug/kg						
1,2-trans-Dichloroethylene					U	ND	ug/kg						
2-Butanone					U	ND	ug/kg						
2-Hexanone					U	ND	ug/kg						
4-Methyl-2-pentanone					U	ND	ug/kg						
Acetone					U	ND	ug/kg						
Bromoform					U	ND	ug/kg						
Carbon Disulfide					U	ND	ug/kg						
Carbon Tetrachloride					U	ND	ug/kg						
Chlorodibromomethane					U	ND	ug/kg						
Chloroethane					U	ND	ug/kg						
Chloroform					U	ND	ug/kg						
Dichlorobromomethane					U	ND	ug/kg						
Ethylbenzene					U	ND	ug/kg						
Methyl Bromide					U	ND	ug/kg						
Methyl Chloride					U	ND	ug/kg						
Methylene Chloride					U	ND	ug/kg						
Styrene					U	ND	ug/kg						
Tetrachloroethylene					U	ND	ug/kg						
Vinyl Acetate					U	ND	ug/kg						
Vinyl chloride					U	ND	ug/kg						
Xylenes (TOTAL)					U	ND	ug/kg						
cis-1,3-Dichloropropylene					U	ND	ug/kg						
trans-1,3-Dichloropropylene					U	ND	ug/kg						

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 2 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
QC647128	BLANK	158072											
1,1-Dichloroethylene					U	ND	ug/l					MAP 09/10/99	0900
Benzene					U	ND	ug/l						
Chlorobenzene					U	ND	ug/l						
Toluene					U	ND	ug/l						
Trichloroethylene					U	ND	ug/l						
*Bromofluorobenzene			50.0			59	ug/l		118	(73.0 - 129.)			
*Dibromofluoromethane			50.0			46	ug/l		91.3	(66.0 - 117.)			
*Toluene-d8			50.0			51	ug/l		103	(73.0 - 122.)			
1,1,1-Trichloroethane					U	ND	ug/l						
1,1,2,2-Tetrachloroethane					U	ND	ug/l						
1,1,2-Trichloroethane					U	ND	ug/l						
1,1-Dichloroethane					U	ND	ug/l						
1,2-Dichloroethane					U	ND	ug/l						
1,2-Dichloropropane					U	ND	ug/l						
1,2-cis-Dichloroethylene					U	ND	ug/l						
1,2-trans-Dichloroethylene					U	ND	ug/l						
2-Butanone					U	ND	ug/l						
2-Hexanone					U	ND	ug/l						
4-Methyl-2-pentanone					U	ND	ug/l						
Acetone					U	ND	ug/l						
Bromoform					U	ND	ug/l						
Carbon Disulfide					U	ND	ug/l						
Carbon Tetrachloride					U	ND	ug/l						
Chlorodibromomethane					U	ND	ug/l						
Chloroethane					U	ND	ug/l						
Chloroform					U	ND	ug/l						
Dichlorobromomethane					U	ND	ug/l						
Ethylbenzene					U	ND	ug/l						
Methyl Bromide					U	ND	ug/l						
Methyl Chloride					U	ND	ug/l						
Methylene Chloride					U	ND	ug/l						
Styrene					U	ND	ug/l						
Tetrachloroethylene					U	ND	ug/l						
Vinyl Acetate					U	ND	ug/l						
Vinyl chloride					U	ND	ug/l						
Xylenes (TOTAL)					U	ND	ug/l						
cis-1,3-Dichloropropylene					U	ND	ug/l						
trans-1,3-Dichloropropylene					U	ND	ug/l						
QC647131	BLANK	158072											

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 3 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
1,1-Dichloroethylene					U	ND	ug/l				MAP	09/10/99	1041
Benzene					U	ND	ug/l				MAP	09/10/99	1041
Chlorobenzene					U	ND	ug/l						
Toluene					U	ND	ug/l						
Trichloroethylene					U	ND	ug/l						
*Bromofluorobenzene			500			590	ug/l		117	(73.0 - 129.)			
*Dibromofluoromethane			500			450	ug/l		90.6	(66.0 - 117.)			
*Toluene-d8			500			510	ug/l		103	(73.0 - 122.)			
1,1,1-Trichloroethane					U	ND	ug/l						
1,1,2,2-Tetrachloroethane					U	ND	ug/l						
1,1,2-Trichloroethane					U	ND	ug/l						
1,1-Dichloroethane					U	ND	ug/l						
1,2-Dichloroethane					U	ND	ug/l						
1,2-Dichloropropane					U	ND	ug/l						
1,2-cis-Dichloroethylene					U	ND	ug/l						
1,2-trans-Dichloroethylene					U	ND	ug/l						
2-Butanone					U	ND	ug/l						
2-Hexanone					U	ND	ug/l						
4-Methyl-2-pentanone					U	ND	ug/l						
Acetone					U	ND	ug/l						
Bromoform					U	ND	ug/l						
Carbon Disulfide					U	ND	ug/l						
Carbon Tetrachloride					U	ND	ug/l						
Chlorodibromomethane					U	ND	ug/l						
Chloroethane					U	ND	ug/l						
Chloroform					U	ND	ug/l						
Dichlorobromomethane					U	ND	ug/l						
Ethylbenzene					U	ND	ug/l						
Methyl Bromide					U	ND	ug/l						
Methyl Chloride					U	ND	ug/l						
Methylene Chloride					U	ND	ug/l						
Styrene					U	ND	ug/l						
Tetrachloroethylene					U	ND	ug/l						
Vinyl Acetate					U	ND	ug/l						
Vinyl chloride					U	ND	ug/l						
Xylenes (TOTAL)					U	ND	ug/l						
cis-1,3-Dichloropropylene					U	ND	ug/l						
trans-1,3-Dichloropropylene					U	ND	ug/l						
QC647288		BLANK	158044										
1,1-Dichloroethylene					U	ND	ug/kg				MAP	09/10/99	0900

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 4 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Benzene					U	ND	ug/kg				MAP	09/10/99	0900
Chlorobenzene					U	ND	ug/kg						
Toluene					U	ND	ug/kg						
Trichloroethylene					U	ND	ug/kg						
*Bromofluorobenzene			50.0			59	ug/kg			118 (73.0 - 129.)			
*Dibromofluoromethane			50.0			46	ug/kg			91.3 (66.0 - 117.)			
*Toluene-d8			50.0			51	ug/kg			103 (73.0 - 122.)			
1,1,1-Trichloroethane					U	ND	ug/kg						
1,1,2,2-Tetrachloroethane					U	ND	ug/kg						
1,1,2-Trichloroethane					U	ND	ug/kg						
1,1-Dichloroethane					U	ND	ug/kg						
1,2-Dichloroethane					U	ND	ug/kg						
1,2-Dichloropropane					U	ND	ug/kg						
1,2-cis-Dichloroethylene					U	ND	ug/kg						
1,2-trans-Dichloroethylene					U	ND	ug/kg						
2-Butanone					U	ND	ug/kg						
2-Hexanone					U	ND	ug/kg						
4-Methyl-2-pentanone					U	ND	ug/kg						
Acetone					U	ND	ug/kg						
Bromoform					U	ND	ug/kg						
Carbon Disulfide					U	ND	ug/kg						
Carbon Tetrachloride					U	ND	ug/kg						
Chlorodibromomethane					U	ND	ug/kg						
Chloroethane					U	ND	ug/kg						
Chloroform					U	ND	ug/kg						
Dichlorobromomethane					U	ND	ug/kg						
Ethylbenzene					U	ND	ug/kg						
Methyl Bromide					U	ND	ug/kg						
Methyl Chloride					U	ND	ug/kg						
Methylene Chloride					U	ND	ug/kg						
Styrene					U	ND	ug/kg						
Tetrachloroethylene					U	ND	ug/kg						
Vinyl Acetate					U	ND	ug/kg						
Vinyl chloride					U	ND	ug/kg						
Xylenes (TOTAL)					U	ND	ug/kg						
cis-1,3-Dichloropropylene					U	ND	ug/kg						
trans-1,3-Dichloropropylene					U	ND	ug/kg						
QC647660	BLANK	158044											
1,1-Dichloroethylene					U	ND	ug/kg				MAP	09/10/99	2228
Benzene					U	ND	ug/kg						

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 5 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Chlorobenzene					U	ND	ug/kg					MAP 09/10/99	2228
Toluene					U	ND	ug/kg						
Trichloroethylene					U	ND	ug/kg						
*Bromofluorobenzene			50.0			58	ug/kg		116	(73.0 - 129.)			
*Dibromofluoromethane			50.0			47	ug/kg		93.5	(66.0 - 117.)			
*Toluene-d8			50.0			52	ug/kg		105	(73.0 - 122.)			
1,1,1-Trichloroethane					U	ND	ug/kg						
1,1,2,2-Tetrachloroethane					U	ND	ug/kg						
1,1,2-Trichloroethane					U	ND	ug/kg						
1,1-Dichloroethane					U	ND	ug/kg						
1,2-Dichloroethane					U	ND	ug/kg						
1,2-Dichloropropane					U	ND	ug/kg						
1,2-cis-Dichloroethylene					U	ND	ug/kg						
1,2-trans-Dichloroethylene					U	ND	ug/kg						
2-Butanone					U	ND	ug/kg						
2-Hexanone					U	ND	ug/kg						
4-Methyl-2-pentanone					U	ND	ug/kg						
Acetone					U	ND	ug/kg						
Bromoform					U	ND	ug/kg						
Carbon Disulfide					U	ND	ug/kg						
Carbon Tetrachloride					U	ND	ug/kg						
Chlorodibromomethane					U	ND	ug/kg						
Chloroethane					U	ND	ug/kg						
Chloroform					U	ND	ug/kg						
Dichlorobromomethane					U	ND	ug/kg						
Ethylbenzene					U	ND	ug/kg						
Methyl Bromide					U	ND	ug/kg						
Methyl Chloride					U	ND	ug/kg						
Methylene Chloride					U	ND	ug/kg						
Styrene					U	ND	ug/kg						
Tetrachloroethylene					U	ND	ug/kg						
Vinyl Acetate					U	ND	ug/kg						
Vinyl chloride					U	ND	ug/kg						
Xylenes (TOTAL)					U	ND	ug/kg						
cis-1,3-Dichloropropylene					U	ND	ug/kg						
trans-1,3-Dichloropropylene					U	ND	ug/kg						
QC647662		BLANK	158072										
1,1-Dichloroethylene					U	ND	ug/l						
Benzene					U	ND	ug/l						
Chlorobenzene					U	ND	ug/l						

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 6 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Toluene					U	ND	ug/l				MAP	09/10/99	2228
Trichloroethylene					U	ND	ug/l						
*Bromofluorobenzene			50.0			58	ug/l		116	(73.0 - 129.)			
*Dibromofluoromethane			50.0			47	ug/l		93.5	(66.0 - 117.)			
*Toluene-d8			50.0			52	ug/l		105	(73.0 - 122.)			
1,1,1-Trichloroethane					U	ND	ug/l						
1,1,2,2-Tetrachloroethane					U	ND	ug/l						
1,1,2-Trichloroethane					U	ND	ug/l						
1,1-Dichloroethane					U	ND	ug/l						
1,2-Dichloroethane					U	ND	ug/l						
1,2-Dichloropropane					U	ND	ug/l						
1,2-cis-Dichloroethylene					U	ND	ug/l						
1,2-trans-Dichloroethylene					U	ND	ug/l						
2-Butanone					U	ND	ug/l						
2-Hexanone					U	ND	ug/l						
4-Methyl-2-pentanone					U	ND	ug/l						
Acetone					U	ND	ug/l						
Bromoform					U	ND	ug/l						
Carbon Disulfide					U	ND	ug/l						
Carbon Tetrachloride					U	ND	ug/l						
Chlorodibromomethane					U	ND	ug/l						
Chloroethane					U	ND	ug/l						
Chloroform					U	ND	ug/l						
Dichlorobromomethane					U	ND	ug/l						
Ethylbenzene					U	ND	ug/l						
Methyl Bromide					U	ND	ug/l						
Methyl Chloride					U	ND	ug/l						
Methylene Chloride					U	ND	ug/l						
Styrene					U	ND	ug/l						
Tetrachloroethylene					U	ND	ug/l						
Vinyl Acetate					U	ND	ug/l						
Vinyl chloride					U	ND	ug/l						
Xylenes (TOTAL)					U	ND	ug/l						
cis-1,3-Dichloropropylene					U	ND	ug/l						
trans-1,3-Dichloropropylene					U	ND	ug/l						
QC646986		LCS 138044											
1,1-Dichloroethylene			50.0			52	ug/kg		104	(70.0 - 144.)	MAP	09/09/99	0748
Benzene			50.0			48	ug/kg		95.9	(74.0 - 133.)			
Chlorobenzene			50.0			46	ug/kg		92.8	(78.0 - 118.)			
Toluene			50.0			46	ug/kg		91.0	(79.0 - 129.)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 7 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Trichloroethylene			50.0			49	ug/kg		98.3	(69.0 - 127.)	MAP	09/09/99	0748
*Bromofluorobenzene			50.0			58	ug/kg		117	(73.0 - 129.)			
*Dibromofluoromethane			50.0			49	ug/kg		97.3	(66.0 - 117.)			
*Toluene-d8			50.0			50	ug/kg		100	(73.0 - 122.)			
QC647129	LCS	158072											
1,1-Dichloroethylene			50.0			54	ug/l		108	(70.0 - 144.)	MAP	09/10/99	0715
Benzene			50.0			51	ug/l		102	(74.0 - 133.)			
Chlorobenzene			50.0			48	ug/l		95.9	(78.0 - 118.)			
Toluene			50.0			49	ug/l		97.6	(79.0 - 129.)			
Trichloroethylene			50.0			48	ug/l		96.4	(69.0 - 127.)			
*Bromofluorobenzene			50.0			59	ug/l		119	(73.0 - 129.)			
*Dibromofluoromethane			50.0			45	ug/l		90.1	(66.0 - 117.)			
*Toluene-d8			50.0			50	ug/l		101	(73.0 - 122.)			
QC647289	LCS	158044											
1,1-Dichloroethylene			50.0			54	ug/kg		108	(70.0 - 144.)			
Benzene			50.0			51	ug/kg		102	(74.0 - 133.)			
Chlorobenzene			50.0			48	ug/kg		95.9	(78.0 - 118.)			
Toluene			50.0			49	ug/kg		97.6	(79.0 - 129.)			
Trichloroethylene			50.0			48	ug/kg		96.4	(69.0 - 127.)			
*Bromofluorobenzene			50.0			59	ug/kg		119	(73.0 - 129.)			
*Dibromofluoromethane			50.0			45	ug/kg		90.1	(66.0 - 117.)			
*Toluene-d8			50.0			50	ug/kg		101	(73.0 - 122.)			
QC647661	LCS	158044											
1,1-Dichloroethylene			50.0			57	ug/kg		114	(70.0 - 144.)	MAP	09/10/99	2010
Benzene			50.0			51	ug/kg		101	(74.0 - 133.)			
Chlorobenzene			50.0			49	ug/kg		98.4	(78.0 - 118.)			
Toluene			50.0			51	ug/kg		101	(79.0 - 129.)			
Trichloroethylene			50.0			51	ug/kg		103	(69.0 - 127.)			
*Bromofluorobenzene			50.0			59	ug/kg		118	(73.0 - 129.)			
*Dibromofluoromethane			50.0			48	ug/kg		95.6	(66.0 - 117.)			
*Toluene-d8			50.0			53	ug/kg		106	(73.0 - 122.)			
QC647663	LCS	158072											
1,1-Dichloroethylene			50.0			57	ug/l		114	(70.0 - 144.)			
Benzene			50.0			51	ug/l		101	(74.0 - 133.)			
Chlorobenzene			50.0			49	ug/l		98.4	(78.0 - 118.)			
Toluene			50.0			51	ug/l		101	(79.0 - 129.)			
Trichloroethylene			50.0			51	ug/l		103	(69.0 - 127.)			
*Bromofluorobenzene			50.0			59	ug/l		118	(73.0 - 129.)			
*Dibromofluoromethane			50.0			48	ug/l		95.6	(66.0 - 117.)			
*Toluene-d8			50.0			53	ug/l		106	(73.0 - 122.)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 99092287

Report Date: October 07, 1999

Page 8 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
QC646989	LCS DUP	158044											
1,1-Dichloroethylene			50.0	54.0		55	ug/kg	3.07	111	(0.00 - 25.0)	MAP	09/10/99	0746
Benzene			50.0	51.0		52	ug/kg	2.05	104	(0.00 - 21.0)			
Chlorobenzene			50.0	48.0		49	ug/kg	2.50	98.4	(0.00 - 15.0)			
Toluene			50.0	49.0		50	ug/kg	3.33	101	(0.00 - 15.0)			
Trichloroethylene			50.0	48.0		50	ug/kg	3.80	100	(0.00 - 18.0)			
*Bromofluorobenzene			50.0			60	ug/kg		120	(73.0 - 129.)			
*Dibromofluoromethane			50.0			45	ug/kg		90.3	(66.0 - 117.)			
*Toluene-d8			50.0			52	ug/kg		104	(73.0 - 122.)			
QC647130	LCS DUP	158072											
1,1-Dichloroethylene			50.0	54.0		58	ug/l	8.15	117	(0.00 - 33.0)	MAP	09/10/99	2040
Benzene			50.0	51.0		52	ug/l	1.89	103	(0.00 - 29.0)			
Chlorobenzene			50.0	48.0		51	ug/l	6.06	102	(0.00 - 15.0)			
Toluene			50.0	49.0		52	ug/l	6.62	104	(0.00 - 21.0)			
Trichloroethylene			50.0	48.0		52	ug/l	7.40	104	(0.00 - 26.0)			
*Bromofluorobenzene			50.0			57	ug/l		114	(73.0 - 129.)			
*Dibromofluoromethane			50.0			47	ug/l		94.2	(66.0 - 117.)			
*Toluene-d8			50.0			53	ug/l		107	(73.0 - 122.)			
QC646987	9909228-44MS	158044											
1,1-Dichloroethylene			50.0	U ND		55	ug/kg		110	(82.0 - 136.)	MAP	09/11/99	0337
Benzene			50.0	U ND		50	ug/kg		99.1	(85.0 - 126.)			
Chlorobenzene			50.0	U ND		46	ug/kg		92.7	(70.0 - 115.)			
Toluene			50.0	4.10		49	ug/kg		89.7	(73.0 - 117.)			
Trichloroethylene			50.0	U ND		50	ug/kg		100	(70.0 - 130.)			
*Bromofluorobenzene			50.0			59	ug/kg		118	(73.0 - 129.)			
*Dibromofluoromethane			50.0			50	ug/kg		99.2	(66.0 - 117.)			
*Toluene-d8			50.0			52	ug/kg		105	(73.0 - 122.)			
QC646988	9909228-44MSD	158044											
1,1-Dichloroethylene			50.0	U ND		56	ug/kg	1.60	112	(0.00 - 30.0)	MAP	09/11/99	0408
Benzene			50.0	U ND		50	ug/kg	1.18	100	(0.00 - 30.0)			
Chlorobenzene			50.0	U ND		47	ug/kg	1.88	94.5	(0.00 - 30.0)			
Toluene			50.0	4.10		50	ug/kg	2.96	92.4	(0.00 - 30.0)			
Trichloroethylene			50.0	U ND		51	ug/kg	1.76	102	(0.00 - 30.0)			
*Bromofluorobenzene			50.0			58	ug/kg		117	(73.0 - 129.)			
*Dibromofluoromethane			50.0			49	ug/kg		99.0	(66.0 - 117.)			
*Toluene-d8			50.0			52	ug/kg		105	(73.0 - 122.)			

* represent a surrogate.

**GC/MS
SEMIVOLATILE
ANALYSIS**

CASE NARRATIVE
SNLS
SDG 99228S
Analysis by GC/MS

Sample Analysis:

The following samples were analyzed for semivolatile organic compounds using the analytical protocol from EPA SW-846 Third Edition, Method 8270C, Revision 3, December, 1996:

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-02	050109-003 B9938-SP1-BH1-9.5-S
9909228-06	050049-003 SOLARDETOX-DF1-BH3-
9909228-09	050050-003 SOLARDETOX-DF1-BH3-
9909228-12	050052-003 SOLARDETOX-DF1-BH2-
9909228-15	050053-003 SOLARDETOX-DF1-BH2-
9909228-18	050055-003 SOLARDETOX-DF1-BH1-
9909228-21	050056-003 SOLARDETOX-DF1-BH1-
9909228-24	050057-003 SOLAR 9981A-SP1-BH1
9909228-27	050058-003 SOLAR 9981A-SP1-BH1
9909228-30	050059-003 SOLAR 9982-DW1-BH1-
9909228-33	050060-003 SOLAR 9982-DW1-BH1
9909228-36	050061-003 SOLAR 9982-DW1-BH1
9909228-39	050062-003 LFR-DF1-BH1-7-S
9909228-42	050063-003 LFR-DF1-BH1-12-S
9909228-45	050064-003 LFR-DF1-BH1-7-MS/MD
9909228-48	050065-003 LFR-DF1-BH2-7-S
9909228-51	050066-003 LFR-DF1-BH2-12-S
9909228-54	050067-003 LFR-DF1-BH3-7-S
9909228-57	050068-003 LFR-DF1-BH3-12-S
QC646867	SBLK01 (Blank)
QC646868	SBLK01LCS (Laboratory Control Sample)
QC646869	SBLK01LCSD (Lab Control Sample Duplicate)
QC646870	050064-003 LFR-DF1-BH1-7-MS/MDMS (Matrix Spike)
QC646871	050064-003 LFR-DF1-BH1-7-MS/MDMSD (Matrix Spike Duplicate)

System Configuration:

The laboratory utilizes a HP 6890 Series gas chromatograph and a HP 5973 Mass Selective Detector. The configuration is equipped with electronic pressure control. All MS interfaces are capillary direct.

Chromatographic Column:

Chromatographic separation of semivolatile components is accomplished through analysis on one or more of the following columns (all with dimensions of 30 meters x 0.25 mm ID and 0.25 um film except J&WDB-5MS2 which is 20 meters x 0.18 mm ID and 0.18 um film):

J&W: DB - 5.625 (5%-Phenyl)-methylpolysiloxane (identified by a DB-5.625 designation on quantitation reports and reconstructed ion chromatograms)
J&WDB-5MS Similar to the J&W DB - 5.625 with low bleed characteristics.
Alltech: EC-5 (SE-54) 5% Phenyl, 95% Methylpolysiloxane (identified by a EC-5 designation)
HP: HP-5MS 5% Phenylmethylsiloxane (identified by a HP-5MS designation)
Phenomenex: ZB-5 5% Phenyl Polysiloxane
J&WDB-5MS2 Similar to the J&W DB - 5.625 with low bleed characteristics.

Instrument Configuration:

The samples reported in this SDG were analyzed on one or more of the following instrument systems (instrument systems are identified by the instrument ID designations listed below which can be found on the raw data or individual form headers):

Instrument ID	System Configuration	Chromatographic Column
MSD2	HP6890/HP5973	ZB-5
MSD4	HP6890/HP5973	ZB-5
MSD5	HP6890/HP5973	ZB-5
MSD7	HP6890/HP5973	ZB-5
MSD8	HP6890/HP5973	J&WDB-5MS2

Sample Preparation:

All samples were prepared in accordance with accepted procedures.

Instrument Calibration:

The instrument was properly calibrated.

Due to the limited capacity of software to list all the current initial calibration files, a calibration history is inserted in the package prior to the appropriate Form 6.

Diphenylamine has now superseded N-Nitroso-diphenylamine as a CCC on Quantitation Reports, Initial Calibration Reports, Calibration Check Standard Reports, etc. Previous versions of EPA Method 8270 (prior to 8270C) listed N-Nitroso-diphenylamine as a CCC. However, as stated in EPA Method 8270C, Revision 3; December, 1996, Section 1.4.5, 'N-Nitroso-diphenylamine decomposes in the gas chromatographic inlet and cannot be separated from Diphenylamine.' Studies of these two compounds, both independent of each other and together, at GEL show that they not only coelute, but also have similar mass spectra.

Holding Time:

All samples were analyzed within the required holding time.

Surrogates:

Surrogate recoveries in all samples were within the required acceptance limits.

Internal Standards:

Internal Standards in all samples were within the required acceptance limits.

Blanks:

There were no target analytes detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spikes were analyzed on the following sample number:

9909228-45 (050064-003 LFR-DF1-BH1-7-MS/MD)

All of the analyte recoveries in the matrix spike and matrix spike duplicate were within the required acceptance limits.

The matrix spike duplicate was not within the required acceptance limit for relative percent difference for the following analyte:

4-nitrophenol.

Laboratory Control Samples:

All analytes in the laboratory control sample and laboratory control sample duplicate were within the required acceptance limits.

All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Dilutions:

None of the samples were diluted.

Nonconformance Reports:

There were no Nonconformance Reports associated with this SDG.

Manual Integrations:

No manual integrations were performed on the standards in the initial calibration or continuing calibration associated with this SDG.

No manual integrations were performed on samples, blanks or quality control samples associated with this SDG.

The preceding narrative has been reviewed by: [Signature] Date: 7.30.99

CASE NARRATIVE
SNLS
SDG 99228W
Analysis by GC/MS

Sample Analysis:

The following samples were analyzed for semivolatile organic compounds using the analytical protocol from EPA SW-846 Third Edition, Method 8270C, Revision 3, December, 1996:

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-62	050069-008 LFR-DF1-BH3-SVOC
QC647134	SBLK01 (Blank)
QC647135	SBLK01LCS (Laboratory Control Sample)
QC647136	SBLK01LCSD (Lab Control Sample Duplicate)

System Configuration:

The laboratory utilizes a HP 6890 Series gas chromatograph and a HP 5973 Mass Selective Detector. The configuration is equipped with electronic pressure control. All MS interfaces are capillary direct.

Chromatographic Column:

Chromatographic separation of semivolatile components is accomplished through analysis on one or more of the following columns (all with dimensions of 30 meters x 0.25 mm ID and 0.25 um film except J&WDB-5MS2 which is 20 meters x 0.18 mm ID and 0.18 um film):

J&W:	DB - 5.625 (5%-Phenyl)-methylpolysiloxane (identified by a DB-5.625 designation on quantitation reports and reconstructed ion chromatograms)
J&WDB-5MS	Similar to the J&W DB - 5.625 with low bleed characteristics.
Alltech:	EC-5 (SE-54) 5% Phenyl, 95% Methylpolysiloxane (identified by a EC-5 designation)
HP:	HP-5MS 5% Phenylmethylsiloxane (identified by a HP-5MS designation)
Phenomenex:	ZB-5 5% Phenyl Polysiloxane
J&WDB-5MS2	Similar to the J&W DB - 5.625 with low bleed characteristics.

Instrument Configuration:

The samples reported in this SDG were analyzed on one or more of the following instrument systems (instrument systems are identified by the instrument ID designations listed below which can be found on the raw data or individual form headers):

Instrument ID	System Configuration	Chromatographic Column
MSD2	HP6890/HP5973	ZB-5
MSD4	HP6890/HP5973	ZB-5
MSD5	HP6890/HP5973	ZB-5
MSD7	HP6890/HP5973	ZB-5
MSD8	HP6890/HP5973	J&WDB-5MS2

Sample Preparation:

All samples were prepared in accordance with accepted procedures.

Instrument Calibration:

The instrument was properly calibrated.

Due to the limited capacity of software to list all the current initial calibration files, a calibration history is inserted in the package prior to the appropriate Form 6.

Diphenylamine has now superseded N-Nitroso-diphenylamine as a CCC on Quantitation Reports, Initial Calibration Reports, Calibration Check Standard Reports, etc. Previous versions of EPA Method 8270 (prior to 8270C) listed N-Nitroso-diphenylamine as a CCC. However, as stated in EPA Method 8270C, Revision 3, December, 1996, Section 1.4.5, 'N-Nitroso-diphenylamine decomposes in the gas chromatographic inlet and cannot be separated from Diphenylamine.' Studies of these two compounds, both independent of each other and together, at GEL show that they not only coelute, but also have similar mass spectra.

Holding Time:

All samples were analyzed within the required holding time.

Surrogates:

Surrogate recoveries were within the required acceptance limits.

Internal Standards:

Internal Standards in all samples were within the required acceptance limits.

Blanks:

There were no target analytes detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spikes were analyzed on a sample of similar matrix not in this SDG.

The matrix spike was not within the required acceptance limits for the following analytes:

2-chlorophenol; 1,4-dichlorobenzene; N-nitroso-di-n-propylamine; 1,2,4-trichlorobenzene; 4-chloro-3-methylphenol; acenaphthene and pentachlorophenol.

The matrix spike duplicate was not within the required acceptance limits for the following analytes:

2-chlorophenol; 1,4-dichlorobenzene and pentachlorophenol.

All analytes in the matrix spike duplicate were within the required acceptance limits for relative percent difference.

Laboratory Control Samples:

All analytes in the laboratory control sample and laboratory control sample duplicate were within the required acceptance limits.

All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Dilutions:

None of the samples were diluted.

Nonconformance Reports:

There were no nonconformance reports associated with this SDG.

Manual Integrations:

No manual integrations were performed on the standards in the initial calibration or continuing calibration associated with this SDG.

No manual integrations were performed on samples, blanks or quality control samples associated with this SDG.

SDG 99228W - SVOA

Jason Mace
1/1/02

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 9 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Extractable Organics													
QC646867	BLANK	158016											
1,2,4-Trichlorobenzene					U	ND	ug/kg						GWL 09/28/99 1554
1,4-Dichlorobenzene					U	ND	ug/kg						
2,4-Dinitrotoluene					U	ND	ug/kg						
2-Chlorophenol					U	ND	ug/kg						
4-Nitrophenol					U	ND	ug/kg						
4-chloro-3-methyl phenol					U	ND	ug/kg						
Acenaphthene					U	ND	ug/kg						
N-Nitrosodipropylamine					U	ND	ug/kg						
Pentachlorophenol					U	ND	ug/kg						
Phenol					U	ND	ug/kg						
Pyrene					U	ND	ug/kg						
*2,4,6-Tribromophenol			3330				1900 ug/kg			56.1 (44.5 - 126.)			
*2-Fluorobiphenyl			1670				1100 ug/kg			65.3 (44.7 - 110.)			
*2-Fluorophenol			3330				2400 ug/kg			71.6 (37.0 - 102.)			
*Nitrobenzene-d5			1670				1000 ug/kg			61.7 (42.4 - 107.)			
*Phenol-d6			3330				2300 ug/kg			68.2 (41.5 - 102.)			
*p-Terphenyl-d14			1670				1500 ug/kg			87.0 (45.5 - 104.)			
1,2-Dichlorobenzene					U	ND	ug/kg						
1,2-Diphenylhydrazine					U	ND	ug/kg						
1,3-Dichlorobenzene					U	ND	ug/kg						
2,4,5-Trichlorophenol					U	ND	ug/kg						
2,4,6-Trichlorophenol					U	ND	ug/kg						
2,4-Dichlorophenol					U	ND	ug/kg						
2,4-Dimethylphenol					U	ND	ug/kg						
2,4-Dinitrophenol					U	ND	ug/kg						
2,6-Dinitrotoluene					U	ND	ug/kg						
2-Chloronaphthalene					U	ND	ug/kg						
2-Methylnaphthalene					U	ND	ug/kg						
2-Nitrophenol					U	ND	ug/kg						
2-methyl-4,6-dinitrophenol					U	ND	ug/kg						
3,3'-Dichlorobenzidine					U	ND	ug/kg						
4-Bromophenyl phenyl ether					U	ND	ug/kg						
4-Chloroaniline					U	ND	ug/kg						
4-Chlorophenyl phenyl ether					U	ND	ug/kg						
Acenaphthylene					U	ND	ug/kg						
Anthracene					U	ND	ug/kg						
Benzo(a)anthracene					U	ND	ug/kg						
Benzo(a)pyrene					U	ND	ug/kg						

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 10 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Benzo(b)fluoranthene					U	ND	ug/kg					GWL	09/28/99 1554
Benzo(ghi)perylene					U	ND	ug/kg						
Benzo(k)fluoranthene					U	ND	ug/kg						
Butyl benzyl phthalate					U	ND	ug/kg						
Carbazole					U	ND	ug/kg						
Chrysene					U	ND	ug/kg						
Di-n-butyl phthalate					U	ND	ug/kg						
Di-n-octyl phthalate					U	ND	ug/kg						
Dibenzo(a,h)anthracene					U	ND	ug/kg						
Dibenzofuran					U	ND	ug/kg						
Diethyl phthalate					U	ND	ug/kg						
Dimethyl phthalate					U	ND	ug/kg						
Fluoranthene					U	ND	ug/kg						
Fluorene					U	ND	ug/kg						
Hexachlorobenzene					U	ND	ug/kg						
Hexachlorobutadiene					U	ND	ug/kg						
Hexachlorocyclopentadiene					U	ND	ug/kg						
Hexachloroethane					U	ND	ug/kg						
Indeno(1,2,3-c,d)pyrene					U	ND	ug/kg						
Isophorone					U	ND	ug/kg						
N-Nitrosodiphenylamine					U	ND	ug/kg						
Naphthalene					U	ND	ug/kg						
Nitrobenzene					U	ND	ug/kg						
Phenanthrene					U	ND	ug/kg						
bis(2-Chloroethoxy)methane					U	ND	ug/kg						
bis(2-Chloroethyl) ether					U	ND	ug/kg						
bis(2-Chloroisopropyl)ether					U	ND	ug/kg						
bis(2-Ethylhexyl)phthalate					U	ND	ug/kg						
m,p-Cresol					U	ND	ug/kg						
m-Nitroaniline					U	ND	ug/kg						
o-Cresol					U	ND	ug/kg						
o-Nitroaniline					U	ND	ug/kg						
p-Nitroaniline					U	ND	ug/kg						
QC647134		BLANK	158075										
1,2,4-Trichlorobenzene					U	ND	ug/l					EH1	09/17/99 1740
1,4-Dichlorobenzene					U	ND	ug/l						
2,4-Dinitrotoluene					U	ND	ug/l						
2-Chlorophenol					U	ND	ug/l						
4-Nitrophenol					U	ND	ug/l						
4-chloro-3-methyl phenol					U	ND	ug/l						

QC Summary Report

Project Description: RFP #A12480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 11 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Acenaphthene					U	ND	ug/l				EHI	09/17/99	1740
N-Nitrosodipropylamine					U	ND	ug/l						
Pentachlorophenol					U	ND	ug/l						
Phenol					U	ND	ug/l						
Pyrene					U	ND	ug/l						
*2,4,6-Tribromophenol			100			54	ug/l		53.8	(41.0 - 122.)			
*2-Fluorobiphenyl			50.0			35	ug/l		70.2	(41.2 - 107.)			
*2-Fluorophenol			100			42	ug/l		42.0	(23.6 - 75.9)			
*Nitrobenzene-d5			50.0			35	ug/l		70.8	(35.3 - 108.)			
*Phenol-d6			100			25	ug/l		25.1	(10.9 - 54.6)			
*p-Terphenyl-d14			50.0			47	ug/l		93.8	(36.6 - 110.)			
1,2-Dichlorobenzene					U	ND	ug/l						
1,2-Diphenylhydrazine					U	ND	ug/l						
1,3-Dichlorobenzene					U	ND	ug/l						
2,4,5-Trichlorophenol					U	ND	ug/l						
2,4,6-Trichlorophenol					U	ND	ug/l						
2,4-Dichlorophenol					U	ND	ug/l						
2,4-Dimethylphenol					U	ND	ug/l						
2,4-Dinitrophenol					U	ND	ug/l						
2,6-Dinitrotoluene					U	ND	ug/l						
2-Chloronaphthalene					U	ND	ug/l						
2-Methylnaphthalene					U	ND	ug/l						
2-Nitrophenol					U	ND	ug/l						
2-methyl-4,6-dinitrophenol					U	ND	ug/l						
3,3'-Dichlorobenzidine					U	ND	ug/l						
4-Bromophenyl phenyl ether					U	ND	ug/l						
4-Chloroaniline					U	ND	ug/l						
4-Chlorophenyl phenyl ether					U	ND	ug/l						
Acenaphthylene					U	ND	ug/l						
Anthracene					U	ND	ug/l						
Benzo(a)anthracene					U	ND	ug/l						
Benzo(a)pyrene					U	ND	ug/l						
Benzo(b)fluoranthene					U	ND	ug/l						
Benzo(ghi)perylene					U	ND	ug/l						
Benzo(k)fluoranthene					U	ND	ug/l						
Butyl benzyl phthalate					U	ND	ug/l						
Carbazole					U	ND	ug/l						
Chrysene					U	ND	ug/l						
Di-n-butyl phthalate					U	ND	ug/l						
Di-n-octyl phthalate					U	ND	ug/l						

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 12 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Dibenzo(a,h)anthracene					U	ND	ug/l				EH1	09/17/99	1740
Dibenzofuran					U	ND	ug/l						
Diethyl phthalate					U	ND	ug/l						
Dimethyl phthalate					U	ND	ug/l						
Fluoranthene					U	ND	ug/l						
Fluorene					U	ND	ug/l						
Hexachlorobenzene					U	ND	ug/l						
Hexachlorobutadiene					U	ND	ug/l						
Hexachlorocyclopentadiene					U	ND	ug/l						
Hexachloroethane					U	ND	ug/l						
Indeno(1,2,3-c,d)pyrene					U	ND	ug/l						
Isophorone					U	ND	ug/l						
N-Nitrosodiphenylamine					U	ND	ug/l						
Naphthalene					U	ND	ug/l						
Nitrobenzene					U	ND	ug/l						
Phenanthrene					U	ND	ug/l						
bis(2-Chloroethoxy)methane					U	ND	ug/l						
bis(2-Chloroethyl) ether					U	ND	ug/l						
bis(2-Chloroisopropyl)ether					U	ND	ug/l						
bis(2-Ethylhexyl)phthalate					U	ND	ug/l						
m,p-Cresol					U	ND	ug/l						
m-Nitroaniline					U	ND	ug/l						
o-Cresol					U	ND	ug/l						
o-Nitroaniline					U	ND	ug/l						
p-Nitroaniline					U	ND	ug/l						
QC650713	BLANK	158075											
1,2,4-Trichlorobenzene					U	ND	ug/l				JPA	09/23/99	1403
1,4-Dichlorobenzene					U	ND	ug/l						
2,4-Dinitrotoluene					U	ND	ug/l						
2-Chlorophenol					U	ND	ug/l						
4-Nitrophenol					U	ND	ug/l						
4-chloro-3-methyl phenol					U	ND	ug/l						
Acenaphthene					U	ND	ug/l						
N-Nitrosodipropylamine					U	ND	ug/l						
Pentachlorophenol					U	ND	ug/l						
Phenol					U	ND	ug/l						
Pyrene					U	ND	ug/l						
*2,4,6-Tribromophenol			100			54	ug/l		54.3	(41.0 - 122.)			
*2-Fluorobiphenyl			50.0			29	ug/l		58.3	(41.2 - 107.)			
*2-Fluorophenol			100			35	ug/l		35.4	(23.6 - 75.9)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 13 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
*Nitrobenzene-d5			50.0			27	ug/l		54.5	(35.3 - 108.)	JFA	09/23/99	1403
*Phenol-d6			100			21	ug/l		21.4	(10.9 - 54.6)			
*p-Terphenyl-d14			50.0			40	ug/l		80.0	(36.6 - 110.)			
1,2-Dichlorobenzene					U	ND	ug/l						
1,2-Diphenylhydrazine					U	ND	ug/l						
1,3-Dichlorobenzene					U	ND	ug/l						
2,4,5-Trichlorophenol					U	ND	ug/l						
2,4,6-Trichlorophenol					U	ND	ug/l						
2,4-Dichlorophenol					U	ND	ug/l						
2,4-Dimethylphenol					U	ND	ug/l						
2,4-Dinitrophenol					U	ND	ug/l						
2,6-Dinitrotoluene					U	ND	ug/l						
2-Chloronaphthalene					U	ND	ug/l						
2-Methylnaphthalene					U	ND	ug/l						
2-Nitrophenol					U	ND	ug/l						
2-methyl-4,6-dinitrophenol					U	ND	ug/l						
3,3'-Dichlorobenzidine					U	ND	ug/l						
4-Bromophenyl phenyl ether					U	ND	ug/l						
4-Chloroaniline					U	ND	ug/l						
4-Chlorophenyl phenyl ether					U	ND	ug/l						
Acenaphthylene					U	ND	ug/l						
Anthracene					U	ND	ug/l						
Benzo(a)anthracene					U	ND	ug/l						
Benzo(a)pyrene					U	ND	ug/l						
Benzo(b)fluoranthene					U	ND	ug/l						
Benzo(g,h,i)perylene					U	ND	ug/l						
Benzo(k)fluoranthene					U	ND	ug/l						
Butyl benzyl phthalate					U	ND	ug/l						
Carbazole					U	ND	ug/l						
Chrysene					U	ND	ug/l						
Di-n-butyl phthalate					U	ND	ug/l						
Di-n-octyl phthalate					U	ND	ug/l						
Dibenzo(a,h)anthracene					U	ND	ug/l						
Dibenzofuran					U	ND	ug/l						
Diethyl phthalate					U	ND	ug/l						
Dimethyl phthalate					U	ND	ug/l						
Fluoranthene					U	ND	ug/l						
Fluorene					U	ND	ug/l						
Hexachlorobenzene					U	ND	ug/l						
Hexachlorobutadiene					U	ND	ug/l						

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 14 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Hexachlorocyclopentadiene					U	ND	ug/l				JPA	09/23/99	1403
Hexachloroethane					U	ND	ug/l						
Indeno(1,2,3-c,d)pyrene					U	ND	ug/l						
Isophorone					U	ND	ug/l						
N-Nitrosodiphenylamine					U	ND	ug/l						
Naphthalene					U	ND	ug/l						
Nitrobenzene					U	ND	ug/l						
Phenanthrene					U	ND	ug/l						
bis(2-Chloroethoxy)methane					U	ND	ug/l						
bis(2-Chloroethyl) ether					U	ND	ug/l						
bis(2-Chloroisopropyl)ether					U	ND	ug/l						
bis(2-Ethylhexyl)phthalate					U	ND	ug/l						
m,p-Cresol					U	ND	ug/l						
m-Nitroaniline					U	ND	ug/l						
o-Cresol					U	ND	ug/l						
o-Nitroaniline					U	ND	ug/l						
p-Nitroaniline					U	ND	ug/l						
QC646868	LCS	158016											
1,2,4-Trichlorobenzene			1670			1100	ug/kg	66.4		(38.2 - 110.)	GWL	09/28/99	1627
1,4-Dichlorobenzene			1670			1100	ug/kg	63.6		(41.8 - 103.)			
2,4-Dinitrotoluene			1670			1300	ug/kg	78.1		(56.5 - 119.)			
2-Chlorophenol			3330			2100	ug/kg	62.6		(45.5 - 95.2)			
4-Nitrophenol			3330			2500	ug/kg	75.7		(30.4 - 136.)			
4-chloro-3-methyl phenol			3330			2300	ug/kg	68.0		(57.5 - 101.)			
Acenaphthene			1670			1100	ug/kg	67.5		(48.2 - 108.)			
N-Nitrosodipropylamine			1670			1100	ug/kg	65.0		(14.9 - 116.)			
Pentachlorophenol			3330			2400	ug/kg	70.9		(45.4 - 103.)			
Phenol			3330			1800	ug/kg	54.6		(36.2 - 99.7)			
Pyrene			1670			1400	ug/kg	86.4		(50.7 - 110.)			
*2,4,6-Tribromophenol			3330			2400	ug/kg	71.1		(44.5 - 126.)			
*2-Fluorobiphenyl			1670			1100	ug/kg	66.4		(44.7 - 110.)			
*2-Fluorophenol			3330			2300	ug/kg	69.3		(37.0 - 102.)			
*Nitrobenzene-d5			1670			1100	ug/kg	65.2		(42.4 - 107.)			
*Phenol-d6			3330			2300	ug/kg	67.9		(41.5 - 102.)			
*p-Terphenyl-d14			1670			1400	ug/kg	85.8		(45.5 - 104.)			
QC647135	LCS	158075											
1,2,4-Trichlorobenzene			50.0			34	ug/l	67.6		(45.7 - 97.7)	EH1	09/17/99	1812
1,4-Dichlorobenzene			50.0			33	ug/l	66.0		(34.6 - 96.9)			
2,4-Dinitrotoluene			50.0			44	ug/l	89.0		(58.5 - 111.)			
2-Chlorophenol			100			59	ug/l	59.0		(36.9 - 94.1)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 15 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
4-Nitrophenol			100			33	ug/l		33.4	(10.0 - 55.6)	EH1	09/17/99	1812
4-chloro-3-methyl phenol			100			68	ug/l		68.4	(17.3 - 126.)			
Acenaphthene			50.0			40	ug/l		80.6	(53.0 - 100.)			
N-Nitrosodipropylamine			50.0			33	ug/l		65.5	(52.1 - 104.)			
Pentachlorophenol			100			56	ug/l		56.4	(49.8 - 120.)			
Phenol			100			23	ug/l		23.4	(10.0 - 70.1)			
Pyrene			50.0			51	ug/l		102	(45.4 - 109.)			
*2,4,6-Tribromophenol			100			72	ug/l		72.1	(41.0 - 122.)			
*2-Fluorobiphenyl			50.0			34	ug/l		68.3	(41.2 - 107.)			
*2-Fluorophenol			100			38	ug/l		37.7	(23.6 - 75.9)			
*Nitrobenzene-d5			50.0			34	ug/l		67.3	(35.3 - 108.)			
*Phenol-d6			100			24	ug/l		23.6	(10.9 - 54.6)			
*p-Terphenyl-d14			50.0			42	ug/l		84.7	(36.6 - 110.)			
QC650714	LCS	158075											
1,2,4-Trichlorobenzene			50.0			31	ug/l		62.3	(45.7 - 97.7)	JPA	09/23/99	1430
1,4-Dichlorobenzene			50.0			29	ug/l		58.5	(34.6 - 96.9)			
2,4-Dinitrotoluene			50.0			34	ug/l		68.0	(58.5 - 111.)			
2-Chlorophenol			100			56	ug/l		56.3	(36.9 - 94.1)			
4-Nitrophenol			100			31	ug/l		30.8	(10.0 - 55.6)			
4-chloro-3-methyl phenol			100			63	ug/l		62.6	(17.3 - 126.)			
Acenaphthene			50.0			32	ug/l		64.5	(53.0 - 100.)			
N-Nitrosodipropylamine			50.0			32	ug/l		64.1	(52.1 - 104.)			
Pentachlorophenol			100			58	ug/l		58.4	(49.8 - 120.)			
Phenol			100			23	ug/l		23.2	(10.0 - 70.1)			
Pyrene			50.0			39	ug/l		78.9	(45.4 - 109.)			
*2,4,6-Tribromophenol			100			79	ug/l		78.6	(41.0 - 122.)			
*2-Fluorobiphenyl			50.0			33	ug/l		65.3	(41.2 - 107.)			
*2-Fluorophenol			100			39	ug/l		39.1	(23.6 - 75.9)			
*Nitrobenzene-d5			50.0			31	ug/l		62.2	(35.3 - 108.)			
*Phenol-d6			100			24	ug/l		24.4	(10.9 - 54.6)			
*p-Terphenyl-d14			50.0			39	ug/l		77.3	(36.6 - 110.)			
QC646869	LCS DUP	158016											
1,2,4-Trichlorobenzene			1670	1100		1000	ug/kg	6.43	62.2	(0.00 - 30.0)	GWL	09/28/99	1659
1,4-Dichlorobenzene			1670	1100		990	ug/kg	7.49	59.0	(0.00 - 30.0)			
2,4-Dinitrotoluene			1670	1300		1200	ug/kg	4.60	74.6	(0.00 - 30.0)			
2-Chlorophenol			3330	2100		1900	ug/kg	7.44	58.2	(0.00 - 30.0)			
4-Nitrophenol			3330	2500		2300	ug/kg	11.1	67.7	(0.00 - 30.0)			
4-chloro-3-methyl phenol			3330	2300		2200	ug/kg	5.01	64.7	(0.00 - 30.0)			
Acenaphthene			1670	1100		1100	ug/kg	3.87	65.0	(0.00 - 30.0)			
N-Nitrosodipropylamine			1670	1100		1000	ug/kg	5.02	61.8	(0.00 - 30.0)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 16 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Pentachlorophenol			3330	2400		2400	ug/kg	0.181	71.1	(0.00 - 30.0)	GWL	09/28/99	1659
Phenol			3330	1800		1800	ug/kg	0.231	54.7	(0.00 - 30.0)			
Pyrene			1670	1400		1400	ug/kg	2.33	84.4	(0.00 - 30.0)			
*2,4,6-Tribromophenol			3330			2300	ug/kg		68.7	(44.5 - 126.)			
*2-Fluorobiphenyl			1670			1100	ug/kg		63.6	(44.7 - 110.)			
*2-Fluorophenol			3330			2100	ug/kg		64.5	(37.0 - 102.)			
*Nitrobenzene-d5			1670			1000	ug/kg		61.2	(42.4 - 107.)			
*Phenol-d6			3330			2100	ug/kg		63.0	(41.5 - 102.)			
*p-Terphenyl-d14			1670			1400	ug/kg		83.7	(45.5 - 104.)			
QC647136	LCS DUP	158075											
1,2,4-Trichlorobenzene			50.0	34.0		32	ug/l	4.20	64.8	(0.00 - 30.0)	EHI	09/17/99	1844
1,4-Dichlorobenzene			50.0	33.0		32	ug/l	4.59	63.0	(0.00 - 30.0)			
2,4-Dinitrotoluene			50.0	44.0		47	ug/l	4.97	93.5	(0.00 - 30.0)			
2-Chlorophenol			100	59.0		57	ug/l	3.31	57.1	(0.00 - 30.0)			
4-Nitrophenol			100	33.0		36	ug/l	7.65	36.1	(0.00 - 30.0)			
4-chloro-3-methyl phenol			100	68.0		68	ug/l	0.480	68.1	(0.00 - 30.0)			
Acenaphthene			50.0	40.0		39	ug/l	3.69	77.7	(0.00 - 30.0)			
N-Nitrosodipropylamine			50.0	33.0		31	ug/l	4.28	62.7	(0.00 - 30.0)			
Pentachlorophenol			100	56.0		59	ug/l	4.06	58.7	(0.00 - 30.0)			
Phenol			100	23.0		24	ug/l	0.979	23.7	(0.00 - 30.0)			
Pyrene			50.0	51.0		49	ug/l	3.96	98.0	(0.00 - 30.0)			
*2,4,6-Tribromophenol			100			75	ug/l		74.5	(41.0 - 122.)			
*2-Fluorobiphenyl			50.0			32	ug/l		64.6	(41.2 - 107.)			
*2-Fluorophenol			100			37	ug/l		37.1	(23.6 - 75.9)			
*Nitrobenzene-d5			50.0			31	ug/l		61.9	(35.3 - 108.)			
*Phenol-d6			100			23	ug/l		23.1	(10.9 - 54.6)			
*p-Terphenyl-d14			50.0			40	ug/l		80.7	(36.6 - 110.)			
QC646870	9909228-45M5	158016											
1,2,4-Trichlorobenzene			1670	U	ND	1100	ug/kg		64.1	(46.3 - 102.)	GWL	09/28/99	1731
1,4-Dichlorobenzene			1670	U	ND	1000	ug/kg		59.7	(39.0 - 101.)			
2,4-Dinitrotoluene			1670	U	ND	1100	ug/kg		64.0	(41.0 - 111.)			
2-Chlorophenol			3330	U	ND	2100	ug/kg		62.2	(50.1 - 99.8)			
4-Nitrophenol			3330	U	ND	2300	ug/kg		69.0	(42.6 - 119.)			
4-chloro-3-methyl phenol			3330	U	ND	2100	ug/kg		63.1	(50.5 - 110.)			
Acenaphthene			1670	U	ND	1000	ug/kg		62.7	(54.9 - 105.)			
N-Nitrosodipropylamine			1670	U	ND	1100	ug/kg		67.2	(46.7 - 117.)			
Pentachlorophenol			3330	U	ND	2500	ug/kg		74.5	(49.1 - 123.)			
Phenol			3330	U	ND	1900	ug/kg		57.4	(55.3 - 92.4)			
Pyrene			1670	U	ND	1300	ug/kg		79.6	(57.2 - 123.)			
*2,4,6-Tribromophenol			3330			2300	ug/kg		69.2	(44.5 - 126.)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 17 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
*2-Fluorobiphenyl			1670			1100	ug/kg		67.2	(44.7 - 110.)	GWL	09/28/99	1731
*2-Fluorophenol			3330			2400	ug/kg		71.0	(37.0 - 102.)			
*Nitrobenzene-d5			1670			1100	ug/kg		63.9	(42.4 - 107.)			
*Phenol-d6			3330			2300	ug/kg		68.3	(41.5 - 102.)			
*p-Terphenyl-d14			1670			1400	ug/kg		85.1	(45.5 - 104.)			
QC646871		9909228-45MSD	158016										
1,2,4-Trichlorobenzene			1670	U	ND	1000	ug/kg	2.79	62.3	(0.00 - 18.9)	GWL	09/28/99	1803
1,4-Dichlorobenzene			1670	U	ND	950	ug/kg	5.05	56.7	(0.00 - 19.5)			
2,4-Dinitrotoluene			1670	U	ND	1100	ug/kg	0.0380	64.0	(0.00 - 21.6)			
2-Chlorophenol			3330	U	ND	2000	ug/kg	4.40	59.5	(0.00 - 19.7)			
4-Nitrophenol			3330	U	ND	3300	ug/kg	35.4**	98.7	(0.00 - 23.3)			
4-chloro-3-methyl phenol			3330	U	ND	2100	ug/kg	0.666	63.6	(0.00 - 21.7)			
Acenaphthene			1670	U	ND	1100	ug/kg	0.786	63.2	(0.00 - 18.9)			
N-Nitrosodipropylamine			1670	U	ND	1100	ug/kg	3.26	65.0	(0.00 - 20.4)			
Pentachlorophenol			3330	U	ND	2500	ug/kg	2.45	76.4	(0.00 - 24.1)			
Phenol			3330	U	ND	1800	ug/kg	5.13	54.5	(0.00 - 19.4)			
Pyrene			1670	U	ND	1300	ug/kg	0.189	79.8	(0.00 - 21.4)			
*2,4,6-Tribromophenol			3330			2300	ug/kg		68.5	(44.5 - 126.)			
*2-Fluorobiphenyl			1670			1100	ug/kg		66.3	(44.7 - 110.)			
*2-Fluorophenol			3330			2200	ug/kg		67.3	(37.0 - 102.)			
*Nitrobenzene-d5			1670			1000	ug/kg		60.6	(42.4 - 107.)			
*Phenol-d6			3330			2200	ug/kg		65.5	(41.5 - 102.)			
*p-Terphenyl-d14			1670			1400	ug/kg		85.6	(45.5 - 104.)			
QC646831		BLANK	158012										
2,4,6-Trinitrotoluene				U	ND		ug/kg				JLW	09/21/99	1420
2,4-Dinitrotoluene				U	ND		ug/kg						
2,6-Dinitrotoluene				U	ND		ug/kg						
2-Amino-4,6-dinitrotoluene				U	ND		ug/kg						
4-Amino-2,6-dinitrotoluene				U	ND		ug/kg						
HMX				U	ND		ug/kg						
Nitrobenzene				U	ND		ug/kg						
RDX				U	ND		ug/kg						
TETRYL				U	ND		ug/kg						
m-Dinitrobenzene				U	ND		ug/kg						
m-Nitrotoluene				U	ND		ug/kg						
o-Nitrotoluene				U	ND		ug/kg						
p-Nitrotoluene				U	ND		ug/kg						
sym-Trinitrobenzene				U	ND		ug/kg						
*1,2-Dinitrobenzene			400			390	ug/kg		96.8	(71.6 - 108.)			
QC646836		BLANK	158013										

HPLC ANALYSIS

CASE NARRATIVE FOR
SNLS
SDG 99228S
Analysis by HPLC

Sample Analysis:

The following samples were analyzed for nitroaromatic and nitramine organic compounds using the analytical protocol from EPA SW-846 Third Edition, Method 8330, Revision 0, September 1994.

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-02	050109-003 B9938-SP1-BH1-9.5-S
9909228-06	050049-003 SOLARDETOX-DF1-BH3-
9909228-09	050050-003 SOLARDETOX-DF1-BH3-
9909228-12	050052-003 SOLARDETOX-DF1-BH2-
9909228-15	050053-003 SOLARDETOX-DF1-BH2-
9909228-18	050055-003 SOLARDETOX-DF1-BH1-
9909228-21	050056-003 SOLARDETOX-DF1-BH1-
9909228-24	050057-003 SOLAR 9981A-SP1-BH1
9909228-27	050058-003 SOLAR 9981A-SP1-BH1
9909228-30	050059-003 SOLAR 9982-DW1-BH1-
9909228-33	050060-003 SOLAR 9982-DW1-BH1
9909228-36	050061-003 SOLAR 9982-DW1-BH1
9909228-39	050062-003 LFR-DF1-BH1-7-S
9909228-42	050063-003 LFR-DF1-BH1-12-S
9909228-45	050064-003 LFR-DF1-BH1-7-MS/MD
9909228-48	050065-003 LFR-DF1-BH2-7-S
9909228-51	050066-003 LFR-DF1-BH2-12-S
9909228-54	050067-003 LFR-DF1-BH3-7-S
9909228-57	050068-003 LFR-DF1-BH3-12-S
QC646831	XBLK01 (Blank)
QC646832	XBLK01LCS (Laboratory Control Sample)
QC646833	XBLK01LCS (Lab Control Sample Duplicate)
QC646834	050064-003 LFR-DF1-BH1-7-MS/MDMS (Matrix Spike)
QC646835	050064-003 LFR-DF1-BH1-7-MS/MDMSD (Matrix Spike Duplicate)

System Configuration:

The laboratory utilizes a high performance liquid chromatography (HPLC) instrument configuration for explosives analyses. The chromatographic hardware system consists of an HP Model 1050 HPLC with programmable gradient pumping and a 100 ul loop injector for the primary system and a 100 ul loop injector for the confirmation system.

The HPLC is coupled to an HP Model G1306A Diode Array UV detector which monitors absorbance at the following five wavelengths: 1) 214 nm; 2) 224 nm; 3) 235 nm; 4) 254 nm; 5) 264 nm.

The primary HPLC system is usually identified with either a designation of HPLC #2, or hplcb in the raw data printouts. The confirmation HPLC system is usually identified with a designation of HPLC #1, or hplca in the raw data printouts.

Chromatographic Column:

Chromatographic separation of nitroaromatic and nitramine components is accomplished through analysis on the following reversed phase columns:

HP: Hypersil BDS-C18, 250 mm x 4mm O.D. containing 5 um particle size

Confirmation of nitroaromatic and nitramine components, initially identified on one of the above columns, is accomplished through analysis on the following column:

PH: Develosil CN-UG5-5, 250 mm x 4.6 mm I.D.

The primary column is used for quantitation while the confirmation column is for qualitative purposes only.

Sample Preparation:

All samples were prepared in accordance with accepted procedures.

Instrument Calibration:

The instrument was properly calibrated.

Due to the limited capacity of software to list all the current initial calibration files, a calibration history is inserted in the package prior to the appropriate Form 6.

Holding Time:

All samples were analyzed within the required holding time.

Surrogates:

Surrogate recoveries in all samples were within the required acceptance limits.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spikes were analyzed on the following sample number:

9909228-45 (050064-003 LFR-DF1-BH1-7-MS/MD)

All of the analyte recoveries in the matrix spike were within the required acceptance limits.

All analytes in the matrix spike duplicate were within the required acceptance limits for relative percent difference.

Laboratory Control Samples:

All analytes in the laboratory control sample were within the required acceptance limits.

All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Dilutions:

None of the samples were diluted.

Nonconformance Reports:

There were no nonconformance reports associated with this SDG.

Manual Integrations:

No manual integrations were performed on the standards in the initial calibration or continuing calibration associated with this SDG.

No manual integrations were performed on samples, blanks or quality control samples associated with this SDG.

General Comments:

The FORM 8 uses the retention time of the surrogate as a measure of how close the retention times of the samples and QC are to a standard component. The Instrument Blank does not contain the surrogate.

The samples were concentrated prior to analysis to achieve the required detection limit.

The preceding narrative has been reviewed by: W. J. Williams Date: 10/01/03

SDG 99228S - HPLC

Page 3 of 3

CASE NARRATIVE FOR
SNLS
SDG 99228W
Analysis by HPLC

Sample Analysis:

The following samples were analyzed for nitroaromatic and nitramine organic compounds using the analytical protocol from EPA SW-846 Third Edition, Method 8330, Revision 0, September 1994.

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-63	050069-009 LFR-DF1-BH3-HE
QC646836	XBLK01 (Blank)
QC646837	XBLK01LCS (Laboratory Control Sample)
QC646838	XBLK01LCSD (Lab Control Sample Duplicate)
QC646839	050069-009 LFR-DF1-BH3-HEMS (Matrix Spike)
QC646840	050069-009 LFR-DF1-BH3-HEMSD (Matrix Spike Duplicate)

System Configuration:

The laboratory utilizes a high performance liquid chromatography (HPLC) instrument configuration for explosives analyses. The chromatographic hardware system consists of an HP Model 1050 HPLC with programmable gradient pumping and a 100 ul loop injector for the primary system and a 100 ul loop injector for the confirmation system. The HPLC is coupled to an HP Model G1306A Diode Array UV detector which monitors absorbance at the following five wavelengths: 1) 214 nm; 2) 224 nm; 3) 235 nm; 4) 254 nm; 5) 264 nm.

The primary HPLC system is usually identified with either a designation of HPLC #2, or hplc2 in the raw data printouts. The confirmation HPLC system is usually identified with a designation of HPLC #1, or hplc1 in the raw data printouts.

Chromatographic Column:

Chromatographic separation of nitroaromatic and nitramine components is accomplished through analysis on the following reversed phase columns:

HP: Hypersil BDS-C18, 250 mm x 4mm O.D. containing 5 um particle size

Confirmation of nitroaromatic and nitramine components, initially identified on one of the above columns, is accomplished through analysis on the following column:

PH: Develosil CN-UG5-5, 250 mm x 4.6 mm I.D.

The primary column is used for quantitation while the confirmation column is for qualitative purposes only.

Sample Preparation:

All samples were prepared in accordance with accepted procedures.

Instrument Calibration:

The instrument was properly calibrated.

Due to the limited capacity of software to list all the current initial calibration files, a calibration history is inserted in the package prior to the appropriate Form 6.

Holding Time:

All samples were analyzed within the required holding time.

Surrogates:

Surrogate recoveries in all samples were within the required acceptance limits.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spikes were analyzed on the following sample number:

9909228-63 (050069-009 LFR-DF1-BH3-HE)

All of the analyte recoveries in the matrix spike and matrix spike duplicate were within the required acceptance limits.

All analytes in the matrix spike duplicate were within the required acceptance limits for relative percent difference.

Laboratory Control Samples:

All analytes in the laboratory control sample and laboratory control sample duplicate were within the required acceptance limits.

All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Dilutions:

None of the samples were diluted.

Nonconformance Reports:

There were no nonconformance reports associated with this SDG.

Manual Integrations:

No manual integrations were performed on the standards in the initial calibration or continuing calibration associated with this SDG.

No manual integrations were performed on samples, blanks or quality control samples associated with this SDG.

General Comments:

The FORM 8 uses the retention time of the surrogate as a measure of how close the retention times of the samples and QC are to a standard component. The Instrument Blank does not contain the surrogate.

The samples were concentrated prior to analysis to achieve the required detection limit.

The preceding narrative has been reviewed by: Benjamin M. Reed Date: 10/01/99

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 17 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
*2-Fluorobiphenyl			1670			1100	ug/kg		67.2	(44.7 - 110.)	GWL	09/28/99	1731
*2-Fluorophenol			3330			2400	ug/kg		71.0	(37.0 - 102.)			
*Nitrobenzene-d5			1670			1100	ug/kg		63.9	(42.4 - 107.)			
*Phenol-d6			3330			2300	ug/kg		68.3	(41.5 - 102.)			
*p-Terphenyl-d14			1670			1400	ug/kg		85.1	(45.5 - 104.)			
QC646871		9909228-45MSD	158016										
1,2,4-Trichlorobenzene			1670	U	ND	1000	ug/kg	2.79	62.3	(0.00 - 18.9)	GWL	09/28/99	1803
1,4-Dichlorobenzene			1670	U	ND	950	ug/kg	5.05	56.7	(0.00 - 19.5)			
2,4-Dinitrotoluene			1670	U	ND	1100	ug/kg	0.0380	64.0	(0.00 - 21.6)			
2-Chlorophenol			3330	U	ND	2000	ug/kg	4.40	59.5	(0.00 - 19.7)			
4-Nitrophenol			3330	U	ND	3300	ug/kg	35.4**	98.7	(0.00 - 23.3)			
4-chloro-3-methyl phenol			3330	U	ND	2100	ug/kg	0.666	63.6	(0.00 - 21.7)			
Acenaphthene			1670	U	ND	1100	ug/kg	0.786	63.2	(0.00 - 18.9)			
N-Nitrosodipropylamine			1670	U	ND	1100	ug/kg	3.26	65.0	(0.00 - 20.4)			
Pentachlorophenol			3330	U	ND	2500	ug/kg	2.45	76.4	(0.00 - 24.1)			
Phenol			3330	U	ND	1800	ug/kg	5.13	54.5	(0.00 - 19.4)			
Pyrene			1670	U	ND	1300	ug/kg	0.189	79.8	(0.00 - 21.4)			
*2,4,6-Tribromophenol			3330			2300	ug/kg		68.5	(44.5 - 126.)			
*2-Fluorobiphenyl			1670			1100	ug/kg		66.3	(44.7 - 110.)			
*2-Fluorophenol			3330			2200	ug/kg		67.3	(37.0 - 102.)			
*Nitrobenzene-d5			1670			1000	ug/kg		60.6	(42.4 - 107.)			
*Phenol-d6			3330			2200	ug/kg		65.5	(41.5 - 102.)			
*p-Terphenyl-d14			1670			1400	ug/kg		85.6	(45.5 - 104.)			
QC646831		BLANK	158012										
2,4,6-Trinitrotoluene							ug/kg					ILW	09/21/99 1420
2,4-Dinitrotoluene							ug/kg						
2,6-Dinitrotoluene							ug/kg						
2-Amino-4,6-dinitrotoluene							ug/kg						
4-Amino-2,6-dinitrotoluene							ug/kg						
HMX							ug/kg						
Nitrobenzene							ug/kg						
RDX							ug/kg						
TETRYL							ug/kg						
m-Dinitrobenzene							ug/kg						
m-Nitrotoluene							ug/kg						
o-Nitrotoluene							ug/kg						
p-Nitrotoluene							ug/kg						
sym-Trinitrobenzene							ug/kg						
*1,2-Dinitrobenzene			400			390	ug/kg		96.8	(71.6 - 108.)			
QC646836		BLANK	158013										

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 18 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
2,4,6-Trinitrotoluene					U	ND	ug/l				JSP	09/10/99	1331
2,4-Dinitrotoluene					U	ND	ug/l				JSP	09/10/99	1331
2,6-Dinitrotoluene					U	ND	ug/l						
2-Amino-4,6-dinitrotoluene					U	ND	ug/l						
4-Amino-2,6-dinitrotoluene					U	ND	ug/l						
HMX					U	ND	ug/l						
Nitrobenzene					U	ND	ug/l						
RDX					U	ND	ug/l						
TETRYL					U	ND	ug/l						
m-Dinitrobenzene					U	ND	ug/l						
m-Nitrotoluene					U	ND	ug/l						
o-Nitrotoluene					U	ND	ug/l						
p-Nitrotoluene					U	ND	ug/l						
sym-Trinitrobenzene					U	ND	ug/l						
*1,2-Dinitrobenzene			0.519			0.47	ug/l		91.0	(75.6 - 121.)			
QC646832	LCS	158012											
2,4,6-Trinitrotoluene			800			780	ug/kg		97.1	(60.2 - 135.)	JLW	09/21/99	1502
2,4-Dinitrotoluene			800			750	ug/kg		94.1	(59.7 - 135.)			
2,6-Dinitrotoluene			800			720	ug/kg		90.5	(59.9 - 124.)			
2-Amino-4,6-dinitrotoluene			800			790	ug/kg		98.4	(70.0 - 130.)			
4-Amino-2,6-dinitrotoluene			800			800	ug/kg		99.4	(70.0 - 130.)			
HMX			800			780	ug/kg		97.2	(54.3 - 152.)			
Nitrobenzene			800			730	ug/kg		91.4	(61.6 - 124.)			
RDX			800			780	ug/kg		98.1	(56.7 - 139.)			
TETRYL			800			810	ug/kg		102	(63.3 - 134.)			
m-Dinitrobenzene			800			750	ug/kg		93.6	(59.6 - 131.)			
m-Nitrotoluene			800			730	ug/kg		91.7	(62.6 - 120.)			
o-Nitrotoluene			800			730	ug/kg		91.0	(62.6 - 121.)			
p-Nitrotoluene			800			740	ug/kg		92.5	(61.9 - 119.)			
sym-Trinitrobenzene			800			800	ug/kg		100	(67.1 - 109.)			
*1,2-Dinitrobenzene			400			380	ug/kg		95.9	(71.6 - 108.)			
QC646837	LCS	158013											
2,4,6-Trinitrotoluene			1.04			0.86	ug/l		82.8	(61.3 - 130.)	JSP	09/10/99	1413
2,4-Dinitrotoluene			1.04			0.81	ug/l		78.3	(60.1 - 132.)			
2,6-Dinitrotoluene			1.04			0.79	ug/l		76.2	(64.4 - 128.)			
2-Amino-4,6-dinitrotoluene			1.04			0.80	ug/l		77.3	(58.6 - 133.)			
4-Amino-2,6-dinitrotoluene			1.04			0.76	ug/l		73.3	(58.9 - 137.)			
HMX			1.04			0.81	ug/l		78.1	(65.8 - 147.)			
Nitrobenzene			1.04			0.70	ug/l		67.3	(56.6 - 114.)			
RDX			1.04			0.74	ug/l		71.2	(69.7 - 130.)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 19 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
TETRYL			1.04			0.82	ug/l		78.8	(66.0 - 134.)	JSP	09/10/99	1413
m-Dinitrobenzene			1.04			0.79	ug/l		76.0	(66.2 - 127.)			
m-Nitrotoluene			1.04			0.77	ug/l		74.3	(56.9 - 116.)			
o-Nitrotoluene			1.04			0.76	ug/l		73.3	(56.7 - 115.)			
p-Nitrotoluene			1.04			0.77	ug/l		74.5	(54.6 - 114.)			
sym-Trinitrobenzene			1.04			0.85	ug/l		81.4	(66.0 - 113.)			
*1,2-Dinitrobenzene			0.519			0.46	ug/l		88.0	(75.6 - 121.)			
QC646833	LCS DUP	158012											
2,4,6-Trinitrotoluene			800	780		770	ug/kg	0.911	96.2	(0.00 - 30.0)	JLW	09/21/99	1543
2,4-Dinitrotoluene			800	750		730	ug/kg	3.24	91.1	(0.00 - 30.0)			
2,6-Dinitrotoluene			800	720		700	ug/kg	2.77	88.1	(0.00 - 30.0)			
2-Amino-4,6-dinitrotoluene			800	790		800	ug/kg	1.05	99.4	(0.00 - 30.0)			
4-Amino-2,6-dinitrotoluene			800	800		790	ug/kg	0.464	98.9	(0.00 - 30.0)			
HMX			800	780		800	ug/kg	2.73	99.9	(0.00 - 30.0)			
Nitrobenzene			800	730		700	ug/kg	4.69	87.2	(0.00 - 30.0)			
RDX			800	780		780	ug/kg	0.0679	98.1	(0.00 - 30.0)			
TETRYL			800	810		800	ug/kg	1.54	100	(0.00 - 30.0)			
m-Dinitrobenzene			800	750		720	ug/kg	3.94	90.0	(0.00 - 30.0)			
m-Nitrotoluene			800	730		710	ug/kg	3.41	88.6	(0.00 - 30.0)			
o-Nitrotoluene			800	730		700	ug/kg	4.04	87.4	(0.00 - 30.0)			
p-Nitrotoluene			800	740		710	ug/kg	3.96	89.0	(0.00 - 30.0)			
sym-Trinitrobenzene			800	800		790	ug/kg	1.10	99.0	(0.00 - 30.0)			
*1,2-Dinitrobenzene			400			370	ug/kg		91.3	(71.6 - 108.)			
QC646838	LCS DUP	158013											
2,4,6-Trinitrotoluene			1.04	0.860		0.90	ug/l	4.05	86.2	(0.00 - 30.0)	JSP	09/10/99	1455
2,4-Dinitrotoluene			1.04	0.810		0.85	ug/l	3.79	81.4	(0.00 - 30.0)			
2,6-Dinitrotoluene			1.04	0.790		0.81	ug/l	1.72	77.5	(0.00 - 30.0)			
2-Amino-4,6-dinitrotoluene			1.04	0.800		0.85	ug/l	5.60	81.7	(0.00 - 30.0)			
4-Amino-2,6-dinitrotoluene			1.04	0.760		0.81	ug/l	5.42	77.4	(0.00 - 30.0)			
HMX			1.04	0.810		0.83	ug/l	2.67	80.2	(0.00 - 30.0)			
Nitrobenzene			1.04	0.700		0.75	ug/l	6.40	71.7	(0.00 - 30.0)			
RDX			1.04	0.740		0.79	ug/l	6.19	75.7	(0.00 - 30.0)			
TETRYL			1.04	0.820		0.76	ug/l	7.21	73.3	(0.00 - 30.0)			
m-Dinitrobenzene			1.04	0.790		0.83	ug/l	4.43	79.4	(0.00 - 30.0)			
m-Nitrotoluene			1.04	0.770		0.81	ug/l	4.16	77.5	(0.00 - 30.0)			
o-Nitrotoluene			1.04	0.760		0.80	ug/l	4.55	76.8	(0.00 - 30.0)			
p-Nitrotoluene			1.04	0.770		0.83	ug/l	7.09	80.0	(0.00 - 30.0)			
sym-Trinitrobenzene			1.04	0.850		0.87	ug/l	2.74	83.7	(0.00 - 30.0)			
*1,2-Dinitrobenzene			0.519			0.46	ug/l		89.1	(75.6 - 121.)			
QC646834	9909228-45MS	158012											

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 20 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
2,4,6-Trinitrotoluene			800	U	ND	820	ug/kg		103	(64.9 - 165.)	JLW	09/21/99	1625
2,4-Dinitrotoluene			800	U	ND	770	ug/kg		96.5	(65.8 - 161.)	JLW	09/21/99	1625
2,6-Dinitrotoluene			800	U	ND	730	ug/kg		91.4	(59.7 - 153.)			
2-Amino-4,6-dinitrotoluene			800	U	ND	830	ug/kg		103	(70.0 - 130.)			
4-Amino-2,6-dinitrotoluene			800	U	ND	840	ug/kg		105	(70.0 - 130.)			
HMX			800	U	ND	800	ug/kg		100	(54.9 - 157.)			
Nitrobenzene			800	U	ND	740	ug/kg		92.6	(66.4 - 157.)			
RDX			800	U	ND	750	ug/kg		93.8	(61.1 - 155.)			
TETRYL			800	U	ND	700	ug/kg		87.5	(55.9 - 147.)			
m-Dinitrobenzene			800	U	ND	770	ug/kg		95.8	(65.5 - 162.)			
m-Nitrotoluene			800	U	ND	780	ug/kg		97.1	(63.8 - 155.)			
o-Nitrotoluene			800	U	ND	790	ug/kg		98.6	(63.5 - 155.)			
p-Nitrotoluene			800	U	ND	790	ug/kg		98.9	(64.1 - 153.)			
sym-Trinitrobenzene			800	U	ND	800	ug/kg		100	(57.5 - 149.)			
*1,2-Dinitrobenzene			400			380	ug/kg		94.3	(71.6 - 108.)			
QC646839		9909228-63MS	158013										
2,4,6-Trinitrotoluene			1.04	U	ND	0.87	ug/l		84.1	(66.2 - 127.)	JSP	09/10/99	1537
2,4-Dinitrotoluene			1.04	U	ND	0.84	ug/l		80.6	(70.1 - 127.)			
2,6-Dinitrotoluene			1.04	U	ND	0.83	ug/l		80.0	(62.8 - 134.)			
2-Amino-4,6-dinitrotoluene			1.04	U	ND	0.83	ug/l		79.5	(58.7 - 134.)			
4-Amino-2,6-dinitrotoluene			1.04	U	ND	0.82	ug/l		79.2	(56.3 - 145.)			
HMX			1.04	U	ND	0.80	ug/l		76.8	(63.8 - 145.)			
Nitrobenzene			1.04	U	ND	0.74	ug/l		71.6	(57.6 - 119.)			
RDX			1.04	U	ND	0.82	ug/l		78.6	(64.9 - 133.)			
TETRYL			1.04	U	ND	0.84	ug/l		80.5	(68.0 - 133.)			
m-Dinitrobenzene			1.04	U	ND	0.81	ug/l		78.2	(70.8 - 125.)			
m-Nitrotoluene			1.04	U	ND	0.79	ug/l		76.4	(56.5 - 121.)			
o-Nitrotoluene			1.04	U	ND	0.83	ug/l		79.4	(55.4 - 121.)			
p-Nitrotoluene			1.04	U	ND	0.81	ug/l		77.5	(63.8 - 113.)			
sym-Trinitrobenzene			1.04	U	ND	0.88	ug/l		84.4	(67.7 - 113.)			
*1,2-Dinitrobenzene			0.519			0.48	ug/l		92.0	(75.6 - 121.)			
QC646835		9909228-45MSD	158012										
2,4,6-Trinitrotoluene			800	U	ND	750	ug/kg	9.75	93.5	(0.00 - 30.0)	JLW	09/21/99	1707
2,4-Dinitrotoluene			800	U	ND	700	ug/kg	9.68	87.6	(0.00 - 30.0)			
2,6-Dinitrotoluene			800	U	ND	670	ug/kg	8.44	84.0	(0.00 - 30.0)			
2-Amino-4,6-dinitrotoluene			800	U	ND	770	ug/kg	7.39	96.0	(0.00 - 30.0)			
4-Amino-2,6-dinitrotoluene			800	U	ND	760	ug/kg	9.53	95.1	(0.00 - 30.0)			
HMX			800	U	ND	780	ug/kg	2.77	97.4	(0.00 - 30.0)			
Nitrobenzene			800	U	ND	690	ug/kg	6.86	86.5	(0.00 - 30.0)			
RDX			800	U	ND	720	ug/kg	3.91	90.2	(0.00 - 30.0)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 21 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
TETRYL			800	U	ND	700	ug/kg	0.563	87.0	(0.00 - 30.0)	JLW	09/21/99	1707
m-Dinitrobenzene			800	U	ND	700	ug/kg	9.38	87.1	(0.00 - 30.0)			
m-Nitrotoluene			800	U	ND	690	ug/kg	11.7	86.4	(0.00 - 30.0)			
o-Nitrotoluene			800	U	ND	700	ug/kg	12.5	87.0	(0.00 - 30.0)			
p-Nitrotoluene			800	U	ND	710	ug/kg	11.5	88.2	(0.00 - 30.0)			
sym-Trinitrobenzene			800	U	ND	750	ug/kg	6.65	93.8	(0.00 - 30.0)			
*1,2-Dinitrobenzene			400			350	ug/kg		87.6	(71.6 - 108.)			
QC646840		9909228-63MSD	158013										
2,4,6-Trinitrotoluene			1.04	U	ND	0.89	ug/l	1.72	85.5	(0.00 - 16.0)	JSP	09/10/99	1619
2,4-Dinitrotoluene			1.04	U	ND	0.86	ug/l	2.03	82.2	(0.00 - 13.3)			
2,6-Dinitrotoluene			1.04	U	ND	0.83	ug/l	0.00150	80.0	(0.00 - 19.3)			
2-Amino-4,6-dinitrotoluene			1.04	U	ND	0.84	ug/l	2.00	81.1	(0.00 - 15.8)			
4-Amino-2,6-dinitrotoluene			1.04	U	ND	0.81	ug/l	1.19	78.3	(0.00 - 12.7)			
HMX			1.04	U	ND	0.87	ug/l	8.09	83.3	(0.00 - 14.4)			
Nitrobenzene			1.04	U	ND	0.76	ug/l	1.58	72.7	(0.00 - 20.4)			
RDX			1.04	U	ND	0.84	ug/l	2.52	80.6	(0.00 - 15.9)			
TETRYL			1.04	U	ND	0.90	ug/l	7.67	87.0	(0.00 - 13.4)			
m-Dinitrobenzene			1.04	U	ND	0.83	ug/l	2.32	80.0	(0.00 - 15.0)			
m-Nitrotoluene			1.04	U	ND	0.80	ug/l	0.689	77.0	(0.00 - 22.8)			
o-Nitrotoluene			1.04	U	ND	0.84	ug/l	1.65	80.7	(0.00 - 23.1)			
p-Nitrotoluene			1.04	U	ND	0.82	ug/l	1.68	78.8	(0.00 - 23.1)			
sym-Trinitrobenzene			1.04	U	ND	0.90	ug/l	2.32	86.4	(0.00 - 13.2)			
*1,2-Dinitrobenzene			0.519			0.49	ug/l		94.0	(75.6 - 121.)			
QC647092		BLANK	158065										
PCB-1260													
*4CMX			6.67			2.5	ug/kg		37.8	(25.3 - 110.)	JC	09/23/99	0214
*Decachlorobiphenyl			6.67			4.0	ug/kg		60.4	(46.8 - 131.)			
PCB-1016													
PCB-1221													
PCB-1232													
PCB-1242													
PCB-1248													
PCB-1254													
QC649104		BLANK	158568										
PCB-1260													
*4CMX			0.200			0.14	ug/l		70.3	(31.0 - 126.)	JC	09/21/99	2207
*Decachlorobiphenyl			0.200			0.12	ug/l		60.1	(39.0 - 133.)			
PCB-1016													
PCB-1221													
PCB-1232													

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 22 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
PCB-1242					U	ND	ug/l				JC	09/21/99	2207
PCB-1248					U	ND	ug/l						
PCB-1254					U	ND	ug/l						
QC647093	LCS	158065											
PCB-1260			33.3			25	ug/kg		76.3	(53.6 - 137.)	JC	09/23/99	0232
*4CMX			6.67			3.0	ug/kg		44.6	(25.3 - 110.)			
*Decachlorobiphenyl			6.67			4.0	ug/kg		59.9	(46.8 - 131.)			
QC649105	LCS	158568											
PCB-1260			1.00			0.84	ug/l		84.0	(54.5 - 126.)	JC	09/21/99	2226
*4CMX			0.200			0.15	ug/l		72.9	(31.0 - 126.)			
*Decachlorobiphenyl			0.200			0.12	ug/l		61.0	(39.0 - 133.)			
QC647094	LCS DUP	158065											
PCB-1260			33.3	25.0		26	ug/kg	0.393	76.6	(0.00 - 36.0)	JC	09/23/99	0251
*4CMX			6.67			2.8	ug/kg		42.7	(25.3 - 110.)			
*Decachlorobiphenyl			6.67			4.0	ug/kg		59.3	(46.8 - 131.)			
QC649106	LCS DUP	158568											
PCB-1260			1.00	0.840		0.83	ug/l	1.20	83.0	(0.00 - 39.6)	JC	09/21/99	2244
*4CMX			0.200			0.12	ug/l		61.5	(31.0 - 126.)			
*Decachlorobiphenyl			0.200			0.12	ug/l		62.3	(39.0 - 133.)			
QC647095	9909228-45MS	158065											
PCB-1260			33.3	U ND		25	ug/kg		76.0	(31.5 - 159.)	JC	09/23/99	0309
*4CMX			6.67			3.4	ug/kg		51.1	(25.3 - 110.)			
*Decachlorobiphenyl			6.67			4.0	ug/kg		59.5	(46.8 - 131.)			
QC647096	9909228-45MSD	158065											
PCB-1260			33.3	U ND		25	ug/kg	0.794	75.4	(0.00 - 26.2)	JC	09/23/99	0328
*4CMX			6.67			3.3	ug/kg		49.3	(25.3 - 110.)			
*Decachlorobiphenyl			6.67			3.9	ug/kg		58.9	(46.8 - 131.)			

* represent a surrogate.

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 23 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Metals Analysis													
QC647057	BLANK	158059											
Mercury					J	0.00845	mg/kg				RMJ	09/17/99	1503
QC647168	BLANK	158086											
Mercury					U	ND	mg/l				RMJ	09/10/99	1259
QC647061	9909228-45DUP	158059											
Mercury					J	0.0110	mg/kg	141**		(0.00 - 17.0)	RMJ	09/17/99	1540
QC647058	LCS	158059											
Mercury			5.29			5.18	mg/kg		97.9	(57.9 - 134.)	RMJ	09/17/99	1505
QC647169	LCS	158086											
Mercury			0.00200			0.00195	mg/l		97.5	(81.5 - 124.)	RMJ	09/10/99	1503
QC647059	LCS DUP	158059											
Mercury			5.29	5.18		5.27	mg/kg	1.83	99.7	(0.00 - 15.6)	RMJ	09/17/99	1507
QC647170	LCS DUP	158086											
Mercury			0.00200	0.00195		0.00197	mg/l	1.25	98.7	(0.00 - 16.3)	RMJ	09/10/99	1302
QC647060	9909228-45MS	158059											
Mercury			0.328	J 0.00189		0.352	mg/kg		107	(64.6 - 136.)	RMJ	09/17/99	1539
QC646852	BLANK	158015											
Arsenic					U	ND	mg/l				MBL	09/13/99	0813
Barium					U	ND	mg/l						
Cadmium					U	ND	mg/l						
Chromium					U	ND	mg/l						
Lead					U	ND	mg/l						
Selenium					U	ND	mg/l						
Silver					U	ND	mg/l						
QC646904	BLANK	158023											
Arsenic					U	ND	mg/kg				MBL	09/21/99	1622
Barium					U	ND	mg/kg						
Cadmium					U	ND	mg/kg						
Chromium					U	ND	mg/kg						
Lead					U	ND	mg/kg						
Selenium					U	ND	mg/kg						
Silver					I	0.282	mg/kg						
QC646853	LCS	158015											
Arsenic			1.00			1.04	mg/l		104	(89.5 - 112.)	MBL	09/13/99	0818
Barium			1.00			1.05	mg/l		105	(90.7 - 111.)			
Cadmium			1.00			1.03	mg/l		103	(90.7 - 115.)			
Chromium			1.00			1.05	mg/l		105	(90.0 - 112.)			
Lead			1.00			1.03	mg/l		103	(89.3 - 114.)			
Selenium			1.00			1.02	mg/l		102	(87.2 - 109.)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 24 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Silver			1.00			1.10	mg/l		110	(90.9 - 116.)	MBL	09/13/99	0818
QC646905	LCS	158023											
Arsenic			55.8			62.8	mg/kg		112	(84.6 - 133.)	MBL	09/21/99	1628
Barium			70.1			81.5	mg/kg		116	(89.7 - 154.)			
Cadmium			176			216	mg/kg		123**	(77.5 - 116.)			
Chromium			48.3			53.9	mg/kg		112	(73.0 - 150.)			
Lead			53.9			64.8	mg/kg		120**	(80.4 - 117.)			
Selenium			58.5			64.3	mg/kg		110	(85.6 - 122.)			
Silver			142			129	mg/kg		91.1**	(93.2 - 130.)			
QC646854	LCS DUP	158015											
Arsenic			1.00	1.04		1.08	mg/l	3.76	108	(0.00 - 20.0)	MBL	09/13/99	0824
Barium			1.00	1.05		1.09	mg/l	3.66	109	(0.00 - 20.0)			
Cadmium			1.00	1.03		1.07	mg/l	4.28	107	(0.00 - 20.0)			
Chromium			1.00	1.05		1.09	mg/l	4.01	109	(0.00 - 20.0)			
Lead			1.00	1.03		1.08	mg/l	4.38	108	(0.00 - 20.0)			
Selenium			1.00	1.02		1.06	mg/l	4.08	106	(0.00 - 20.0)			
Silver			1.00	1.10		1.14	mg/l	3.46	114	(0.00 - 20.0)			
QC646906	LCS DUP	158023											
Arsenic			58.6	62.8		62.3	mg/kg	5.66	106	(0.00 - 22.3)	MBL	09/21/99	1634
Barium			73.6	81.5		80.4	mg/kg	6.29	109	(0.00 - 21.4)			
Cadmium			185	216		210	mg/kg	7.62	114	(0.00 - 14.3)			
Chromium			50.7	53.9		53.1	mg/kg	6.45	105	(0.00 - 21.1)			
Lead			56.6	64.8		63.0	mg/kg	7.82	111	(0.00 - 20.1)			
Selenium			61.4	64.3		64.8	mg/kg	4.09	106	(0.00 - 22.4)			
Silver			149	129		140	mg/kg	3.14	94.0	(0.00 - 18.5)			
QC646908	9909228-45MS	158023											
Arsenic			48.5	2.78		44.2	mg/kg		85.4	(71.5 - 114.)	MBL	09/21/99	1915
Barium			48.5	59.1		174	mg/kg		236**	(65.7 - 127.)			
Cadmium			48.5	U ND		41.3	mg/kg		85.2	(76.0 - 118.)			
Chromium			48.5	11.0		52.9	mg/kg		86.2	(74.0 - 122.)			
Lead			48.5	7.75		49.2	mg/kg		85.5	(70.6 - 123.)			
Selenium			48.5	U ND		39.6	mg/kg		81.7	(67.4 - 113.)			
Silver			48.5	0.503		47.5	mg/kg		97.0	(75.9 - 124.)			
QC646909	9909228-45MSD	158023											
Arsenic			48.5	2.78		44.6	mg/kg	0.856	86.2	(0.00 - 16.3)	MBL	09/21/99	1921
Barium			48.5	59.1		103	mg/kg	89.4**	90.1	(0.00 - 23.2)			
Cadmium			48.5	U ND		40.3	mg/kg	2.47	83.1	(0.00 - 10.3)			
Chromium			48.5	11.0		51.7	mg/kg	2.85	83.8	(0.00 - 19.3)			
Lead			48.5	7.75		49.7	mg/kg	1.09	85.5	(0.00 - 20.3)			
Selenium			48.5	U ND		38.6	mg/kg	2.61	79.6	(0.00 - 17.0)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 25 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Silver			48.5	0.503		47.3	mg/kg	0.489	96.5	(0.00 - 14.7)	MBL	09/21/99	1921
QC646907		9909228-45SERIAL											
Arsenic						3.74	mg/kg	29.6		(-)	MBL	09/21/99	1909
Barium						60.6	mg/kg	2.45		(-)			
Cadmium					U	ND	mg/kg	0.00		(-)			
Chromium						11.7	mg/kg	5.44		(-)			
Lead						8.13	mg/kg	4.75		(-)			
Selenium					U	ND	mg/kg	0.00		(-)			
Silver						2.52	mg/kg	133		(-)			

CASE NARRATIVE
SNLS
SDG#992285

The following samples were analyzed for PCB using the analytical protocol from EPA SW-846 Third Edition, Method 8082, Revision 0, September, 1994:

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-02	050109-003 B9938-SP1-BH1-9.5-S
9909228-06	050049-003 SOLARDETOX-DF1-BH3-
9909228-09	050050-003 SOLARDETOX-DF1-BH3-
9909228-12	050052-003 SOLARDETOX-DF1-BH2-
9909228-15	050053-003 SOLARDETOX-DF1-BH2-
9909228-18	050055-003 SOLARDETOX-DF1-BH1-
9909228-21	050056-003 SOLARDETOX-DF1-BH1-
9909228-24	050057-003 SOLAR 9981A-SP1-BH1
9909228-27	050058-003 SOLAR 9981A-SP1-BH1
9909228-30	050059-003 SOLAR 9982-DW1-BH1-
9909228-33	050060-003 SOLAR 9982-DW1-BH1
9909228-36	050061-003 SOLAR 9982-DW1-BH1
9909228-39	050062-003 LFR-DF1-BH1-7-S
9909228-42	050063-003 LFR-DF1-BH1-12-S
9909228-45	050064-003 LFR-DF1-BH1-7-MS/MD
9909228-48	050065-003 LFR-DF1-BH2-7-S
9909228-51	050066-003 LFR-DF1-BH2-12-S
9909228-54	050067-003 LFR-DF1-BH3-7-S
9909228-57	050068-003 LFR-DF1-BH3-12-S
QC647092	PBLK01 (Method Blank)
QC647093	PBLK01LCS (Laboratory Control Sample)
QC647094	PBLK01LCSD (Laboratory Control Sample Duplicate)
QC647095	050064-003 LFR-DF1-BH1-7-MS (Matrix Spike)
QC647096	050064-003 LFR-DF1-BH1-7-MSD (Matrix Spike Duplicate)

System Configuration:

The laboratory utilizes the following instruments for extractable semivolatile gas chromatograph analyses: six Hewlett Packard gas chromatographs consisting of HP 5890 Series II Plus and the 6890 Series models. All gas chromatographs are configured with dual ECD detectors and splitless injections. The HP systems are equipped with electronic pressure control (EPC).

Chromatographic Column:

Chromatographic separation of analytes of interest are accomplished through analysis on one of the following columns:

J&W1: DB-5 (5%-Phenyl)-methylsiloxane 30 m x 0.25 mm x 0.25 um
 DB-17MS (50%-Phenyl)-methylsiloxane 30 m x 0.25 mm x 0.25 um
 J&W2: DB-5 (5%-Phenyl)-methylsiloxane 30 m x 0.32 mm x 1.0 um
 DB-1701 Durabond stationary phase* 30 m x 0.32 mm x 0.5 um
 J&W3: DB-5 (5%-Phenyl)-methylsiloxane 30 m x 0.53 mm x 1.5 um
 DB-1701 (14% Cyanopropylphenyl)-methylsiloxane 30 m x 0.53 mm x 0.5 um
 J&W4: DB-608 Durabond stationary phase* 30 m x 0.53 mm x 0.5 um
 DB-XLB * 30 m x 0.53 mm x 1.5 um
 J&W5: DB-XLB * 30 m x 0.25 mm x 0.25 um
 DB-17MS (50%-Phenyl)-methylsiloxane 30 m x 0.25 mm x 0.25 um
 * Durabond and DB-XLB are trademarks of J & W.

Instrument Configuration:

The samples reported in this Sample Delivery Group (SDG) were analyzed on one or more of the following instrument systems (instrument systems are identified by the instrument ID designations listed below which can be found on the raw data or individual form headers):

Instrument ID	System Configuration	Chromatographic Column
ECD1	HP 6890 Series GC ECD/ECD	J&W3
ECD2	HP 6890 Series GC ECD/ECD	J&W1
ECD3	HP 6890 Series GC ECD/ECD	J&W5
ECD4	HP 5890 Series II Plus GC ECD/ECD	J&W5
ECD5	HP6890 Series GC ECD/ECD	J&W5
ECD7	HP6890 Series GC ECD/ECD	J&W5

Sample Preparation:

All samples were prepared in accordance with accepted procedures.

Instrument Calibration:

The following continuing calibration check standard injections (Form 7) exceeded the %D acceptance criteria of 15% (30% for surrogates) for the indicated compounds:

File #	Date	Time	Compound	%D	Bias
008B0801	09/22/99	1205	Aroclor-1221	23.8	(+)Bias
053B5301	09/23/99	0156	Decachlorobiphenyl	32.0	(+)Bias
064B6401	09/23/99	0518	Decachlorobiphenyl	39.0	(+)Bias
075B7501	09/23/99	0842	Decachlorobiphenyl	43.0	(+)Bias
086B8601	09/23/99	1205	Decachlorobiphenyl	33.5	(+)Bias

Positive bias of analytical data is a result of instrument response for the indicated compounds increasing as the analytical sequence proceeds. The degree to which an increase in sensitivity has occurred is measured relative to the extent of which the indicated %D value exceeds the upper limit of 15% or 30%. None of the above target analytes were detected in any of the sample. Thus, the non-compliant %D values has no adverse effects on the data.

Holding Time:

All samples were analyzed within the required holding time.

Surrogates:

All surrogate recoveries were not within the required acceptance limits. Decachlorobiphenyl recovery was below acceptance limits on one analytical column (DB-XLB) in sample 9909228-02.

Blanks:

There were no target analytes detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spikes (MS) and matrix spike duplicate (MSD) were analyzed on the following sample number:

9909228-45(050064-003 LFR-DF1-BH1-7-MS/MD)

All of the analyte recoveries in the MS and MSD were within the required acceptance limits.

All relative percent differences (RPDs) between the MS and MSD recoveries were within the required acceptance limits.

Laboratory Control Samples:

All analytes in the laboratory control sample (LCS) were within the required acceptance limits.

All analytes in the laboratory control sample duplicate (LCSD) were within the required acceptance limits for relative percent difference.

Manual Integrations:

Samples and QC analyses required manual integrations to correctly position the baseline as set in the calibration standard injections.

Certain standards required manual integrations to correctly assign analyte peaks and/or proper peak integration as set in the initial calibration.

Copies of manual integration peak profiles are included in the application raw data section of this package.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this SDG.

The preceding narrative has been reviewed by: L. M. [Signature] Date: 10/4/09

CASE NARRATIVE
SNLS
SDG#99228W

The following samples were analyzed for PCB using the analytical protocol from EPA SW-846 Third Edition, Method 8082, Revision 0, September, 1994:

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-66	050069-012 LFR-DF1-BH3-PCB
9909228-66RE	050069-012 LFR-DF1-BH3-PCBRE (Re-Extract)
QC647334	PBLK01 (Method Blank)
QC647335	PBLK01LCS (Laboratory Control Sample)
QC647336	PBLK01LCSD (Laboratory Control Sample Duplicate)
QC649104	PBLK02 (Method Blank)
QC649105	PBLK02LCS (Laboratory Control Sample)
QC649106	PBLK02LCSD (Laboratory Control Sample Duplicate)

System Configuration:

The laboratory utilizes the following instruments for extractable semivolatile gas chromatograph analyses: six Hewlett Packard gas chromatographs consisting of HP 5890 Series II Plus and the 6890 Series models. All gas chromatographs are configured with dual ECD detectors and splitless injections. The HP systems are equipped with electronic pressure control (EPC).

Chromatographic Column:

Chromatographic separation of analytes of interest are accomplished through analysis on one of the following columns:

J&W1: DB-5 (5%-Phenyl)-methylsiloxane 30 m x 0.25 mm x 0.25 um
DB-17MS (50%-Phenyl)-methylsiloxane 30 m x 0.25 mm x 0.25 um
J&W2: DB-5 (5%-Phenyl)-methylsiloxane 30 m x 0.32 mm x 1.0 um
DB-1701 Durabond stationary phase* 30 m x 0.32 mm x 0.5 um
J&W3: DB-5 (5%-Phenyl)-methylsiloxane 30 m x 0.53 mm x 1.5 um
DB-1701 (14% Cyanopropylphenyl)-methylsiloxane 30 m x 0.53 mm x 0.5 um
J&W4: DB-608 Durabond stationary phase* 30 m x 0.53 mm x 0.5 um
DB-XLB * 30 m x 0.53 mm x 1.5 um
J&W5: DB-XLB * 30 m x 0.25 mm x 0.25 um
DB-17MS (50%-Phenyl)-methylsiloxane 30 m x 0.25 mm x 0.25 um

* Durabond and DB-XLB are trademarks of J & W.

Instrument Configuration:

The samples reported in this Sample Delivery Group (SDG) were analyzed on one or more of the following instrument systems (instrument systems are identified by the instrument ID designations listed below which can be found on the raw data or individual form headers):

Instrument ID	System Configuration	Chromatographic Column
ECD1	HP 6890 Series GC ECD/ECD	J&W3
ECD2	HP 6890 Series GC ECD/ECD	J&W1
ECD3	HP 6890 Series GC ECD/ECD	J&W5
ECD4	HP 5890 Series II Plus GC ECD/ECD	J&W5
ECD5	HP6890 Series GC ECD/ECD	J&W5
ECD7	HP6890 Series GC ECD/ECD	J&W5

Sample Preparation:

All samples were not prepared in accordance with accepted procedures. Sample 9909228-66 was re-extracted out of holding to investigate low surrogate recoveries. Both extractions have been provided in this data package.

Instrument Calibration:

The following continuing calibration check standard injections (Form 7) exceeded the %D acceptance criteria of 15% (30% for surrogates) for the indicated compounds:

File #	Date	Time	Compound	%D	Bias
003F0301	09/13/99	1732	Aroclor-1016	15.4	(+)Bias
			Aroclor-1260	20.2	(+)Bias
004F0401	09/13/99	1751	Aroclor-1254	29.0	(+)Bias
005F0501	09/13/99	1809	Aroclor-1248	15.8	(-)Bias
007F0701	09/13/99	1846	Aroclor-1232	34.0	(+)Bias
007B0701	09/13/99	1846	Aroclor-1232	42.8	(+)Bias
008F0801	09/13/99	1905	Aroclor-1221	148.0	(+)Bias
008B0801	09/13/99	1905	Aroclor-1221	85.8	(+)Bias
019F1901	09/13/99	2228	Aroclor-1260	18.2	(+)Bias
019B1901	09/13/99	2228	Aroclor-1016	16.2	(+)Bias
026F2601	09/14/99	0037	Aroclor-1016	15.4	(+)Bias
			Aroclor-1260	23.0	(+)Bias
026B2601	09/14/99	0037	Aroclor-1016	17.2	(+)Bias
008F0801	09/21/99	1236	Aroclor-1221	26.6	(+)Bias
008B0801	09/21/99	1236	Aroclor-1221	21.8	(+)Bias

Positive bias of analytical data is a result of instrument response for the indicated compounds increasing as the analytical sequence proceeds. The degree to which an increase in sensitivity has occurred is measured relative to the extent of which the indicated %D value exceeds the upper limit of 15% or 30%. None of the above target analytes were detected in any of the sample. Thus, the non-compliant %D values has no adverse effects on the data.

Negative bias of analytical data is a result of instrument response for the indicated compounds decreasing as the analytical sequence proceeds. The degree to which a decrease in sensitivity has occurred is measured relative to the extent of which the indicated %D value exceeds the lower limit of 15% or 30%. The above targets exhibiting a decrease in sensitivity were not needed for confirmation. Thus, the non-compliant %D values has no adverse effects on the data.

Holding Time:

All samples were analyzed within the required holding time.

Surrogates:

All surrogate recoveries were not within the required acceptance limits. Decachlorobiphenyl surrogate recoveries were below acceptance limits in sample 9909228-66.

Blanks:

There were no target analytes detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spikes were analyzed on a sample in a different SDG.

Laboratory Control Samples:

All analytes in the laboratory control sample (LCS) were within the required acceptance limits.

All analytes in the laboratory control sample duplicate (LCSD) were within the required acceptance limits for relative percent difference.

Manual Integrations:

Samples and QC analyses required manual integrations to correctly position the baseline as set in the calibration standard injections.

Certain standards required manual integrations to correctly assign analyte peaks and/or proper peak integration as set in the initial calibration.

Copies of manual integration peak profiles are included in the application raw data section of this package.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this SDG.

The preceding narrative has been reviewed by: R. M. [Signature] Date: ^{MS 12/4/99} 12/4/99

**GC/MS
SEMIVOLATILE
ANALYSIS**

**Case Narrative for
SNLS**

SDG 99228W

**Metals Analysis by ICP
Mercury Analysis by CVAA**

Sample Preparation and Analysis

The following samples were digested using EPA SW846 methods 3005A for ICP and 7074A for mercury and analyzed using methods 6010B (ICP) and 7470A (CVAA):

<u>Laboratory Identification</u>	<u>Sample Description</u>
9909228-61	050069-007 LFR-DF1-BH3-RCRA
QC646852-ICP	Preparation Blank (PBW)
QC646853-ICP	Laboratory Control Sample (LCSW)
QC646854-ICP	Laboratory Control Sample Duplicate (LCSWD)
QC647168-CVAA	Preparation Blank (PBW)
QC647169-CVAA	Laboratory Control Sample (LCSW)
QC647170-CVAA	Laboratory Control Sample Duplicate (LCSWD)

System Configurations

ICP analysis was performed on a Thermo Jarrell Ash 61E Trace axial-viewing inductively coupled plasma atomic emission spectrometer. The instrument is equipped with a Meinhardt nebulizer, cyclonic spray chamber, and yttrium internal standard. Operating conditions for the Trace ICP were set at a power level of 950 watts, a peristaltic pump flow rate of 140 RPM (2.0 mL/min sample uptake rate), argon gas flows of 15 L/min and 0.5 L/min for the torch and auxiliary gases, and a nebulizer pressure setting of 26 PSI.

Mercury analysis was performed on a Perkin-Elmer Flow Injection Mercury System (FIMS-400) automated mercury analyzer. The instrument consists of a cold vapor atomic absorption spectrometer set to detect mercury at a wavelength of 254 nm. Sample introduction through the flow injection system is performed via a peristaltic pump at 9 mL/min and nitrogen carrier gas rate of 5 L/min.

Sample Preparation

All samples were prepared in accordance with the appropriate EPA SW846 procedures.

Instrument Calibration

The instruments were calibrated following method and manufacturers' specifications. The percent recovery for mercury in the CRDL was outside of the advisory limits. The result for cadmium in the ICS-A was below the negative CRDL; therefore, the sample results may reflect a negative bias for cadmium.

Holding Time

All samples were analyzed within the required holding times.

SNLS SDG# 99228W

Page 1 of 3

Blanks

All the preparation blanks and continuing calibration blanks met all quality control criteria.

Spike Analyses

No sample from this sample delivery group (SDG) was designated as the quality control sample for the ICP or the CVAA batches. A sample from SNLS SDG 99257W was designated as the quality control for the CVAA batch. A sample from SNLS SDG 99158 was designated as the quality control sample for the ICP batch. These batches included a matrix spike (MS) and a sample duplicate (DUP). The percent recoveries (%R) obtained from the MS analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. The relative percent difference (RPD) obtained from the DUP is evaluated when the sample is greater than five times (5X) the contract required detection limit (RL). Quality control criteria were met for %R and RPD for all applicable parameters for the selected QC batches.

Serial Dilution Analysis

The designated quality control sample in the ICP batch (from SDG 99158) underwent a serial dilution analysis and met the quality control criteria of <10% for all applicable analytes. The acceptance criteria only applies to those elements greater than 50X the IDL.

Laboratory Control Samples

The laboratory control samples (LCSW) and the laboratory control sample duplicate (LCSD) met the quality control acceptance criteria for %R and RPD for all applicable parameters.

Sample Dilutions

No sample dilutions were required for this SDG.

Nonconformance Reports

No nonconformance report was issued for this SDG.

General Comments

The flagging conventions demonstrated in this package are assigned based on DL and RL values. All qualifiers assigned for this SDG have been determined after both DL and RL values have been corrected for prep and dilution factors.

Due to limitations of the forms generation software used to create the CLP-like forms for reporting data in a CLP-like data deliverable, several forms will report results to only one (e.g., Form 3a) or two (e.g., Forms 1, 5a, 9, 10) decimal places. This can result in concentrations, which are smaller than one tenth or one hundredth of the indicated reporting unit, to appear on the forms as either 0.0 or 0.00, respectively. In cases where this occurs on the forms the results have been manually corrected to reflect the additional decimal place values.

The preceding narrative has been reviewed by *Chaefer D. Carney*

Date: 10/4/99

INORGANIC ANALYSIS

Case Narrative for
Sandia National Laboratories
SDG 99228S

Metals Analysis by ICP
Mercury Analysis by CVAA

Sample Analysis

The samples were analyzed for metals using SW-846 method 6010B (ICP) and method 7471A (CVAA):

<u>Laboratory Identification</u>	<u>Sample Description</u>
9909228-02	050109-003 B9938-SP1-BH1-9.5-S
9909228-06	050049-003 SOLARDETOX-DF1-BH3-
9909228-09	050050-003 SOLARDETOX-DF1-BH3-
9909228-12	050052-003 SOLARDETOX-DF1-BH2-
9909228-15	050053-003 SOLARDETOX-DF1-BH2-
9909228-18	050055-003 SOLARDETOX-DF1-BH1-
9909228-21	050056-003 SOLARDETOX-DF1-BH1-
9909228-24	050057-003 SOLAR 9981A-SP1-BH1
9909228-27	050058-003 SOLAR 9981A-SP1-BH1
9909228-30	050059-003 SOLAR 9982-DW1-BH1-
9909228-33	050060-003 SOLAR 9982-DW1-BH1
9909228-36	050061-003 SOLAR 9982-DW1-BH1
9909228-39	050062-003 LFR-DF1-BH1-7-S
9909228-42	050063-003 LFR-DF1-BH1-12-S
9909228-45	050064-003 LFR-DF1-BH1-7-MS/MD
9909228-48	050065-003 LFR-DF1-BH2-7-S
9909228-51	050066-003 LFR-DF1-BH2-12-S
9909228-54	050067-003 LFR-DF1-BH3-7-S
9909228-57	050068-003 LFR-DF1-BH3-12-S
QC646904-ICP	Preparation Blank (PBS)
QC646905-ICP	Laboratory Control Sample (LCSS)
QC646906-ICP	Laboratory Control Sample Duplicate (LCSSD)
QC646907-ICP	050064-003 LFR-DF1-BH1-7-MS/MDL-Serial Dilution (SD)
QC646908-ICP	050064-003 LFR-DF1-BH1-7-MS/MDS-Matrix Spike (MS)
QC646909-ICP	050064-003 LFR-DF1-BH1-7-MS/MDS-Matrix Spike Duplicate (MSD)
QC647057-CVAA	Preparation Blank (PBS)
QC647058-CVAA	Laboratory Control Sample (LCSS)
QC647059-CVAA	Laboratory Control Sample Duplicate (LCSSD)
QC647060-CVAA	050064-003 LFR-DF1-BH1-7-MS/MD S-Matrix Spike (MS)
QC647061-CVAA	050064-003 LFR-DF1-BH1-7-MS/MDD-Sample Duplicate (DUP)

System Configurations

ICP analysis was performed on a Thermo Jarrell Ash 61E Trace axial-viewing inductively coupled plasma atomic emission spectrometer. The instrument is equipped with a Meinhardt nebulizer, cyclonic spray chamber, and yttrium internal standard. Operating conditions for the Trace ICP were set at a power level of 950 watts, a peristaltic pump flow rate of 140 RPM (2.0 mL/min sample uptake rate), argon gas flows of 15 L/min and 0.5 L/min for the torch and auxiliary gases, and a nebulizer pressure setting of 26 PSI.

Mercury analysis was performed on a Perkin-Elmer Flow Injection Mercury System (FIMS-400) automated mercury analyzer. The instrument consists of a cold vapor atomic absorption spectrometer set to detect mercury at a wavelength of 254 nm. Sample introduction through the flow injection system is performed via a peristaltic pump at 9 mL/min and nitrogen carrier gas rate of 5 L/min.

Sample Preparation

All samples were prepared in accordance with the appropriate EPA SW846 procedures.

Instrument Calibration

The instruments were calibrated following method and manufacturers' specifications. The percent recoveries for arsenic and mercury in the CRDL standard were above the advisory limits. The cadmium result in the ICSEA was below the negative CRDL; therefore, the sample results may reflect a negative bias for cadmium.

Holding Time

All samples were analyzed within the required holding times.

Blanks

The preparation and calibration blanks met all quality control criteria.

Spike Analyses

Sample 050064-003 LFR-DF1-BH1-7-MS/MD was designated as the quality control sample for the ICP and CVAA batches. Each batch included a matrix spike (MS), a sample duplicate (DUP-CVAA), or a matrix spike duplicate (MSD-ICP). The percent recoveries (%R) obtained from the MS analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. The relative percent difference (RPD) obtained from the DUP is evaluated when the sample is greater than five times (5X) the contract required detection limit (RL). The matrix spike met the recommended quality control criteria for percent recovery (75%-125%) for all applicable parameters, with the exception of barium, as indicated by the "***" qualifier. The relative percent differences (RPD%) between the sample and the MSD/DUP were within the acceptance limits of $\leq 20\%$ for all elements, with the exception of mercury and barium, as indicated with the "***" qualifier. The mercury result for QC647061 contains "***" qualifier flags for the DUP analysis; however, the result was not considered a QC outlier because the concentration does not meet the 5X CRDL evaluation criteria listed above. The QC Summary Report is generated by LIMS, which is not programmed based on program-specific EPA Inorganics Functional Guidelines validation criteria.

Laboratory Control Samples

The laboratory control samples (LCSS) and the laboratory control sample duplicates (LCSD) met the quality control acceptance criteria for %R and RPD, with the exception of cadmium, lead, and silver, as indicated by the "***" qualifier. These elements have been identified as QC outliers based on comparison of their %R to laboratory-derived statistical process control (SPC) limits present in LIMS; however, all recoveries fall within the certified acceptance limits supplied by the standard manufacturer.

Serial Dilution Analysis

The serial dilution sample (sample 050064-003 LFR-DF1-BH1-7-MS/MD) for the ICP batch met the quality control criteria of <10% for all analytes, with the exception of arsenic and silver. The acceptance criteria only applies to those elements greater than 50X the IDL. This is a tool used to monitor matrix enhancement or suppression caused by interferences present in the sample.

Sample Dilutions

All samples for the ICP batch were diluted at 2X. The LCSS and the LCSSD were diluted at 5X. For the CVAA batch all samples were analyzed undiluted, with the exception of the LCSS and LCSSD, which were analyzed at a 2X dilution. All samples are diluted to bring over-ranged targets within the instruments linear range and/or to eliminate potential mineral element interferences.

Nonconformance Reports

There were no nonconformance reports associated with this sample delivery group (SDG).

General Comments

The flagging conventions demonstrated in this package are assigned based on DL and RL values. All qualifiers assigned for this SDG have been determined after both DL and RL values have been corrected for prep and dilution factors.

Due to limitations of the forms generation software used to create the CLP-like forms for reporting data in a CLP-like data deliverable, several forms will report results to only one (e.g., Form 3a) or two (e.g., Forms 1, 5a, 9, 10) decimal places. This can result in concentrations, which are smaller than one tenth or one hundredth of the indicated reporting unit, to appear on the forms as either 0.0 or 0.00, respectively. In cases where this occurs on the forms the results have been manually corrected to reflect the additional decimal place values.

The preceding narrative has been reviewed by:

C. Baccos & Brundley

Date:

10/4/99

**GENERAL
CHEMISTRY
ANALYSIS**

Case Narrative for
SNLS
SDG# 99228S

TOTAL CYANIDE

Analytical Batch Number: 158110

Analytical Method: EPA SW846 9012A

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-02	050109-003 B9938-SPI-BH1-9.5-S
9909228-36	050061-003 SOLAR 9982-DW1-BH1
9909228-39	050062-003 LFR-DF1-BH1-7-S
9909228-42	050063-003 LFR-DF1-BH1-12-S
9909228-45	050064-003 LFR-DF1-BH1-7-MS/MD
9909228-48	050065-003 LFR-DF1-BH2-7-S
9909228-51	050066-003 LFR-DF1-BH2-12-S
9909228-54	050067-003 LFR-DF1-BH3-7-S
9909228-57	050068-003 LFR-DF1-BH3-12-S
QC647276	Duplicate of 9909228-45
QC647277	Matrix Spike of 9909228-45
QC647278	Blank
QC647279	Laboratory Control Sample
QC647280	Laboratory Control Sample Duplicate

Sample Preparation:

All samples were prepared in accordance with accepted procedures. A Perstorp Midi-Still distillation unit was used for the distillation.

Instrument Calibration:

The instrument used was an Alpkem Flow Solution III colorimetric autoanalyzer. The instrument was properly calibrated on the day of the analysis.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spike was run on the following Sample Number.

9909228-45

All analyte recoveries in the matrix spike were within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits. All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Sample Duplicates:

The sample and duplicate results were less than the PQL; therefore, the RPD is not applicable.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

General Comments:

Due to Hurricane Floyd this batch was run on two different days with several days in between.

TOTAL CYANIDE

Analytical Batch Number: 158099

Analytical Method: EPA SW846 9012A

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-06	050049-003 SOLARDETOX-DF1-BH3-
9909228-09	050050-003 SOLARDETOX-DF1-BH3-
9909228-12	050052-003 SOLARDETOX-DF1-BH2-
9909228-15	050053-003 SOLARDETOX-DF1-BH2-
9909228-18	050055-003 SOLARDETOX-DF1-BH1-
9909228-21	050056-003 SOLARDETOX-DF1-BH1-
9909228-24	050057-003 SOLAR 9981A-SP1-BH1
9909228-27	050058-003 SOLAR 9981A-SP1-BH1
9909228-30	050059-003 SOLAR 9982-DW1-BH1-
9909228-33	050060-003 SOLAR 9982-DW1-BH1
QC647234	Duplicate of 9909228-33
QC647235	Matrix Spike of 9909228-33
QC647236	Blank
QC647237	Laboratory Control Sample
QC647238	Laboratory Control Sample Duplicate

Sample Preparation:

A Perstorp Midi- Still distillation unit was used for the distillation.

Instrument Calibration:

The instrument used was an Alpkem Flow Solution III colorimetric autoanalyzer.
The instrument was properly calibrated on the day of the analysis.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spike was run on the following Sample Number.

9909228-33

All analyte recoveries in the matrix spike were within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits. All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Sample Duplicates:

The sample and duplicate results were less than the PQL; therefore, the RPD is not applicable.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

Case Narrative for
SNLS
SDG# 99228W

CYANIDE

Analytical Batch Number: 158008

Analytical Method: EPA 9012A

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-64	050069-010 LFR-DF1-BH3-CN
QC646808	Duplicate of 9909156-05
QC646809	Matrix Spike of 9909156-05
QC646810	Duplicate of 9909228-64
QC646811	Matrix Spike of 9909228-64
QC646812	Blank
QC646813	Laboratory Control Sample
QC646814	Laboratory Control Sample Duplicate

Sample Preparation:

A Perstorp Midi- Still distillation unit was used for the distillation.

Instrument Calibration:

The instrument used was an Alpkem Flow Solution III colorimetric autoanalyzer. The instrument was properly calibrated on the day of the analysis.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spikes were run on the following Sample Numbers.

9909156-05 and 9909228-64

The matrix spike for 9909156-05 was outside the required acceptance limits due to matrix interference. The matrix spike for 9909228-64 was within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits. All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Sample Duplicates:

The sample and duplicate results were less than the PQL; therefore, the RPD is not applicable.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

HEXA VALENT CHROMIUM

Analytical Batch Number: 158555

Analytical Method: EPA SW846 7196A

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-06	050049-003 SOLARDETOX-DF1-BH3-
9909228-09	050050-003 SOLARDETOX-DF1-BH3-
9909228-12	050052-003 SOLARDETOX-DF1-BH2-
9909228-15	050053-003 SOLARDETOX-DF1-BH2-
QC649065	Duplicate of 9909228-06
QC649067	Matrix Spike of 9909228-06
QC649068	Laboratory Control Sample
QC649069	Blank
QC649070	Laboratory Control Sample Duplicate

Sample Preparation:

All samples were prepared in accordance with accepted procedures.

Instrument Calibration:

The instrument used was a Sequoia-Turner Model 340 Spectrophotometer. The instrument was properly calibrated on the day of the analysis.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spike was run on the following Sample Number.

9909228-06

All analyte recoveries in the matrix spike were within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits. All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Sample Duplicates:

The sample and duplicate results were less than the PQL; therefore, the RPD is not applicable.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

General Comments:

An insoluble LCS was run with this batch. It showed 97% recovery.

HEXA VALENT CHROMIUM

Analytical Batch Number: 158556

Analytical Method: EPA SW846 7196A

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-02	050109-003 B9938-SP1-BH1-9.5-S
9909228-18	050055-003 SOLARDETOX-DF1-BH1-
9909228-21	050056-003 SOLARDETOX-DF1-BH1-
9909228-24	050057-003 SOLAR 9981A-SP1-BH1
9909228-27	050058-003 SOLAR 9981A-SP1-BH1
9909228-30	050059-003 SOLAR 9982-DW1-BH1-
9909228-33	050060-003 SOLAR 9982-DW1-BH1
9909228-36	050061-003 SOLAR 9982-DW1-BH1
9909228-39	050062-003 LFR-DF1-BH1-7-S
9909228-42	050063-003 LFR-DF1-BH1-12-S
9909228-45	050064-003 LFR-DF1-BH1-7-MS/MD
9909228-48	050065-003 LFR-DF1-BH2-7-S
9909228-51	050066-003 LFR-DF1-BH2-12-S
9909228-54	050067-003 LFR-DF1-BH3-7-S
9909228-57	050068-003 LFR-DF1-BH3-12-S
QC649071	Duplicate of 9909228-18
QC649072	Matrix Spike of 9909228-18
QC649074	Duplicate of 9909228-45
QC649075	Matrix Spike of 9909228-45
QC649077	Laboratory Control Sample
QC649078	Blank
QC649079	Laboratory Control Sample Duplicate

Sample Preparation:

All samples were prepared in accordance with accepted procedures.

Instrument Calibration:

The instrument used was a Sequoia-Turner Model 340 Spectrophotometer. The instrument was properly calibrated on the day of the analysis.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spikes were run on the following Sample Numbers.

9909228-18 and 9909228-45

All analyte recoveries in the matrix spikes were within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits. All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

General Comments:

An insoluble LCS was run with this batch. It showed 95% recovery.

The preceding narratives have been reviewed by: J. A. U. Date: 10/04/99

HEXA VALENT CHROMIUM

Analytical Batch Number: 157999

Analytical Method: EPA 7196A

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-65	050069-011 LFR-DF1-BH3-CR6+
QC646774	Duplicate of 9909228-65
QC646775	Matrix Spike of 9909228-65
QC646776	Laboratory Control Sample
QC646777	Laboratory Control Sample Duplicate
QC646778	Blank

Instrument Calibration:

The instrument used was a Sequoia-Turner Model 340 Spectrophotometer. The instrument was properly calibrated on the day of the analysis.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

The matrix spike was run on the following Sample Number.

9909228-65

All analyte recoveries in the matrix spike were within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits. All analytes in the laboratory control sample duplicate were within the required acceptance limits for relative percent difference.

Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

The above narratives have been reviewed by: J. A. U. Date: 10/04/99

QC Summary Report

Project Description: RFP #A12480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 26 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
General Chemistry													
QC646812	BLANK	158008											
Cyanide, Total					U	ND	mg/l				JLP	09/13/99	1441
QC647236	BLANK	158099											
Cyanide, Total					U	ND	mg/kg				JLP	09/10/99	1545
QC647278	BLANK	158110											
Cyanide, Total					U	ND	mg/kg				JLP	09/14/99	1126
QC646810	9909228-64DUP	158008											
Cyanide, Total					U	ND	mg/l	0.00		(0.00 - 20.0)	JLP	09/13/99	1438
QC647234	9909228-33DUP	158099											
Cyanide, Total					U	ND	mg/kg	0.00		(0.00 - 30.0)	JLP	09/10/99	1541
QC647276	9909228-45DUP	158110											
Cyanide, Total					J	0.182	mg/kg	200**		(0.00 - 30.0)	JLP	09/17/99	1719
QC646813	LCS	158008											
Cyanide, Total			0.100			0.0800	mg/l		80.0	(75.0 - 132.)	JLP	09/13/99	1442
QC647237	LCS	158099											
Cyanide, Total			5.00			3.89	mg/kg		77.7	(60.0 - 125.)	JLP	09/10/99	1546
QC647279	LCS	158110											
Cyanide, Total			5.00			3.54	mg/kg		70.7	(60.0 - 125.)	JLP	09/14/99	1128
QC646814	LCS DUP	158008											
Cyanide, Total			0.100	0.0800		0.0855	mg/l	6.66	85.5	(0.00 - 20.0)	JLP	09/13/99	1444
QC647238	LCS DUP	158099											
Cyanide, Total			5.00	3.89		3.87	mg/kg	0.515	77.3	(0.00 - 30.0)	JLP	09/10/99	1547
QC647280	LCS DUP	158110											
Cyanide, Total			5.00	3.54		4.15	mg/kg	16.0	83.0	(0.00 - 30.0)	JLP	09/14/99	1129
QC646811	9909228-64MS	158008											
Cyanide, Total			0.100	U ND		0.0752	mg/l		75.2	(75.0 - 125.)	JLP	09/13/99	1440
QC647235	9909228-33MS	158099											
Cyanide, Total			4.99	U ND		4.09	mg/kg		81.9	(70.0 - 130.)	JLP	09/10/99	1543
QC647277	9909228-45MS	158110											
Cyanide, Total			4.98	U ND		3.64	mg/kg		73.1	(70.0 - 130.)	JLP	09/14/99	1117
QC646778	BLANK	157999											
Chromium, Hexavalent					U	ND	mg/l				LAA	09/08/99	1900
QC649069	BLANK	158555											
Chromium, Hexavalent					U	ND	mg/kg				JBK	09/22/99	1430
QC649078	BLANK	158556											
Chromium, Hexavalent					U	ND	mg/kg						
QC646774	9909228-65DUP	157999											
Chromium, Hexavalent					U	ND	mg/l	0.00		(0.00 - 13.0)	LAA	09/08/99	1900
QC649065	9909228-06DUP	158555											

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 27 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Chromium, Hexavalent					J	0.112	mg/kg	32.3**		(0.00 - 30.0)	JBK	09/22/99	1430
QC649071		9909228-18DUP											
Chromium, Hexavalent					J	0.0794	mg/kg	23.6		(0.00 - 30.0)	JBK	09/22/99	1430
QC649074		9909228-45DUP											
Chromium, Hexavalent					J	0.155	mg/kg	16.3		(0.00 - 30.0)			
QC646776	LCS	157999											
Chromium, Hexavalent			0.100			0.100	mg/l		100	(83.8 - 116.)	LAA	09/08/99	1900
QC649068	LCS	158555											
Chromium, Hexavalent			1.00			1.02	mg/kg		102	(76.0 - 122.)	JBK	09/22/99	1430
QC649077	LCS	158556											
Chromium, Hexavalent			1.00			0.980	mg/kg		98.0	(76.0 - 122.)			
QC646777	LCS DUP	157999											
Chromium, Hexavalent			0.100	0.100		0.101	mg/l	0.995	101	(0.00 - 20.0)	LAA	09/08/99	1900
QC649070	LCS DUP	158555											
Chromium, Hexavalent			1.00	1.02		0.910	mg/kg	11.4	91.0	(0.00 - 30.0)	JBK	09/22/99	1430
QC649079	LCS DUP	158556											
Chromium, Hexavalent			1.00	0.980		0.930	mg/kg	5.24	93.0	(0.00 - 30.0)			
QC646775	9909228-65MS	157999											
Chromium, Hexavalent			0.100	U ND		0.105	mg/l		105	(85.0 - 115.)	LAA	09/08/99	1900
QC649067	9909228-06MS	158555											
Chromium, Hexavalent			1.00	J 0.0807		1.07	mg/kg		99.0	(70.0 - 130.)	JBK	09/22/99	1430
QC649072	9909228-18MS	158556											
Chromium, Hexavalent			1.00	J 0.101		1.05	mg/kg		94.8	(70.0 - 130.)			
QC649075	9909228-45MS	158556											
Chromium, Hexavalent			1.00	J 0.182		1.12	mg/kg		93.7	(70.0 - 130.)			
QC647643	BLANK	158199											
Moisture					U	ND	wt%				GJ	09/13/99	1550
QC647646	BLANK	158200											
Moisture					U	ND	wt%				GJ	09/13/99	1510
QC648040	BLANK	158297											
Moisture					U	ND	wt%				GJ	09/13/99	1700
QC647641	9909228-15DUP	158199											
Moisture						4.00	wt%	28.6		(-)	GJ	09/13/99	1550
QC647642	9909228-17DUP	158199											
Moisture						2.00	wt%	0.00		(-)			
QC647644	9909228-45DUP	158200											
Moisture						6.00	wt%	18.2		(-)	GJ	09/13/99	1510
QC647645	9909228-47DUP	158200											
Moisture						3.00	wt%	40.0		(-)			
QC648039	9909228-57DUP	158297											

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 28 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Moisture						6.00	wt%	18.2		(-)	GJ	09/13/99	1700

RADIOLOGICAL ANALYSIS

Case Narrative for
SANDIA - 99228S

GROSS ALPHA/BETA

Analytical Batch Number: 158646

Analytical Method: EPA 900.0

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-03	050109-004 B9938-SP1-BH1-9.5-S
QC649391	Blank
QC649392	Duplicate of 050109-004 B9938-SP1-BH1-9.5-S
QC649393	Matrix Spike of 050109-004 B9938-SP1-BH1-9.5-S
QC649394	Matrix Spike Duplicate of 050109-004 B9938-SP1-BH1-9.5-S
QC649395	Laboratory Control Sample

Instrument Calibration:

The instrument was properly calibrated. The instrument was calibrated as follows: drawers A1-G4 on 5/31/99, drawers I1-J4 on 2/3/99.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

All analyte recoveries in the matrix spike were within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits.

Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

General Comment:

High hygroscopic salt content in evaporated samples can cause the sample mass to fluctuate due to moisture absorption. To minimize this interference, the salts are converted to oxides by heating

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 32 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Cesium-137					U	3.28	pCi/L	0.00		(0.00 - 20.0)	EJB	09/21/99	1812
Cobalt-60					U	-1.46	pCi/L	0.00		(0.00 - 20.0)			
Actinium-228					U	5.83	pCi/L	0.00		(0.00 - 20.0)			
Cerium-144					U	1.03	pCi/L	0.00		(0.00 - 20.0)			
Cesium-134					U	0.931	pCi/L	0.00		(0.00 - 20.0)			
Chromium-51					U	-14.0	pCi/L	0.00		(0.00 - 20.0)			
Iron-59					U	3.41	pCi/L	0.00		(0.00 - 20.0)			
Lead-212					U	0.00	pCi/L	0.00		(0.00 - 20.0)			
Lead-214						8.96	pCi/L	0.00		(0.00 - 20.0)			
Potassium-40						36.1	pCi/L	0.00		(0.00 - 20.0)			
Radium-226						8.45	pCi/L	0.00		(0.00 - 20.0)			
Radium-228					U	5.83	pCi/L	0.00		(0.00 - 20.0)			
Ruthenium-103						4.38	pCi/L	0.00		(0.00 - 20.0)			
Ruthenium-106					U	-7.07	pCi/L	0.00		(0.00 - 20.0)			
Thorium-231					U	9.27	pCi/L	0.00		(0.00 - 20.0)			
Thorium-232					U	0.00	pCi/L	0.00		(0.00 - 20.0)			
Thorium-234					U	0.00	pCi/L	0.00		(0.00 - 20.0)			
Uranium-235					U	8.44	pCi/L	0.00		(0.00 - 20.0)			
Uranium-238					U	0.00	pCi/L	0.00		(0.00 - 20.0)			
Yttrium-88					U	0.756	pCi/L	0.00		(0.00 - 20.0)			
Zirconium-95						10.3	pCi/L	0.00		(0.00 - 20.0)			
QC649052	LCS	158553											
Americium-241			1140			1080	pCi/g		94.2	(75.0 - 125.)	EJB	09/20/99	1738
Cesium-137			441			464	pCi/g		105	(75.0 - 125.)			
Cobalt-60			702			709	pCi/g		101	(75.0 - 125.)			
QC649138	LCS	158575											
Americium-241			852			1040	pCi/L		122	(75.0 - 125.)	EJB	09/20/99	1959
Cesium-137			329			329	pCi/L		100	(75.0 - 125.)			
Cobalt-60			484			465	pCi/L		96.2	(75.0 - 125.)			
QC649136	9909228-59MS	158575											
Americium-241			8520	U	1.59	9540	pCi/L		112	(75.0 - 125.)	EJB	09/20/99	1956
Cesium-137			3290	U	0.372	3510	pCi/L		107	(75.0 - 125.)			
Cobalt-60			4860		5.86	5000	pCi/L		103	(75.0 - 125.)			
QC649137	9909228-59MSD	158575											
Americium-241			8520	U	1.59	8720	pCi/L	9.02	102	(0.00 - 20.0)	EJB	09/21/99	1842
Cesium-137			3290	U	0.372	3500	pCi/L	0.228	106	(0.00 - 20.0)			
Cobalt-60			4860		5.86	5260	pCi/L	5.22	108	(0.00 - 20.0)			

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits.

Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

General Comment:

High hygroscopic salt content in evaporated samples can cause the sample mass to fluctuate due to moisture absorption. To minimize this interference, the salts are converted to oxides by heating the sample under a flame until a dull red color is obtained. The conversion to oxides stabilizes the sample weight and ensures that proper alpha/beta efficiencies are assigned for each sample. Volatile radioisotopes of carbon, hydrogen, technetium, polonium and cesium may be lost during sample heating, especially to a dull red heat.

GAMMA SPECTROSCOPY

Analytical Batch Number: 158553

Analytical Method: HASL 300

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-03	050109-004 B9938-SP1-BH1-9.5-S
9909228-07	050049-004 SOLARDETOX-DF1-BH3-
9909228-10	050050-004 SOLADEXTOX-DF1-BH3-
9909228-13	050052-004 SOLARDETOX-DF1-BH2-
9909228-16	050053-004 SOLARDETOX-DF1-BH2-
9909228-19	050055-004 SOLARDETOX-DF1-BH1-
9909228-22	050056-004 SOLARDETOX-DF1-BH1-
9909228-25	050057-004 SOLAR 9981A-SP1-BH1
9909228-28	050058-004 SOLAR 9981A-SP1-BH1
9909228-31	050059-004 SOLAR 9982-DW1-BH1-
9909228-34	050060-004 SOLAR 9982-DW1-BH1
9909228-37	050061-004 SOLAR 9982-DW1-BH1
9909228-40	050062-004 LFR-DF1-BH1-7-S
9909228-43	050063-004 LFR-DF1-BH1-12-S
9909228-46	050064-004 LFR-DF1-BH1-7-MS/MD
9909228-49	050065-004 LFR-DF1-BH2-7-S
9909228-52	050066-004 LFR-DF1-BH2-12-S
9909228-55	050067-004 LFR-DF1-BH3-7-S
9909228-58	050068-004 LFR-DF1-BH3-12-S
QC649050	Blank
QC649051	Duplicate of 050064-004 LFR-DF1-BH1-7-MS/MD
QC649052	Laboratory Control Sample

Instrument Calibration:

The instrument was properly calibrated. All gamma detectors were calibrated during February and March of 1999.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits.

Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

General Comments:

The following isotopes were not quantified due to low abundance: 9909228-07;Th-231, 9909228-13; Th-231, 9909228-19;Th-231,Fe-59, 9909228-25;Th-231, 9909228-31;Th-231, 9909228-40;Ac-228, Ra-228, 9909228-43;Ac-228,Ra-228,Th-231, 9909228-52;Th-231, 9909228-55;Th-231, QC649051; Ac-228,Th-231. The following isotopes were not quantified due to interference: 9909228-03;Ru-106.

The above case narrative was reviewed by:

J. Arone

Date:

7 Oct 1999

Case Narrative for
SANDIA - 99228W

GAMMA SPECTROSCOPY

Analytical Batch Number: 158575

Analytical Method: EPI A-013

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-59	050069-005 LFR-DF1-BH3-GS
QC649134	Blank
QC649135	Duplicate of 050069-005 LFR-DF1-BH3-GS
QC649136	Matrix Spike of 050069-005 LFR-DF1-BH3-GS
QC649137	Matrix Spike Duplicate of 050069-005 LFR-DF1-BH3-GS
QC649138	Laboratory Control Sample

Instrument Calibration:

The instrument was properly calibrated. All gamma calibrations were performed during February and March of 1999.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

All analyte recoveries in the matrix spike were within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits.

Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

General Comments:

The following isotopes were not quantified due to low abundance: QC649134;Cs-137,Th-234,U-238, QC649135;Pb-212,Th-232,Th-234,U-238.

GROSS ALPHA/BETA

Analytical Batch Number: 158539

Analytical Method: EPA 900.0

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-60	050069-006 LFR-DF1-BH3-GRAB

QC649007	Blank
QC649008	Duplicate of 050069-006 LFR-DF1-BH3-GRAB
QC649009	Matrix Spike of 050069-006 LFR-DF1-BH3-GRAB
QC649010	Matrix Spike Duplicate of 050069-006 LFR-DF1-BH3-GRAB
QC649011	Laboratory Control Sample

Instrument Calibration:

The instrument was properly calibrated. The instrument was calibrated as follows: drawers A1-G4 on 5/31/99, drawers I1-J4 on 2/3/99.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

All analyte recoveries in the matrix spike were within the required acceptance limits.

Laboratory Control Samples:

All analyte recoveries in the laboratory control sample were within the required acceptance limits.

Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

Dilutions:

None of the samples were diluted.

Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

General Comment:

High hygroscopic salt content in evaporated samples can cause the sample mass to fluctuate due to moisture absorption. To minimize this interference, the salts are converted to oxides by heating the sample under a flame until a dull red color is obtained. The conversion to oxides stabilizes the sample weight and ensures that proper alpha/beta efficiencies are assigned for each sample. Volatile radioisotopes of carbon, hydrogen, technetium, polonium and cesium may be lost during sample heating, especially to a dull red heat.

The above case narrative was reviewed by:

M. Drouse

Date: *7 Oct 1999*

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 29 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Radiological													
QC649007	BLANK	158539											
Gross Alpha						U 0.132	pCi/l					TMC	10/01/99 1336
Nonvolatile Beta						U -0.137	pCi/l						
Weight of Sample, A&B						4.20	mg						
QC649391	BLANK	158646											
Gross Alpha						1.59	pCi/g					TMC	09/30/99 1800
Nonvolatile Beta						3.13	pCi/g						
Weight of Sample, A&B						0.800	mg						
QC649396	BLANK	158647											
Gross Alpha						U 0.141	pCi/g					SRB	09/29/99 1545
Nonvolatile Beta						U 0.119	pCi/g						
Weight of Sample, A&B						1.50	mg						
QC649008	9909228-60DUP	158539											
Gross Alpha						U 0.213	pCi/l	0.00		(0.00 - 20.0)		TMC	09/30/99 0213
Nonvolatile Beta						U 0.0671	pCi/l	0.00		(0.00 - 20.0)			
QC649392	9909228-03DUP	158646											
Gross Alpha						10.2	pCi/g	32.3**		(0.00 - 20.0)		TMC	09/30/99 1800
Nonvolatile Beta						31.7	pCi/g	9.74		(0.00 - 20.0)			
QC649397	9909228-46DUP	158647											
Gross Alpha						6.96	pCi/g	47.2**		(0.00 - 20.0)		SRB	09/29/99 1450
Nonvolatile Beta						11.1	pCi/g	9.24		(0.00 - 20.0)			
QC649011	LCS	158539											
Gross Alpha			90.5			108	pCi/l		119	(75.0 - 125.)		TMC	10/06/99 1311
Nonvolatile Beta			83.7			94.2	pCi/l		112	(75.0 - 125.)			
QC649395	LCS	158646											
Gross Alpha			38.5			38.2	pCi/g		99.3	(75.0 - 125.)		TMC	10/04/99 2104
Nonvolatile Beta			33.5			30.3	pCi/g		90.5	(75.0 - 125.)			
QC649400	LCS	158647											
Gross Alpha			36.2			41.7	pCi/g		115	(75.0 - 125.)		SRB	09/29/99 1545
Nonvolatile Beta			33.5			36.3	pCi/g		108	(75.0 - 125.)			
QC649009	9909228-60MS	158539											
Gross Alpha			181	U -0.000285		192	pCi/l		106	(75.0 - 125.)		TMC	09/29/99 1803
Nonvolatile Beta			168	U 0.417		161	pCi/l		96.2	(75.0 - 125.)			
QC649393	9909228-03MS	158646											
Gross Alpha			296	7.34		270	pCi/g		88.9	(75.0 - 125.)		TMC	09/30/99 1700
Nonvolatile Beta			258	28.8		287	pCi/g		100	(75.0 - 125.)			
QC649398	9909228-46MS	158647											
Gross Alpha			292	11.3		283	pCi/g		93.1	(75.0 - 125.)		SRB	09/29/99 1545
Nonvolatile Beta			270	10.1		263	pCi/g		93.6	(75.0 - 125.)			

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 30 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
QC649010	9909228-60MSD	158539											
Gross Alpha			181	U -0.000285		215	pCi/l	11.5	119	(0.00 - 20.0)	TMC	10/06/99	1130
Nonvolatile Beta			167	U 0.417		198	pCi/l	20.7**	119	(0.00 - 20.0)			
QC649394	9909228-03MSD	158646											
Gross Alpha			296	7.34		277	pCi/g	2.47	91.1	(0.00 - 20.0)	TMC	09/30/99	1700
Nonvolatile Beta			258	28.8		259	pCi/g	11.7	89.3	(0.00 - 20.0)			
QC649399	9909228-46MSD	158647											
Gross Alpha			307	11.3		337	pCi/g	13.3	106	(0.00 - 20.0)	SRB	09/29/99	1545
Nonvolatile Beta			284	10.1		276	pCi/g	0.131	93.7	(0.00 - 20.0)			
QC649050	BLANK	158553											
Americium-241						U 0.0119	pCi/g				EJB	09/20/99	1237
Cesium-137						0.0373	pCi/g						
Cobalt-60						U -0.00164	pCi/g						
Actinium-228						0.106	pCi/g						
Cerium-144						U 0.0208	pCi/g						
Cesium-134						U -0.00928	pCi/g						
Chromium-51						U 0.0101	pCi/g						
Iron-59						U 0.0185	pCi/g						
Lead-212						0.0409	pCi/g						
Lead-214						U 0.0312	pCi/g						
Potassium-40						U 0.218	pCi/g						
Radium-226						U 0.0170	pCi/g						
Radium-228						0.106	pCi/g						
Ruthenium-103						U 0.0105	pCi/g						
Ruthenium-106						U -0.0962	pCi/g						
Thorium-231						U 0.0115	pCi/g						
Thorium-232						0.0405	pCi/g						
Thorium-234						U 0.245	pCi/g						
Uranium-235						0.116	pCi/g						
Uranium-238						U 0.245	pCi/g						
Yttrium-88						U -0.0291	pCi/g						
Zirconium-95						U -0.0251	pCi/g						
QC649134	BLANK	158575											
Americium-241						U 3.05	pCi/L				EJB	09/20/99	1925
Cesium-137						U 0.00	pCi/L						
Cobalt-60						1.96	pCi/L						
Actinium-228						U 7.11	pCi/L						
Cerium-144						U 6.06	pCi/L						
Cesium-134						U -4.37	pCi/L						
Chromium-51						U 4.94	pCi/L						

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 31 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
Iron-59					U	-2.41	pCi/L				EJB	09/20/99	1925
Lead-212						4.96	pCi/L						
Lead-214						8.63	pCi/L						
Potassium-40					U	5.56	pCi/L						
Radium-226						5.22	pCi/L						
Radium-228					U	7.11	pCi/L						
Ruthenium-103					U	-0.647	pCi/L						
Ruthenium-106					U	18.1	pCi/L						
Thorium-231					U	2.45	pCi/L						
Thorium-232						4.97	pCi/L						
Thorium-234					U	0.00	pCi/L						
Uranium-235					U	9.99	pCi/L						
Uranium-238					U	0.00	pCi/L						
Yttrium-88					U	0.213	pCi/L						
Zirconium-95					U	1.63	pCi/L						
QC649051		9909228-46DUP	158553										
Americium-241					U	-0.0742	pCi/g	0.00		(0.00 - 20.0)	EJB	09/20/99	1238
Cesium-137					U	-0.00338	pCi/g	0.00		(0.00 - 20.0)			
Cobalt-60					U	-0.00299	pCi/g	0.00		(0.00 - 20.0)			
Actinium-228					U	0.00	pCi/g	0.00		(0.00 - 20.0)			
Cerium-144					U	0.0492	pCi/g	0.00		(0.00 - 20.0)			
Cesium-134					U	0.00174	pCi/g	0.00		(0.00 - 20.0)			
Chromium-51					U	0.114	pCi/g	0.00		(0.00 - 20.0)			
Iron-59					U	0.0321	pCi/g	0.00		(0.00 - 20.0)			
Lead-212						0.297	pCi/g	8.72		(0.00 - 20.0)			
Lead-214						0.807	pCi/g	11.5		(0.00 - 20.0)			
Potassium-40						4.62	pCi/g	6.68		(0.00 - 20.0)			
Radium-226						0.709	pCi/g	2.09		(0.00 - 20.0)			
Radium-228						0.227	pCi/g	200		(0.00 - 20.0)			
Ruthenium-103					U	-0.00178	pCi/g	0.00		(0.00 - 20.0)			
Ruthenium-106					U	-0.0113	pCi/g	0.00		(0.00 - 20.0)			
Thorium-231					U	0.00	pCi/g	0.00		(0.00 - 20.0)			
Thorium-232						0.292	pCi/g	3.69		(0.00 - 20.0)			
Thorium-234					U	0.0837	pCi/g	200		(0.00 - 20.0)			
Uranium-235					U	-0.0381	pCi/g	0.00		(0.00 - 20.0)			
Uranium-238					U	0.0837	pCi/g	200		(0.00 - 20.0)			
Yttrium-88					U	0.0102	pCi/g	0.00		(0.00 - 20.0)			
Zirconium-95						0.0552	pCi/g	0.00		(0.00 - 20.0)			
QC649135		9909228-59DUP	158575										
Americium-241						2.62	pCi/L	0.00		(0.00 - 20.0)	EJB	09/21/99	1812

the sample under a flame until a dull red color is obtained. The conversion to oxides stabilizes the sample weight and ensures that proper alpha/beta efficiencies are assigned for each sample. Volatile radioisotopes of carbon, hydrogen, technetium, polonium and cesium may be lost during sample heating, especially to a dull red heat.

GROSS ALPHA/BETA

Analytical Batch Number: 158647

Analytical Method: EPA 900.0

<u>Laboratory Number</u>	<u>Sample Description</u>
9909228-07	050049-004 SOLARDETOX-DF1-BH3-
9909228-10	050050-004 SOLADEXTOX-DF1-BH3-
9909228-13	050052-004 SOLARDETOX-DF1-BH2-
9909228-16	050053-004 SOLARDETOX-DF1-BH2-
9909228-19	050055-004 SOLARDETOX-DF1-BH1-
9909228-22	050056-004 SOLARDETOX-DF1-BH1-
9909228-25	050057-004 SOLAR 9981A-SP1-BH1
9909228-28	050058-004 SOLAR 9981A-SP1-BH1
9909228-31	050059-004 SOLAR 9982-DW1-BH1-
9909228-34	050060-004 SOLAR 9982-DW1-BH1
9909228-37	050061-004 SOLAR 9982-DW1-BH1
9909228-40	050062-004 LFR-DF1-BH1-7-S
9909228-43	050063-004 LFR-DF1-BH1-12-S
9909228-46	050064-004 LFR-DF1-BH1-7-MS/MD
9909228-49	050065-004 LFR-DF1-BH2-7-S
9909228-52	050066-004 LFR-DF1-BH2-12-S
9909228-55	050067-004 LFR-DF1-BH3-7-S
9909228-58	050068-004 LFR-DF1-BH3-12-S
QC649396	Blank
QC649397	Duplicate of 050064-004 LFR-DF1-BH1-7-MS/MD
QC649398	Matrix Spike of 050064-004 LFR-DF1-BH1-7-MS/MD
QC649399	Matrix Spike Duplicate of 050064-004 LFR-DF1-BH1-7-MS/MD
QC649400	Laboratory Control Sample

Instrument Calibration:

The instrument was properly calibrated. The instrument was calibrated as follows: drawers A1-G4 on 5/31/99, drawers I1-J4 on 2/3/99.

Holding Time:

All samples were analyzed within the required holding time.

Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

Spike Analyses:

All analyte recoveries in the matrix spike were within the required acceptance limits.

QC Summary Report

Project Description: RFP #AJ2480A

cc: SNLS00396

Lab. Sample ID: 9909228%

Report Date: October 07, 1999

Page 33 of 33

Sample/Parameter	Type	Batch	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analyst	Date	Time
------------------	------	-------	-----	--------	------	----	-------	------	------	-------	---------	------	------

Notes:

The qualifiers in this report are defined as follows:

I indicates presence of analyte between DL (Detect Limit) and RL (Report Limit)

U indicates presence of analyte < DL (Detect Limit)

n/a indicates that spike recovery limits do not apply when
sample concentration exceeds spike conc by a factor of 4 or more

CAC



National Nuclear Security Administration

Sandia Site Office
P.O. Box 5400
Albuquerque, New Mexico 87185-5400



SEP 21 2005

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Mr James Bearzi, Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Road East, Building 1
Santa Fe, NM 87505

Dear Mr. Bearzi:

On behalf of the Department of Energy (DOE) and Sandia Corporation, DOE is submitting the enclosed Solid Waste Management Unit (SWMU) Assessment Reports and Proposals for Corrective Action Complete (CAC) for Drain and Septic Systems (DSS) Area of Concern (AOC) Sites 1094, 1095, 1114, 1115, 1116, and 1117. DOE is also submitting responses to Requests for Supplemental Information (RSIs) for SWMUs 140, 147, and 150 at Sandia National Laboratories, New Mexico, EPA ID No. NM5890110518. These documents are compiled as DSS Round 10 and CAC (formerly No further Action [NFA]) Batch 28.

This submittal includes descriptions of the site characterization work and risk assessments for DSS AOCs and SWMUs 1094, 1095, 1114, 1115, 1116, 1117, 140, 147, and 150. The risk assessments conclude that, for these nine sites: (1) there is no significant risk to human health under both the industrial and residential land-use scenarios; and (2) that there are no ecological risks associated with these sites.

Based on the information provided, DOE and Sandia are requesting a determination of Corrective Action Complete without controls for these nine sites.

If you have any questions, please contact me at (505) 845-6036, or John Gould at (505) 845-6089.

Sincerely,

Patty Wagner
Manager

Enclosure



Mr. J. Bearzi

(2)

SEP 21 2005


cc w/enclosure:

L. King, USEPA, Region 6 (Via Certified Mail)
W. Moats, NMED-HWB (Via Certified Mail)
J. Volkerding, DOE-NMED-OB (2 copies)

cc w/o enclosure.:

T. Longo, NNSA/NA-56
F. Nimick, SNL, MS 1089
P. Freshour, SNL, MS 1089
D. Stockham, SNL, MS 1087
B. Langkopf, SNL, MS 1087
M. Sanders, SNL, MS 1087
R. Methvin, SNL MS 1087
J. Pavletich, SNL MS 1087
A. Villareal, SNL, MS 1035
A. Blumberg, SNL, MS 0141
R. E. Fate, SNL, MS 1089
M. J. Davis, SNL, MS 1089
ESHSEC Records Center, MS 1087





Sandia National Laboratories/New Mexico
Environmental Restoration Project

**SWMU ASSESSMENT REPORT AND
PROPOSAL FOR
CORRECTIVE ACTION COMPLETE
DRAIN AND SEPTIC SYSTEMS SITE 1117,
BUILDING 9982 DRYWELL
(SOLAR TOWER COMPLEX)**

September 2005



United States Department of Energy
Sandia Site Office



TABLE OF CONTENTS

LIST OF FIGURES	iii
LIST OF TABLES.....	v
LIST OF ANNEXES	vii
ACRONYMS AND ABBREVIATIONS	ix
1.0 PROJECT BACKGROUND	1-1
2.0 DSS SITE 1117: BUILDING 9982 DRYWELL (SOLAR TOWER COMPLEX).....	2-1
2.1 Summary	2-1
2.2 Site Description and Operational History.....	2-1
2.2.1 Site Description	2-1
2.2.2 Operational History.....	2-7
2.3 Land Use	2-7
2.3.1 Current Land Use	2-7
2.3.2 Future/Proposed Land Use	2-7
3.0 INVESTIGATORY ACTIVITIES	3-1
3.1 Summary	3-1
3.2 Investigation 1—Soil Sampling.....	3-1
3.2.1 Soil Sampling Methodology	3-8
3.2.2 Soil Sampling Results and Conclusions	3-8
3.2.3 Soil Sampling Quality Assurance/Quality Control Samples and Data Validation Results.....	3-22
3.3 Site Sampling Data Gaps.....	3-23
4.0 CONCEPTUAL SITE MODEL	4-1
4.1 Nature and Extent of Contamination	4-1
4.2 Environmental Fate.....	4-1
4.3 Site Assessment.....	4-6
4.3.1 Summary.....	4-6
4.3.2 Risk Assessments.....	4-6
4.4 Baseline Risk Assessments.....	4-8
4.4.1 Human Health	4-8
4.4.2 Ecological.....	4-8

TABLE OF CONTENTS (Concluded)

5.0	RECOMMENDATION FOR CORRECTIVE ACTION COMPLETE WITHOUT CONTROLS DETERMINATION	5-1
5.1	Rationale	5-1
5.2	Criterion	5-1
6.0	REFERENCES.....	6-1

LIST OF FIGURES

Figure

2.2.1-1	Location Map of Drain and Septic Systems (DSS) Site 1117, Bldg. 9982 Drywell, Solar Tower Complex.....	2-3
2.2.1-2	Site Map of Drain and Septic Systems (DSS) Site 1117, Bldg. 9982 Drywell, Solar Tower Complex.....	2-5
3.2-1	Auger drilling through the gravel aggregate to collect additional soil samples for VOC analysis at DSS Site 1117, the Building 9982 Drywell at the Solar Tower Complex. View to the east. April 14, 2005.....	3-3
3.2-2	The three soil borehole locations at DSS Site 1117, Building 9982 drywell at the Solar Tower Complex. The two pink pin flags mark the original August 30, 1999 borehole location at the center of the drywell. The two additional boreholes drilled during the April 2005 resampling are marked by the DSS Site 1117 sign post and the orange pin flag. View to the east. April 18, 2005.....	3-5
4.2-1	Conceptual Site Model Flow Diagram for DSS Site 1117, Building 9982 Drywell (Solar Tower Complex).....	4-3

This page intentionally left blank.

LIST OF TABLES

Table

3.2-1	Summary of Area Sampled, Analytical Methods, and Laboratories Used for DSS Site 1117, Building 9982 Drywell (Solar Tower Complex) Soil Samples.....	3-7
3.2.2-1	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, VOC Analytical Results, April 2005 (Off-Site Laboratory)	3-9
3.2.2-2	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, VOC Analytical MDLs, April 2005 (Off-Site Laboratory)	3-10
3.2.2-3	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, SVOC Analytical Results, August 1999 (Off-Site Laboratory)	3-11
3.2.2-4	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, SVOC Analytical MDLs, August 1999 (Off-Site Laboratory)	3-12
3.2.2-5	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, PCB Analytical Results, August 1999 (Off-Site Laboratory)	3-14
3.2.2-6	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, PCB Analytical MDLs, August 1999 (Off-Site Laboratory)	3-14
3.2.2-7	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, HE Compound Analytical Results, August 1999 (Off-Site Laboratory)	3-16
3.2.2-8	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, HE Compound Analytical MDLs, August 1999 (Off-Site Laboratory)	3-17
3.2.2-9	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, Metals Analytical Results, August 1999 (Off-Site Laboratory)	3-18
3.2.2-10	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, Metals Analytical MDLs, August 1999 (Off-Site Laboratory)	3-19

LIST OF TABLES (Concluded)

Table

3.2.2-11	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, Total Cyanide Analytical Results, August 1999 (Off-Site Laboratory)	3-20
3.2.2-12	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, Total Cyanide Analytical MDLs, August 1999 (Off-Site Laboratory)	3-20
3.2.2-13	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, Gamma Spectroscopy Analytical Results, August 1999 (Off-Site Laboratory).....	3-21
3.2.2-14	Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex), Confirmatory Soil Sampling, Gross Alpha/Beta Activity Analytical Results, August 1999 (Off-Site Laboratory).....	3-22
4.2-1	Summary of Potential COCs for DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)	4-5
4.3.2-1	Summation of Incremental Nonradiological and Radiological Risks from DSS Site 1117, Building 9982 Drywell (Solar Tower Complex) Carcinogens.....	4-7

LIST OF ANNEXES

Annex

- A DSS Site 1117 Soil Sample Data Validation Results
- B DSS Site 1117 Risk Assessment

This page intentionally left blank.

ACRONYMS AND ABBREVIATIONS

AOP	Administrative Operating Procedure
BA	butyl acetate
bgs	below ground surface
CAC	Corrective Action Complete
COC	constituent of concern
DSS	Drain and Septic Systems
EB	equipment blank
EPA	U.S. Environmental Protection Agency
ER	Environmental Restoration
FIP	Field Implementation Plan
HE	high explosive
HI	hazard index
HWB	Hazardous Waste Bureau
KAFB	Kirtland Air Force Base
MDA	minimum detectable activity
MDL	method detection limit
mrem	millirem
NFA	no further action
NMED	New Mexico Environment Department
OU	Operable Unit
PCB	polychlorinated biphenyl
RCRA	Resource Conservation and Recovery Act
SAP	Sampling and Analysis Plan
SNL/NM	Sandia National Laboratories/New Mexico
SVOC	semivolatile organic compound
SWMU	Solid Waste Management Unit
TB	trip blank
TEDE	total effective dose equivalent
TOP	Technical Operating Procedure
VOC	volatile organic compound
yr	year

This page intentionally left blank.

1.0 PROJECT BACKGROUND

Environmental characterization of Sandia National Laboratories/New Mexico (SNL/NM) drain and septic systems (DSS) started in the early 1990s. These units consist of either septic systems (one or more septic tanks plumbed to either drainfields or seepage pits), or other types of miscellaneous drain units without septic tanks (including drywells or french drains, seepage pits, and surface outfalls). Initially, 23 of these sites were designated as Solid Waste Management Units (SWMUs) under Operable Unit (OU) 1295, Septic Tanks and Drainfields. Characterization work at 22 of these 23 SWMUs has taken place since 1994 as part of SNL/NM Environmental Restoration (ER) Project activities. The twenty-third site did not require any characterization, and an administrative proposal for no further action (NFA) was granted in July 1995.

Numerous other DSS sites that were not designated as SWMUs were also present throughout SNL/NM. An initial list of these non-SWMU sites was compiled and summarized in an SNL/NM document dated July 8, 1996; the list included a total of 101 sites, facilities, or systems (Bleakly July 1996). For tracking purposes, each of these 101 individual DSS sites was designated with a unique four-digit site identification number starting with 1001. This numbering scheme was devised to clearly differentiate these non-SWMU sites from existing SNL/NM SWMUs, which have been designated by one- to three-digit numbers. As work progressed on the DSS site evaluation project, it became apparent that the original 1996 list was in need of field verification and updating. This process included researching SNL/NM's extensive library of facilities engineering drawings and conducting field verification inspections jointly with SNL/NM ER personnel and New Mexico Environment Department (NMED)/Hazardous Waste Bureau (HWB) regulatory staff from July 1999 through January 2000. The goals of this additional work included the following:

- Determine to the degree possible whether each of the 101 systems included on the 1996 list was still in existence, or had ever existed.
- For systems confirmed or believed to exist, determine the exact or apparent locations and components of those systems (septic tanks, drainfields, seepage pits, etc.).
- Identify which systems would, or would not, need initial shallow investigation work as required by the NMED.
- For systems requiring characterization, determine the specific types of shallow characterization work (including passive soil-vapor sampling and/or shallow soil borings) that would be required by the NMED.

A number of additional drain systems were identified from the engineering drawings and field inspection work. It was also determined that some of the sites on the 1996 list actually contained more than one individual drain or septic system that had been combined under one four-digit site number. In order to reduce confusion, a decision was made to assign each individual system its own unique four-digit number. A new site list containing a total of 121 individual DSS sites was generated in 2000. Of these 121 sites, the NMED required environmental assessment work at a total of 61. No characterization was required at the remaining 60 sites because the sites either were found not to exist, were the responsibility of

other non-SNL/NM organizations, were already designated as individual SWMUs, or were considered by the NMED to pose no threat to human health or the environment. Subsequent backhoe excavation at DSS Site 1091 confirmed that the system did not exist, which decreased the number of DSS sites requiring characterization to 60.

Concurrent with the field inspection and site identification work, NMED/HWB and SNL/NM ER Project technical personnel worked together to reach consensus on a staged approach and specific procedures that would be used to characterize the DSS sites, as well as the remaining OU 1295 Septic Tanks and Drainfield SWMUs that had not been approved for NFA. These procedures are described in detail in the "Sampling and Analysis Plan [SAP] for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico" (SNL/NM October 1999), which was approved by the NMED/HWB on January 28, 2000 (Bearzi January 2000). A follow-on document, "Field Implementation Plan [FIP], Characterization of Non-Environmental Restoration Drain and Septic Systems" (SNL/NM November 2001), was then written to formally document the updated DSS site list and the specific site characterization work required by the NMED for each of the 60 DSS sites. The FIP was approved by the NMED in February 2002 (Moats February 2002).

2.0 DSS SITE 1117: BUILDING 9982 DRYWELL (SOLAR TOWER COMPLEX)

2.1 Summary

The SNL/NM ER Project conducted an assessment of DSS Site 1117, the Building 9982 Drywell. There are no known or specific environmental concerns at this site. The assessment was conducted to determine whether environmental contamination was released to the environment via the drywell present at the site. This report provides documentation that the site was specifically characterized, that no significant releases of contaminants to the environment occurred via the Building 9982 drywell, and that it does not pose a threat to human health or the environment under either the industrial or residential land-use scenarios.

Current operations at the site are conducted in accordance with applicable laws and regulations that are protective of the environment. During an inspection on April 2005, the Building 9982 floor drains were found to be plugged with concrete so that the drywell has been effectively abandoned in place.

Review and analysis of all relevant data for DSS Site 1117 indicate that concentrations of constituents of concern (COCs) at this site were found to be below applicable risk assessment action levels. Thus, a determination of Corrective Action Complete (CAC) without controls (NMED April 2004) is recommended for DSS Site 1117 based upon sampling data demonstrating that COCs released from the site into the environment pose an acceptable level of risk.


2.2 Site Description and Operational History

2.2.1 Site Description

DSS Site 1117 is located at the Solar Tower Testing Complex on federally owned land controlled by Kirtland Air Force Base (KAFB) and permitted to the U.S. Department of Energy. The site is located approximately 1,300 feet northwest of the solar tower (Figure 2.2.1-1). The abandoned drywell is on the northwest corner of Building 9982 and consisted of a gravel-filled hole approximately 4 feet in diameter and 11 feet deep (Figure 2.2.1-2). Construction details are based upon engineering drawings (SNL/NM 1980), site inspections, and auger drilling during sample collection at the site. The system received discharges from floor drains in Building 9982, approximately seven feet to the south.

The surface geology at DSS Site 1117 is characterized by a veneer of aeolian sediments underlain by Upper Santa Fe Group alluvial fan deposits that interfinger with sediments of the ancestral Rio Grande west of the site. These deposits extend to, and probably far below, the water table at this site. The alluvial fan materials originated in the Manzanita Mountains east of DSS Site 1117, and typically consist of a mixture of silts, sands, and gravels that are poorly


This page intentionally left blank.




Legend

-  DSS Site 117
-  Major Road
-  KAFB Boundary
-  USFS Withdrawn Area Boundary
-  SNL Technical Area

**Figure 2.2.1-1
 Location Map of Drain and Septic
 Systems (DSS) Site 117,
 Bldg. 9982 Drywell,
 Solar Tower Complex**



Sandia National Laboratories, New Mexico
 Environmental Geographic Information System



Legend

- Soil Boring Location
- Drywell
- - - - - Drain Line
- Edge of Pavement
- Building 9982

Figure 2.2.1-2
Site Map of Drain and Septic
Systems (DSS) Site 1117,
Bldg. 9982 Drywell,
Solar Tower Complex

0 15 30
Scale In Feet

0 3.6 7.2
Scale In Meters



Sandia National Laboratories, New Mexico
Environmental Geographic Information System

sorted, and exhibit moderately connected lenticular bedding. Individual beds range from 1 to 5 feet in thickness with a preferred east-west orientation and have moderate to low hydraulic conductivities (SNL/NM March 1996). Site vegetation primarily consists of desert grasses, shrubs, and cacti.

The ground surface in the vicinity of the site is flat to very slightly sloping to the west. The closest drainage lies north of the site and terminates in a playa just west of KAFB. No perennial surface-water bodies are present in the vicinity of the site. Average annual rainfall in the SNL/NM and KAFB area, as measured at Albuquerque International Sunport, is 8.1 inches (NOAA 1990). Infiltration of precipitation is almost nonexistent as virtually all of the moisture subsequently undergoes evapotranspiration. The estimates of evapotranspiration rates for the KAFB area range from 95 to 99 percent of the annual rainfall (SNL/NM March 1996).

The site lies at an average elevation of approximately 5,579 feet above mean sea level (SNL/NM April 2003). Depth to groundwater is estimated to be approximately 150 feet below ground surface (bgs) based upon mid-1990s water-level measurements taken in monitoring well STW-1 located approximately 2,150 feet west of the site before it was plugged and abandoned in 1997. Groundwater flow is thought to be generally to the west in this area (SNL/NM April 2004). The nearest production wells to DSS Site 1117 are KAFB-4 and KAFB-11, which are approximately 5.5 and 5.2 miles to the northwest, respectively. The nearest groundwater monitoring well is NMED-1, approximately 4,450 feet southeast of the site.

2.2.2 Operational History

Available information indicates that Building 9982 was constructed in 1980 (SNL/NM March 2003) and it is assumed the drywell was constructed at the same time. Building 9982 is currently known as the 5 MW Solar Assembly Building. Because operational records are not available, the site investigation was planned to be consistent with other DSS site investigations and to sample for possible COCs that may have been released during facility operations. A site inspection in August 1999 determined that the Building 9982 floor drains that discharged to the drywell had been plugged with concrete, so the drywell has been effectively abandoned in place.

2.3 Land Use

2.3.1 Current Land Use

The current land use for DSS Site 1117 is industrial.

2.3.2 Future/Proposed Land Use

The projected future land use for DSS Site 1117 is industrial (DOE and USAF March 1996).

This page intentionally left blank.

3.0 INVESTIGATORY ACTIVITIES

3.1 Summary

In August 1999 subsurface soil samples were collected from one boring drilled through the center of, and beneath the drywell pit. In April 2005, subsurface soil samples were collected for volatile organic compounds (VOCs) from one boring through the center of, and beneath, the drywell, and two borings adjacent to the drywell (Investigation 1). Investigation 1 was required by the NMED/HWB to adequately characterize the site and was conducted in accordance with procedures presented in the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001) described in Chapter 1.0. This investigation is discussed in the following section.

3.2 Investigation 1—Soil Sampling

In August 1999, soil sampling was conducted in accordance with the rationale and procedures in the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001) approved by the NMED. On August 30 and 31, 1999, soil samples were collected from one borehole drilled through the center of, and beneath the drywell. On April 14 and 18, 2005, additional samples for VOC analysis only were collected from the approximate original borehole location through the center of, and beneath, the drywell and, because of subsurface refusals, from two additional boreholes adjacent to the seepage pit. Soil boring locations are shown in Figure 2.2.1-2. Figure 3.2-1 shows soil samples being collected at DSS Site 1117. A summary of the boreholes, sample depths, sample analyses, analytical methods, laboratories, and sample dates is presented in Table 3.2-1.

DSS Site 1117 was one of five shallow groundwater DSS sites that had 2-butanone soil sample concentrations above the 10-parts-per-billion (micrograms/kilogram) VOC trigger level specified in the SAP (SNL/NM October 1999), and therefore required additional sampling. The samples collected at these five sites were all analyzed at the same time, and the laboratory reported detections of the same three VOCs (2-butanone, methylene chloride, and toluene) at similar concentrations for all five sites. Because these compounds are recognized by the U.S. Environmental Protection Agency (EPA) as typical laboratory contaminants, it was suspected that the VOC detections might be the result of a laboratory artifact or other analytical problem, rather than soil contamination. After meeting with the NMED, it was decided to resample DSS Site 1117 and the other four sites for VOCs only. At DSS Site 1117, it was agreed that additional VOC samples would be collected at the original 1999 sample location and depth, and additional samples would be collected at 5 and 10 feet below the original sample depths (Figure 2.2.1-2) (Cooper March 2005). The resampling at DSS Site 1117 was conducted on April 14 and 18, 2005. However, due to subsurface refusals below the original sample depths, some of the April 2005 samples had to be collected from two additional step-out boreholes approximately 2.5 and 4 feet away, respectively, from the sides of the drywell. Figure 3.2-2 shows the locations of the three boreholes drilled at DSS Site 1117. Because no VOCs were detected in the April 2005 samples, it was concluded that the 1999 VOC samples were probably affected by laboratory contamination. Therefore, the 1999 VOC data were replaced with the 2005 VOC analytical results in the data tables and in the risk assessment.

This page intentionally left blank.



Figure 3.2-1
Auger drilling through the gravel aggregate to collect additional soil samples for
VOC analysis at DSS Site 1117, the Building 9982 Drywell at the
Solar Tower Complex. View to the east. April 14, 2005



Figure 3.2-2

The three soil borehole locations at DSS Site 1117, Building 9982 drywell at the Solar Tower Complex. The two pink pin flags mark the original August 30, 1999 borehole location at the center of the drywell. The two additional boreholes drilled during the April 2005 resampling are marked by the DSS Site 1117 sign post and the orange pin flag. View to the east. April 18, 2005

Table 3.2-1
 Summary of Area Sampled, Analytical Methods, and Laboratories Used for
 DSS Site 1117, Building 9982 Drywell (Solar Tower Complex) Soil Samples

Sampling Area	Number of Borehole Locations	Top of Sampling Intervals in Each Borehole (ft. bgs)	Total Number of Soil Samples	Analytical Parameters and EPA Methods ^a	Analytical Laboratory	Date Samples Collected
Drywell	2	11, 16	4 + 1 Duplicate	VOCs EPA Method 8260	GEL	04-14-05 04-18-05
	1	11, 16	2 + 1 Duplicate	SVOCs EPA Method 8270	GEL	08-30-99 08-31-99
	1	11, 16	2 + 1 Duplicate	PCBs EPA Method 8082	GEL	08-30-99 08-31-99
	1	11, 16	2 + 1 Duplicate	HE Compounds EPA Method 8330	GEL	08-30-99 08-31-99
	1	11, 16	2 + 1 Duplicate	RCRA Metals EPA Methods 6000/7000	GEL	08-30-99 08-31-99
	1	11, 16	2 + 1 Duplicate	Hexavalent Chromium EPA Method 7196A	GEL	08-30-99 08-31-99
	1	11, 16	2 + 1 Duplicate	Total Cyanide EPA Method 9012A	GEL	08-30-99 08-31-99
	1	11, 16	2 + 1 Duplicate	Gamma spectroscopy HASL-300 ^b	GEL	08-30-99 08-31-99
	1	11, 16	2 + 1 Duplicate	Gross Alpha/Beta Activity EPA Method 900.0	GEL	08-30-99 08-31-99

^aEPA November 1986.

^bHASL/EML 1957.

bgs = Below ground surface.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ft = Foot (feet).

GEL = General Engineering Laboratories, Inc.

HASL/EML = Health and Safety Laboratory/Environmental Measurements Laboratory.

HE = High explosive(s).

PCB = Polychlorinated biphenyl.

RCRA = Resource Conservation and Recovery Act.

SVOC = Semivolatile organic compound.

VOC = Volatile organic compound.

3.2.1 Soil Sampling Methodology

An auger drill rig was used to sample the boreholes at two depth intervals. In the borehole drilled through the center of the drywell, the shallow sample interval started at the estimated base of the gravel aggregate at the drywell bottom, and the lower (deep) interval started at 5 feet below the top of the upper sample interval. Once the auger rig had reached the top of the sampling interval, a 3- or 4-foot-long by 1.5-inch inside diameter Geoprobe™ sampling tube lined with a butyl acetate (BA) sampling sleeve was inserted into the borehole and hydraulically driven downward 3 or 4 feet to fill the tube with soil.

Once the sampling tube was retrieved from the borehole, the sample for VOC analysis was immediately collected by slicing off a 3- to 4-inch section from the lower end of the BA sleeve and capping the section ends with Teflon® film, then a rubber end cap, and finally sealing the tube with tape.

For the non-VOC analyses, the soil remaining in the BA liner was emptied into a decontaminated mixing bowl, and aliquots of soil were transferred into appropriate sample containers for analysis. On occasion, the amount of soil recovered in the first sampling run was insufficient for sample volume requirements. In this case, additional sampling runs were completed until an adequate soil volume was recovered. Soil recovered from these additional runs was emptied into the mixing bowl and blended with the soil already collected. Aliquots of the blended soil were then transferred into sample containers and submitted for analysis.

All samples were documented and handled in accordance with applicable SNL/NM operating procedures and transported to an off-site laboratory for analysis.

3.2.2 Soil Sampling Results and Conclusions

Analytical results for the soil samples collected at DSS Site 1117 are presented and discussed in this section.

VOCs

Because of the laboratory contamination concerns regarding the 1999 VOC data, and because the site was resampled, the original 1999 VOC data were replaced with the 2005 VOC analytical results in the data tables and in the risk assessment.

VOC analytical results for the four samples and one duplicate collected in April 2005 from the drywell boreholes are summarized in Table 3.2.2-1. Method detection limits (MDLs) for the VOC soil analyses are presented in Table 3.2.2-2. No VOCs were detected in any sample collected at this site.

SVOCs

Semivolatile organic compound (SVOC) analytical results for the two soil samples and one duplicate collected in August 1999 from the drywell borehole are summarized in Table 3.2.2-3. MDLs for the SVOC soil analyses are presented in Table 3.2.2-4. No SVOCs were detected in any sample collected.

Table 3.2.2-1
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, VOC Analytical Results
 April 2005
 (Off-Site Laboratory)

Sample Attributes			VOCs (EPA Method 8260 ^a) (µg/kg)
Record Number ^b	ER Sample ID	Sample Depth (ft)	
608532	9982-DW1-BH1-11-S	11	ND
608532	9982-DW1-BH1-11-DU	11	ND
608532	9982-DW1-BH1-16-S	16	ND
608532	9982-DW1-BH2-11-S	11	ND
608532	9982-DW1-BH2-16-S	16	ND
Quality Assurance/Quality Control Sample (µg/L)			
608532	1095-DSS-TB-1 ^c	NA	ND

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

^cER sample ID reflects the final site for VOC samples included in this shipment.

BH = Borehole.

DSS = Drain and Septic Systems.

DU = Duplicate sample.

DW = Drywell.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

µg/kg = Microgram(s) per kilogram.

µg/L = Microgram(s) per liter.

NA = Not applicable.

ND = Not detected.

S = Soil sample.

TB = Trip blank.

VOC = Volatile organic compound.

Table 3.2.2-2
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, VOC Analytical MDLs
 April 2005
 (Off-Site Laboratory)

Analyte	EPA Method 8260 ^a Detection Limit (µg/kg)
Acetone	2.58
Benzene	0.33
Bromodichloromethane	0.2
Bromoform	0.3
Bromomethane	0.5
2-Butanone	1.7
Carbon disulfide	1.25
Carbon tetrachloride	0.2
Chlorobenzene	0.2
Chloroethane	0.5
Chloroform	0.2
Chloromethane	0.5
Dibromochloromethane	0.3
1,1-Dichloroethane	0.3
1,2-Dichloroethane	0.25
1,1-Dichloroethene	0.3
cis-1,2-Dichloroethene	0.3
trans-1,2-Dichloroethene	0.3
1,2-Dichloropropane	0.3
cis-1,3-Dichloropropene	0.2
trans-1,3-Dichloropropene	0.3
Ethylbenzene	0.2
2-Hexanone	1.52
Methylene chloride	2
4-Methyl-2-pentanone	1.09
Styrene	0.2
1,1,2,2-Tetrachloroethane	0.25
Tetrachloroethene	0.2
Toluene	0.29
1,1,1-Trichloroethane	0.3
1,1,2-Trichloroethane	0.3
Trichloroethene	0.25
Vinyl acetate	1.25
Vinyl chloride	0.5
Xylene	0.4

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method detection limit.

µg/kg = Microgram(s) per kilogram.

VOC = Volatile organic compound.

Table 3.2.2-3
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, SVOC Analytical Results
 August 1999
 (Off-Site Laboratory)

Sample Attributes			SVOCs (EPA Method 8270 ^a) ($\mu\text{g}/\text{kg}$)
Record Number ^b	ER Sample ID	Sample Depth (ft)	
602817	9982-DW1-BH1-11-S	11	ND
602817	9982-DW1-BH1-11-DU	11	ND
602817	9982-DW1-BH1-16-S	16	ND

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

BH = Borehole.

DSS = Drain and Septic Systems.

DU = Duplicate sample.

DW = Drywell.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

$\mu\text{g}/\text{kg}$ = Microgram(s) per kilogram.

ND = Not detected.

S = Soil sample.

SVOC = Semivolatile organic compound.

Table 3.2.2-4
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, SVOC Analytical MDLs
 August 1999
 (Off-Site Laboratory)

Analyte	EPA Method 8270 ^a Detection Limit (µg/kg)
Acenaphthene	160
Acenaphthylene	147
Anthracene	86.7
Benzo(a)anthracene	66.7
Benzo(a)pyrene	73.3
Benzo(b)fluoranthene	143
Benzo(g,h,i)perylene	80
Benzo(k)fluoranthene	133
4-Bromophenyl phenyl ether	117
Butylbenzyl phthalate	90
Carbazole	153
4-Chlorobenzenamine	153
bis(2-Chloroethoxy)methane	170
bis(2-Chloroethyl)ether	53.3
bis-Chloroisopropyl ether	103
4-Chloro-3-methylphenol	127
2-Chloronaphthalene	173
2-Chlorophenol	157
4-Chlorophenyl phenyl ether	147
Chrysene	53.3
m,p-Cresol	153
o-Cresol	63.3
Dibenz[a,h]anthracene	83.3
Dibenzofuran	133
1,2-Dichlorobenzene	170
1,3-Dichlorobenzene	130
1,4-Dichlorobenzene	61
3,3'-Dichlorobenzidine	277
2,4-Dichlorophenol	177
Diethylphthalate	76.7
2,4-Dimethylphenol	110
Dimethylphthalate	110
Di-n-butyl phthalate	73.3
1,2-Diphenylhydrazine	56.7
Dinitro-o-cresol	100
2,4-Dinitrophenol	367
2,4-Dinitrotoluene	117
2,6-Dinitrotoluene	140
Di-n-octyl phthalate	173
bis(2-Ethylhexyl) phthalate	300
Fluoranthene	66.7
Fluorene	113

Refer to footnotes at end of table.

Table 3.2.2-4 (Concluded)
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, SVOC Analytical MDLs
 August 1999
 (Off-Site Laboratory)

Analyte	EPA Method 8270 ^a Detection Limit (µg/kg)
Hexachlorobenzene	70
Hexachlorobutadiene	153
Hexachlorocyclopentadiene	193
Hexachloroethane	133
Indeno(1,2,3-cd)pyrene	80
Isophorone	147
2-Methylnaphthalene	203
Naphthalene	157
2-Nitroaniline	66.7
3-Nitroaniline	83.3
4-Nitroaniline	103
Nitrobenzene	133
2-Nitrophenol	180
4-Nitrophenol	110
n-Nitrosodiphenylamine	20.7
n-Nitrosodipropylamine	130
Pentachlorophenol	56.7
Phenanthrene	60
Phenol	56.7
Pyrene	73.3
1,2,4-Trichlorobenzene	187
2,4,5-Trichlorophenol	153
2,4,6-Trichlorophenol	76.7

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method Detection Limit.

µg/kg = Microgram(s) per kilogram.

SVOC = Semivolatile organic compound.

Table 3.2.2-5
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, PCB Analytical Results
 August 1999
 (Off-Site Laboratory)

Sample Attributes			PCBs (EPA Method 8082 ^a) (µg/kg)
Record Number ^b	ER Sample ID	Sample Depth (ft)	
602817	9982-DW1-BH1-11-S	11	ND
602817	9982-DW1-BH1-11-DU	11	ND
602817	9982-DW1-BH1-16-S	16	ND

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

BH = Borehole.

DSS = Drain and Septic Systems.

DU = Duplicate sample.

DW = Drywell.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

µg/kg = Microgram(s) per kilogram.

ND = Not detected.

PCB = Polychlorinated biphenyl.

S = Soil sample.

Table 3.2.2-6
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, PCB Analytical MDLs
 August 1999
 (Off-Site Laboratory)

Analyte	EPA Method 8082 ^a Detection Limit (µg/kg)
Aroclor-1016	1.22
Aroclor-1221	2.82
Aroclor-1232	1.63
Aroclor-1242	1.67
Aroclor-1248	0.907
Aroclor-1254	1.16
Aroclor-1260	0.943

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method detection limit.

µg/kg = Microgram(s) per kilogram.

PCB = Polychlorinated biphenyl.

PCBs

Polychlorinated biphenyl (PCB) analytical results for the two soil samples in August 1999 and one duplicate collected in 1999 from the drywell borehole are summarized in Table 3.2.2-5. MDLs for the PCB soil analyses are presented in Table 3.2.2-6. No PCBs were detected in any sample collected.

HE Compounds

High explosive (HE) compound analytical results for the two soil samples and one duplicate collected in August 1999 from the drywell borehole are summarized in Table 3.2.2-7. MDLs for the HE soil analyses are presented in Table 3.2.2-8. No HE compounds were detected in any sample collected.

RCRA Metals and Hexavalent Chromium

Resource Conservation and Recovery Act (RCRA) metals and hexavalent chromium analytical results for the two soil samples and one duplicate collected in August 1999 from the drywell borehole are summarized in Table 3.2.2-9. MDLs for the metals in soil analyses are presented in Table 3.2.2-10. None of the metal concentrations detected in the samples exceed their corresponding NMED-approved background concentrations.

Total Cyanide

Total cyanide analytical results for the two soil samples and one duplicate collected in August 1999 from the drywell borehole are summarized in Table 3.2.2-11. MDLs for the cyanide soil analyses are presented in Table 3.2.2-12. Cyanide was not detected in any sample collected at this site.

Radionuclides

Analytical results for the gamma spectroscopy analysis of the two soil samples and one duplicate collected in August 1999 from the drywell borehole are summarized in Table 3.2.2-13. No activities above NMED-approved background levels were detected in any sample analyzed. However, although not detected, the minimum detectable activity (MDA) for one uranium-235 analysis exceeded the background activity. Even though the MDA may be slightly elevated, the value is still very low, and the risk assessment outcome for the site is not significantly impacted by its use.

Gross Alpha/Beta Activity

Gross alpha/beta activity analytical results for the two soil samples and one duplicate collected in August 1999 from the drywell borehole are summarized in Table 3.2.2-14. No gross alpha or beta activity was detected above the background levels (Miller September 2003) in any of the samples. These results indicate no significant levels of radioactive material are present in the soil at the site.

Table 3.2.2-7
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, HE Compound Analytical Results
 August 1999
 (Off-Site Laboratory)

Sample Attributes			HE (EPA Method 8330 ^a) (µg/kg)
Record Number ^b	ER Sample ID	Sample Depth (ft)	
602817	9982-DW1-BH1-11-S	11	ND
602817	9982-DW1-BH1-11-DU	11	ND
602817	9982-DW1-BH1-16-S	16	ND

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

BH = Borehole.

DSS = Drain and Septic Systems.

DU = Duplicate sample.

DW = Drywell.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

HE = High explosive(s).

ID = Identification.

µg/kg = Microgram(s) per kilogram.

ND = Not detected.

S = Soil sample.

Table 3.2.2-8
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, HE Compound Analytical MDLs
 August 1999
 (Off-Site Laboratory)

Analyte	EPA Method 8330 ^a Detection Limit ($\mu\text{g}/\text{kg}$)
2-Amino-4,6-dinitrotoluene	6.6
4-Amino-2,6-dinitrotoluene	5.5
1,3-Dinitrobenzene	4.1
2,4-Dinitrotoluene	6.2
2,6-Dinitrotoluene	6.5
HMX	5.3
Nitrobenzene	5.2
2-Nitrotoluene	7.8
3-Nitrotoluene	11
4-Nitrotoluene	11
RDX	9.7
Tetryl	7.5
1,3,5-Trinitrobenzene	6.6
2,4,6-Trinitrotoluene	5.7

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

HE = High explosive(s).

HMX = Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine.

MDL = Method detection limit.

$\mu\text{g}/\text{kg}$ = Microgram(s) per kilogram.

RDX = Hexahydro-1,3,5-trinitro-1,3,5-triazine.

Tetryl = Methyl-2,4,6-trinitrophenylnitramine.

Table 3.2.2-9
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, Metals Analytical Results
 August 1999
 (Off-Site Laboratory)

Sample Attributes			Metals (EPA Method 6000/7000/7196A ^a) (mg/kg)									
Record Number ^b	ER Sample ID	Sample Depth (ft)	Arsenic	Barium	Cadmium	Chromium	Chromium (VI)	Lead	Mercury	Selenium	Silver	
602817	9982-DW1-BH1-11-S	11	3.2	85.7 J	ND (0.0365)	3.84	0.105 J (0.191)	5.78	0.00603 J (0.0249)	ND (0.26)	0.474 J (0.481)	
602817	9982-DW1-BH1-11-DU	11	3.89	113 J	ND (0.0362)	4.75	ND (0.0328)	8.3	0.003 J (0.0279)	ND (0.257)	0.492 J	
602817	9982-DW1-BH1-16-S	16	4.45	43.9 J	ND (0.0373)	5.31	0.0479 J (0.192)	9.22	ND (0.00194)	ND (0.265)	0.47 J (0.49)	
Background Concentration—Coyote Test Field			7	214	0.9	12.8	NC	11.8	<0.1	<1	<1	
Supergroup ^c												

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

^cDinwiddie September 1997.

BH = Borehole.

DSS = Drain and Septic Systems.

DJ = Duplicate sample.

DW = Drywell.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

J = Estimated concentration.

J () = The reported value is greater than or equal to the MDL but is less than the practical quantitation limit, shown in parentheses.

MDL = Method detection limit.

mg/kg = Milligram(s) per kilogram.

NC = Not calculated.

ND () = Not detected above the MDL, shown in parentheses.

S = Soil sample.

Table 3.2.2-10
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, Metals Analytical MDLs
 August 1999
 (Off-Site Laboratory)

Analyte	EPA Method 6000/7000/7196A ^a Detection Limit (mg/kg)
Arsenic	0.433–0.446
Barium	0.0514–0.0529
Cadmium	0.0362–0.0373
Chromium	0.0724–0.0745
Lead	0.15–0.154
Mercury	0.00168–0.00194
Selenium	0.257–0.265
Silver	0.0571–0.0588

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method detection limit.

mg/kg = Milligram(s) per kilogram.

Table 3.2.2-11
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, Total Cyanide Analytical Results
 August 1999
 (Off-Site Laboratory)

Sample Attributes			Total Cyanide (EPA Method 9012A ^a) (mg/kg)
Record Number ^b	ER Sample ID	Sample Depth (ft)	
602817	9982-DW1-BH1-11-S	11	ND
602817	9982-DW1-BH1-11-DU	11	ND
602817	9982-DW1-BH1-16-S	16	ND

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

BH = Borehole.

DSS = Drain and Septic Systems.

DU = Duplicate

DW = Drywell.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

mg/kg = Milligram(s) per kilogram.

ND = Not detected.

S = Soil sample.

Table 3.2.2-12
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, Total Cyanide Analytical MDLs
 August 1999
 (Off-Site Laboratory)

Analyte	EPA Method 9012A ^a Detection Limit (mg/kg)
Total Cyanide	0.138

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method detection limit.

mg/kg = Milligram(s) per kilogram.

Table 3.2.2-13
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, Gamma Spectroscopy Analytical Results
 August 1999
 (Off-Site Laboratory)

Record Number ^b	Sample Attributes		Activity (HASL-300 ^a)(pCi/g)											
	ER Sample ID	Sample Depth (ft)	Cesium-137			Thorium-232			Uranium-235			Uranium-238		
			Result	Error ^c	Result	Error ^c	Result	Error ^c	Result	Error ^c	Result	Error ^c	Result	Error ^c
602817	9982-DW1-BH1-11-S	11	ND (0.0321)	--	0.698	0.0931	0.14	0.138	0.79	1.18				
602817	9982-DW1-BH1-11-DU	11	ND (0.0643)	--	0.794	0.135	ND (0.324)	--	0.58	1.56				
602817	9982-DW1-BH1-16-S	16	ND (0.0221)	--	0.478	0.0632	0.0812	0.106	ND (0.563)	--				
Background Activity—Coyote Test Field and Southwest Area Supergroups ^d			0.079	NA	1.01	NA	0.18	NA	1.4	NA				

Note: Values in **bold** exceed background soil activities.

^aHASL/EML 1957.

^bAnalysis request/chain-of-custody record.

^cTwo standard deviations about the mean detected activity.

^dDinwiddie September 1997. Cesium-137, thorium-232, and uranium-238 values from the Southwest Area Supergroup.

BH = Borehole.

DSS = Drain and Septic Systems.

DU = Duplicate sample.

DW = Drywell.

ER = Environmental Restoration.

ft = Foot (feet).

HASL/EML = Health and Safety Laboratory/Environmental Measurements Laboratory.

ID = Identification.

MDA = Minimum detectable activity.

NA = Not applicable.

ND () = Not detected above the MDA, shown in parentheses.

ND () = Not detected, but the MDA (shown in parentheses) exceeds background activity.

pCi/g = Picocurie(s) per gram.

S = Soil sample.

-- = Error not calculated for nondetect results.

Table 3.2.2-14
 Summary of DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)
 Confirmatory Soil Sampling, Gross Alpha/Beta Activity Analytical Results
 August 1999
 (Off-Site Laboratory)

Sample Attributes			Activity (EPA Method 900.0 ^a) (pCi/g)			
Record Number ^b	ER Sample ID	Sample Depth (ft)	Gross Alpha		Gross Beta	
			Result	Error ^c	Result	Error ^c
602817	9982-DW1-BH1-11-S	11	9.75	3.19	20.8	3.3
602817	9982-DW1-BH1-11-DU	11	4.57	2.4	17.9	3.13
602817	9982-DW1-BH1-16-S	16	12.5	3.82	20.5	3.83
Background Activity ^d			17.4	NA	35.4	NA

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

^cTwo standard deviations about the mean detected activity.

^dMiller September 2003.

BH = Borehole.

DSS = Drain and Septic Systems.

DU = Duplicate sample.

DW = Drywell.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

NA = Not applicable.

pCi/g = Picocurie(s) per gram.

S = Soil sample.

3.2.3 Soil Sampling Quality Assurance/Quality Control Samples and Data Validation Results

Throughout the DSS Project, quality assurance/quality control samples were collected at an approximate frequency of 1 per 20 field samples. These included duplicate, equipment blank (EB), and trip blank (TB) samples. Typically, samples were shipped to the laboratory in batches of up to 20 samples, so that any one shipment might contain samples from several sites. Aqueous EB samples were collected at an approximate frequency of 1 per 20 site samples. The EB samples were analyzed for the same analytical suite as the soil samples in that shipment. The analytical results for the EB samples appear only in the data tables for the site where they were collected. However, the results were used in the data validation process for all the samples in that batch.

Aqueous TB samples, for VOC analysis only, were included in every sample cooler containing VOC soil samples. The analytical results for the TB samples appear in the VOC data tables for the sites in that shipment. The results were used in the data validation process for all the samples in that batch. No VOCs were detected in the 2005 TB for DSS Site 1117 (Table 3.2.2-1).

As shown in Tables 3.2.2-1, 3.2.2-3, 3.2.2-5, 3.2.2-7, 3.2.2-9, 3.2.2-11, 3.2.2-13, and 3.2.2-14, to assess the precision and repeatability of sampling and analytical procedures, duplicate soil samples (designated 'DU') were collected and analyzed in at the off-site laboratory for VOCs,

SVOCs, PCBs, HE compounds, metals, hexavalent chromium, cyanide, gamma spectroscopy, and gross alpha/beta activity. No VOCs, SVOCs, PCBs, HE compounds, or cyanide were detected in either the primary or duplicate samples. Metals concentrations were similar in the primary and duplicate samples except for barium and lead being slightly higher in the duplicate and the mercury concentration in the primary being almost double that found in the duplicate. Hexavalent chromium was detected in the primary but not in the duplicate. Uranium-235 was detected in the primary, but was not detected in the duplicate. However the high MDA makes the comparison meaningless. Uranium-238 in the primary sample was detected at a 36 percent higher activity than that found in the duplicate. Similarly, gross alpha activity was twice as high in the primary as in the duplicate.

No EB samples were collected at this site.

All laboratory data were reviewed and verified/validated according to "Verification and Validation of Chemical and Radiochemical Data Technical Operating Procedure" (TOP) 94-03, Rev. 0 (SNL/NM July 1994), SNL/NM ER Project "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03 (SNL/NM December 1999), or "Data Validation Procedure for Chemical and Radiochemical Data," AOP 00-03, Rev. 01 (SNL/NM December 2003). Annex A contains the data validation reports for the samples collected at this site. The data are acceptable for use in this request for a determination of CAC without controls.

3.3 Site Sampling Data Gaps

Analytical data from the site assessment were sufficient for characterizing the nature and extent of possible COC releases. There are no further data gaps regarding characterization of DSS Site 1117.

This page intentionally left blank.

4.0 CONCEPTUAL SITE MODEL

The conceptual site model for DSS Site 1117, the Building 9982 Drywell, is based upon the COCs identified in the soil samples collected from beneath the drywell at this site. This section summarizes the nature and extent of contamination and the environmental fate of the COCs.

4.1 Nature and Extent of Contamination

Potential COCs at DSS Site 1117 are VOCs, SVOCs, PCBs, HE compounds, cyanide, RCRA metals, hexavalent chromium, and radionuclides. No VOCs, SVOCs, PCBs, HE compounds, or cyanide were detected in any of the soil samples collected at this site. None of the eight RCRA metals were detected at concentrations above the approved maximum background concentrations for the SNL/NM Coyote Test Field Supergroup soils (Dinwiddie September 1997). Hexavalent chromium was detected in the two primary soil samples, but because it does not have a quantified background screening concentration, it is unknown whether this COC exceeds background and it was considered further in the risk assessment process.

None of the four representative gamma spectroscopy radionuclides were detected at activities exceeding the corresponding background levels. However, the MDA value for one of the uranium-235 analyses exceeded the background activity. Finally, no gross alpha/beta activity was detected above the New Mexico-established background levels.

4.2 Environmental Fate

Potential COCs may have been released into the vadose zone via aqueous effluent discharged from the drywell. Possible secondary release mechanisms include the uptake of COCs that may have been released into the soil beneath the drywell (Figure 4.2-1). The depth to groundwater at the site (approximately 150 feet bgs) most likely precludes migration of potential COCs into the groundwater system. The potential pathways to receptors include soil ingestion, dermal contact, and inhalation, which could occur as a result of receptor exposure to contaminated subsurface soil at the site. No intake routes through plant, meat, or milk ingestion are considered appropriate for either the industrial or residential land-use scenarios. Annex B provides additional discussion on the fate and transport of COCs at DSS Site 1117.

Table 4.2-1 summarizes the potential COCs for DSS Site 1117. All potential COCs were retained in the conceptual model and evaluated in both the human health and ecological risk assessments. The current and future land use for DSS Site 1117 is industrial (DOE and USAF March 1996).

The potential human receptors at the site are considered to be an industrial worker and resident. The exposure routes for the receptors are dermal contact and ingestion/inhalation; however, these are realistic possibilities only if contaminated soil is excavated at the site. The major exposure route modeled in the human health risk assessment is soil ingestion for COCs. The inhalation pathway is included because of the potential to inhale dust and volatiles. The dermal pathway is included because of the potential for receptors to be exposed to the contaminated soil.

This page intentionally left blank.




Figure 4.2-1
 Conceptual Site Model Flow Diagram for DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)



Table 4.2-1
Summary of Potential COCs for DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)

COC Type	Number of Samples ^a	COCs Detected or Greater than Background or Nonquantified Background	Maximum Background Limit/Coyote Test Field Supergroup ^b (mg/kg)	Maximum Concentration ^c (All Samples) (mg/kg)	Average Concentration ^d (mg/kg)	Number of Samples Where COCs Detected or Greater than Background or Nonquantified Background ^e
VOCs	5	None	NA	NA	NA	None
SVOCs	3	None	NA	NA	NA	None
PCBs	3	None	NA	NA	NA	None
HE Compounds	3	None	NA	NA	NA	None
RCRA Metals	3	None	NA	NA	NA	None
Chromium VI	3	Chromium VI	NC	0.105 J	0.0564	2
Cyanide	3	None	NC	NA	NA	None
Radionuclides	3	Uranium-235	0.18	ND (0.324)	NC ^f	1
Gross Alpha	3	None	NA	NA	NA	None
Gross Beta	3	None	NA	NA	NA	None

^aNumber of samples includes duplicates and splits.

^bDinwiddie September 1997.

^cMaximum concentration is either the maximum amount detected, or for radionuclides, the greater of either the maximum detection or the maximum MDA above background.

^dAverage concentration includes all samples except blanks. The average is calculated as the sum of detected amounts and one-half of the MDLs for nondetect results, divided by the number of samples.

^eSee appropriate data table for sample locations.

^fAn average MDA is not calculated because of the variability in instrument counting error and the number of reported nondetect activities for gamma spectroscopy.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

HE = High explosive(s).

J = Estimated value.

MDA = Minimum detectable activity.

MDL = Method detection limit.

mg/kg = Milligram(s) per kilogram.

NA = Not applicable.

NC

ND () = Not detected above the MDA, shown in parentheses.

PCB = Polychlorinated biphenyl.

pCi/g = Picocurie(s) per gram.

RCRA = Resource Conservation and Recovery Act.

SVOC = Semivolatile organic compound.

VOC = Volatile organic compound.

No pathways to groundwater and no intake routes through flora or fauna are considered appropriate for either the industrial or residential land-use scenarios. Annex B provides additional discussion of the exposure routes and receptors at DSS Site 1117.

4.3 Site Assessment

Site assessment at DSS Site 1117 included risk assessments for both human health and ecological risk. This section briefly summarizes the site assessment results, and Annex B discusses the risk assessment performed for DSS Site 1117 in more detail.

4.3.1 Summary

The site assessment concluded that DSS Site 1117 poses no significant threat to human health under either the industrial or residential land-use scenarios. Ecological risks were found to be insignificant because no pathways exist.

4.3.2 Risk Assessments

Risk assessments were performed for both human health and ecological risk at DSS Site 1117. This section summarizes the results.

4.3.2.1 *Human Health*

DSS Site 1117 has been recommended for an industrial land-use scenario (DOE and USAF March 1996). Because uranium-235 had an MDA above background, and hexavalent chromium and cyanide were detected above their nonquantified background values, it was necessary to perform a human health risk assessment analysis for the site, which included these COCs. Annex B provides a complete discussion of the risk assessment process, results, and uncertainties. The risk assessment process provides a quantitative evaluation of the potential adverse human health effects from constituents in the site's soil by calculating the hazard index (HI) and excess cancer risk for both industrial and residential land-use scenarios.

The HI calculated for the COCs at DSS Site 1117 is 0.00 for the industrial land-use scenario, which is less than the numerical standard of 1.0 suggested by risk assessment guidance (EPA 1989). The incremental HI risk, determined by subtracting risk associated with background from potential nonradiological COC risk (without rounding), is 0.00. The excess cancer risk for DSS Site 1117 COCs is $2\text{E-}10$ for an industrial land-use scenario. NMED guidance states that cumulative excess lifetime cancer risk must be less than $1\text{E-}5$ (Bearzi January 2001); thus the excess cancer risk for this site is below the suggested acceptable risk value. The estimated incremental excess cancer risk is $2.27\text{E-}10$. Both the incremental HI and excess cancer risk are below NMED guidelines.

The HI calculated for the COCs at DSS Site 1117 is 0.00 for the residential land-use scenario, which is less than the numerical standard of 1.0 suggested by risk assessment guidance (EPA 1989). The incremental HI risk, determined by subtracting risk associated with background from potential nonradiological COC risk (without rounding), is 0.00. The excess cancer risk for DSS

Site 1117 COCs is $5E-10$ for a residential land-use scenario. NMED guidance states that cumulative excess lifetime cancer risk must be less than $1E-5$ (Bearzi January 2001); thus the excess cancer risk for this site is below the suggested acceptable risk value. The estimated incremental excess cancer risk is $4.83E-10$. Both the incremental HI and estimated incremental excess cancer risk are below NMED guidelines.

The incremental total effective dose equivalent (TEDE) and corresponding estimated cancer risk from radiological COCs are much lower than the EPA guidance values; the estimated TEDE is $2.0E-2$ millirem (mrem)/year (yr) for the industrial land-use scenario. This value is much lower than the EPA's numerical guidance of 15 mrem/yr (EPA 1997a). The corresponding estimated incremental excess cancer risk value is $1.8E-7$ for the industrial land-use scenario. Furthermore, the incremental TEDE for the residential land-use scenario that results from a complete loss of institutional controls is $5.3E-2$ mrem/yr with an associated estimated incremental excess cancer risk of $5.3E-7$. The guideline for this scenario is 75 mrem/yr (SNL/NM February 1998). Therefore, DSS Site 1117 is eligible for unrestricted radiological release.

The incremental nonradiological and radiological carcinogenic risks are tabulated and summed in Table 4.3.2-1.

Table 4.3.2-1
Summation of Incremental Nonradiological and Radiological Risks from
DSS Site 1117, Building 9982 Drywell (Solar Tower Complex) Carcinogens

Scenario	Nonradiological Risk	Radiological Risk	Total Risk
Industrial	$2.27E-10$	$1.8E-7$	$1.8E-7$
Residential	$4.83E-10$	$5.3E-7$	$5.3E-7$

DSS = Drain and Septic Systems.

Uncertainties associated with the calculations are considered small relative to the conservatism of the risk assessment analysis. Therefore, it is concluded that this site poses insignificant risk to human health under both the industrial and residential land-use scenarios.

4.3.2.2 *Ecological*

An ecological assessment that corresponds with the procedures in the EPA's Ecological Risk Assessment Guidance for Superfund (EPA 1997b) also was performed as set forth by the NMED Risk-Based Decision Tree in the "RPMP [RCRA Permits Management Program] Document Requirement Guide" (NMED March 1998). An early step in the evaluation compared COC concentrations and identified potentially bioaccumulative constituents (see Annex B, Sections IV, VII.2, and VII.2.1). This methodology also required developing a site conceptual model and a food web model, as well as selecting ecological receptors, as presented in "Predictive Ecological Risk Assessment Methodology, Environmental Restoration Program, Sandia National Laboratories, New Mexico" (IT July 1998). The risk assessment also includes the estimation of exposure and ecological risk.

All COCs at DSS Site 1117 are located at depths of 5 feet bgs or greater. Therefore, no complete ecological pathways exist at this site, and a more detailed ecological risk assessment is not necessary.

4.4 Baseline Risk Assessments

This section discusses the baseline risk assessments for human health and ecological risk.

4.4.1 Human Health

Because the results of the human health risk assessment summarized in Section 4.3.2.1 indicate that DSS Site 1117 poses insignificant risk to human health under both the industrial and residential land-use scenarios, a baseline human health risk assessment is not required for this site.

4.4.2 Ecological

Because the results of the ecological risk assessment summarized in Section 4.3.2.2 indicate that no complete pathways exist at DSS Site 1117, a baseline ecological risk assessment is not required for the site.

5.0 RECOMMENDATION FOR CORRECTIVE ACTION COMPLETE WITHOUT CONTROLS DETERMINATION

5.1 Rationale

Based upon field investigation data and the human health and ecological risk assessment analyses, a determination of CAC without controls (NMED April 2004) is recommended for DSS Site 1117 for the following reasons:

- The soil has been sampled for all potential COCs.
- No COCs are present in the soil at levels considered hazardous to human health for either an industrial or residential land-use scenario.
- None of the COCs warrant ecological concern because no complete pathways exist at the site.

5.2 Criterion

Based upon the evidence provided in Section 5.1, a determination of CAC without controls (NMED April 2004) is recommended for DSS Site 1117. This is consistent with the NMED's NFA Criterion 5, which states, "the SWMU/AOC [Area of Concern] has been characterized or remediated in accordance with current applicable state or federal regulations, and the available data indicate that contaminants pose an acceptable level of risk under current and projected future land use" (NMED March 1998).

This page intentionally left blank.

6.0 REFERENCES

Bearzi, J. (New Mexico Environment Department/Hazardous Waste Bureau), January 2000. Letter to M.J. Zamorski (U.S. Department of Energy) and L. Shephard (Sandia National Laboratories/New Mexico) approving the "Sampling and Analysis Plan for Characterizing and Assessing Potential Releases to the Environment for Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico." January 28, 2000.

Bearzi, J.P. (New Mexico Environment Department), January 2001. Memorandum to RCRA-Regulated Facilities, "Risk-Based Screening Levels for RCRA Corrective Action Sites in New Mexico," Hazardous Waste Bureau, New Mexico Environment Department, Santa Fe, New Mexico. January 23, 2001.

Bleakly, D. (Sandia National Laboratories/New Mexico), July 1996. Memorandum, "List of Non-ER Septic/Drain Systems for the Sites Identified Through the Septic System Inventory Program." July 8, 1996.

Cooper, C. (New Mexico Environment Department/Hazardous Waste Bureau), March 2005. E-mail correspondence with M. Sanders (Sandia National Laboratories/New Mexico Environmental Restoration Project) approving the suggested resampling of analytes and sample depths for DSS Sites 1094, 1095, 1115, 1116, and 1117. March 31, 2005.

Dinwiddie, R.S. (New Mexico Environment Department), September 1997. Letter to M.J. Zamorski (U.S. Department of Energy), Request for Supplemental Information: Background Concentrations Report, SNL/KAFB, September 24, 1997.

DOE, see U.S. Department of Energy.

EPA, see U.S. Environmental Protection Agency.

HASL/EML, see Health and Safety Laboratory/Environmental Measurements Laboratory.

Health and Safety Laboratory/Environmental Measurements Laboratory (HASL/EML), 1957. "The Procedures Manual of the Environmental Measurements Laboratory," original edition and revisions, U.S. Department of Energy, Environmental Measurements Laboratory.

IT, see IT Corporation.

IT Corporation (IT), July 1998. "Predictive Ecological Risk Assessment Methodology, Environmental Restoration Program, Sandia National Laboratories, New Mexico," IT Corporation, Albuquerque, New Mexico.

Miller, M. (Sandia National Laboratories/New Mexico), September 2003. Memorandum to F.B. Nimick (Sandia National Laboratories/New Mexico), regarding "State of New Mexico Background for Gross Alpha/Beta Assays in Soil Samples." September 12, 2003.

Moats, W. (New Mexico Environment Department/Hazardous Waste Bureau), February 2002. Letter to M.J. Zamorski (U.S. Department of Energy) and P. Davies (Sandia National Laboratories/New Mexico) approving the "Field Implementation Plan, Characterization of Non-Environmental Restoration Drain and Septic Systems." February 21, 2002.

National Oceanic and Atmospheric Administration (NOAA), 1990. "Local Climatological Data, Annual Summary with Comparative Data," Albuquerque, New Mexico.

New Mexico Environment Department (NMED) March 1998. "RPMP Document Requirement Guide," RCRA Permits Management Program, Hazardous and Radioactive Materials Bureau, New Mexico Environment Department, Santa Fe, New Mexico.

New Mexico Environment Department (NMED) April 2004. "Compliance Order on Consent Pursuant to New Mexico Hazardous Waste Act § 74-4-10," New Mexico Environment Department, Santa Fe, New Mexico. April 29, 2004.

NMED, see New Mexico Environment Department.

NOAA, see National Oceanic and Atmospheric Administration.

Sandia National Laboratories/New Mexico (SNL/NM), 1980, SNL/NM Facilities Engineering Drawing 95199 showing the Building 9982 drywell location, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), July 1994. "Verification and Validation of Chemical and Radiochemical Data," Technical Operating Procedure (TOP) 94-03, Rev. 0, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), March 1996. "Site-Wide Hydrogeologic Characterization Project, Calendar Year 1995 Annual Report," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), February 1998. "RESRAD Input Parameter Assumptions and Justification," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), October 1999. "Sampling and Analysis Plan for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico," Sandia National Laboratories, Albuquerque, New Mexico. October 19, 1999.

Sandia National Laboratories/New Mexico (SNL/NM), December 1999. "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03, Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), November 2001. "Field Implementation Plan, Characterization of Non-Environmental Restoration Drain and Septic Systems," Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), March 2003. Database printout provided by SNL/NM Facilities Engineering showing the year that numerous SNL/NM buildings were constructed, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), April 2003. "DSS Sites Mean Elevation Report," GIS Group, Environmental Restoration Department, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), December 2003. "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03, Rev. 01, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), April 2004. "Fiscal Year 2003 Annual Groundwater Monitoring Report," Report #75-10077-6, Sandia National Laboratories, Albuquerque, New Mexico.

SNL/NM, see Sandia National Laboratories/New Mexico.

USAF, see U.S. Air Force.

U.S. Department of Energy and U.S. Air Force (DOE and USAF), March 1996. "Workbook: Future Use Management Area 7," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates and the U.S. Air Force.

U.S. Environmental Protection Agency (EPA), November 1986. "Test Methods for Evaluating Solid Waste," 3rd ed. (and updates), SW-846, Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington D.C.

U.S. Environmental Protection Agency (EPA), 1989. "Risk Assessment Guidance for Superfund, Vol. 1: Human Health Evaluation Manual," EPA/540/1-89/002, Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), November 1986. "Test Methods for Evaluating Solid Waste," 3rd ed., Update 3, SW-846, Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1989. "Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual," EPA/540-1089/002, Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997a. "Establishment of Cleanup Levels for CERCLA Sites with Radioactive Contamination," OSWER Directive No. 9200.4-18, Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997b. "Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risks," Interim Final, U.S. Environmental Protection Agency, Washington, D.C.

This page intentionally left blank.



ANNEX A
DSS Site 1117
Soil Sample Data Validation Results


Records Center Code: ER/1295/DAT

SMO ANALYTICAL DATA ROUTING FORM

Project Name: Non-ER Septic Systems Case No./Service Order: CF0686
SNL Task Leader: Tony Roybal Org/Mail Stop: 6135/1147
SMO Project Coordinator: Salmi Sample Ship Date: _____

ARCOC	Lab	Lab ID	Preliminary Received	Final Received	EDD Req'd		EDD Rec'd	
					YES	NO	YES	NO
<u>602817</u>	<u>GEL</u>	<u>9909228B</u>	_____	<u>10/11/99</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>602820</u>	<u>GEL</u>	<u>9909228A</u>	_____	<u>10/11/99</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
_____	_____	_____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Correction Requested from Lab: _____ Date: _____ Correction Request #: _____
Corrections Received: _____ Requester: _____
Review Complete: 10-25-99 Signature: W. Palencia
Priority Data Faxed: _____ Faxed To: _____
Preliminary Notification: _____ Person Notified: _____
Final Transmittal: 10-26-99 Transmitted To: Sanders
Transmitted By: Palencia
Filed in Records Center: (ER) 10-26-99 Filed By: Palencia

Comments: Part 1 of 3


Received (Records Center) By: _____

Internal Lab

ANALYSIS REQUEST AND CHAIN OF CUSTODY

SARIWR No. **6135/1147**

SMO Use **9/17/99**

ARICOC **602817**

Dept. No./Mail Stop: **6135/1147**
 Project/Task Manager: **NON-ER Septic System**
 Project Name: **Non-ER Septic Systems**
 Record Center Code: **ER/1295/DAT**
 Logbook Ref. No.: **CF 0698**
 Service Order No. **CF 0698**
 Tech Area **Room**

Contract No.: **AJ-2180A**
 Case No.: **722-330**
 SMO Authorization: **GEL**
 Bill To: **Sandra's National Laboratories**
 Supplier Services Dept.: **P.O. Box 5800 MS 0154**

Sample No.-Fraction	ER Sample ID or Sample Location Detail	Beginning Depth/vt.	ER Site No.	Date/Time Collected	Sample Matrix	Reference LOV (available at SMO)			Collection Method	Sample Type	Parameter & Method Requested	Lab Sample ID
						Container Type	Volume	Pleasi- vative				
050049-001	Schardetex-DPI-BH3-55	5 ft	NA	082799 1350	S	AC	125 ml	4C	GR	SA	VOC	
050049-003	" -5-S	5 ft		082799 1350		AG	500 ml			SA	CN, PCB, DIB, SIOC, HE, NE, AREA	
050049-004	" -5-S	5 ft		082799 1350		AG	500 ml			SA	Gamm Spec, Gr ALB	
050050-001	" -10-S	10 ft		082799 1405		AC	125 ml			SA	VOC	
050050-003	" -10-S	10 ft		082799 1405		AG	500 ml			SA	CN, PCB, DIB, SIOC, HE, NE, AREA	
050050-004	" -10-S	10 ft		082799 1405		AG	500 ml			SA	Gamm Spec, Gr ALB	
050051-003	" -10-S	10 ft		082799 1405		AG	500 ml			SA	CN, PCB, DIB, SIOC, HE, NE, AREA	
050052-001	Schardetex-DPI-BH2-55	5 ft		082799 1430		AC	125 ml			SA	VOC	
050052-003	" -5-S	5 ft		082799 1430		AG	500 ml			SA	CN, PCB, DIB, SIOC, HE, NE, AREA	
050052-004	" -5-S	5 ft		082799 1430		AG	500 ml			SA	Gamm Spec, Gr ALB	

Special Instructions/OC Requirements
 EDD Yes No
 Raw Data Package Yes No
 Send info to Mass Standard All TOC can be available
 VOC 9240 HE 9330 PCB 8082
 CN 9D10A RCRA Metals 6010/1471
 CE 7190A Gamma Spec HASL 300
 SIOC 9270 Gross AB 900

1. Reinquished by **Margaret Sanchez** Date **9-1-99** Time **09:30**
 1. Received by **Margaret Sanchez** Date **9-1-99** Time **09:30**
 2. Reinquished by **Margaret Sanchez** Date **9-1-99** Time **09:30**
 2. Received by **Margaret Sanchez** Date **9-1-99** Time **11:30**
 3. Reinquished by **Margaret Sanchez** Date **9-1-99** Time **11:30**
 3. Received by **Margaret Sanchez** Date **9-1-99** Time **11:30**

602817 } 2
 ↓
 1. 2. 818

050049 } 25
 050075

4/24

* TB from lab have bubbles

* Please combine COC602817 in one lab batch

Analysis Request And Chain Of Custody (Continuation)

4
157 Page 2 of 1

AR/COC-8 1002817

Project Name: Non-ER Synthetic System		Project/Task Manager: M Sanders		Case No.: 7223 230		Reference LOV (available at SMO)		Parameter & Method Requested		Lab use		
Location	Tech Area	ER Sample ID or Sample Location detail	Depth In Ft	ER Site No.	Date/Time Collected	Sample Matrix	Container Type	Volume	Preer- valve	Sample Collection Methods	Sample Type	Lab Sample ID
050053-001	Solar detox	DEL-13H2-10-S	10 FT	NA	082779 1455	S	AC	125ml	4C	GR	SA	VOC
050053-003	"	"	10 FT		082779 1455		AG	500ml			SA	CM PCB SVOC HE REEA Met
050053-004	"	"	10 FT		082779 1455		AG	500ml			SA	Gamma Spec, Gr AlB
050054-003	"	"	10 FT		082779 1455		AG	500ml			DLA	CM PCB SVOC HE REEA Met
050055-001	Solar detox	DEL-13H1-5-S	5 FT		082779 1515		AC	125ml			SA	VOC
050055-003	"	"	5 FT		082779 1515		AG	500ml			SA	CM PCB SVOC HE REEA Met
050055-004	"	"	5 FT		082779 1515		AG	500ml			SA	Gamma Spec, Gr AlB
050056-001	"	"	10 FT		082779 1533		AC	125ml			SA	VOC
050056-003	"	"	10 FT		082779 1533		AG	500ml			SA	CM PCB SVOC HE REEA Met
050056-004	"	"	10 FT		082779 1533		AG	500ml			SA	Gamma Spec, Gr AlB
050057-001	Solar 9981A-SPI-BH1-8-S	"	8 FT		083079 1215		AC	125ml			SA	VOC
050057-003	"	"	8 FT		083079 1215		AG	500ml			SA	CM PCB SVOC HE REEA Met
050057-004	"	"	8 FT		083079 1215		AG	500ml			SA	Gamma Spec, Gr AlB
050058-001	"	"	13 FT		083079 1245		AC	125ml			SA	VOC
050058-003	"	"	13 FT		083079 1245		AG	500ml			SA	CM PCB SVOC HE REEA Met
050058-004	"	"	13 FT		083079 1245		AG	500ml			SA	Gamma Spec, Gr AlB
050059-001	Solar 9982-DWI-13H1-6-S	"	6 FT		083079 1635		AC	125ml			SA	VOC
050059-003	Solar 9982-DWI-13H1-6-S	"	6 FT		083079 1635		AG	500ml			SA	CM PCB SVOC HE REEA Met
050059-004	"	"	6 FT		083079 1635		AG	500ml			SA	Gamma Spec, Gr AlB
050060-001	"	"	11 FT		083079 1635		AC	125ml			DU	VOC

Analysis Request And Chain Of Custody (Continuation)

4
Page 3 of 5
ARCOG 100287

Project Name: Non-ER Synthetic System		Project/Task Manger: M Sanders		Case No.: 7223 230				Reference LOV (available at SMO)		Parameter & Method Requested		Lab use
Locallion	Tech Area	ER Sample ID or Sample Location detail	Depth in Ft	ER Site No	Date/Time Collected	Sample Matrix	Container Type	Volume	Preservative	Sample Collection Methods	Sample Type	Lab Sample ID
050060-001	0902-DIV-BH1-11-D1	11 FT	N/A	083017 1635	S	AG	500ml	40		GR	DU	GR SVOC REGRAB
050060-002	"	-11-D1	11 FT	083197 1635		AG	250ml				DU	Gamma Spec, Gr AB
050061-001	"	-16-S	16 FT	083197 0751		AC	125ml				SA	VOC
050061-003	"	-16-S	16 FT	083197 0751		AG	500ml				SA	PEB SVOC REGRAB
050061-004	"	-16-S	16 FT	083197 0751		AG	250ml				SA	Gamma Spec Gr AB
050062-001	LER-DH1-BH1-7-S	7 FT		070197 1145		AC	125ml				SA	VOC
050062-003	"	-7-S	7 FT	070197 1145		AG	500ml				SA	PEB SVOC REGRAB
050062-004	"	-7-S	7 FT	070197 1145		AG	250ml				SA	Gamma Spec, Gr AB
050063-001	"	-12-S	12 FT	070197 1507		AC	125ml				SA	VOC
050063-003	"	-12-S	12 FT	070197 1507		AG	500ml				SA	PEB SVOC REGRAB
050063-004	"	-12-S	12 FT	070197 1507		AG	250ml				SA	Gamma Spec, Gr AB
050064-001	LER-DH1-BH1-7-MS/MSD	7 FT		070197 1615		AC	125ml				MS/MSD	VOC
050064-003	"	"	7 FT	070197 1145		AG	500ml				MS/MSD	PEB SVOC REGRAB
050064-004	"	"	7 FT	070197 1145		AG	250ml				MS/MSD	Gamma Spec, Gr AB
050065-001	LER-DE1-BH2-7-S	7 FT		070299 1740		AC	125ml				SA	VOC
050065-003	"	"	7 FT	070299 0740		AG	500ml				SA	PEB SVOC REGRAB
050065-004	"	"	7 FT	070299 0740		AG	250ml				SA	Gamma Spec, Gr AB
050066-001	LER-DH1-BH2-12-S	12 FT		070299 1052		AC	125ml				SA	VOC
050066-003	"	"	12 FT	070299 1052		AG	500ml				SA	PEB SVOC REGRAB
050066-004	LER-DH1-BH2-12-S	12 FT		070299 1072		AG	250ml				SA	Gamma Spec, Gr AB

LAB USE

Analysis Request And Chain Of Custody (Continuation)

4 of 4
Page 3 of 3
AR/COC-1602817

Project Name: Non-ER Syptic System		Project/Task Manager: M Sanders		Case No: 7223 230		Reference LOV (available at SMO)				Parameter & Method Requested		Lab use
Location Building	Tech Area Room	ER Sample ID or Sample Location detail	Depth In Ft	ER Site No	Date/Time Collected	Sample Matrix	Container Type	Volume	Preservative	Sample Collection Methods	Sample Type	Lab Sample ID
050067-001	LFR-DF1-BH3	-7-5	7 FT	N/A	010299 1351	S	AL	150ml	4C	GR	SA	VOC
050067-003	LFR-DF1-BH3	-7-5	7 FT	N/A	010299 1351	S	AG	500ml	4C	GR	SA	LN SVOC HFA Met
050067-004	LFR-DF1-BH3	-7-5	7 FT	N/A	010299 1351	S	AG	250ml	4C	GR	SA	Gazima Spec, Gr A/B
050068-001	"	-12-5	12 FT	N/A	010299 1474	S	AC	125ml	4C	GR	SA	VOC
050069-003	"	-12-5	12 FT	N/A	010299 1424	S	AG	500ml	4C	GR	SA	LN SVOC HFA Met
050069-004	"	-12-5	12 FT	N/A	010299 1424	S	AG	250ml	4C	GR	SA	Gamma Spec, Gr A/A
050069-005	LFR-DF1-BH3	-G-5	N/A	N/A	010299 0130	DIW	P	1L	HNO3	GR	EB	Gamma Spec
050069-006	LFR-DF1-BH3	-G-rAB	N/A	N/A	010299 0130	DIW	P	1L	HNO3	GR	EB	Gross A/B
050069-007	LFR-DF1-BH3	-RRA	N/A	N/A	010299 0130	DIW	P	500ml	HNO3	GR	EB	ICRA Met
050069-008	"	-SVOC	N/A	N/A	010299 0130	DIW	AG	1L	4C	GC	EB	SVOC
050069-009	"	-HE	N/A	N/A	010299 0130	DIW	AG	1L	4C	GR	EB	HF
050069-010	"	-CN	N/A	N/A	010299 0130	DIW	P	1L	HNO3	GR	EB	Total CN
050069-011	"	-C16+	N/A	N/A	010299 0130	DIW	P	100ml	4C	GR	EB	C16+
050069-012	"	-RFB	N/A	N/A	010299 0130	DIW	AG	1L	4C	GR	EB	RFB
050069-013	"	-EB	N/A	N/A	010299 0130	DIW	G	30ml	HCL	GR	EB	VOC
050069-014	"	-TB	N/A	N/A	010299 0130	DIW	G	5ml	HCL	GR	EB	VOC
												TB

AR 188

EP# 8260A
8270C
8330
8082

Sample Findings Summary

Site: Non-ER Septic Systems

AR/COC: 602817/602820

Data Classification: Organics

ER Sample ID	Analysis	DV Qualifiers	Comments
050069-008 LFR-DF1-BH3 - SVOC	99-09-2 (3-nitroaniline)	UJ	COC # 602817
050069-012 LFR-DF1-BH3 - PCB	EPA 8082 (PCAS)	UJ2	
Note: See attached spreadsheet for VOC data qualifications.			
QC Measures appear to be adequate.			

ER Sample ID - This value is located on the AR/Chain of Custody.
 Analysis - Use valid test methods provided below or if the result applies to an individual analyte within a test method, use the CAS number from the analytical data sheet.
 DV Qualifiers - The entry will be taken from the list of valid qualifiers and associated comments. If other qualifiers not on the list are needed, contact Tina Sanchez to coordinate adding them to the list.
 Comments - This is only to be used if a comment associated with the qualifier is not appropriate, needs modification because of an unusual circumstance, or additional clarification is warranted.
 Test Methods - Anions_CE, EPA6010, EPA6020, EPA7470/1, EPA8015B, EPA8081, EPA8260, EPA8260-M3, EPA8270, HACH_ALK, HACH_NO2, HACH_NO3, MEKC_HE, PCBRI5C

Reviewed by: [Signature] Date: 12/16/99

Data Validation Qualifiers and Descriptive Flags*

Note: Qualifiers may be used in conjunction with descriptive flags [e.g., J, A; UJ, P; U, B].

Qualifiers

Comment

J	The associated value is an estimated quantity.
J1	The method requirements for sample preservation/temperature were not met for the sample analysis. The associated value is an estimated quantity.
J2	The holding time was exceeded for the associated sample analysis. The associated value is an estimated quantity.
UJ	The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.
U	The associated result is less than ten times the concentration in any blank and is determined to be non-detect. The analyte is a common laboratory contaminant.
U1	The associated result is less than five times the concentration in any blank and is determined to be non-detect.
R	The data are unusable for their intended purpose. The analyte may or may not be present. (Note: Resampling and reanalysis is necessary for verification.)

Descriptive Flags

A	Laboratory accuracy and/or bias measurements for the associated Laboratory Control Sample and/or duplicate (LCS/LCSD) do not meet acceptance criteria.
A1	Laboratory accuracy and/or bias measurements for the associated Surrogate Spike do not meet acceptance criteria.
A2	Laboratory accuracy and/or bias measurements for the associated Matrix Spike and/or duplicate (MS/MSD) do not meet acceptance criteria.
A3	Insufficient quality control data to determine laboratory accuracy.
B	Analyte present in laboratory method blank
B1	Analyte present in trip blank.
B2	Analyte present in equipment blank.
B3	Analyte present in calibration blank.
P	Laboratory precision measurements for the Laboratory Control Sample and duplicate (LCS/LCSD) do not meet acceptance criteria.
P1	Laboratory precision measurements for the Matrix Spike Sample and associated duplicate (MS/MSD) do not meet acceptance criteria.
P2	Insufficient quality control data to determine laboratory precision.

* This is not a definitive list. Other qualifiers are potentially available. Notify Tina Sanchez to revise list.

Updated: September 14, 1999

Data Validation Qualifiers and Descriptive Flags*

Note: Qualifiers may be used in conjunction with descriptive flags [e.g., J, A; UJ, P; U, B].

<u>Qualifiers</u>	<u>Comment</u>
J	The associated value is an estimated quantity.
J1	The method requirements for sample preservation/temperature were not met for the sample analysis. The associated value is an estimated quantity.
J2	The holding time was exceeded for the associated sample analysis. The associated value is an estimated quantity.
UJ	The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.
U	The associated result is less than ten times the concentration in any blank and is determined to be non-detect. The analyte is a common laboratory contaminant.
U1	The associated result is less than five times the concentration in any blank and is determined to be non-detect.
R	The data are unusable for their intended purpose. The analyte may or may not be present. (Note: Resampling and reanalysis is necessary for verification.)

Descriptive Flags

A	Laboratory accuracy and/or bias measurements for the associated Laboratory Control Sample and/or duplicate (LCS/LCSD) do not meet acceptance criteria.
A1	Laboratory accuracy and/or bias measurements for the associated Surrogate Spike do not meet acceptance criteria.
A2	Laboratory accuracy and/or bias measurements for the associated Matrix Spike and/or duplicate (MS/MSD) do not meet acceptance criteria.
A3	Insufficient quality control data to determine laboratory accuracy.
B	Analyte present in laboratory method blank
B1	Analyte present in trip blank.
B2	Analyte present in equipment blank.
B3	Analyte present in calibration blank.
P	Laboratory precision measurements for the Laboratory Control Sample and duplicate (LCS/LCSD) do not meet acceptance criteria.
P1	Laboratory precision measurements for the Matrix Spike Sample and associated duplicate (MS/MSD) do not meet acceptance criteria.
P2	Insufficient quality control data to determine laboratory precision.

* This is not a definitive list. Other qualifiers are potentially available. Notify Tina Sanchez to revise list.

Updated: September 14, 1999

ARCO #602817/602820
Inorganic Analyses
(RCRA metals, CN, Cr6+)
ER Sample ID

Sample ID	7440-39-3 (Ba)	7440-43-9 (Cd)	7440-22-4 (Ag)	7440-38-2 (As)	7439-97-6 (Hg)															
ARCO #602820																				
050109-003 B9938-SP1-BH1-9.5-S	J,A2,P1		J,B,B3		J,B															
ARCO #602817																				
050049-003 SOLARDETOX-DF1-BH3-5-S	J,A2,P1		J,B,B3		J,B															
050050-003 SOLARDETOX-DF1-BH3-10-S	J,A2,P1		J,B,B3		J,B															
050-052-003 SOLARDETOX-DF1-BH2-5-S	J,A2,P1		J,B,B3		J,B															
050053-003 SOLARDETOX-DF1-BH2-10-S	J,A2,P1		J,B,B3		J,B															
050055-003 SOLARDETOX-DF1-BH1-5-S	J,A2,P1		J,B,B3		J,B															
050056-003 SOLARDETOX-DF1-BH1-10-S	J,A2,P1		J,B,B3		J,B															
050057-003 SOLAR9981A-SP1-BH1-8-S	J,A2,P1		J,B,B3	J,B3																
050058-003 SOLAR9981A-SP1-BH1-13-S	J,A2,P1		J,B,B3		J,B															
050059-003 SOLAR9982-DW1-BH1-11-S	J,A2,P1		J,B,B3		J,B															
050060-003 SOLAR9982-DW1-BH1-11-DU	J,A2,P1		J,B,B3		J,B															
050061-003 SOLAR9982-DW1-BH1-16-S	J,A2,P1		J,B,B3		J,B															
050062-003 LFR-DF1-BH1-7-S	J,A2,P1		J,B,B3		J,B															
050063-003 LFR-DF1-BH1-12-S	J,A2,P1		J,B,B3		J,B															
050064-003 LFR-DF1-BH1-7-MSMSD	J,A2,P1		J,B,B3		J,B															
050065-003 LFR-DF1-BH2-7-S	J,A2,P1		J,B,B3		J,B															
050066-003 LFR-DF1-BH2-12-S	J,A2,P1		J,B,B3		J,B															
050067-003 LFR-DF1-BH3-7-S	J,A2,P1		J,B,B3		J,B															
050068-003 LFR-DF1-BH3-12-S	J,A2,P1	J,B3	J,B,B3		J,B															
050069-007 LFR-DF1-BH3-RCRA					UJ,B3															

Handwritten signature → *Stacy* 12/16/95

MEMORANDUM

DATE: December 16, 1999
TO: File
FROM: Kenneth Salaz^{KAS}
SUBJECT: Organic Data Review and Validation
Non-ER Septic Systems, ARCO #602817/602820,
Project/Task No. 7223.02.02.01

See the attached Data Assessment Summary Forms for supporting documentation on the data review and validation.

Summary

All samples were prepared and analyzed with accepted procedures and specified methods: EPA8260A (VOCs), EPA8270C (SVOCs), EPA8330 (HEs), and EPA8082 (PCBs). Problems were identified with the data package that result in the qualification of data.

1. PCB Analysis: The extraction holding time was exceeded for the re-extraction of sample 9909228-66 due to low initial surrogate recoveries. All results were non-detect (ND) and will be qualified "UJ2."
2. VOC Analysis: The initial calibration response factors (RFs) of 1,1-dichloroethene and trichloroethene were less than (<) the required minimums. The associated results of samples 9909228-01, -04, -05, -08, -11, -14, -17, -20, -23, -26, -29, -32, -35, -38, -41, -44, -47, -50, -53, -56, -67, and -68 were ND and will be qualified "UJ."

SVOC Analysis: The continuing calibration verification (CCV) percent difference (%D) of 3-nitroaniline was greater than (>) 40%. The associated result of sample 9909228-62 was ND and will be qualified "UJ."

Data are acceptable. QC measures appear to be adequate. The following sections discuss the data review and validation.

Holding Times

VOC/SVOC/HE Analyses: All samples were analyzed within the prescribed holding times.

PCB Analysis: All samples were analyzed and extracted within the prescribed holding times except as noted above in the summary section.

Calibration

VOC Analysis: The initial and continuing calibrations met QC acceptance criteria except as noted above in the summary section and the following. The CCV %Ds of chloromethane, acetone, 2-hexanone, and vinyl acetate were > 20%. However, all associated sample results were ND. Thus, no data were qualified.

SVOC Analysis: The initial and continuing calibrations met QC acceptance criteria except as noted above in the summary section and the following. The CCV %Ds of 2,4-dinitrophenol, 4-nitrophenol, carbazole, pyrene, 3,3'-dichlorobenzidine, indeno(1,2,3-cd)pyrene, and benzo(g,h,i)perylene were outside QC limits. However, all associated sample results were ND. Thus, no data were qualified.

HE/PCB Analyses: The initial and continuing calibrations met QC acceptance criteria.

Blanks

All Analyses: No target analytes were detected in the method blanks.

Surrogates

VOC/SVOC/HE Analyses: The surrogate percent recoveries (%RECs) met QC acceptance criteria.

PCB Analysis: The surrogate %RECs met QC acceptance criteria except for the following. The %REC of sample 9909228-02 was slightly < QC limits (46.5 < 46.8). However, all other QC criteria were met. Thus, no data were qualified.

Internal Standards (ISs)

VOC/SVOC Analyses: The IS areas and retention times (RTs) met QC acceptance criteria.

HE/PCB Analyses: No internal standards were required for these methods.

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analyses

VOC/HE/PCB Analyses: The MS/MSD met QC acceptance criteria.

SVOC Analysis: The MS/MSD met QC acceptance criteria except for the following. The MSD relative percent difference (RPD) of 4-nitrophenol was > QC limits. However, the MS/MSD %RECs met QC acceptance criteria. Thus, no data were qualified.

Laboratory Control Samples (LCS/LCSD)

All Analyses: The LCS/LCSD met QC acceptance criteria.

Other QC

VOC Analysis: A field duplicate was submitted on the ARCOC. When possible, RPDs were calculated and are listed on the data validation worksheet. No target analytes were detected in the equipment blank (EB) or trip blank (TB).

SVOC/HE/PCB Analyses: Field duplicates were submitted on the ARCOC. However, all sample results were ND. Thus, RPDs could not be calculated. No target analytes were detected in the EBs. No field blanks (FBs) were submitted on the ARCOC.

No other specific issues were identified which affect data quality.

Please contact me if you have any questions or comments regarding the review of this package.

MEMORANDUM

DATE: December 16, 1999
TO: File
FROM: Kenneth Salaz ~~KAS~~
SUBJECT: Inorganic Data Review and Validation
Non-ER Septic Systems, ARCO #602817/602820,
Project/Task No. 7223.02.02.01

See the attached Data Assessment Summary Forms for supporting documentation on the data review and validation.

Summary

All samples were prepared and analyzed with accepted procedures and specified methods: EPA6010B (ICP metals), EPA7470/1A (Hg), EPA9012A (CN), and EPA7196A (Cr6+). Problems were identified with the data package that result in the qualification of data.

1. ICP Analysis: In the initial calibration blank (ICB) and/or continuing calibration blank (CCB), cadmium (Cd) and arsenic (As) were detected. The Cd result of sample 9909228-57 and the As result of -24 were positive, less than (<) 5X the blank concentrations, and will be qualified "J,B3." Silver (Ag) was detected in the CCB and method blank. The results of samples -02, -06, -09, -12, -15, -18, -21, -24, -27, -30, -33, -36, -39, -42, -45, -48, -51, -54, and -57 were positive, <5X the blank concentrations, and will be qualified "J,B,B3."

Hg Analysis: In the ICB for the equipment blank (EB), mercury (Hg) was detected at a negative concentration. The absolute value was greater than (>) the detection limit (DL) but < the reporting limit (RL). The associated result of sample 9909228-61 was non-detect (ND) and will be qualified "UJ,B3." Hg was also detected in the method blank for the field samples. The associated results of samples -02, -06, -09, -12, -15, -18, -21, -27, -30, -33, -39, -42, -45, -48, -51, -54, and -57 were positive, <5X the blank concentration, and will be qualified "J,B."

2. ICP Analysis: The MS percent recovery (%REC) and the MSD relative percent difference (RPD) of barium (Ba) were > QC limits. The associated results of samples 9909228-02, -06, -09, -12, -15, -18, -21, -24, -27, -30, -33, -36, -39, -42, -45, -48, -51, -54, and -57 were positive and will be qualified "J,A2,P1."

Data are acceptable. QC measures appear to be adequate. The following sections discuss the data review and validation.

Holding Times

All Analyses: All samples were analyzed within the prescribed holding times.

Calibration

All Analyses: The initial and continuing calibrations met QC acceptance criteria.

Blanks

ICP/Hg Analyses: No target analytes were detected in the blanks except as noted above in the summary section and the following. Ba was detected in the ICB and CCB for the EB. However, the blank concentrations were < the associated DLs. Thus, no data were qualified.

CN/Cr6 + Analyses: No target analytes were detected in the blanks.

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analyses

ICP Analysis: The MS/MSD met QC acceptance criteria except as noted above in the summary section.

Hg/CN/Cr6 + Analyses: The MSs met QC acceptance criteria. No MSDs were performed. However, replicate analyses were performed as measures of laboratory precision.

Laboratory Control Samples (LCS/LCSD)

ICP Analysis: The LCS/LCSD met QC acceptance criteria except for the following. The LCS %RECs of Cd, Ag, and lead (Pb) were outside QC limits. However, the LCSDs met QC acceptance criteria. Thus, no data were qualified.

Hg/CN/Cr6 + Analyses: The LCS/LCSD met QC acceptance criteria.

Replicates

ICP Analysis: No replicate analysis was performed. The MS/MSD were used as a measure of precision.

Hg/CN/Cr6 + Analyses: The replicate analyses met QC acceptance criteria.

ICP Interference Check Sample (ICS)

ICP Analysis: The ICS met QC acceptance criteria.

Hg/CN/Cr6 + Analyses: No ICS was required for these methods.

ICP Serial Dilution

ICP Analysis: The ICP serial dilution met QC acceptance criteria.

Hg/CN/Cr6 + Analyses: No serial dilution was required for these methods.

Other QC

All Analyses: Field duplicates were submitted on the ARCOC. When possible, RPDs were calculated and are listed on the data validation worksheets. No target analytes were detected in the EBs. No field blanks (FBs) were submitted on the ARCOC.

No other specific issues were identified which affect data quality.

Please contact me if you have any questions or comments regarding the review of this package.

Data Validation Qualifiers and Descriptive Flags*

Note: Qualifiers may be used in conjunction with descriptive flags [e.g., J, A; UJ, P; U, B].

<u>Qualifiers</u>	<u>Comment</u>
J	The associated value is an estimated quantity.
J1	The method requirements for sample preservation/temperature were not met for the sample analysis. The associated value is an estimated quantity.
J2	The holding time was exceeded for the associated sample analysis. The associated value is an estimated quantity.
UJ	The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.
U	The associated result is less than ten times the concentration in any blank and is determined to be non-detect. The analyte is a common laboratory contaminant.
U1	The associated result is less than five times the concentration in any blank and is determined to be non-detect.
R	The data are unusable for their intended purpose. The analyte may or may not be present. (Note: Resampling and reanalysis is necessary for verification.)

Descriptive Flags

A	Laboratory accuracy and/or bias measurements for the associated Laboratory Control Sample and/or duplicate (LCS/LCSD) do not meet acceptance criteria.
A1	Laboratory accuracy and/or bias measurements for the associated Surrogate Spike do not meet acceptance criteria.
A2	Laboratory accuracy and/or bias measurements for the associated Matrix Spike and/or duplicate (MS/MSD) do not meet acceptance criteria.
A3	Insufficient quality control data to determine laboratory accuracy.
B	Analyte present in laboratory method blank
B1	Analyte present in trip blank.
B2	Analyte present in equipment blank.
B3	Analyte present in calibration blank.
P	Laboratory precision measurements for the Laboratory Control Sample and duplicate (LCS/LCSD) do not meet acceptance criteria.
P1	Laboratory precision measurements for the Matrix Spike Sample and associated duplicate (MS/MSD) do not meet acceptance criteria.
P2	Insufficient quality control data to determine laboratory precision.

* This is not a definitive list. Other qualifiers are potentially available. Notify Tina Sanchez to revise list.

Updated: September 14, 1999

ARCOC #602817/602820 Radiological Analyses (Gross Alpha/Beta, Gamma Spec) ER Sample ID	86964-36-1 (Am-241)	13967-70-9 (Cs-134)	10045-97-3 (Cs-137)	15092-94-1 (Pb-212)	7440-29-1 (Th-232)	15117-96-1 (U-235)	13967-71-0 (Zr-95)													
ARCOC #602820	J		J,B			J,B														
050109-004 B9938-SP1-BH1-9.5-S																				
ARCOC #602817																				
050049-004 SOLARDETOX-DF1-BH3-5-S	J		J,B			J,B														
050050-004 SOLARDETOX-DF1-BH3-10-S	J		J,B			J,B														
050-052-004 SOLARDETOX-DF1-BH2-5-S	J		J,B			J,B														
050053-004 SOLARDETOX-DF1-BH2-10-S	J		J,B			J,B														
050055-004 SOLARDETOX-DF1-BH1-5-S	J		J,B			J,B														
050056-004 SOLARDETOX-DF1-BH1-10-S	J		J,B			J,B														
050057-004 SOLAR9981A-SP1-BH1-8-S	J	R	J,B			J,B														
050058-004 SOLAR9981A-SP1-BH1-13-S	J	R	J,B			J,B														
050059-004 SOLAR9982-DW1-BH1-11-S	J		J,B			J,B														
050060-004 SOLAR9982-DW1-BH1-11-DU	J		J,B			J,B														
050061-004 SOLAR9982-DW1-BH1-16-S	J		J,B			J,B					J,B									
050062-004 LFR-DF1-BH1-7-S	J		J,B			J,B					J,B									
050063-004 LFR-DF1-BH1-12-S	J		J,B			J,B														
050064-004 LFR-DF1-BH1-7-MSMSD	J	R	J,B			J,B														
050065-004 LFR-DF1-BH2-7-S	J	R	J,B			J,B					J,B									
050066-004 LFR-DF1-BH2-12-S	J		J,B			J,B					J,B									
050067-004 LFR-DF1-BH3-7-S	J		J,B			J,B					J,B									
050068-004 LFR-DF1-BH3-12-S	J		J,B			J,B					J,B									
050069-005 LFR-DF1-BH3-GS			J,B	J,B	J,B	J,B	J													

Handwritten signature and date: 2/10/95

MEMORANDUM

DATE: December 16, 1999
TO: File
FROM: Kenneth Salaz ~~KAS~~
SUBJECT: Radiological Data Review and Validation
Non-ER Septic Systems, ARCO #602817/602820,
Project/Task No. 7223.02.02.01

See the attached Data Assessment Summary Forms for supporting documentation on the data review and validation.

Summary

All samples were prepared and analyzed with accepted procedures and specified methods: EPA900.0 (Gross Alpha/Beta) and HASL300 (Gamma Spec). Problems were identified with the data package that result in the qualification of data.

1. Gamma Spec Analysis: In the method blank for the equipment blank (EB), lead (Pb)-212 and thorium (Th)-232 were detected. The associated results of sample 9909228-59 were less than (<) 5X the blank concentrations and will be qualified "J,B." In the method blank for the field samples, cesium (Cs)-137 and uranium (U)-235 were detected. The Cs-137 results of samples -03, -07, -10, -13, -16, -19, -22, -25, -28, -31, -34, -37, -40, -43, -46, -49, -52, -55, and -58, as well as the U-235 results of samples -03, -07, -10, -16, -37, -40, -49, -52, -55, and -58, were <5X the blank concentrations and will be qualified "J,B."
2. Gamma Spec Analysis: The replicate error ratios (RERs) of zirconium (Zr)-95 for the EB and americium (Am)-241 for the field samples were greater than (>) 1 but <3. The Zr-95 result of sample 9909228-59 and the Am-241 results of samples -03, -07, -10, -13, -16, -19, -22, -25, -28, -31, -34, -37, -40, -43, -46, -49, -52, -55, and -58 will be qualified "J."
3. Gamma Spec Analysis: The negative bias criteria were not met for the Cs-134 results of samples 9909228-25, -31, -46, and -49. The results were negative and < the associated negative MDAs. Thus, these results will be qualified "R" (unusable).

Data are acceptable except as noted above. QC measures appear to be adequate. The following sections discuss the data review and validation.

Holding Times

All Analyses: All samples were analyzed within the prescribed holding times.

Calibration

All Analyses: No calibration data were provided. However, the case narrative stated that the instruments were properly calibrated.

Blanks

Gross Alpha/Beta Analysis: In the method blank, gross alpha/beta were detected. However, the blank concentrations were < the associated 2-sigma uncertainties. Thus, no data were qualified.

Gamma Spec Analysis: No target analytes were detected in the method blank except as noted above in the summary section and the following. Actinium (Ac)-228, Pb-212, radium (Ra)-228, and U-235 were detected. However, the blank concentrations were < the associated 2-sigma uncertainties. Thus, no data were qualified.

Matrix Spike (MS) Analysis

All Analyses: The MSs met QC acceptance criteria.

Laboratory Control Sample (LCS)

All Analyses: The LCSs met QC acceptance criteria.

Replicates

Gross Alpha/Beta Analysis: The replicate analysis met QC acceptance criteria.

Gamma Spec Analysis: The replicate analysis met QC acceptance criteria except as noted above in the summary section.

Tracer Recoveries

All Analyses: No tracers were required for these methods.

Negative Bias

All Analyses: All results met negative bias QC acceptance criteria except as noted above in the summary section.

Other QC

Gross Alpha/Beta Analysis: A field duplicate was submitted on the ARCOC. All RERs were < 1. No target analytes were detected in the EB. No field blank (FB) was submitted on the ARCOC.

Gamma Spec Analysis: A field duplicate was submitted on the ARCOC. All RERs were < 1. No target analytes were detected in the EB except Ra-226. However, the blank concentration was < the associated 2-sigma uncertainties. Thus, no data were qualified. No FB was submitted on the ARCOC.

No other specific issues were identified which affect data quality.

Please contact me if you have any questions or comments regarding the review of this package.

Data Validation Summary

Site/Project: Non-ER Septic Systems Project/Task #: 7223.02.02.01 # of Samples: 68 Matrix: 57 Soil / 11 aqueous
 AR/COC #: 602820/602817 Laboratory Sample IDs: 9909228-01 thru -68

Laboratory: GEL
 Laboratory Report #: 9909228A/D

QC Element	Analysis													Other (G6P)	
	Organics						Inorganics						RAD		
	VOC	SVOC	Pesticide/PCB	HPLC (HE)	ICP/AES	GFAM/AA	CVAA (HE)	GN							
1. Holding Times/Preservation	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓
2. Calibrations	UJ	UJ	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
3. Method Blanks	✓	✓	✓	✓	UJ, B3 J, B, B3		✓	J, B	✓	✓	✓	✓	✓	J, B	✓
4. MS/MSD	✓	✓	✓	✓	J, A2, P1		✓	✓	✓	✓	✓	✓	✓	✓	✓
5. Laboratory Control Samples	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
6. Replicates					NA									J	✓
7. Surrogates	✓	✓	✓	✓											NA
8. Internal Standards	✓	✓													
9. TCL Compound Identification	✓	✓													
10. ICP Interference Check Sample					✓										
11. ICP Serial Dilution					✓										
12. Carrier/Chemical Tracer Recoveries														NA	✓
13. Other QC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	R	✓

J = Estimated Check (✓) = Acceptable
 U = Not Detected Shaded Cells = Not Applicable (also "NA")
 (J) = Not Detected, Estimated NP = Not Provided
 R = Unusable Other:

Reviewed By: [Signature] Date: 12/16/97

Holding Time and Preservation

Site/Project: Non-El Septic Systems AR/COC #: 602820/602817 Laboratory Sample IDs: 99092228-01 thru -68

Laboratory: CEL Laboratory Report #: 99092228A1A

of Samples: 68 Matrix: 57 soil / 11 aqueous

Sample ID	Analytical Method	Holding Time Criteria	Days Holding Time Was Exceeded	Preservation Criteria	Preservation Deficiency	Comments
99092228-66	EPA 8082 (PCBs)	7 days	6	NA	NA	Sample re-extracted out of lobby due to low surrogate recoveries.

NA=Not Applicable

Reviewed By: [Signature] Date: 12/11/99

Volatile Organics (SW 846 Method 8260)

Site/Project: Non-Fer Septic Systems AR/COC #: 602820/602817 # of Samples: 19 Matrix: Soil
 Laboratory: CEL Laboratory Report #: 99092228A/B Laboratory Sample IDs: 9909228-01-05, 08, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56
 Methods: EPA 8260A Batch #: 158044

IS	CAS #	Name	T C	Min RF	Intercept	Calib. RF	Calib. RSD %	DGV		Method Blks	LCS RPD	LCS RPD	MS RPD	MSD RPD	Field Dup. RPD	Equip. Blanks	Trip Blanks	CCV %
								>05	<20%/0.99									
1	74-87-3	Chloromethane	✓	0.10	✓	✓	✓	34.8	✓	✓	✓	✓	✓	NA	✓	✓	20%	
1	74-83-9	Bromomethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1	75-01-4	Vinyl chloride	✓	0.10	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1	75-00-3	Chloroethane	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	6.45	✓	✓	✓	
1	75-09-2	methylene chloride (10xblk)	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	6.45	✓	✓	✓	
1	67-64-1	acetone (10xblk)	✓	0.01	✓	✓	✓	30.2	✓	✓	✓	✓	✓	NA	✓	✓	✓	
1	75-15-0	carbon disulfide	✓	0.10	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1	75-35-4	1,1-dichloroethene	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1	75-34-3	1,1-dichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1	67-66-3	Chloroform	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1	107-06-2	1,2-dichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1	78-93-3	2-butanone (10xblk)	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	30.5	✓	✓	✓	
2	71-55-6	1,1,1-trichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	56-23-5	carbon tetrachloride	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	75-27-4	Bromodichloromethane	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	78-87-5	1,2-dichloropropane	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	10061-01-5	cis-1,3-dichloropropene	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	79-01-6	Trichloroethene	✓	0.50	✓	✓	✓	6.34	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	124-48-1	Dibromochloromethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	79-00-5	1,1,2-trichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	71-43-2	Benzene	✓	0.50	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	10061-02-6	trans-1,3-dichloropropene	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2	75-25-2	Bromoform	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	108-10-1	4-methyl-2-pentanone	✓	0.10	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	591-78-6	2-hexanone	✓	0.01	✓	✓	✓	29.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	127-18-4	Tetrachloroethene	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	79-34-5	1,1,2,2-tetrachloroethane	✓	0.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	108-88-3	toluene (10xblk)	✓	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	108-90-7	Chlorobenzene	✓	0.50	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	100-41-4	Ethylbenzene	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	100-42-5	Styrene	✓	0.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	1330-20-7	xylenes (total)	✓	0.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3	540-59-0	1,2-dichloroethylenes (total)	✓	0.91	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
110-75-8	2-chloroethyl vinyl ether	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	
108-05-4	Vinyl Acetate	✓	✓	✓	✓	✓	✓	29.9	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Notes: Shaded rows are RCRA compounds.
 Comments: DGV% applies to samples 01, 05, 08, 11 only.
 NA = Not Applicable

Reviewed By: [Signature] Date: 12/18/95

Volatile Organics (SW 846 Method 8260)

Site/Project: Non-ER Septic Systems AR/COC #: 602820/602817 # of Samples: 3 Matrix: Aqueous
 Laboratory: GEL Laboratory Report #: 9909228A16 Laboratory Sample IDs: 9909228-04,-67,-68
 Methods: EPA 8260A Batch #: 158072

IS	CAS #	Name	T g/L	Min. RF	Intercept	Calib. RF	Calib. RSD %	COV %	Method Bkls	LCS	LCS RPD	MS	MSD RPD	MS	MSD RPD	Field Dup. RPD	Equip Blanks	Trip Blanks		
																				>05
1	74-87-3	Chloromethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	74-83-9	Bromomethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	75-01-4	vinyl chloride	✓	0.10	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	75-00-3	Chloroethane	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	75-09-2	methylene chloride (10xblk)	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	67-64-1	acetone (10xblk)	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	75-15-0	carbon disulfide	✓	0.10	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	75-35-4	1,1-dichloroethene	✓	0.20	0.17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	75-34-3	1,1-dichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	67-66-9	Chloroform	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	107-06-2	1,2-dichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
1	78-09-3	2-butanone (10xblk)	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	71-55-6	1,1,1-trichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	56-23-5	carbon tetrachloride	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	75-27-4	Bromodichloromethane	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	78-87-5	1,2-dichloropropane	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	10061-01-5	cis-1,3-dichloropropene	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	79-01-6	Trichloroethene	✓	0.30	0.21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	124-48-1	Dibromochloromethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	79-00-5	1,1,2-trichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	71-43-2	Benzene	✓	0.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	10061-02-6	trans-1,3-dichloropropene	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
2	75-25-2	Bromoform	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	108-10-1	4-methyl-2-pentanone	✓	0.10	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	591-78-6	2-hexanone	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	127-18-4	Tetrachloroethene	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	79-34-5	1,1,2,2-tetrachloroethane	✓	0.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	108-88-3	toluene (10xblk)	✓	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	108-90-7	Chlorobenzene	✓	0.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	100-41-4	Ethylbenzene	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	100-42-5	Styrene	✓	0.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	1330-20-7	xylenes (total)	✓	0.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
3	340-59-0	1,2-dichloroethylene (total)	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
110-75-8		2-chloroethyl vinyl ether	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
108-05-4		Vinyl Acetate	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA

Notes: Shaded rows are RCRA compounds.
 Comments: OMS/MS performed on a sample from another SDG.
 (D) Samples are EtB and TBs.
 Reviewed By: [Signature] Date: 12/10/99
 NA=Not Analyzed

Volatile Organics

Site/Project: Non-ER Spill Systems AR/COC #: 602820/602817 Batch #: 158072
Laboratory: CEL Laboratory Report #: 9909228A1B # of Samples: 22 Matrix: 19 soil / 3 asphalt

Surrogate Recovery and Internal Standard Outliers (SW 846 Method 8260)

Sample	SMC 1	SMC 2	SMC 3	IS 1 area	IS 1 RT	IS 2 area	IS 2 RT	IS 3 area	IS 3 RT
All Passed									

SMC 1: ¹Bromofluorobenzene
 SMC 2: ^{1,2}Dichloroethane-d4
 SMC 3: Toluene-d8
 Dibromofluoromethane
 IS 1: Bromochloromethane Fluorobenzene
 IS 2: 1,4-Difluorobenzene-d4
 IS 3: Chlorobenzene-d5
 12/17/99

Comments: *Summary:

Calibration:

⇒ 1,1-dichloroethene and trichloroethene had initial calib. Rfj < the required minimums. All assoc. sample results were ND and will be qualified "N.J."
 ⇒ chloroform, acetone, 2-hexanone, and vinyl acetate had CCV %Ds > 20%. All assoc. sample results were ND. Thus, no data was qualified.

Site/Project: Non-ER Septic Systems AR/COC #: 602823

Laboratory Sample IDs: 9909228-02, -06, -09, -12, -15, -18, -21, -24, -27,

Laboratory: GEL Laboratory Report #: 9909228-1/3

" -30, -33, -36, -39, -42, -45, -48, -51, -54, -57

Methods: EPA8270C

Batch #: 158016

of Samples: 19 Matrix: Soil

IS	BNA	CAS #	NAME	T. C. L	Min. C. RF	Intercept	Calib. RF	Calib. RSD/ R ²	CCV %D	Method Blanks	LCS	LCSD	LGS	MS RPD	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Field Blanks	CCV %D
1	A	108-95-2	Phenol	✓	0.80	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	✓	NA	✓
1	BN	111-44-4	bis(2-Chloroethyl)ether		0.70		✓	✓	✓											
1	A	95-57-8	2-Chlorophenol		0.80		✓	✓	✓											
1	BN	541-73-1	1,3-Dichlorobenzene		0.60		✓	✓	✓											
1	BN	106-46-7	1,4-Dichlorobenzene		0.50		✓	✓	✓											
1	BN	95-50-1	1,2-Dichlorobenzene		0.40		✓	✓	✓											
1	A	95-48-7	2-Methylphenol (o-cresol)		0.70		✓	✓	✓											
1	BN	108-60-1	bis(2-chloroisopropyl)ether	✓	0.01		✓	✓	✓											
1	A	106-44-5	4-Methylphenol		0.60		NA	NA	NA									NA		
1	BN	621-64-7	N-Nitroso-di-n-propylamine	✓	0.50		✓	✓	✓											
1	BN	67-72-1	Hexachloroethane		0.30		✓	✓	✓											
2	BN	98-95-3	Nitrobenzene		0.20		✓	✓	✓											
2	BN	78-59-1	Isophorone		0.40		✓	✓	✓											
2	A	88-75-5	2-Nitrophenol		0.10		✓	✓	✓											
2	A	105-67-9	2,4-Dimethylphenol		0.20		✓	✓	✓											
2	BN	111-91-1	bis(2-Chloroethoxy)methane		0.30		✓	✓	✓											
2	A	120-83-2	2,4-Dichlorophenol		0.20		✓	✓	✓											
2	BN	120-82-1	1,2,4-Trichlorobenzene		0.20		✓	✓	✓											
2	BN	91-20-3	Naphthalene		0.70		✓	✓	✓											
2	BN	106-47-8	4-Chloroaniline		0.01		✓	✓	✓											
2	BN	87-68-3	Hexachlorobutadiene		0.01		NA	NA	NA											
2	A	59-50-7	4-Chloro-3-methylphenol		0.20		✓	✓	✓											
2	BN	91-57-6	2-Methylnaphthalene		0.40		✓	✓	✓											
3	BN	77-47-4	Hexachlorocyclopentadiene		0.01		✓	✓	✓											
3	A	88-06-2	2,4,6-Trichlorophenol		0.20		✓	✓	✓											
3	A	95-93-4	2,4,5-Trichlorophenol	✓	0.20		✓	✓	✓											

Notes: Shaded rows are RCRA compounds.

NA = N/A Applicable

Comments:
 ① Field dup was submitted, All results ND; no RPDs calculated.
 ② No FBs submitted on the COC.
 ③ CCV %D applies to samples -48, -51, -54, and -57 only.

Reviewed By: [Signature] Date: 12/16/99

B-20

Semivolatile Organics

Site Project: Non-ER Septic Systems ARVOC #: 602820/602817 Batch #: 158016
 Laboratory: CEL Laboratory Report #: 9909228110 # of Samples: 19 Matrix: Soil

IS BNA	CAS #	NAME	T Min. C	Min. RF	Intercept	Calib		CGV %D	Method Blanks	LCS RPD	MS RPD	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Field Blanks	CCV %D
						>05	<20%/0.99										
3	BN 91-58-7	2-Chloronaphthalene	✓	0.80	NA	✓	✓	✓	✓					NA	✓	NA	✓
3	BN 88-74-4	2-Nitroaniline (O-)		0.01	✓	✓	✓										
3	BN 131-11-3	Dimethylphthalate		0.01	NA	✓	✓										
3	BN 208-96-8	Acenaphthylene		0.90	✓	✓	✓										
3	BN 606-20-2	2,6-Dinitrotoluene		0.20	✓	✓	✓										
3	BN 99-09-2	3-Nitroaniline (M-)		0.01	✓	✓	✓										
3	BN 83-32-9	Acenaphthene		0.90	NA	✓	✓						✓				
3	A 51-28-5	2,4-Dinitrophenol		0.01	✓	✓	✓						✓				
3	A 100-02-7	4-Nitrophenol		0.01	✓	✓	✓						✓				
3	BN 132-64-9	Dibenzofuran		0.80	NA	✓	✓						35.4				-23.8
3	BN 124-144-2	2,4-Dinitrochlorobenzene		0.20	✓	✓	✓						✓				✓
3	BN 84-66-2	Diethylphthalate		0.01	✓	✓	✓										
3	BN 005-72-3	4-Chlorophenyl-phenylether		0.40	✓	✓	✓										
3	BN 86-73-7	Fluorene		0.90	✓	✓	✓										
3	BN 100-01-6	4-Nitroaniline (O-)		0.01	✓	✓	✓										
4	A 534-52-1	4,6-Dinitro-2-methylphenol		0.01	NA	✓	✓										
4	BN 86-30-6	N-Nitrosodiphenylamine (1)		0.01	✓	✓	✓										
4	BN 101-55-3	4-Bromophenyl-phenylether		0.10	✓	✓	✓										
4	BN 118-74-1	Hexachlorobenzene		0.10	✓	✓	✓										
4	A 87-86-5	Pentachlorophenol		0.05	✓	✓	✓										
4	BN 85-01-8	Phenanthrene		0.70	✓	✓	✓										
4	BN 20-12-7	Anthracene		0.70	✓	✓	✓										
4	BN 86-74-8	Carbazole		0.01	✓	✓	✓										
4	BN 84-74-2	Di-n-butylphthalate		0.01	✓	✓	✓										
4	BN 06-44-0	Fluoranthene		0.60	✓	✓	✓										
5	BN 129-00-0	Pyrene		0.60	✓	✓	✓										
5	BN 85-68-7	Butylbenzophthalate		0.01	✓	✓	✓										
5	BN 91-94-1	3,3'-Dichlorobenzidine		0.01	✓	✓	✓										
5	BN 56-55-3	Benzo(a)anthracene	✓	0.80	✓	✓	✓										

Comments:
 ① Field dupl. was submitted. All results MB; no RPDs calculated.
 ② No FBs submitted on the CCV.
 ③ CCV 0.60 applies to samples -48, -51, -54, and -57 only.

-NA = Not Applicable

B-21

Semivolatile Organics

Site/Project: NA-ER Spt. Sdms AR/COC #: 6028201602817 Batch #: 158016

Laboratory: GEL Laboratory Report #: 970922810 # of Samples: 19 Matrix: soil

IS	BNA	GAS #	NAME	TCL	Min. RF	Intercept	Calib. RF	Calib. RSD/ R ²	CCV %D	Method Blanks	LCS D	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Field Blanks	CCV %D	
																				>.05
5	BN	218-01-9	Chrysene	✓	0.70	NA	✓	✓	✓	✓						NA	✓	NA	✓	
5	BN	117-81-7	bis(2-Ethylhexyl)phthalate		0.01	✓	✓	✓	✓											
6	BN	117-84-0	Di-n-octylphthalate		0.01	NA	✓	✓	✓											
6	BN	205-99-2	Benzo(b)fluoranthene		0.70	✓	✓	✓	✓											
6	BN	207-08-9	Benzo(k)fluoranthene		0.70	NA	✓	✓	✓											
6	BN	50-32-8	Benzo(a)pyrene		0.70	✓	✓	✓	✓											
6	BN	193-39-5	Indeno(1,2,3-cd)pyrene		0.50	✓	✓	✓	✓											
6	BN	53-70-3	Dibenz(a,h)anthracene		0.40	✓	✓	✓	✓											
6	BN	191-24-2	Benzo(g,h,i)perylene		0.50	NA	✓	✓	✓											
BN	122-66-7		1,2-dibenzanthracene			✓	✓	✓	✓											
A	ND		m,p-creso			✓	✓	✓	✓											

Comments:
 ① Field dup. was submitted. All results ND; no RPDs calculated.
 ② No FB submitted on the COC.
 ③ CCV%ID applies to samples -46, -51, -54, and -57 only.

NA = Not Applicable

Surrogate Recovery Outliers

Sample	SMC 1	SMC 2	SMC 3	SMC 4	SMC 5	SMC 6	SMC 7	SMC 8
All Passed								

SMC 1: Nitrobenzene-d5 (BN)
 SMC 2: 2-Fluorobiphenyl (BN)
 SMC 3: p-Terphenyl-d14 (BN)
 SMC 4: Phenol-d6 (A)
 SMC 5: 2-Fluorophenol (A)
 SMC 6: 2,4,6-Tribromophenol (A)
 SMC 7: 1,2-Dichlorobenzene-d4 (BN)
 SMC 8: 1,2-Dichlorobenzene-d4 (BN)

Internal Standard Outliers

Sample	IS 1-area	IS 1-RT	IS 2-area	IS 2-RT	IS 3-area	IS 3-RT	IS 4-area	IS 4-RT	IS 5-area	IS 5-RT	IS 6-area	IS 6-RT
All Passed												

IS 1: 1,4-Dichlorobenzene-d4 (BN)
 IS 2: Naphthalene-d8 (BN)
 IS 3: Acenaphthene-d10 (BN)
 IS 4: Phenanthrene-d10 (BN)
 IS 5: Chrysene-d12 (BN)
 IS 6: Perylene-d12 (BN)

Semivolatile Organics (SW 846 Method 8270)

Laboratory Sample IDs: 9909228-62

AR/COC #: 602820/602817

Laboratory Report #: 9909228 A/B

Site Project: Non-ER Septic Systems

Laboratory: GEL

Methods: EPA 8270C

Batch #: 158075

Matrix: Aquatic

IS	BNA	CAS #	NAME	T.C.	Min. RF	Intercept	Calib.		CCV %D	Method Blanks	LCS	LCSD	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Field Blanks
							> 0.5	< 20% / 0.99											
1	A	108-95-2	Phenol	✓	0.80	NA	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	NA
1	BN	111-44-4	bis(2-Chloroethyl)ether	✓	0.70		✓	✓											
1	A	95-57-8	2-Chlorophenol	✓	0.80		✓	✓											
1	BN	541-73-1	1,3-Dichlorobenzene	✓	0.60		✓	✓											
1	BN	106-46-7	1,4-Dichlorobenzene	✓	0.50		✓	✓											
1	BN	95-50-1	1,2-Dichlorobenzene	✓	0.40		✓	✓											
1	A	95-48-7	2-Methylphenol (o-cresol)	✓	0.70		✓	✓											
1	BN	108-60-1	bis(2-chloroisopropyl)ether	✓	0.01	NA	✓	✓											
1	A	106-44-5	4-Methylphenol	✓	0.60		✓	✓	NA	NA									
1	BN	621-64-7	N-Nitroso-di-n-propylamine	✓	0.50		✓	✓											
1	BN	67-72-1	Hexachlorocyclopentadiene	✓	0.50		✓	✓											
2	BN	98-95-3	Nitrobenzene	✓	0.20		✓	✓											
2	BN	78-59-1	Isophorone	✓	0.40		✓	✓											
2	A	88-75-5	2-Nitrophenol	✓	0.10		✓	✓											
2	A	105-67-9	2,4-Dimethylphenol	✓	0.20		✓	✓											
2	BN	111-91-1	bis(2-Chloroethoxy)methane	✓	0.30		✓	✓											
2	A	120-83-2	2,4-Dichlorophenol	✓	0.20		✓	✓											
2	BN	120-82-1	1,2,4-Trichlorobenzene	✓	0.20		✓	✓											
2	BN	91-20-3	Naphthalene	✓	0.70		✓	✓											
2	BN	106-47-8	4-Chloroaniline	✓	0.01		✓	✓											
2	BN	87-68-3	Hexachlorobutadiene	✓	0.01		✓	✓											
2	A	59-50-7	4-Chloro-3-methylphenol	✓	0.20		✓	✓											
2	BN	91-57-6	2-Methylnaphthalene	✓	0.40		✓	✓											
3	BN	77-47-4	Hexachlorocyclopentadiene	✓	0.01		✓	✓											
3	A	88-06-2	2,4,6-Trichlorophenol	✓	0.20		✓	✓											
3	A	95-95-4	2,4,5-Trichlorophenol	✓	0.20		✓	✓											

Notes: Shaded rows are RCRA compounds.

Comments: One/MSD performed on a sample from another SDG.

Sample is an EB.

Reviewed By: [Signature]

Date: 12/16/99

Semivolatile Organics

Site/Project: Non-ER Septic Systems AR/COC #: 602820/602817 Batch #: 158075

Laboratory: CEL Laboratory Report #: 9909238A/15 # of Samples: 1 Matrix: Aqueous

IS BNA	CAS #	NAME	T C I	Min RF	Intercept	Calib. RF	Calib. RSD R ²	GCV %AD		Method Blanks	LCS	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Field Blanks
								>.05	20%									
3	BN 91-58-7	2-Chloronaphthalene	✓	0.80	NA	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA
3	BN 88-74-4	2-Nitroaniline (p-)	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 131-11-3	Dimethylphthalate	✓	0.01	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 208-96-8	Acenaphthylene	✓	0.90	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 606-20-2	2,6-Dinitrotoluene	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 99-09-2	3-Nitroaniline (m-)	✓	0.01	✓	✓	✓	41.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 83-32-9	Acenaphthene	✓	0.90	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	A 51-28-5	2,4-Dinitrophenol	✓	0.01	✓	✓	✓	-25.5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	A 100-02-7	4-Nitrophenol	✓	0.01	NA	✓	✓	-30.2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 132-64-9	Dibenzofuran	✓	0.80	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 121-14-2	2,4-Dinitrotoluene	✓	0.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 84-56-2	Diethylphthalate	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 005-72-3	4-Chlorophenyl-phenylether	✓	0.40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 86-73-7	Fluorene	✓	0.90	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	BN 100-01-6	4-Nitroaniline (p-)	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	A 534-52-1	4,6-Dinitro-2-methylphenol	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	BN 86-30-6	N-Nitrosodiphenylamine (1)	✓	0.01	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	BN 101-55-3	4-Bromophenyl-phenylether	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	BN 18-74-1	Hexachlorobenzene	✓	0.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	A 87-86-3	Pentachlorophenol	✓	0.05	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	BN 85-01-8	Phenanthrene	✓	0.70	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	BN 20-12-7	Anthracene	✓	0.70	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	BN 86-74-8	Carbazole	✓	0.01	✓	✓	✓	22.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	BN 84-74-2	Di-n-butylphthalate	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	BN 06-44-0	Fluoranthene	✓	0.60	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	BN 129-00-0	Pyrene	✓	0.60	✓	✓	✓	-24.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	BN 85-68-7	Butylbenzylphthalate	✓	0.01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	BN 91-94-1	3,3'-Dichlorobenzidine	✓	0.01	✓	✓	✓	31.4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	BN 56-53-3	Benzo(a)anthracene	✓	0.80	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

NA = Not Applicable

Comments:
 ① MS/MSD performed on a sample from water SOG.
 ② Sample is an EB.

Semivolatile Organics

Site/Project: Non-ER Septic Systems AR/COC #: 002820/602817 Batch #: 158075
 Laboratory: GEL Laboratory Report #: 9909228A/B # of Samples: 1 Matrix: Aqueous

IS	BNA	CAS #	NAME	TCL	Min. RF	Intercept	Calib. RF	Calib. RSD/ R ²	CCV %D	Method Blanks	LCS D	LCS RPD	MS	MSD	MS RPD	Field Dup RPD	Equip. Blanks	Field Blanks	
																			<20% / 0.99
5	BN	218-01-9	Chrysene	✓	0.70	N/A	✓	✓	✓	✓									
5	BN	117-81-7	bis(2-Ethylhexyl)phthalate	✓	0.01		✓	✓	✓	✓									
6	BN	117-84-0	Di-n-octylphthalate	✓	0.01		✓	✓	✓	✓									
6	BN	205-99-2	Benzofluoranthene	✓	0.70	✓	✓	✓	✓	✓									
6	BN	207-08-9	Benzok(j)fluoranthene	✓	0.70	N/A	✓	✓	✓	✓									
6	BN	50-32-8	Benzofluoranthene	✓	0.70		✓	✓	✓	✓									
6	BN	193-39-5	Indeno(1,2,3-cd)pyrene	✓	0.50		✓	✓	28.8	✓									
6	BN	53-70-3	Dibenz(a,h)anthracene	✓	0.40		✓	✓	24.4	✓									
6	BN	191-24-2	Benzofluoranthene	✓	0.50		✓	✓	✓	✓									
6	BN	122-66-7	1,2-diphenylhydrazine	✓			✓	✓	✓	✓									
A	ND		m,p-cresol	✓			✓	✓	✓	✓									

NA = Not Applicable

Surrogate Recovery Outliers

Sample	SMG 1	SMG 2	SMG 3	SMG 4	SMG 5	SMG 6	SMG 7	SMG 8
All Passed								

SMC 1: Nitrobenzene-d5 (BN)
 SMC 2: 2-Fluorobiphenyl (BN)
 SMC 3: p-Terphenyl-d14 (BN)
 SMC 4: Phenol-d6 (A)
 SMC 5: 2-Fluorophenol (A)
 SMC 6: 2,4,6-Tribromophenol (A)
 SMC 7: 2,3-Dichlorophenol-d4 (A)
 SMC 8: 1,2-Dichlorobenzene-d4 (BN)

Internal Standard Outliers

Sample	IS 1-area	IS 1-RT	IS 2-area	IS 2-RT	IS 3-area	IS 3-RT	IS 4-area	IS 4-RT	IS 5-area	IS 5-RT	IS 6-area	IS 6-RT
All Passed												

IS 1: 1,4-Dichlorobenzene-d4 (BN)
 IS 2: Naphthalene-d8 (BN)
 IS 3: Acenaphthene-d10 (BN)
 IS 4: Phenanthrene-d10 (BN)
 IS 5: Chrysene-d12 (BN)
 IS 6: Perylene-d12 (BN)

Comments:
 OMS/MSD performed on a sample from another SOG.
 Sample is on EB.

* Summary:

Calibration:

⇒ 3-nitroaniline had a CCV %D > 40%. The assay result was ND and will be qualified "UJ."

⇒ 2,4-dinitrophenol, 4-nitrophenol, carbazole, pyrene, 3,3'-dichlorobenzidine, Indeno(1,2,3-cd)pyrene, and benzofluoranthene had CCV %Ds outside QC limits. All assay results were ND. Thus, no data were qualified.

High Explosives (SW 846 Method 8330)

Site/Project: Non-ER Septic Systems AR/COC #: 602820/602817

Laboratory Sample IDs: 9909218-02, 06, 09, 12, 15, 18, 21, 24, 27, 30,

Laboratory: GEL Laboratory Report #: 9909228A1B

" -33, -36, -39, -42, -45, -48, -51, -54, -57

Methods: EPA8330

of Samples: 19 Matrix: Soil

Batch #: 158012

CAS #	NAME	T A	Intersept	Gura R:	CCV %D	Method Blanks	LCS	LCS RPD		MSD	MS RPD	MSD 20%	Field Out RPD	Equip. Blanks	Field Blanks	
								U	U						U	U
2691-41-0	HMX	✓	✓	.99	✓	U	✓	✓	✓	✓	✓	NA	✓	U	NA	NA
121-82-4	RDX															
99-35-49	1,3,5-Trinitrobenzene															
99-65-0	1,3-dinitrobenzene															
98-95-3	Nitrobenzene															
479-45-8	Tetryl															
118-96-7	2,4,6-trinitrotoiuene															
35572-78-2	2-amino-4,6-dinitrotoiuene															
19406-51-0	4-amino-2,6-dinitrotoiuene															
121-14-2	2,4-dinitrotoiuene															
606-20-2	2,6-dinitrotoiuene															
88-72-2	2-nitrotoiuene															
99-99-0	4-nitrotoiuene															
99-08-1	3-nitrotoiuene															
78-11-5	PETN															

NA = Not Applicable

Comments:

- ① Field dup. was submitted. All results ND; no RPDs calculated
- ② No FBs submitted on the COC.

*Summary

⇒ All QC met. No data were qualified.

Sample	SMC %REC	SMC RT	Sample	SMC %REC	SMC RT
All					
Passed					

Confirmation

Sample	CAS #	RPD > 25%	Sample	CAS #	RPD > 25%
All					
ND					

Solids-to-aqueous conversion:

mg / kg = $\mu\text{g} / \text{g} \times [(\mu\text{g} / \text{g}) \times (\text{sample mass (g)} / \text{sample vol. (ml)}) \times (1000 \text{ ml} / 1 \text{ liter})] / \text{Dilution Factor} - \mu\text{g} / \text{l}$ Date: 6/2/16/93

Reviewed By: [Signature]

High Explosives (SW 846 Method 8330)

Laboratory Sample IDs: 99092228-63

Site/Project: Non-ER Septic Systems AR/COC #: 602817

Laboratory: GEL Laboratory Report #: 99092228-63

Methods: EPA 8330

Batch #: 158013

of Samples: 1 Matrix: Aqueous

CAS #	NAME	T A L	Intercept	Curve R ²	CCV %D	20%	Method Blanks	LCS	LCS RPD	MS	MSD	MS RPD	20%	Field Dup RPD	Field Equip. Blanks	Field Blanks
2691-41-0	HMX	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
121-82-4	RDX	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
99-35-49	1,3,5-Trinitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
99-65-0	1,3-dinitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
98-95-3	Nitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
479-45-8	Tetryl	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
118-96-7	2,4,6-trinitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
35572-78-2	2-amino-4,6-dinitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
19406-51-0	4-amino-2,6-dinitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
121-14-2	2,4-dinitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
606-20-2	2,6-dinitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
88-72-2	2-nitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
99-99-0	4-nitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
99-08-1	3-nitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA
78-11-5	PETN	✓	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

NA=Not Applicable

Comments:
① Sample is an EB,
*Stannous

⇒ All QC met. No data were qualified.

Sample	SMC % REC	SMC RT	Sample	SMC % REC	SMC RT
All Passed					

Confirmation

Sample	CAS #	RPD > 25%	Sample	CAS #	RPD > 25%
NA					

Solids-to-aqueous conversion:

mg/kg = µg/g : [(µg/g) x (sample mass (g) / sample vol. (ml)) x (1000 ml / 1 liter)] / Dilution Factor = µg/l

Reviewed By: [Signature] Date: 12/16/22

PCBs (SW 846 - Method 8082)

Site/Project: Non-ER Septic Systems AR/COC #: 602820/602817 Laboratory Sample IDs: 9909228-02, 06, 09, 14, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57

Laboratory: CEL Laboratory Report #: 9909228A/B

Methods: EPA 8082

of Samples: 19 Matrix: Soil Batch #s: 158065

CAS #	Name	T	C	Intercept	Calib. RSD/R ²	COV %D		Method Blanks	LCS	LCSD	RSD	20%	MS	MSD	MS	RSD	20%	Field Dup. RPD	Equip. Blanks	Field Blanks		
						<20%/0.99	20%															
12674-11-2	Aroclor-1016	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	
11104-28-2	Aroclor-1221	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
11141-16-5	Aroclor-1232	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
53469-21-9	Aroclor-1242	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
12672-29-6	Aroclor-1248	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
11097-69-1	Aroclor-1254	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
11096-82-5	Aroclor-1260	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA

NA = Not Applicable

Comments:
 ① Field dup. was submitted, All results ND,
 no RPDs calculated.

* Summary:
 Surrogates:

→ Sample -02 had a Surrogate %REC slightly < QC limits. All other QC criteria were met. Thus, no data were qualified.

Sample	SIMC % REC	SIMC RT	SIMC RT	SIMC % REC	SIMC RT
9909228-02	46.5 (46.8)	✓			

Confirmation

Sample	CAS #	RPD > 25%	Sample	CAS #	RPD > 25%
All Passed					

Reviewed By: [Signature] Date: 10/16/99

PCBs (SW 846 - Method 8082)

Site Project: Mn-ER Spitz Systems AR/COC #: 602817

Laboratory Sample IDs: 9909228-66

Laboratory: GEL Laboratory Report #: 9909228b

Methods: EPA 8082

of Samples: 1 Matrix: Aqueous Batch #: 158568

CAS #	Name	T C L	Intercept	Calib. RSD/R ²	CCV %D	Method Blanks	LCS	LCS RPD	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Field Blanks	NA=Not Applicable
12674-11-2	Aroclor-1016	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	
11104-28-2	Aroclor-1221	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	
11141-16-5	Aroclor-1232	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	
53469-21-9	Aroclor-1242	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	
12672-29-6	Aroclor-1248	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	
11097-69-1	Aroclor-1254	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	
11096-82-5	Aroclor-1260	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	

Sample	SMC % REC	SMC RT	Sample	SMC % REC	SMC RT
All					
Passed					

Confirmation

Sample	CAS #	RPD > 25%	Sample	CAS #	RPD > 25%
NA					

Comments:
 ① MS/MSD performed on a sample from a different SPG.
 ② Sample is an EB.
 *Summary
 Holding Time.
 → Sample was re-extracted out of holding due to low initial surrogate recoveries. All results were ND and will be qualified "UJ2."

Reviewed By: [Signature] Date: 10/16/97

Blanks:

- ⇒ Cd and As were detected in the ICB and/or CLB. The Cd result of sample -57 and the As result of -24 were positive, < 5x the blank concs, and will be qualified "J,B3."
- ⇒ Ag was detected in the CLB and method blank. The results of all samples were pos., < 5x the blank concs, and will be qualified "J,B,B3."
- ⇒ Hg was detected in the method blank. The assoc. results of samples -02, -06, -09, -12, -15, -18, -21, -27, -30, -33, -39, -42, -45, -48, -51, -54, and -57 were pos., < 5x the blank concs, and will be qualified "J,B."

LCS:

- ⇒ Cd, Ag, and Pb had LCS %RECs outside QC limits. However, the LCS D %RECs and RPDs met QC criteria. Thus, no data were qualified.

MS/MSD:

- ⇒ ba had an MS %REC ^{and an MSD RPD} > QC limits. All assoc. results were pos. and will be qualified "J,A,P1."

Inorganic Metals

Site/Project: Non-ED Septic System AR/COC #: 602817 Laboratory Sample IDs: 9909228-61

Laboratory: GEL Laboratory Report #: 9909228B

Methods: EPA 60105 (ICP metals), EPA 7470A (As) Matrix: Aqueous

Batch #: 158015 (ICP metals), 158086 (As)

GAS #/ Analyte	QC Element														Field Blanks		
	TAL	ICV	CCV	ICB	CCB	Method Blanks	LCS	LCSD RPD	MS	MSD	MSD RPD	Rep. RPD	ICS AB	Serial Dilu- tion		Field Dup. RPD	Equip. Blanks
7429-90-5 Al	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-39-3 Ba	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-41-7 Be	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-43-9 Cd	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-70-2 Ca	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-47-3 Cr	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-48-4 Co																	
7440-50-8 Cu																	
7439-89-6 Fe																	
7439-95-4 Mg																	
7439-96-5 Mn																	
7440-02-0 Ni																	
7440-09-7 K																	
7440-22-4 Pb	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-23-5 Na																	
7440-62-2 V																	
7440-66-6 Zn																	
7439-92-1 Pb	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-49-2 Se	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-38-2 As	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
7440-36-0 Sb																	
7440-28-0 Tl																	
7439-97-6 Hg	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
Cyanide CN																	

Notes: Shaded rows are RCRA metals. Solids-to-aqueous conversion: mg/kg = µg/g; [µg/g] x (sample mass (g) / sample vol. (ml)) x (1000 ml / 1 liter) / Dilution Factor = µg/l

Comments:
 ① MS and replicate performed on a sample from another SDG.
 ② Serial dilution " " " " " " " "
 ③ Sample is an EB.
 *Summary: Method blanks: → Ba detected @ values ~DL. No data qualified.
 → Hg " @ a negative value. Result was ND B-14
 and will be qualified "UJ763

Reviewed By: [Signature] Date: 12/16/97

NA = Not Applicable

General Chemistry

Site/Project: Non-ER Split System AR/COC #: 602820/602817 Laboratory Sample IDs: 9909228-02,-06,-09,-12,-15,-18,-21,-24,-27,-30
GEL Laboratory Report #: 9909228A/A " -33,-36,-39,-42,-45,-48,-51,-54,-57
 Methods: EPA 9012A (CN), EPA 7196A (C-6r) Batch #: 158110/158099 (CN), 158555/158556 (C-6r)
 # of Samples: 19 Matrix: Soil

CAS #	Analyte	QC Element													Field Blanks				
		TAL	ICV	CCV	ICB	CCB	Method Blanks	LCS	LCSD	LCSD RPD	MS	MSD	MSD RPD	Rep. RPD		ICS AB	Serial Dilution	Field Dup. RPD	Equip. Blanks
5955-70-0	CN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA	NA	NA	✓	NA
18540-29-9	Cr ⁶⁺	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	↓	✓	↓	↓	↓	↓	✓	↓

NA = Not Applicable

Comments:
 ① No FLS or serial dilution required for these methods.
 ② Field dup. submitted. All results at the RL, no RPDs calculated.
 ③ No FBS submitted on the COC.

Reviewed By: [Signature] Date: 12/16/19

General Chemistry

Laboratory Sample IDs: 9909228-64, -65

Site/Project: Non-ferrous Systems AR/COC #: 602877

Laboratory: GEI Laboratory Report #: 9909228B

Methods: EPA901A (CM), EPA7196A (Cr⁶⁺)

of Samples: 2 Matrix: Aqueous Batch #: 158008(CM), 157999(Cr⁶⁺)

CAS #	Analyte	QC Element																		
		TAL	ICV	CCV	ICB	CCB	Method Blanks	LCS	LCSD RPD	LCSD	MS	MSD	MSD RPD	Rep. RPD	ICP AB	Serial Dilution	Field Dup. RPD	Equip. Blanks	Field Blanks	
595-70-0	CN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	NA	NA	NA	NA	NA	NA	NA	NA
18540-29-9	Cr ⁶⁺	✓	↓	↓	↓	↓	✓	✓	✓	✓	✓	↓	↓	↓	↓	↓	↓	↓	↓	↓

Comments:
 ① Sample results ND; No AIDs calculated.
 ② No ICS or serial dilution required for these methods.
 ③ Samples are ELIS.

*Summary
 → All QC criteria met. No data were qualified.

NA=Not Applicable

Reviewed By: [Signature] Date: 12/16/99

Radiochemistry

Site Project: Non-ER Septic Systems AR/COC #: 602820/602817
 Laboratory Sample IDs: 9909228-03, 07, 10, 13, 16, 19, 22, 25, 28, 31,
" -34, 37, 40, 43, 46, 49, 52, 55, 58

Laboratory: GEL Laboratory Report #: 9909228A10
 Methods: EPA 900.0 (Gross alpha), HASL 300 (Gamma Spec)
 # of Samples: 19 Matrix: Soil

Batch #: 158646/158677 (Gross alpha), 158553 (HASL 300)

Analyte	QC Element												
	Method Blanks	LCS	MS	Rep RER	(P/L) Equip. Blanks	Field Dup. RER	Field Blanks	Sample ID	Isotope	IS/Trace	Sample ID	Isotope	IS/Trace
Criteria	U	20%	25%	<1.0	U	<1.0	U			50-105			50-105
H3													
U-238													
U-234													
U-235/236													
Th-232													
Th-228													
Th-230													
Pu-239/240													
Gross Alpha	1.54 / ✓	✓	✓	✓	✓	✓	NA						
Nonvolatile Beta	3.13 / ✓	✓	✓	✓	✓	✓	↓						
Ra-226													
Ra-28													
Ni-63													
Gamma Spec. Am-241	✓	✓	NA	1.9	✓	✓	NA						
Gamma Spec. Cs-137	0.0373	✓	✓	✓	✓	✓	✓						
Gamma Spec. Co-60	✓	✓	✓	✓	✓	✓	✓						
Ra-228 / Ra-226	106 / ✓	✓	✓	✓	✓	✓	✓						
Ac-228 / Pb-212	106 / 0.009	✓	✓	✓	✓	✓	✓						
Th-232 / U-235 / Pu-239 / 116	✓	✓	✓	✓	✓	✓	✓						

Comments:
 ① No FB Submitted on the COC.
 ② No tracers required for these methods.

*Summary → See back of this page.

NA = Not Applicable

Reviewed By: [Signature] Date: 12/16/88

Gamma spec. LCS contains: Am-241, Cs-137, and Co-60

Method Blank:

- ⇒ Cs-137 and U-235 were detected. The Cs-137 results of all samples, as well as the U-235 results of -03, -07, -10, -16, -37, -40, -49, -52, -55, -58, were $< 5\times$ the blank conc.s and will be qualified "J."
- ⇒ Gross Alpha/Beta, Ac-228, Pb-212, Ra-228, and Th-232 were also detected. However, the blank conc.s were $<$ the assoc. 2-sigma uncertainties. Thus, no data were qualified.

Replicate:

- ⇒ ~~Ra-226~~ ^{Am-241} had an RER > 1 but < 3 . The assoc. sample results will be qualified "J."

EG:

- ⇒ Ra-226 was detected. The blank conc. was $<$ the assoc. 2-sigma uncertainties. Thus, no data were qualified.

Negative Bias:

- ⇒ The Cs-134 results of samples -25, -31, -46, and -49 were ^{negative and} $<$ the assoc. negative MDAs. Thus, the results will be qualified "R."

Radiochemistry

Laboratory Sample IDs: 9909228-59, -60

Site/Project: Non-ER Septiz Systems AR/COC #: 6028

Laboratory: GEL Laboratory Report #: 9909228B

Methods: EPA 900.0 (Gross α/β), EPA 013 (Gamma Spec)

Batch #: 158539 (Gross α/β), 158575 (Gamma Spec)

of Samples: 2 Matrix: aqueous

Analyte	QC Element												
	Method Blanks	LCS	MS	Rep RER	Equip. Blanks	Field Dup. RER	Field Blanks	Sample ID	Isotope	IS/Trace	Sample ID	Isotope	IS/Trace
Criteria	U	20%	25%	<1.0	U	<1.0	U	NA	50-105		NA	50-105	
H3													
U-238													
U-234													
U-235/236													
Th-232													
Th-228													
Th-230													
Pu-239/240													
Gross Alpha	✓	✓	✓	✓	NA	NA	NA						
Nonvolatile Beta	✓	✓	✓	✓	↓	NA	↓						
Ra-226													
Ra-28													
Ni-63													
Gamma Spec. Am-241	✓	✓	✓	✓	NA	NA	NA						
Gamma Spec. Cs-137	✓	✓	✓	✓									
Gamma Spec. Co-60	✓	✓	✓	✓									
PL-210	4.91	✓	✓	✓	✓	✓	✓						
Th-232	4.93	✓	✓	✓	✓	✓	✓						
Zr-95	✓	✓	✓	1.3	✓	✓	✓						

Parameter	Method	Typical Tracer	Typical Carrier
Iso-U	Alpha spec.	U-232	NA
Iso-Pu	Alpha spec.	Pu-242	NA
Iso-Th	Alpha spec.	Th-229	NA
Am-241	Alpha spec.	Am-242	NA
Sr-90	Beta	Y ingrowth	NA
Ni-63	Beta	NA	Ni by ICP
Ra-226	Decamination	NA	NA
Ra-226	Alpha spec.	Ba-133 or Ra-225	NA
Ra-228	Gamma spec.	Ba-133	NA

Gamma spec. LCS contains: Am-241, Cs-137, and Co-60

Comments:

- ① Samples on EBS.
- ② No tracers required for these methods.

X Summary:

Method Blank:

→ Pl-210 and Th-232 were detected in the method blank. Results < 5X and will be qualified "J, B".
 Replicate:
 → Zr-95 had an RER > 1 but < 3. Result will be qualified "J";

NA = Not Applicable

Reviewed By: [Signature]

Date: 12/18/89

Contract Verification Review (CVR)

Project Leader ROYBAL Project Name NON-ER SEPTIC SYSTEMS Case No. 7223.230
 AR/COC No. 602817 & 602820 Analytical Lab GEL SDG No. 9909228A & B

In the tables below, mark any information that is missing or incorrect and give an explanation.

1.0 Analysis Request and Chain of Custody Record and Log-In Information

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
1.1	All items on COC complete - data entry clerk initialed and dated	X		SNL SAMPLE #050110-005 DESIGNATED AS SOIL ON COC		X
1.2	Container type(s) correct for analyses requested	X				
1.3	Sample volume adequate for # and types of analyses requested	X				
1.4	Preservative correct for analyses requested	X				
1.5	Custody records continuous and complete	X				
1.6	Lab sample number(s) provided and SNL sample number(s) cross referenced and correct	X				
1.7	Date samples received	X				
1.8	Condition upon receipt information provided	X				

2.0 Analytical Laboratory Report

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
2.1	Data reviewed, signature	X				
2.2	Method reference number(s) complete and correct	X				
2.3	QC analysis and acceptance limits provided (MB, LCS, Replicate)	X				
2.4	Matrix spike/matrix spike duplicate data provided (if requested)	X				
2.5	Detection limits provided; PQL and MDL (or IDL), MDA and L _c	X				
2.6	QC batch numbers provided	X				
2.7	Dilution factors provided and all dilution levels reported	X				
2.8	Data reported in appropriate units and using correct significant figures	X				
2.9	Radiochemistry analysis uncertainty (2 sigma error) and tracer recovery (if applicable) reported	X				
2.10	Narrative provided	X				
2.11	TAT met	X				
2.12	Hold times met	X		PCB EQUIPMENT BLANK RE-EXTRACTED OUT OF HOLDING TIME DUE TO LOW SURROGATE RECOVERY		X
2.13	Contractual qualifiers provided	X				
2.14	All requested result and TIC (if requested) data provided	X				

Contract Verification Review (Continued)

3.0 Data Quality Evaluation

Item	Yes	No	If no, Sample ID No./Fraction(s) and Analysis
3.1 Are reporting units appropriate for the matrix and meet contract specified or project-specific requirements? Inorganics and metals reported as ppm (mg/liter or mg/Kg)? Tritium reported in picocuries per liter with percent moisture for soil samples? Units consistent between QC samples and sample data	X		
3.2 Quantitation limit met for all samples	X		
3.3 Accuracy		X	RECOVERY FOR CADMIUM, LEAD & SILVER OUTSIDE QC LIMITS
a) Laboratory control samples accuracy reported and met for all samples			
b) Surrogate data reported and met for all organic samples analyzed by a gas chromatography technique	X		
c) Matrix spike recovery data reported and met		X	BARIUM OUTSIDE RECOVERY LIMITS FOR SAMPLE #9909228-45MS
3.4 Precision		X	RPD FOR MERCURY ABOVE QC ACCEPTANCE LIMITS FOR SAMPLE DUPLICATE RPD FOR Cr 6 + DUPLICATE ABOVE QC ACCEPTANCE LIMITS RPD FOR GROSS ALPHA SAMPLE REPLICATE HIGH
a) Replicate sample precision reported and met for all inorganic and radiochemistry samples			
b) Matrix spike duplicate RPD data reported and met for all organic samples		X	RPD FOR 4-NITROPHENOL ABOVE QC ACCEPTANCE LIMITS FOR SAMPLE #9909228-45MS/MSD
3.5 Blank data	X		
a) Method or reagent blank data reported and met for all samples	X		
b) Sampling blank (e.g., field, trip, and equipment) data reported and met	X		
3.6 Contractual qualifiers provided: "J"- estimated quantity; "B"-analyte found in method blank above the MDL for organic or above the PQL for inorganic; "U"- analyte undetected (results are below the MDL, IDL, or MDA (radiochemical)); "H"-analysis done beyond the holding time	X		
3.7 Narrative addresses planchet flaming for gross alpha/beta	X		
3.8 Narrative included, correct, and complete	X		
3.9 Second column confirmation data provided for methods 8330 (high explosives) and pesticides/PCBs	X		

Contract Verification Review (Continued)

4.0 Calibration and Validation Documentation

Item	Yes	No	Comments
4.1 GC/MS (8260, 8270, etc.)			
a) 12-hour tune check provided	X		
b) Initial calibration provided	X		
c) Continuing calibration provided	X		
d) Internal standard performance data provided	X		
e) Instrument run logs provided	X		
4.2 GC/HPLC (8330 and 8010 and 8082)			
a) Initial calibration provided	X		
b) Continuing calibration provided	X		
c) Instrument run logs provided	X		
4.3 Inorganics (metals)			
a) Initial calibration provided	X		
b) Continuing calibration provided	X		
c) ICP interference check sample data provided	X		
d) ICP serial dilution provided	X		
e) Instrument run logs provided	X		
4.4 Radiochemistry			
a) Instrument run logs provided	X		

Contract Verification Review (Concluded)

5.0 Problem Resolution

Summarize the findings in the table below. List only samples/fractions for which deficiencies have been noted.

Sample/Fraction No.	Analysis	Problems/Comments/Resolutions

Were deficiencies unresolved? Yes No

Based on the review, this data package is complete. Yes No

If no, provide: nonconformance report or correction request number _____ and date correction request was submitted: _____

Reviewed by: W. Palencia Date: 10-25-99 Closed by: _____ Date: _____





RECORDS CENTER CODE: _____

SMO ANALYTICAL DATA ROUTING FORM

PROJECT NAME: DSS-NFA PROJECT/TASK: 7223.02.02.01
 SNL TASK LEADER: SANDERS ORG/MS/CF0#: 6146/1089/CF0#023-05
 SMO PROJECT LEAD: _____ SAMPLE SHIP DATE: 4/19/2005

ARCOC	LAB	LAB ID	PRELIM DATE	FINAL DATE	EDD			
					EDD	ON Q	Cust CD	RC CD
608532	GEL	134751		5/11/2005	X	X		

DATA PACKAGE TAT:	<input type="checkbox"/>	RUSH	<input checked="" type="checkbox"/>	NORMAL
CORRECTIONS REQUESTED BY/DATE:				
PROBLEM #/DATE CORRECTION RECEIVED:	<input type="checkbox"/>			
CVR COMPLETED BY/DATE:	L. Herrera	05-10-05		
FINAL TRANSMITTED TO/DATE:	M. Sanders	05-12-05		
SENT TO VALIDATION BY/DATE:	R. Katsavage	05-12-05		
REVISIONS REQUESTED/REVISIONS RECEIVED (DATE):	<input type="checkbox"/>			
<i>1/4 5/24/05</i> VALIDATION COMPLETED BY/DATE:	D. Schwent	05-20-05		
COPY TO WM BY/DATE:				
CD REQUESTED BY/DATE	WM	5/23/05		
CD RECEIVED BY/DATE				
TO (ERDMS) OR RECORDS CENTER BY/DATE:	R. Katsavage	05-24-05		

COMMENTS: _____



Sample Findings Summary

Organic

AR/COC: 608532

Site: DSS - NFA

Sample ID	Method/CAS Number (Analysis/Analyte)									
	VOCs (EPA8260B):	108-05-4 (Vinyl acetate)								
068324-001 9981A-BH1-8-S	UJ,A2									
068325-001 9981A-BH1-13-S	UJ,A2									
068326-001 9981A-BH2-8-S	UJ,A2									
068327-001 9981A-BH2-13.5-S	UJ,A2									
068353-001 9981A-BH3-8-S	UJ,A2									
068354-001 9981A-BH3-13-S	UJ,A2									
068328-001 9982-DW1-BH1-11-S	UJ,A2									
068332-001 9982-DW1-BH1-11-DU	UJ,A2									
068329-001 9982-DW1-BH1-16-S	UJ,A2									
068330-001 9982-DW1-BH2-11-S	UJ,A2									
068331-001 9982-DW1-BH1-16-S	UJ,A2									
068348-001 9938-SP1-BH1-9.5-S	UJ,A2									
068349-001 9938-SP1-BH1-9.5-DU	UJ,A2									
068350-001 9938-SP1-BH2-9.5-S	UJ,A2									
068351-001 9938-SP1-BH3-9.5-S	UJ,A2									

Date: 05/20/05


David Schwent

Mr. David Schwent

Validated By:



Analytical Quality Associates, Inc.



616 Maxine NE
Albuquerque, NM 87123
Phone: 505-299-5201
Fax: 505-299-6744
Email: minteer@aol.com

Memorandum

Date: May 20, 2005
To: File
From: David Schwent
Subject: Organic Data Review and Validation - SNL
Site: DSS - NFA
AR/COC: 608532
SDG: 134751/134759
Laboratory: GEL
Project/Task No. 7223.02.02.01

See the attached Data Validation Worksheets for supporting documentation on the data review and validation. This validation was performed according to SNL/NM ER Project AOP 00-03 Rev 1.

Summary

All samples were prepared and analyzed with approved procedures using method EPA8260B (VOCs). Problems were identified with the data package that result in the qualification of data.

VOC Analysis:

PS/PSD: The PS percent recovery (%R) (23%) and PSD %R (31%) of vinyl acetate were < QC acceptance criteria but >10%. All associated results of Samples 134751-001 thru -015 were non-detects (NDs) and will be qualified "UJ,A2."

Data are acceptable. QC measures appear to be adequate. The following sections discuss the data review and validation.

Holding Times/Preservation

VOC Analysis: All samples were analyzed within the prescribed holding times and properly preserved.

Calibration

VOC Analysis: All initial and continuing calibration QC acceptance criteria were met, except the following. The CCV %D of bromoform was >20% but <40%. However, all associated sample results were NDs and will not be qualified.

Blanks

VOC Analysis: No target analytes were detected in the blanks.

Internal Standards (ISs)

VOC Analysis: All IS area and RT QC acceptance criteria were met.

Surrogates

VOC Analysis: All surrogate recovery and retention time QC acceptance criteria were met.

Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

VOC Analysis: All LCS QC acceptance criteria were met. No LCSD analyses were performed. The MSD analysis was used as a measure of laboratory precision. No sample data will be qualified as a result.

Matrix Spike/Matrix Spike Duplicate (MS/MSD)

VOC Analysis: All MS/MSD (PS/PSD) QC acceptance criteria were met, except as noted above in the summary section. It should be noted that no MS/MSD analyses were performed for the aqueous equipment blank (EB) and trip blank (TB) samples. No sample data will be qualified as a result.

Target Compound Identification/Confirmation

VOC Analysis: No confirmation analyses were required for this method.

Detection Limits/Dilutions

VOC Analysis: All detection limits were reported correctly. No samples required dilution.

Other QC

VOC Analysis: All field duplicate (FD) relative percent differences (RPDs) were <35% (soil matrix). No specific QC acceptance criteria are in place for the evaluation of FDs. No field blanks (FBs) were submitted on the ARCOG.

No other specific issues were identified which affect data quality.

Data Validation Summary

Site/Project: SNL/OSS-NFA Project/Task #: 733.02.02.01 # of Samples: 17 Matrix: Soil
 AR/COC #: 608532 Laboratory Sample IDs: 134751-001 thru-015
 Laboratory: G-EL 134759-001 and -002 [ES and TB]
 SDG #: 134751 / 134759

QC Element	Analysis												
	Organics					Inorganics					RAD	Other	
	VOC	SVOC	Pesticide/ PCB	HPLC (HE)	ICP/AES	GFAA/ AA	CVAA (Hg)	CN					
1. Holding Times/Preservation	✓												
2. Calibrations													
3. Method Blanks													
4. MS/MSD	MS, PL												
5. Laboratory Control Samples	✓												
6. Replicates													
7. Surrogates													
8. Internal Standards													
9. TCL Compound Identification													
10. ICP Interference Check Sample													
11. ICP Serial Dilution													
12. Carrier/Chemical Tracer Recoveries													
13. Other QC	NA												

J = Estimated Check (✓) = Acceptable
 U = Not Detected Shaded Cells = Not Applicable (also "NA")
 UJ = Not Detected, Estimated NP = Not Provided
 R = Unusable Other:

Reviewed By: David Schmitt Date: 5-19-05



Volatile Organics (SW 846 Method 8260)

Matrix: Soil / as

Site/Project: SLY/OSS-NFA AR/COC #: 6028532 # of Samples: 17
 Laboratory: UEL SDG #: 134751/134759 Laboratory Sample IDs: 134751-001 thru -015, 134759-001 and -011
 Methods: EPA 8260A (vec) Batch #: 419735 (soil) / 419499 (Aqueous)

IS	CAS #	Name	T C L	Min. RF	Intercept	Calib. RF	Calib. R ²	CCV %D	Method Blks	LCS	LCS RPD	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Trip Blanks	F
1	71-55-6	1,1,1-trichloroethane	✓	0.10	NA	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	79-34-5	1,1,2,2-tetrachloroethane	✓	0.30	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	79-00-5	1,1,2-trichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	75-34-3	1,1-dichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	75-35-4	1,1-dichloroethane	✓	0.20	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	107-06-2	1,2-dichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	540-59-0	1,2-dichloroethane (total)	✓	0.01	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	78-87-5	1,2-dichloropropane	✓	0.01	NA	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	78-93-3	2-butanone (MEK) (10:tblk)	✓	0.01	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	110-75-8	2-chloroethyl vinyl ether	✓	0.01	NA	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	591-78-6	2-hexanone (MIBK)	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	108-10-1	4-methyl-2-pentanone (MIBK)	✓	0.01	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	67-64-1	acetone (10:tblk)	✓	0.50	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	71-43-2	benzene	✓	0.20	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	75-27-4	bromodichloromethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
3	75-25-2	bromoform	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	74-83-9	bromomethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	75-15-0	carbon disulfide	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	56-23-5	carbon tetrachloride	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	108-90-7	chlorobenzene	✓	0.50	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	75-00-3	chloroethane	✓	0.01	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	67-66-3	chloroform	✓	0.20	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	74-87-3	chloromethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	10061-01-5	cis-1,3-dichloropropene	✓	0.20	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	124-48-1	dibromochloromethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	100-41-4	ethylbenzene	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	75-09-2	methylcyclohexane (10:tblk)	✓	0.01	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	100-42-5	styrene	✓	0.30	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	127-18-4	tetrachloroethene	✓	0.20	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	108-88-3	toluene (10:tblk)	✓	0.40	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	10061-02-6	trans-1,3-dichloropropene	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	79-01-6	trichloroethene	✓	0.30	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	75-01-4	vinyl chloride	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
2	1330-20-7	xylenes (total)	✓	0.30	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	108-85-4	Vinyl acetate	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	56-54-1	1,1,2-dichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓
1	75-00-3	1,1,2-dichloroethane	✓	0.10	✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓

Reviewed By: David J. Chiswick Date: 5-19-05

* only apply to Soil matrix samples (174751-001 thru -015)

Volatile Organics

Site/Project: _____ AR/COC #: 608532 Batch #: 419735 Matrix: _____
 Laboratory: _____ SDG #: _____ # of Samples: _____

Surrogate Recovery and Internal Standard Outliers (SW 846 Method 8260)

Sample	SMC 1	SMC 2	SMC 3	IS 1 area	IS 1 RT	IS 2 area	IS 2 RT	IS 3 area	IS 3 RT

No Outliers

Comments:
 SMC 1: Bromofluorobenzene
 SMC 2: Dibromofluoromethane
 SMC 3: Toluene-d8
 IS 1: Fluorobenzene
 IS 2: Chlorobenzene-d5
 IS 3: 1,4-Dichlorobenzene-d4

Contract Verification Review (CVR)

Project Leader Sanders Project Name DSS NFA Case No. 7223_02.02.01
 AR/COC No. 608532 Analytical Lab GEL SD# No. 134751

In the tables below, mark any information that is missing or incorrect and give an explanation.

1.0 Analysis Request and Chain of Custody Record and Log-In Information

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
1.1	All items on COC complete - data entry clerk initialed and dated	X				
1.2	Container type(s) correct for analyses requested	X				
1.3	Sample volume adequate for # and types of analyses requested	X				
1.4	Preservative correct for analyses requested	X				
1.5	Custody records continuous and complete	X				
1.6	Lab sample number(s) provided and SNL sample number(s) cross referenced and correct	X				
1.7	Date samples received	X				
1.8	Condition upon receipt information provided	X				

2.0 Analytical Laboratory Report

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
2.1	Data reviewed, signature	X				
2.2	Method reference number(s) complete and correct	X				
2.3	QC analysis and acceptance limits provided (MB, LCS, Replicate)	X				
2.4	Matrix spike/matrix duplicate data provided (if requested)	X				
2.5	Detection limits provided: PQL and MDL (or IDL), MDA and L _c	X				
2.6	QC batch numbers provided	X				
2.7	Dilution factors provided and all dilution levels reported	X				
2.8	Data reported in appropriate units and using correct significant figures	X				
2.9	Radiochemistry analysis uncertainty (2 sigma error) and tracer recovery (if applicable) reported	N/A				
2.10	Narrative provided	X				
2.11	TAT met	X				
2.12	Hold times met	X				
2.13	Contractual qualifiers provided	X				
2.14	All requested result and TIC (if requested) data provided	X				

Contract Verification Review (Continued)

3.0 Data Quality Evaluation

Item	Yes	No	If no, Sample ID No./Fraction(s) and Analysis
3.1 Are reporting units appropriate for the matrix and meet contract specified or project-specific requirements? Inorganics and metals reported as ppm (mg/liter or mg/kg)? Tritium reported in picocuries per liter with percent moisture for soil samples? Units consistent between QC samples and sample data	X		
3.2 Quantitation limit met for all samples	X		
3.3 Accuracy	X		
a) Laboratory control samples accuracy reported and met for all samples	X		
b) Surrogate data reported and met for all organic samples analyzed by a gas chromatography technique	X		
c) Matrix spike recovery data reported and met	X		PS recovery failed low for Vinyl Acetate (Analytical Batch No. 419735, solid samples)
3.4 Precision	N/A		
a) Replicate sample precision reported and met for all inorganic and radiochemistry samples	X		
b) Matrix spike duplicate RPD data reported and met for all organic samples	X		
3.5 Blank data	X		
a) Method or reagent blank data reported and met for all samples	X		
b) Sampling blank (e.g., field, trip, and equipment) data reported and met	X		
3.6 Contractual qualifiers provided: "J" - estimated quantity; "B" - analyte found in method blank above the MDL for organic or above the PQL for inorganic; "U" - analyte undetected (results are below the MDL, IDL, or MDA (radiochemical)); "H" - analysis done beyond the holding time	X		
3.7 Narrative addresses planelt flaming for gross alpha/beta	N/A		
3.8 Narrative included, correct, and complete	X		
3.9 Second column confirmation data provided for methods 8330 (high explosives) and 8082 (pesticides/PCBs)	N/A		

Contract Verification Review (Continued)

4.0 Calibration and Validation Documentation	Item	Yes	No	Comments
4.1 GC/MS (8260, 8270, etc.)	a) 12-hour tune check provided	X		
	b) Initial calibration provided	X		
	c) Continuing calibration provided	X		
	d) Internal standard performance data provided	X		
	e) Instrument run logs provided	X		
4.2 GC/HPLC (8330 and 8010 and 8082)	a) Initial calibration provided	N/A		
	b) Continuing calibration provided	N/A		
	c) Instrument run logs provided	N/A		
4.3 Inorganics (metals)	a) Initial calibration provided	N/A		
	b) Continuing calibration provided	N/A		
	c) ICP interference check sample data provided	N/A		
	d) ICP serial dilution provided	N/A		
	e) Instrument run logs provided	N/A		
4.4 Radiochemistry	a) Instrument run logs provided	N/A		

CONTRACT LABORATORY ANALYSIS REQUEST AND CHAIN OF CUSTODY

Batch No. 6146/1089		Date Samples Shipped: 11/11/05		Project/Task No.: T223_02_02D1		AR/COC		608532							
Dept. No./Mail Stop: Mike Sanders		Carrier/Waybill No. 127077		SMO Authorization: [Signature]		<input type="checkbox"/> Waste Characterization -Send preliminary/copy report to:									
Project Name: DSS ADD		Lab Contact: Edie Kent(843)769-7385		Contract #: PO-21671		<input type="checkbox"/> Released by COC No.: <input checked="" type="checkbox"/> Validation Required									
Record Center Code:		Lab Destination: GEL		SMO Contact/Phone: Pam Puissant(505)844-3185		Bill To: Sandia National Labs (Accounts Payable) P.O. Box 5800 MS 0154 Albuquerque, NM 87185-0154									
Service Order No. CFO2-05		Send Report to SMO: Wendy Palencia(505) 844-3132		Reference LOV(available at SMO) 13475-1											
Location		Tech Area													
Building		Room													
Sample No.-Fraction	ER Sample ID or Sample Location Detail	Pump Depth (ft)	ER Site No.	Date/Time Collected	Sample Matrix	Container Type	Volume	Preservative	Collection Method	Sample Type	Parameter & Method Requested	Lab Sample ID			
✓ 068324-001	9981A-BH1-8-S	8ft	1116	041305/1534	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068325-001	9981A-BH1-13-S	13ft	1116	041305/1450	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068326-001	9981A-BH2-8-S	8ft	1116	041305/1607	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068327-001	9981A-BH2-13.5-S	13.5ft	1116	041305/1625	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068353-001	9981A-BH3-8-S	8ft	1116	041405/1405	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068354-001	9981A-BH3-13-S	13ft	1116	041405/1420	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068328-001	9982-DW1-BH1-11-S	11ft	1117	041405/1620	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068332-001	9982-DW1-BH1-11-DU	11ft	1117	041405/1620	S	BAS	125 ml	4C	G	DU	VOCs				
✓ 068329-001	9982-DW1-BH1-16-S	16ft	1117	041405/1635	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068330-001	9982-DW1-BH2-11-S	11ft	1117	041805/1153	S	BAS	125 ml	4C	G	SA	VOCs				
✓ 068331-001	9982-DW1-BH1-16-S	16ft	1117	041805/1219	S	BAS	125 ml	4C	G	SA	VOCs				
RMMA		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Ref. No.											
Sample Disposal		<input type="checkbox"/> Return to Client		<input checked="" type="checkbox"/> Disposal by lab											
Turnaround Time		<input type="checkbox"/> 7 Day		<input type="checkbox"/> 15 Day		<input checked="" type="checkbox"/> 30 Day									
Return Samples By:		<input type="checkbox"/> Negotiated TAT		QC Inits. WR		*Send report to:									
Sample Team Members		Name		Signature		Init		Company/Organization/Phone/Cellular		Abnormal Conditions on Receipt					
		William Gibson		<i>[Signature]</i>		WR		Weston/6146/284-5232/239-7367		Mike Sanders/MS 1089/Org.6146/505-284-2547 Lab Use					
		Gilbert Quintana		<i>[Signature]</i>		GQ		Shaw/6146/284-3309/238-9417							
		Robert Lynch		<i>[Signature]</i>		RL		Weston/6146/250-7090							
1. Relinquished by		Org.		Date		Time		4. Relinquished by		Org.		Date		Time	
1. Received by		Org.		Date		Time		4. Received by		Org.		Date		Time	
2. Relinquished by		Org.		Date		Time		5. Relinquished by		Org.		Date		Time	
2. Received by		Org.		Date		Time		5. Received by		Org.		Date		Time	
3. Relinquished by		Org.		Date		Time		6. Relinquished by		Org.		Date		Time	
3. Received by		Org.		Date		Time		6. Received by		Org.		Date		Time	

*Please list as separate report.



**ANNEX B
DSS Site 1117
Risk Assessment**

TABLE OF CONTENTS

I.	Site Description and History	B-1
II.	Data Quality Objectives	B-1
III.	Determination of Nature, Rate, and Extent of Contamination	B-5
	III.1 Introduction	B-5
	III.2 Nature of Contamination	B-5
	III.3 Rate of Contaminant Migration	B-5
	III.4 Extent of Contamination	B-5
IV.	Comparison of COCs to Background Levels	B-6
V.	Fate and Transport	B-6
VI.	Human Health Risk Assessment	B-9
	VI.1 Introduction	B-9
	VI.2 Step 1. Site Data	B-10
	VI.3 Step 2. Pathway Identification	B-10
	VI.4 Step 3. Background Screening Procedure	B-10
	VI.4.1 Methodology	B-13
	VI.4.2 Results	B-13
	VI.5 Step 4. Identification of Toxicological Parameters	B-13
	VI.6 Step 5. Exposure Assessment and Risk Characterization	B-15
	VI.6.1 Exposure Assessment	B-15
	VI.6.2 Risk Characterization	B-16
	VI.7 Step 6. Comparison of Risk Values to Numerical Guidelines	B-18
	VI.8 Step 7. Uncertainty Discussion	B-18
	VI.9 Summary	B-19
VII.	Ecological Risk Assessment	B-21
	VII.1 Introduction	B-21
	VII.2 Scoping Assessment	B-21
	VII.2.1 Data Assessment	B-21
	VII.2.2 Bioaccumulation	B-21
	VII.2.3 Fate and Transport Potential	B-21
	VII.2.4 Scoping Risk-Management Decision	B-22
VIII.	References	B-22
	Appendix 1	B-27

This page intentionally left blank.

LIST OF TABLES

Table	Page
1	Summary of Sampling Performed to Meet Data Quality Objectives B-2
2	Number of Confirmatory Soil and QA/QC Samples Collected from DSS Site 1117 B-3
3	Summary of Data Quality Requirements for DSS Site 1117 B-4
4	Nonradiological COCs for Human Health Risk Assessment at DSS Site 1117 with Comparison to the Associated SNL/NM Background Screening Value, BCF, and Log K_{ow} B-7
5	Radiological COCs for Human Health Risk Assessment at DSS Site 1117 with Comparison to the Associated SNL/NM Background Screening Value and BCF B-8
6	Summary of Fate and Transport at DSS Site 1117 B-9
7	Toxicological Parameter Values for DSS Site 1117 Nonradiological COCs ... B-14
8	Radiological Toxicological Parameter Values for DSS Site 1117 COCs Obtained from RESRAD Risk Coefficients B-15
9	Risk Assessment Values for DSS Site 1117 Nonradiological COCs B-17
10	Risk Assessment Values for DSS Site 1117 Nonradiological Background Constituents B-17
11	Summation of Incremental Nonradiological and Radiological Risks from DSS Site 1117, Building 9982 Drywell (Solar Tower Complex) Carcinogens B-20

LIST OF FIGURES

Figure	Page
1	Conceptual Site Model Flow Diagram for DSS Site 1117, Building 9982 Drywell (Solar Tower Complex) B-11

This page intentionally left blank.

DSS SITE 1117: RISK ASSESSMENT REPORT

I. Site Description and History

Drain and Septic Systems (DSS) Site 1117, the Building 9982 Drywell (Solar Tower Complex) at Sandia National Laboratories/New Mexico (SNL/NM), is located on federally owned land controlled by Kirtland Air Force Base (KAFB) and permitted to the U.S. Department of Energy (DOE). The abandoned drywell consisted of a gravel-filled hole approximately 4 feet in diameter and 11 feet deep. Available information indicates that Building 9982 was constructed in 1980 (SNL/NM March 2003), and it is assumed that the drywell was also constructed at that time. A site inspection in August 1999 showed that the Building 9982 floor drains that discharged to the drywell had been plugged with concrete, so the drywell has been effectively abandoned in place.

Environmental concern about DSS Site 1117 is based upon the potential for the release of constituents of concern (COCs) in effluent discharged to the environment via the drywell at this site. Because operational records were not available, the investigation was planned to be consistent with other DSS site investigations and to sample for possible COCs that may have been released during facility operations.

The ground surface in the vicinity of the site is flat or slopes slightly to the west. The closest drainage lies north of the site and terminates in a playa just west of KAFB. No springs or perennial surface-water bodies are located within 1.8 miles of the site. Average annual rainfall in the SNL/NM and KAFB area, as measured at Albuquerque International Sunport, is 8.1 inches (NOAA 1990). Surface-water runoff in the vicinity of the site is minor because the surface is nearly flat. Infiltration of precipitation is almost nonexistent as virtually all of the moisture subsequently undergoes evapotranspiration. The estimates of evapotranspiration for the KAFB area range from 95 to 99 percent of the annual rainfall (SNL/NM March 1996). Most of the area immediately surrounding DSS Site 1117 is unpaved with some native vegetation, and no storm sewers are used to direct surface water away from the site.

DSS Site 1117 lies at an average elevation of approximately 5,579 feet above mean sea level (SNL/NM April 2003). The groundwater beneath the site occurs in unconfined conditions in essentially unconsolidated silts, sands, and gravels. The depth to groundwater is approximately 150 feet below ground surface (bgs). Groundwater flow is thought to be to the west in this area (SNL/NM April 2004). The nearest groundwater monitoring well is approximately 3,700 feet southeast of the site. The nearest production wells are northwest of the site and include KAFB-4 and KAFB-11, which are approximately 5.5 and 5.2 miles away, respectively.

II. Data Quality Objectives

The Data Quality Objectives (DQOs) presented in the "Sampling and Analysis Plan [SAP] for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico" (SNL/NM October 1999) and "Field Implementation Plan [FIP], Characterization of Non-Environmental Restoration Drain and Septic Systems" (SNL/NM November 2001), identified the site-specific sample locations, sample depths, sampling procedures, and analytical requirements for this and many

other DSS sites. The DQOs outlined the quality assurance (QA)/quality control (QC) requirements necessary for producing defensible analytical data suitable for risk assessment purposes. The sampling conducted at this site was designed to:

- Determine whether hazardous waste or hazardous constituents were released at the site.
- Characterize the nature and extent of any releases.
- Provide analytical data of sufficient quality to support risk assessments.

Table 1 summarizes the rationale for determining the sampling locations at this site. The source of potential COCs at DSS Site 1117 was effluent discharged to the environment from the drywell at this site.

Table 1
Summary of Sampling Performed to Meet Data Quality Objectives

DSS Site 1117 Sampling Area	Potential COC Source	Number of Sampling Locations	Sample Density (samples/acre)	Sampling Location Rationale
Soil beneath the drywell	Effluent discharged to the environment from the drywell	3	NA	Evaluate potential COC releases to the environment from effluent discharged from the drywell

COC = Constituents of concern.
DSS = Drain and Septic Systems.
NA = Not applicable.

Using a Geoprobe™, the soil samples were collected from two 3- or 4-foot-long sampling intervals at three borehole locations at DSS Site 1117. Sampling intervals started at 11 and 16 feet bgs in the August 1999 and April 2005 borehole drilled through the center of, and beneath, the drywell and at 11 and 16 feet bgs in the two boreholes drilled adjacent to the drywell in April 2005. The soil samples were collected in accordance with the procedures described in the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001). Table 2 summarizes the types of confirmatory and QA/QC samples collected at the site and lists the laboratory that performed the analyses.

The soil samples were analyzed for volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), high explosive (HE) compounds, polychlorinated biphenyls (PCBs), Resource Conservation and Recovery Act (RCRA) metals, hexavalent chromium, cyanide, radionuclides, and gross alpha/beta activity. The samples were analyzed by an off-site laboratory (General Engineering Laboratories, Inc.). Table 3 summarizes the analytical methods and the data quality requirements from the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001).

Table 2
Number of Confirmatory Soil and QA/QC Samples Collected from DSS Site 1117

Sample Type	VOCs	SVOCs	PCBs	HE	RCRA Metals	Hexavalent Chromium	Cyanide	Gamma Spectroscopy Radionuclides	Gross Alpha/Beta
Confirmatory	4	2	2	2	2	2	2	2	2
Duplicates	1	1	1	1	1	1	1	1	1
EBs and TBs ^a	1	0	0	0	0	0	0	0	0
Total Samples	6	3	3	3	3	3	3	3	3
Analytical Laboratory	GEL	GEL	GEL	GEL	GEL	GEL	GEL	GEL	GEL

^aTBs for VOCs only.

DSS = Drain and Septic Systems.

EB = Equipment blank.

GEL = General Engineering Laboratories, Inc.

HE = High explosive(s).

PCB = Polychlorinated biphenyl.

QA/QC = Quality assurance/quality control.

RCRA = Resource Conservation and Recovery Act.

SVOC = Semivolatile organic compound.

TB = Trip blank.

VOC = Volatile organic compound.

Table 3
Summary of Data Quality Requirements for DSS Site 1117

Analytical Method^a	Data Quality Level	GEL
VOCs EPA Method 8260	Defensible	4
SVOCs EPA Method 8270	Defensible	2
PCBs EPA Method 8082	Defensible	2
HE Compounds EPA Method 8330	Defensible	2
RCRA Metals EPA Method 6000/7000	Defensible	2
Hexavalent Chromium EPA Method 7196A	Defensible	2
Total Cyanide EPA Method 9012A	Defensible	2
Gamma Spectroscopy Radionuclides HASL-300 ^b	Defensible	2
Gross Alpha/Beta Activity EPA Method 900.0	Defensible	2

Note: The number of samples does not include QA/QC samples such as duplicates, trip blanks, and equipment blanks.

^aEPA Methods from EPA (November 1986).

^bHASL/EML 1957.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

GEL = General Engineering Laboratories, Inc.

HASL/EML = Health and Safety Laboratory/Environmental Measurements Laboratory.

HE = High explosive(s).

PCB = Polychlorinated biphenyl.

QA/QC = Quality assurance/quality control.

RCRA = Resource Conservation and Recovery Act.

SVOC = Semivolatile organic compound.

VOC = Volatile organic compound.

QA/QC samples were collected during the sampling effort according to the Environmental Restoration (ER) Project Quality Assurance Project Plan. The QA/QC samples consisted of one trip blank (for VOCs only) and one field duplicate. No significant QA/QC problems were identified in the QA/QC samples.

All of the soil sample results were verified/validated by SNL/NM according to "Verification and Validation of Chemical and Radiochemical Data," Technical Operating Procedure (TOP) 94-03, Rev. 0 (SNL/NM July 1994), SNL/NM ER Project "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03 (SNL/NM December 1999), or "Data Validation Procedure for Chemical and Radiochemical Data," AOP 00-03, Rev. 01 (SNL/NM December 2003). The data validation reports are presented in the associated DSS Site 1117 request for a determination of Corrective Action Complete (CAC) without controls. The reviews confirmed that the analytical data are defensible and therefore

acceptable for use in the request for a determination of CAC without controls. Therefore, the DQOs have been fulfilled.

III. Determination of Nature, Rate, and Extent of Contamination

III.1 Introduction

The determination of the nature, migration rate, and extent of contamination at DSS Site 1117 is based upon an initial conceptual model validated with confirmatory sampling at the site. The initial conceptual model was developed from archival site research, site inspections, and soil sampling. The DQOs contained in the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001) identified the sample locations, sample density, sample depth, and analytical requirements. The sample data were subsequently used to develop the final conceptual site model for DSS Site 1117, which is presented in Chapter 4.0 of the associated request for a determination of CAC without controls. The quality of the data specifically used to determine the nature, migration rate, and extent of contamination is described in the following sections.

III.2 Nature of Contamination

Both the nature of contamination and the potential for the degradation of COCs at DSS Site 1117 were evaluated using laboratory analyses of the soil samples. The analytical requirements included analyses for VOCs, SVOCs, HE compounds, PCBs, RCRA metals, hexavalent chromium, cyanide, radionuclides by gamma spectroscopy, and gross alpha/beta activity. The analytes and methods listed in Tables 2 and 3 are appropriate to characterize the COCs and potential degradation products at DSS Site 1117.

III.3 Rate of Contaminant Migration

The drywell at DSS Site 1117 was deactivated sometime before April 2005 when the building floor drains were sealed with concrete. The migration rate of COCs that may have been introduced into the subsurface via the drywell at this site was therefore dependent on the volume of aqueous effluent discharged to the environment from this system when it was operational. Any migration of COCs from this site after use of the drywell was discontinued has been predominantly dependent upon precipitation. However, it is highly unlikely that sufficient precipitation has fallen on the site to reach the depth at which COCs may have been discharged to the subsurface from this system. Analytical data generated from the soil sampling conducted at the site are adequate to characterize the rate of COC migration at DSS Site 1117.

III.4 Extent of Contamination

Subsurface soil samples were collected from boreholes drilled at three locations beneath the effluent release point (drywell) at the site to assess whether releases of effluent from the drywell caused any environmental contamination.

The soil samples were collected at sampling depths starting at 11 and 16 feet beneath, and adjacent to, the seepage pit. Sampling intervals started at the depths at which effluent discharged from the drywell would have entered the subsurface environment at the site. This sampling procedure was required by New Mexico Environment Department (NMED) regulators and has been used at numerous DSS-type sites at SNL/NM. The soil samples are considered to be representative of the soil potentially contaminated with the COCs at this site and are sufficient to determine the vertical extent, if any, of COCs.

IV. Comparison of COCs to Background Levels

Site history and characterization activities are used to identify potential COCs. The DSS Site 1117 request for a determination of CAC without controls describes the identification of COCs and the sampling that was conducted in order to determine the concentration levels of those COCs across the site. Generally, COCs evaluated in this risk assessment include all detected organic and all inorganic and radiological COCs for which samples were analyzed. When the detection limit of an organic compound is too high (i.e., could possibly cause an adverse effect to human health or the environment), the compound is retained. Nondetected organic compounds not included in this assessment were determined to have detection limits low enough to ensure protection of human health and the environment. In order to provide conservatism in this risk assessment, the calculation uses only the maximum concentration value of each COC found for the entire site. The SNL/NM maximum background concentration (Dinwiddie September 1997) was selected to provide the background screen listed in Tables 4 and 5.

Nonradiological inorganic constituents that are essential nutrients, such as iron, magnesium, calcium, potassium, and sodium, are not included in this risk assessment (EPA 1989). Both radiological and nonradiological COCs are evaluated. The nonradiological COCs included in this risk assessment consist of both inorganic and organic compounds.

Table 4 lists the nonradiological COCs and Table 5 lists the radiological COCs for the human health risk assessment at DSS Site 1117. All samples were collected from depths of 5 feet bgs or greater; therefore, evaluation of ecological risk was not performed. Both tables show the associated SNL/NM maximum background concentration values (Dinwiddie September 1997). Section VI.4 discusses the results presented in Tables 4 and 5.

V. Fate and Transport

The primary releases of COCs at DSS Site 1117 were to the subsurface soil resulting from the discharge of effluents from the Building 9982 Drywell (Solar Tower Complex). Wind, water, and biota are natural mechanisms of COC transport from the primary release point; however, because the discharge was to subsurface soil, none of these mechanisms are considered to be of potential significance as transport mechanisms at this site. Because groundwater at this site is approximately 150 feet bgs, the potential for COCs to reach groundwater through the unsaturated zone above the water table is extremely low.

The COCs at DSS Site 1117 include only inorganic constituents. The inorganic COCs include both radiological and nonradiological analytes. With the exception of cyanide, the inorganic COCs are elemental in form and are not considered to be degradable. Transformations of

Table 4
Nonradiological COCs for Human Health Risk Assessment at DSS Site 1117 with
Comparison to the Associated SNL/NM Background Screening Value, BCF, and Log K_{ow}

COC	Maximum Concentration (All Samples) (mg/kg)	SNL/NM Background Concentration (mg/kg) ^a	Is Maximum COC Concentration Less Than or Equal to the Applicable SNL/NM Background Screening Value?	BCF (maximum aquatic)	Log K _{ow} (for organic COCs)	Bioaccumulator? ^b (BCF>40, Log K _{ow} >4)
Inorganic						
Arsenic	4.45	7	Yes	44 ^c	-	Yes
Barium	113 J	214	Yes	170 ^d	-	Yes
Cadmium	0.0187 ^e	0.9	Yes	64 ^c	-	Yes
Chromium, total	5.31	12.8	Yes	16 ^c	-	No
Chromium VI	0.105 J	NC	Unknown	16 ^c	-	No
Cyanide	0.069 ^e	NC	Unknown	NC	-	Unknown
Lead	9.22	11.8	Yes	49 ^c	-	Yes
Mercury	0.006 J	<0.1	Yes	5,500 ^c	-	Yes
Selenium	0.1325 ^e	<1	Yes	800 ^f	-	Yes
Silver	0.492 J	<1	Yes	0.5 ^c	-	No

Note: **Bold** indicates the COCs that exceed the background screening values and/or are bioaccumulators.

^aDinwiddie September 1997, Coyote Test Field Supergroup.

^bNMED March 1998.

^cYanicak March 1997.

^dNeumann 1976.

^eNondetected concentration (i.e., one-half of the detection limit if value is greater than the maximum detected concentration or analyte was not detected at all).

^fCallahan et al. 1979.

BCF = Bioconcentration factor.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

J = Estimated concentration.

K_{ow} = Octanol-water partition coefficient.

Log = Logarithm (base 10).

mg/kg = Milligram(s) per kilogram.

NC = Not calculated.

NMED = New Mexico Environment Department.

SNL/NM = Sandia National Laboratories/New Mexico.

- = Information not available.

Table 5
Radiological COCs for Human Health Risk Assessment at DSS Site 1117 with
Comparison to the Associated SNL/NM Background Screening Value and BCF

COC	Maximum Activity (All Samples) (pCi/g) ^a	SNL/NM Background Activity (pCi/g) ^b	Is Maximum COC Activity Less Than or Equal to the Applicable SNL/NM Background Screening Value?	BCF (maximum aquatic)	Is COC a Bioaccumulator? ^c (BCF >40)
Cs-137	ND (0.0643)	0.079	Yes	3,000 ^d	Yes
Th-232	0.794	1.01	Yes	3,000 ^d	Yes
U-235	ND (0.324)	0.18	No	900 ^d	Yes
U-238	0.79	1.4	Yes	900 ^d	Yes

Note: **Bold** indicates COCs that exceed the background screening values and/or are bioaccumulators.

^aValue listed is the greater of either the maximum detection or the highest MDA.

^bDinwiddie September 1997, Coyote Test Field Supergroup.

^cNMED March 1998.

^dBaker and Soldat 1992.

BCF = Bioconcentration factor.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

MDA = Minimum detectable activity.

ND () = Not detected above the MDA, shown in parentheses.

ND () = Not detected, but the MDA (shown in parentheses) exceeds background activity.

NMED = New Mexico Environment Department.

pCi/g = Picocurie(s) per gram.

SNL/NM = Sandia National Laboratories/New Mexico.

these inorganic constituents could include changes in valence (oxidation/reduction reactions) or incorporation into organic forms (e.g., the conversion of selenite or selenate from soil to seleno-amino acids in plants). Cyanide can be metabolized by soil biota. Radiological COCs will undergo decay to stable isotopes or radioactive daughter elements. However, because of the long half-life of the radiological COC (U-235), the aridity of the environment at this site, and the lack of potential contact with biota, none of these mechanisms is expected to result in significant losses or transformations of the inorganic COCs.

Table 6 summarizes the fate and transport processes that can occur at DSS Site 1117. COCs at this site include organic analytes as well as radiological and nonradiological inorganic analytes. Wind, surface water, and biota are considered to be of low significance as potential transport mechanisms at this site. Significant leaching into the subsurface soil is unlikely, and leaching into the groundwater at this site is highly unlikely. The potential for transformation of COCs is low, and loss through decay of the radiological COCs is insignificant because of their long half-lives.

Table 6
Summary of Fate and Transport at DSS Site 1117

Transport and Fate Mechanism	Existence at Site	Significance
Wind	Yes	Low
Surface runoff	Yes	Low
Migration to groundwater	No	None
Food chain uptake	Yes	Low
Transformation/degradation	Yes	Low to moderate

DSS = Drain and Septic Systems.

VI. Human Health Risk Assessment

VI.1 Introduction

The human health risk assessment of this site includes a number of steps that culminate in a quantitative evaluation of the potential adverse human health effects caused by constituents located at the site. The steps to be discussed include the following:

Step 1.	Site data are described that provide information on the potential COCs, as well as the relevant physical characteristics and properties of the site.
Step 2.	Potential pathways are identified by which a representative population might be exposed to the COCs.
Step 3.	The potential intake of these COCs by the representative population is calculated using a tiered approach. The first component of the tiered approach is a screening procedure that compares the maximum concentration of the COC to an SNL/NM maximum background screening value. COCs that are not eliminated during the first screening procedure are carried forward in the risk assessment process.
Step 4.	Toxicological parameters are identified and referenced for COCs that were not eliminated during the screening procedure.

Step 5.	Potential toxicity effects (specified as a hazard index [HI]) and estimated excess cancer risks are calculated for nonradiological COCs and background. For radiological COCs, the incremental total effective dose equivalent (TEDE) and estimated incremental cancer risk are calculated by subtracting applicable background concentrations directly from maximum on-site contaminant values. This background subtraction applies only when a radiological COC occurs as contamination and exists as a natural background radionuclide.
Step 6.	These values are compared with guidelines established by the U.S. Environmental Protection Agency (EPA), NMED, and DOE to determine whether further evaluation and potential site cleanup are required. Nonradiological COC risk values also are compared to background risk so that an incremental risk can be calculated.
Step 7.	Uncertainties of the above steps are addressed.

VI.2 Step 1. Site Data

Section I of this risk assessment provides the site description and history for DSS Site 1117. Section II presents a comparison of results to DQOs. Section III discusses the nature, rate, and extent of contamination.

VI.3 Step 2. Pathway Identification

DSS Site 1117 has been designated with a future land-use scenario of industrial (DOE and USAF March 1996) (see Appendix 1 for default exposure pathways and parameters). However, the residential land-use scenario is also considered in the pathway analysis. Because of the location and characteristics of the potential contaminants, the primary pathway for human exposure is considered to be soil ingestion for the nonradiological COCs and direct gamma exposure for the radiological COCs. The inhalation pathway for both nonradiological and radiological COCs is included because the potential exists to inhale dust and volatiles. Soil ingestion is included for the radiological COCs as well. The dermal pathway is included for the nonradiological COCs because of the potential for the receptor to be exposed to contaminated soil. No water pathways to the groundwater are considered. Depth to groundwater at DSS Site 1117 is approximately 75 feet bgs. No intake routes through plant, meat, or milk ingestion are considered appropriate for either the industrial or residential land-use scenarios. Figure 1 shows the conceptual site model flow diagram for DSS Site 1117.

Pathway Identification

Nonradiological Constituents	Radiological Constituents
Soil ingestion	Soil ingestion
Inhalation (dust and volatiles)	Inhalation (dust)
Dermal contact	Direct gamma

VI.4 Step 3. Background Screening Procedure

This section discusses Step 3, the background screening procedure, which compares the maximum COC concentration to the background screening level. The methodology and results are described in the following sections.




Figure 1
Conceptual Site Model Flow Diagram for DSS Site 1117, Building 9982 Drywell (Solar Tower Complex)

VI.4.1 Methodology

Maximum concentrations of nonradiological COCs are compared to the approved SNL/NM maximum screening levels for this area. The SNL/NM maximum background concentration was selected to provide the background screen in Table 4 and used to calculate risk attributable to background in Section VI.6.2. Only the COCs that were detected above the corresponding SNL/NM maximum background screening levels or that do not have either a quantifiable or calculated background screening level are considered in further risk assessment analyses.

For radiological COCs that exceed the SNL/NM background screening levels, background values are subtracted from the individual maximum radionuclide concentrations. Those that do not exceed these background levels are not carried any further in the risk assessment. This approach is consistent with DOE Order 5400.5, "Radiation Protection of the Public and the Environment" (DOE 1993). Radiological COCs that do not have a background value and are detected above the analytical minimum detectable activity (MDA) are carried through the risk assessment at the maximum levels. The resultant radiological COCs remaining after this step are referred to as background-adjusted radiological COCs.

VI.4.2 Results

Tables 4 and 5 show the DSS Site 1117 maximum COC concentrations that were compared to the SNL/NM maximum background values (Dinwiddie September 1997) for the human health risk assessment. Two constituents (chromium VI, cyanide) do not have quantified background screening concentrations; therefore, it is unknown whether these COCs exceed background.

For the radiological COCs, one constituent (U-235) exhibited an MDA greater than it's background screening level.

VI.5 Step 4. Identification of Toxicological Parameters

Tables 7 (nonradiological) and 8 (radiological) list the COCs retained in the risk assessment and the values for the available toxicological information. The toxicological values for the nonradiological COCs presented in Table 7 were obtained from the Integrated Risk Information System (IRIS) (EPA 2004a), and the Technical Background Document for Development of Soil Screening Levels (NMED February 2004). Dose conversion factors (DCFs) used in determining the excess TEDE values for radiological COCs for the individual pathways are the default values provided in the RESRAD computer code (Yu et al. 1993a) as developed in the following documents:

- DCFs for ingestion and inhalation were taken from "Federal Guidance Report No. 11, Limiting Values of Radionuclide Intake and Air Concentration and Dose Conversion Factors for Inhalation, Submersion, and Ingestion" (EPA 1988).
- DCFs for surface contamination (contamination on the surface of the site) were taken from DOE/EH-0070, "External Dose-Rate Conversion Factors for Calculation of Dose to the Public" (DOE 1988).

Table 7
Toxicological Parameter Values for DSS Site 1117 Nonradiological COCs

COC	RfD _o (mg/kg-d)	Confidence ^a	RfD _{inh} (mg/kg-d)	Confidence ^a	SF _o (mg/kg-d) ⁻¹	SF _{inh} (mg/kg-d) ⁻¹	Cancer Class ^b	ABS
Inorganic								
Chromium VI	3E-3 ^c	L	2.3E-6 ^c	L	-	4.2E+1 ^c	A	0.01 ^d
Cyanide	2E-2 ^c	M	-	-	-	-	D	0.1 ^d

^aConfidence associated with IRIS (EPA 2004a) database values. Confidence: L = low, M = medium.
^bEPA weight-of-evidence classification system for carcinogenicity (EPA 1989) taken from IRIS (EPA 2004a):
 A = Human carcinogen.
 D = Not classifiable as to human carcinogenicity.

^cToxicological parameter values from IRIS electronic database (EPA 2004a).
^dToxicological parameter values from NMED (February 2004).
 ABS = Gastrointestinal absorption coefficient.
 COC = Constituent of concern.
 DSS = Drain and Septic Systems.
 EPA = U.S. Environmental Protection Agency.
 IRIS = Integrated Risk Information System.
 mg/kg-d = Milligram(s) per kilogram-day.
 (mg/kg-d)⁻¹ = Per milligram per kilogram-day.
 NMED = New Mexico Environment Department.
 RfD_{inh} = Inhalation chronic reference dose.
 RfD_o = Oral chronic reference dose.
 SF_{inh} = Inhalation slope factor.
 SF_o = Oral slope factor.
 - = Information not available.

Table 8
Radiological Toxicological Parameter Values for DSS Site 1117 COCs
Obtained from RESRAD Risk Coefficients^a

COC	SF _o (1/pCi)	SF _{inh} (1/pCi)	SF _{ev} (g/pCi-yr)	Cancer Class ^b
U-235	4.7E-11	1.3E-08	2.7E-07	A

^aYu et al. 1993a.

^bEPA weight-of-evidence classification system for carcinogenicity (EPA 1989): A = Human carcinogen for high dose and high dose rate (i.e., greater than 50 rem per year). For low-level environmental exposures, the carcinogenic effect has not been observed and documented.

1/pCi = One per picocurie.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

g/pCi-yr = Gram(s) per picocurie-year.

SF_{ev} = External volume exposure slope factor.

SF_{inh} = Inhalation slope factor.

SF_o = Oral (ingestion) slope factor.

- DCFs for volume contamination (exposure to contamination deeper than the immediate surface of the site) were calculated using the methods discussed in "Dose-Rate Conversion Factors for External Exposure to Photon Emitters in Soil" (Kocher 1983) and in ANL/EAIS-8, "Data Collection Handbook to Support Modeling the Impacts of Radioactive Material in Soil" (Yu et al. 1993b).

VI.6 Step 5. Exposure Assessment and Risk Characterization

Section VI.6.1 describes the exposure assessment for this risk assessment. Section VI.6.2 provides the risk characterization, including the HI and excess cancer risk for both the potential nonradiological COCs and associated background for the industrial and residential land-use scenarios. The incremental TEDE and estimated incremental cancer risk are provided for the background-adjusted radiological COCs for both the industrial and residential land-use scenarios.

VI.6.1 Exposure Assessment

Appendix 1 provides the equations and parameter input values used in calculating intake values and subsequent HI and excess cancer risk values for the individual exposure pathways. The appendix shows parameters for both industrial and residential land-use scenarios. The equations for nonradiological COCs are based upon the Risk Assessment Guidance for Superfund (RAGS) (EPA 1989). Parameters are based upon information from the RAGS (EPA 1989), the Technical Background Document for Development of Soil Screening Levels (NMED February 2004), as well as other EPA and NMED guidance documents, and reflect the reasonable maximum exposure (RME) approach advocated by the RAGS (EPA 1989). For the radiological COC, the coded equation provided in RESRAD computer code is used to estimate the incremental TEDE and cancer risk for individual exposure pathways. Further discussion of

this process is provided in the "Manual for Implementing Residual Radioactive Material Guidelines Using RESRAD" (Yu et al. 1993a). Although the designated land-use scenario for this site is industrial, risk and TEDE values for a residential land-use scenario are also presented.

VI.6.2 Risk Characterization

Table 9 shows an HI of 0.00 for the DSS Site 1117 nonradiological COCs and an estimated excess cancer risk of $2E-10$ for the designated industrial land-use scenario. The numbers presented include exposure from soil ingestion, dermal contact, and dust and volatile inhalation for nonradiological COCs. Table 10 shows an HI of 0.00 and no quantified estimated excess cancer risk for the DSS Site 1117 associated background constituents under the designated industrial land-use scenario.

For the radiological COCs, contribution from the direct gamma exposure pathway is included. For the industrial land-use scenario, a TEDE was calculated that results in an incremental TEDE of $2.0E-2$ millirem (mrem)/year (yr). In accordance with EPA guidance found in Office of Solid Waste and Emergency Response (OSWER) Directive No. 9200.4-18 (EPA 1997a), an incremental TEDE of 15 mrem/yr is used for the probable land-use scenario (industrial in this case); the calculated dose value for DSS Site 1117 for the industrial land-use scenario is well below this guideline. The estimated incremental excess cancer risk is $1.8E-7$.

For the nonradiological COCs under the residential land-use scenario, the HI is 0.00 with an estimated excess cancer risk of $5E-10$ (Table 9). The numbers in the table include exposure from soil ingestion, dermal contact, and dust and volatile inhalation. Although the EPA (1991) guidelines generally recommend that inhalation not be included in a residential land-use scenario, this pathway is included because of the potential for soil in Albuquerque, New Mexico, to be eroded and for dust to be present in predominantly residential areas. Because of the nature of the local soil, other exposure pathways are not considered (see Appendix 1). Table 10 shows an HI of 0.00 and no quantified estimated excess cancer risk for the DSS Site 1117 associated background constituents under the residential land-use scenario.

For the radiological COCs, the incremental TEDE for the residential land-use scenario is $5.3E-2$ mrem/yr. The guideline being used is an excess TEDE of 75 mrem/yr (SNL/NM February 1998) for a complete loss of institutional controls (residential land use in this case); the calculated dose value for DSS Site 1117 for the residential land-use scenario is well below this guideline. Consequently, DSS Site 1117 is eligible for unrestricted radiological release as the residential land-use scenario results in an incremental TEDE of less than 75 mrem/yr to the on-site receptor. The estimated incremental excess cancer risk is $5.3E-7$. The excess cancer risk from the nonradiological and radiological COCs should be summed to provide risk estimates for persons exposed to both types of carcinogenic contaminants, as noted in OSWER Directive No. 9200.4-18 "Establishment of Cleanup Levels for CERCLA [Comprehensive Environmental Response, Compensation, and Liability Act] Sites with Radioactive Contamination" (EPA 1997a). This summation is tabulated in Section VI.9.

Table 9
Risk Assessment Values for DSS Site 1117 Nonradiological COCs

COC	Maximum Concentration (mg/kg)	Industrial Land-Use Scenario ^a		Residential Land-Use Scenario ^a	
		Hazard Index	Cancer Risk	Hazard Index	Cancer Risk
Inorganic					
Chromium VI	0.105 J	0.00	2E-10	0.00	5E-10
Cyanide	0.069 ^b	0.00	–	0.00	–
Total		0.00	2E-10	0.00	5E-10

^aEPA 1989.

^bParameter was not detected (i.e., one-half the maximum detection limit).

COC = Constituent of concern.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

J = Estimated concentration.

mg/kg = Milligram(s) per kilogram.

– = Information not available.

Table 10
Risk Assessment Values for DSS Site 1117 Nonradiological Background Constituents

COC	Background Concentration ^a (mg/kg)	Industrial Land-Use Scenario ^b		Residential Land-Use Scenario ^b	
		Hazard Index	Cancer Risk	Hazard Index	Cancer Risk
Chromium	NC	–	–	–	–
Cyanide	NC	–	–	–	–
Total		0.00	–	0.00	–

^aDinwiddie September 1997, Coyote Test Field Supergroup.

^bEPA 1989.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

mg/kg = Milligram(s) per kilogram.

NC = Not calculated.

– = Information not quantified.

VI.7 Step 6. Comparison of Risk Values to Numerical Guidelines

The human health risk assessment analysis evaluates the potential for adverse health effects for both the industrial (the designated land-use scenario for this site) and residential land-use scenarios.

For the nonradiological COCs under the industrial land-use scenario, the HI is 0.00 (less than the numerical guideline of 1 suggested in the RAGS [EPA 1989]). The estimated excess cancer risk is $2\text{E}-10$. NMED guidance states that cumulative excess lifetime cancer risk must be less than $1\text{E}-5$ (Bearzi January 2001); thus the excess cancer risk for this site is below the suggested acceptable risk value. This assessment also determines risks considering background concentrations of the potential nonradiological COCs for both the industrial and residential land-use scenarios. Assuming the industrial land-use scenario, there is neither a quantifiable HI nor an excess cancer risk for nonradiological COCs. The incremental risk is determined by subtracting risk associated with background from potential COC risk. These numbers are not rounded before the difference is determined and therefore may appear to be inconsistent with numbers presented in tables and within the text. For conservatism, the background constituents that do not have quantified background screening concentrations are assumed to have a hazard quotient of 0.00. The incremental HI is 0.00 and the estimated incremental excess cancer risk is $2.27\text{E}-10$ for the industrial land-use scenario. These incremental risk calculations indicate insignificant risk to human health from nonradiological COCs under a industrial land-use scenario.

For the radiological COCs under the industrial land-use scenario, the incremental TEDE is $2.0\text{E}-2$ mrem/yr, which is significantly lower than EPA's numerical guideline of 15 mrem/yr (EPA 1997a). The estimated incremental excess cancer risk is $1.8\text{E}-7$.

The calculated HI for the nonradiological COCs under the residential land-use scenario is 0.00, which is below numerical guidance. The estimated excess cancer risk is $5\text{E}-10$. NMED guidance states that cumulative excess lifetime cancer risk must be less than $1\text{E}-5$ (Bearzi January 2001); thus the excess cancer risk for this site is below the suggested acceptable risk value. The incremental HI is 0.00 and the estimated incremental cancer risk is $4.83\text{E}-10$ for the residential land-use scenario. These incremental risk calculations indicate insignificant risk to human health from nonradiological COCs under the residential land-use scenario.

The incremental TEDE for a residential land-use scenario from the radiological components is $5.3\text{E}-2$ mrem/yr, which is significantly lower than the numerical guideline of 75 mrem/yr suggested in the SNL/NM "RESRAD Input Parameter Assumptions and Justification" (SNL/NM February 1998). The estimated incremental excess cancer risk is $5.3\text{E}-7$.

VI.8 Step 7. Uncertainty Discussion

The determination of the nature, rate, and extent of contamination at DSS Site 1117 is based upon an initial conceptual model that was validated with sampling conducted at the site. The sampling was implemented in accordance with the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001). The DQOs contained in these two documents are appropriate for use in risk assessments. The data from soil samples collected at effluent release point are representative of potential COC releases to the site. The analytical requirements and results satisfy the DQOs, and data quality was verified/validated in accordance with SNL/NM

procedures. Therefore, there is no uncertainty associated with the data quality used to perform the risk assessment at DSS Site 1117.

Because of the location, history of the site, and future industrial land use (DOE and USAF March 1996), there is low uncertainty in the land-use scenario and the potentially affected populations that were considered in performing the risk assessment analysis. Based upon the COCs found in the near-surface soil and the location and physical characteristics of the site, there is little uncertainty in the exposure pathways relevant to the analysis.

An RME approach is used to calculate the risk assessment values. Specifically, the parameter values in the calculations are conservative and calculated intakes are probably overestimated. Maximum measured values of COC concentrations are used to provide conservative results.

Table 7 shows the uncertainties (confidence levels) in nonradiological toxicological parameter values. There is a combination of estimated values and values from the IRIS (EPA 2004a), EPA Region 6 (EPA 2004b), and the Technical Background Document for Development of Soil Screening Levels (NMED February 2004). Where values are not provided, information is not available from the Health Effects Assessment Summary Tables (HEAST) (EPA 1997b), IRIS (EPA 2004a), Technical Background Document for Development of Soil Screening Levels (NMED February 2004), Risk Assessment Information System (ORNL 2003), or EPA regions (EPA 2004b, EPA 2002a, EPA 2002b). Because of the conservative nature of the RME approach, uncertainties in toxicological values are not expected to change the conclusion from the risk assessment analysis.

Risk assessment values for nonradiological COCs are within the acceptable range for human health under the industrial and residential land-use scenarios compared to established numerical guidance.

For the radiological COCs, the conclusion of the risk assessment is that potential effects on human health for both the industrial and residential land-use scenarios are below background and represent only a small fraction of the estimated 360 mrem/yr received by the average U.S. population (NCRP 1987).

The overall uncertainty in all of the steps in the risk assessment process is not considered to be significant with respect to the conclusion reached.

VI.9 Summary

DSS Site 1117 contains identified COCs consisting of some inorganic, organic, and radiological compounds. Because of the location of the site, the designated industrial land-use scenario, and the nature of contamination, potential exposure pathways identified for this site include soil ingestion, dermal contact, and dust and volatile inhalation for chemical COCs, and soil ingestion, dust inhalation, and direct gamma exposure for radionuclides. The same exposure pathways are applied to the residential land-use scenario.

Using conservative assumptions and an RME approach to risk assessment, calculations for the nonradiological COCs show that for the industrial land-use scenario the HI (0.00) is significantly lower than the accepted numerical guidance from the EPA. The estimated excess cancer risk is $2E-10$; thus, excess cancer risk is also below the acceptable risk value provided by the

NMED for an industrial land-use scenario (Bearzi January 2001). The incremental HI is 0.00, and the estimated incremental excess cancer risk is $2.27\text{E-}10$ for the industrial land-use scenario. These incremental risk calculations indicate insignificant risk to human health for the industrial land-use scenario.

Using conservative assumptions and an RME approach to risk assessment, calculations for the nonradiological COCs show that for the residential land-use scenario the HI (0.00) is below the accepted numerical guidance from the EPA. The estimated excess cancer risk is $5\text{E-}10$. Thus, excess cancer risk is below the acceptable risk value provided by the NMED for a residential land-use scenario (Bearzi January 2001). The incremental HI is 0.00 and the estimated incremental excess cancer risk is $4.83\text{E-}10$ for the residential land-use scenario. These incremental risk calculations indicate insignificant risk to human health for the residential land-use scenario.

The incremental TEDE and corresponding estimated cancer risk from the radiological COCs are much lower than EPA guidance values. The estimated TEDE is $2.0\text{E-}2$ mrem/yr for the industrial land-use scenario, which is much lower than the EPA's numerical guidance of 15 mrem/yr (EPA 1997a). The corresponding estimated incremental cancer risk value is $1.8\text{E-}7$ for the industrial land-use scenario. Furthermore, the incremental TEDE for the residential land-use scenario that results from a complete loss of institutional control is $5.3\text{E-}2$ mrem/yr with an associated estimated incremental excess risk of $5.3\text{E-}7$. The guideline for this scenario is 75 mrem/yr (SNL/NM February 1998). Therefore, DSS Site 1117 is eligible for unrestricted radiological release.

The excess cancer risk from the nonradiological and radiological COCs should be summed to provide risk estimates for persons exposed to both types of carcinogenic contaminants, as noted in OSWER Directive No. 9200.4-18 (EPA 1997a). The summation of the nonradiological and radiological carcinogenic risks is tabulated in Table 11.

Table 11
Summation of Incremental Nonradiological and Radiological Risks from
DSS Site 1117, Building 9982 Drywell (Solar Tower Complex) Carcinogens

Scenario	Nonradiological Risk	Radiological Risk	Total Risk
Industrial	$2.27\text{E-}10$	$1.8\text{E-}7$	$1.8\text{E-}7$
Residential	$4.83\text{E-}10$	$5.3\text{E-}7$	$5.3\text{E-}7$

DSS = Drain and Septic Systems.

Uncertainties associated with the calculations are considered small relative to the conservatism of the risk assessment analysis. Therefore, it is concluded that this site poses insignificant risk to human health under both the industrial and residential land-use scenarios.

VII. Ecological Risk Assessment

VII.1 Introduction

This section addresses the ecological risks associated with exposure to constituents of potential ecological concern (COPECs) in the soil at DSS Site 1117. A component of the NMED Risk-Based Decision Tree (NMED March 1998) is to conduct an ecological risk assessment that corresponds with that presented in the EPA's Ecological RAGS (EPA 1997c). The current methodology is tiered and contains an initial scoping assessment followed by a more detailed risk assessment if warranted by the results of the scoping assessment. Initial components of NMED's decision tree (a discussion of DQOs, data assessment, and evaluations of bioaccumulation as well as fate and transport potential) are addressed in previous sections of this report. At the end of the scoping assessment, a determination is made as to whether a more detailed examination of potential ecological risk is necessary.

VII.2 Scoping Assessment

The scoping assessment focuses primarily on the likelihood of exposure of biota at, or adjacent to, the site to constituents associated with site activities. Included in this section are an evaluation of existing data with respect to the existence of complete ecological exposure pathways, an evaluation of bioaccumulation potential, and a summary of fate and transport potential. A scoping risk-management decision (Section VII.2.4) summarizes the scoping results and assesses the need for further examination of potential ecological impacts.

VII.2.1 Data Assessment

As indicated in Section IV, all COCs at DSS Site 1117 are located at depths of 5 feet bgs or greater. Therefore, no complete ecological exposure pathways exist at this site, and no COCs are considered to be COPECs.

VII.2.2 Bioaccumulation

Because no COPECs are associated with this site, bioaccumulation potential is not evaluated.

VII.2.3 Fate and Transport Potential

The potential for the COCs to migrate from the source of contamination to other media or biota is discussed in Section V. As noted in Table 6 (Section V), wind, surface water, and biota (food chain uptake) are expected to be of low significance as transport mechanisms for COCs at this site. Degradation, transformation, and radiological decay of the COCs also are expected to be of low significance.

VII.2.4 Scoping Risk-Management Decision

Based upon information gathered through the scoping assessment, it is concluded that complete ecological pathways are not associated with COCs at this site. Therefore, no COPECs exist at the site, and a more detailed risk assessment is not deemed necessary to predict the potential level of ecological risk associated with the site.

VIII. References

Baker, D.A., and J.K. Soldat, 1992. "Methods for Estimating Doses to Organisms from Radioactive Materials Released into the Aquatic Environment," PNL-8150, Pacific Northwest Laboratory, Richland, Washington.

Bearzi, J.P. (New Mexico Environment Department), January 2001. Memorandum to RCRA-Regulated Facilities, "Risk-Based Screening Levels for RCRA Corrective Action Sites in New Mexico," Hazardous Waste Bureau, New Mexico Environment Department, Santa Fe, New Mexico. January 23, 2001.

Callahan, M.A., M.W. Slimak, N.W. Gabel, I.P. May, C.F. Fowler, J.R. Freed, P. Jennings, R.L. Durfee, F.C. Whitmore, B. Maestri, W.R. Mabey, B.R. Holt, and C. Gould, 1979. "Water-Related Environmental Fate of 129 Priority Pollutants," EPA-440/4-79-029, Office of Water and Waste Management, Office of Water Planning and Standards, U.S. Environmental Protection Agency, Washington, D.C.

Dinwiddie, R.S. (New Mexico Environment Department), September 1997. Letter to M.J. Zamorski (U.S. Department of Energy), "Request for Supplemental Information: Background Concentrations Report, SNL/KAFB." September 24, 1997.

DOE, see U.S. Department of Energy.

EPA, see U.S. Environmental Protection Agency.

HASL/EML, see Health and Safety Laboratory/Environmental Measurements Laboratory.

Health and Safety Laboratory/Environmental Measurements Laboratory (HASL/EML), 1957. "The Procedures Manual of the Environmental Measurements Laboratory," original edition and revisions, U.S. Department of Energy, Environmental Measurements Laboratory.

Kocher, D.C. 1983. "Dose-Rate Conversion Factors for External Exposure to Photon Emitters in Soil," *Health Physics*, Vol. 28, pp. 193–205.

National Council on Radiation Protection and Measurements (NCRP), 1987. "Exposure of the Population in the United States and Canada from Natural Background Radiation," *NCRP Report No. 94*, National Council on Radiation Protection and Measurements, Bethesda, Maryland.

National Oceanic and Atmospheric Administration (NOAA), 1990. "Local Climatological Data, Annual Summary with Comparative Data," Albuquerque, New Mexico.

NCRP, see National Council on Radiation Protection and Measurements.

Neumann, G., 1976. "Concentration Factors for Stable Metals and Radionuclides in Fish, Mussels and Crustaceans—A Literature Survey," Report 85-04-24, National Swedish Environmental Protection Board.

New Mexico Environment Department (NMED), March 1998. "Risk-Based Decision Tree Description," *in* New Mexico Environment Department, "RPMP Document Requirement Guide," RCRA Permits Management Program, Hazardous and Radioactive Materials Bureau, New Mexico Environment Department, Santa Fe, New Mexico.

New Mexico Environment Department (NMED), February 2004. "Technical Background Document for Development of Soil Screening Levels, Revision 2," Hazardous Waste Bureau and Ground Water Quality Bureau Voluntary Remediation Program, New Mexico Environment Department, Santa Fe, New Mexico.

NMED, see New Mexico Environment Department.

NOAA, see National Oceanographic and Atmospheric Administration.

Oak Ridge National Laboratory (ORNL), 2003. "Risk Assessment Information System," electronic database maintained by Oak Ridge National Laboratory, Oak Ridge, Tennessee.

ORNL, see Oak Ridge National Laboratory.

Sandia National Laboratories/New Mexico (SNL/NM), July 1994. "Verification and Validation of Chemical and Radiochemical Data," Technical Operation Procedure (TOP) 94-03, Rev. 0, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), March 1996. "Site-Wide Hydrogeologic Characterization Project, Calendar Year 1995 Annual Report," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), February 1998. "RESRAD Input Parameter Assumptions and Justification," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), October 1999. "Sampling and Analysis Plan for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico," Sandia National Laboratories, Albuquerque, New Mexico. October 19, 1999.

Sandia National Laboratories/New Mexico (SNL/NM), December 1999. "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03, Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), November 2001. "Field Implementation Plan, Characterization of Non-Environmental Restoration Drain and Septic Systems," Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), March 2003. Database printout provided by SNL/NM Facilities Engineering showing the year that numerous SNL/NM buildings were constructed, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), April 2003. "DSS Sites Mean Elevation Report," GIS Group, Environmental Restoration Department, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), December 2003. "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03, Rev. 01, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), April 2004. "Fiscal Year 2003 Annual Groundwater Monitoring Report," Report # 75-10077-6, Sandia National Laboratories, Albuquerque, New Mexico.

SNL/NM, see Sandia National Laboratories/New Mexico.

USAF, see U.S. Air Force.

U.S. Department of Energy (DOE), 1988. "External Dose-Rate Conversion Factors for Calculation of Dose to the Public," DOE/EH-0070, Assistant Secretary for Environment, Safety and Health, U.S. Department of Energy, Washington, D.C.

U.S. Department of Energy (DOE), 1993. "Radiation Protection of the Public and the Environment," DOE Order 5400.5, U.S. Department of Energy, Washington, D.C.

U.S. Department of Energy and U.S. Air Force (DOE and USAF), March 1996. "Workbook: Future Use Management Area 7," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates and the U.S. Air Force.

U.S. Environmental Protection Agency (EPA), November 1986. "Test Methods for Evaluating Solid Waste," 3rd ed., Update 3, SW-846; Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1988. "Federal Guidance Report No. 11, Limiting Values of Radionuclide Intake and Air Concentration and Dose Conversion Factors for Inhalation, Submersion, and Ingestion," Office of Radiation Programs, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1989. "Risk Assessment Guidance for Superfund, Vol. I: Human Health Evaluation Manual," EPA/540-1089/002, Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1991. "Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part B)," Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997a. "Establishment of Cleanup Levels for CERCLA Sites with Radioactive Contamination," OSWER Directive No. 9200.4-18, Office of

Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997b. "Health Effects Assessment Summary Tables (HEAST), FY 1997 Update," EPA-540-R-97-036, Office of Research and Development and Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997c. "Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risks," Interim Final, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 2002a. "Region 9 Preliminary Remediation Goals (PRGs) 2004," electronic database maintained by Region 9, U.S. Environmental Protection Agency, San Francisco, California.

U.S. Environmental Protection Agency (EPA), 2002b. "Risk-Based Concentration Table," electronic database maintained by Region 3, U.S. Environmental Protection Agency, Philadelphia, Pennsylvania.

U.S. Environmental Protection Agency (EPA), 2004a. Integrated Risk Information System (IRIS) electronic database, maintained by the U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 2004b. "Region 6 Preliminary Remediation Goals (PRGs) 2002," electronic database maintained by Region 6, U.S. Environmental Protection Agency, Dallas, Texas.

Yanicak, S. (Oversight Bureau, Department of Energy, New Mexico Environment Department), March 1997. Letter to M. Johansen (DOE/AIP/POC Los Alamos National Laboratory), "(Tentative) list of constituents of potential ecological concern (COPECs) which are considered to be bioconcentrators and/or biomagnifiers." March 3, 1997.

Yu, C., A.J. Zielen, J.-J. Cheng, Y.C. Yuan, L.G. Jones, D.J. LePoire, Y.Y. Wang, C.O. Loureiro, E. Gnanapragasam, E. Faillace, A. Wallo III, W.A. Williams, and H. Peterson, 1993a. "Manual for Implementing Residual Radioactive Material Guidelines Using RESRAD," Version 5.0. Environmental Assessment Division, Argonne National Laboratory, Argonne, Illinois.

Yu, C., C. Loureiro, J.-J. Cheng, L.G. Jones, Y.Y. Wang, Y.P. Chia, and E. Faillace, 1993b. "Data Collection Handbook to Support Modeling the Impacts of Radioactive Material in Soil," ANL/EAIS-8, Argonne National Laboratory, Argonne, Illinois.

This page intentionally left blank.

APPENDIX 1 EXPOSURE PATHWAY DISCUSSION FOR CHEMICAL AND RADIONUCLIDE CONTAMINATION

Introduction

Sandia National Laboratories/New Mexico (SNL/NM) uses a default set of exposure routes and associated default parameter values developed for each future land-use designation being considered for SNL/NM Environmental Restoration (ER) Project sites. This default set of exposure scenarios and parameter values are invoked for risk assessments unless site-specific information suggests other parameter values. Because many SNL/NM solid waste management units (SWMUs) have similar types of contamination and physical settings, SNL/NM believes that the risk assessment analyses at these sites can be similar. A default set of exposure scenarios and parameter values facilitates the risk assessments and subsequent review.

The default exposure routes and parameter values used are those that SNL/NM views as resulting in a Reasonable Maximum Exposure (RME) value. Subject to comments and recommendations by the U.S. Environmental Protection Agency (EPA) Region VI and New Mexico Environment Department (NMED), SNL/NM will use these default exposure routes and parameter values in future risk assessments.

At SNL/NM, all SWMUs exist within the boundaries of the Kirtland Air Force Base. Approximately 240 potential waste and release sites have been identified where hazardous, radiological, or mixed materials may have been released to the environment. Evaluation and characterization activities have occurred at all of these sites to varying degrees. Among other documents, the SNL/NM ER draft Environmental Assessment (DOE 1996) presents a summary of the hydrogeology of the sites and the biological resources present. When evaluating potential human health risk the current or reasonably foreseeable land use negotiated and approved for the specific SWMU/AOC, aggregate, or watershed will be used. The following references generally document these land uses: Workbook: Future Use Management Area 2 (DOE et al. September 1995); Workbook: Future Use Management Area 1 (DOE et al. October 1995); Workbook: Future Use Management Areas 3, 4, 5, and 6 (DOE and USAF January 1996); Workbook: Future Use Management Area 7 (DOE and USAF March 1996). At this time, all SNL/NM SWMUs have been tentatively designated for either industrial or recreational future land use. The NMED has also requested that risk calculations be performed based upon a residential land-use scenario. Therefore, all three land-use scenarios will be addressed in this document.

The SNL/NM ER Project has screened the potential exposure routes and identified default parameter values to be used for calculating potential intake and subsequent hazard index (HI), excess cancer risk and dose values. The EPA (EPA 1989) provides a summary of exposure routes that could potentially be of significance at a specific waste site. These potential exposure routes consist of:

- Ingestion of contaminated drinking water
- Ingestion of contaminated soil

- Ingestion of contaminated fish and shellfish
- Ingestion of contaminated fruits and vegetables
- Ingestion of contaminated meat, eggs, and dairy products
- Ingestion of contaminated surface water while swimming
- Dermal contact with chemicals in water
- Dermal contact with chemicals in soil
- Inhalation of airborne compounds (vapor phase or particulate)
- External exposure to penetrating radiation (immersion in contaminated air; immersion in contaminated water; and exposure from ground surfaces with photon-emitting radionuclides)

Based upon the location of the SNL/NM SWMUs and the characteristics of the surface and subsurface at the sites, we have evaluated these potential exposure routes for different land-use scenarios to determine which should be considered in risk assessment analyses (the last exposure route is pertinent to radionuclides only). At SNL/NM SWMUs, there is currently no consumption of fish, shellfish, fruits, vegetables, meat, eggs, or dairy products that originate on site. Additionally, no potential for swimming in surface water is present due to the high-desert environmental conditions. As documented in the RESRAD computer code manual (ANL 1993), risks resulting from immersion in contaminated air or water are not significant compared to risks from other radiation exposure routes.

For the industrial and recreational land-use scenarios, SNL/NM ER has, therefore, excluded the following five potential exposure routes from further risk assessment evaluations at any SNL/NM SWMU:

- Ingestion of contaminated fish and shellfish
- Ingestion of contaminated fruits and vegetables
- Ingestion of contaminated meat, eggs, and dairy products
- Ingestion of contaminated surface water while swimming
- Dermal contact with chemicals in water

That part of the exposure pathway for radionuclides related to immersion in contaminated air or water is also eliminated.

Based upon this evaluation, for future risk assessments the exposure routes that will be considered are shown in Table 1.

Table 1
Exposure Pathways Considered for Various Land-Use Scenarios

Industrial	Recreational	Residential
Ingestion of contaminated drinking water	Ingestion of contaminated drinking water	Ingestion of contaminated drinking water
Ingestion of contaminated soil	Ingestion of contaminated soil	Ingestion of contaminated soil
Inhalation of airborne compounds (vapor phase or particulate)	Inhalation of airborne compounds (vapor phase or particulate)	Inhalation of airborne compounds (vapor phase or particulate)
Dermal contact (nonradiological constituents only) soil only	Dermal contact (nonradiological constituents only) soil only	Dermal contact (nonradiological constituents only) soil only
External exposure to penetrating radiation from ground surfaces	External exposure to penetrating radiation from ground surfaces	External exposure to penetrating radiation from ground surfaces

Equations and Default Parameter Values for Identified Exposure Routes

In general, SNL/NM expects that ingestion of compounds in drinking water and soil will be the more significant exposure routes for chemicals; external exposure to radiation may also be significant for radionuclides. All of the above routes will, however, be considered for their appropriate land-use scenarios. The general equation for calculating potential intakes via these routes is shown below. The equations are taken from "Assessing Human Health Risks Posed by Chemicals: Screening-Level Risk Assessment" (NMED March 2000) and "Technical Background Document for Development of Soil Screening Levels" (NMED December 2000). Equations from both documents are based upon the "Risk Assessment Guidance for Superfund" (RAGS): Volume 1 (EPA 1989, 1991). These general equations also apply to calculating potential intakes for radionuclides. A more in-depth discussion of the equations used in performing radiological pathway analyses with the RESRAD code may be found in the RESRAD Manual (ANL 1993). RESRAD is the only code designated by the U.S. Department of Energy (DOE) in DOE Order 5400.5 for the evaluation of radioactively contaminated sites (DOE 1993). The Nuclear Regulatory Commission (NRC) has approved the use of RESRAD for dose evaluation by licensees involved in decommissioning, NRC staff evaluation of waste disposal requests, and dose evaluation of sites being reviewed by NRC staff. EPA Science Advisory Board reviewed the RESRAD model. EPA used RESRAD in their rulemaking on radiation site cleanup regulations. RESRAD code has been verified, undergone several benchmarking analyses, and been included in the International Atomic Energy Agency's VAMP and BIOMOV5 II projects to compare environmental transport models.

Also shown are the default values SNL/NM ER will use in RME risk assessment calculations for industrial, recreational, and residential land-use scenarios, based upon EPA and other governmental agency guidance. The pathways and values for chemical contaminants are discussed first, followed by those for radionuclide contaminants. RESRAD input parameters that are left as the default values provided with the code are not discussed. Further information relating to these parameters may be found in the RESRAD Manual (ANL 1993) or by directly accessing the RESRAD websites at: <http://web.ead.anl.gov/resrad/home2/> or <http://web.ead.anl.gov/resrad/documents/>.

Generic Equation for Calculation of Risk Parameter Values

The equation used to calculate the risk parameter values (i.e., hazard quotients/HI, excess cancer risk, or radiation total effective dose equivalent [TEDE] [dose]) is similar for all exposure pathways and is given by:

$$\begin{aligned} \text{Risk (or Dose)} &= \text{Intake} \times \text{Toxicity Effect (either carcinogenic, noncarcinogenic, or radiological)} \\ &= C \times (\text{CR} \times \text{EFD}/\text{BW}/\text{AT}) \times \text{Toxicity Effect} \end{aligned} \quad (1)$$

where;

- C = contaminant concentration (site specific)
- CR = contact rate for the exposure pathway
- EFD = exposure frequency and duration
- BW = body weight of average exposure individual
- AT = time over which exposure is averaged.

For nonradiological constituents of concern (COCs), the total risk/dose (either cancer risk or HI) is the sum of the risks/doses for all of the site-specific exposure pathways and contaminants. For radionuclides, the calculated radiation exposure, expressed as TEDE is compared directly to the exposure guidelines of 15 millirem per year (mrem/year) for industrial and recreational future use and 75 mrem/year for the unlikely event that institutional control of the site is lost and the site is used for residential purposes (EPA 1997).

The evaluation of the carcinogenic health hazard produces a quantitative estimate for excess cancer risk resulting from the COCs present at the site. This estimate is evaluated for determination of further action by comparison of the quantitative estimate with the potentially acceptable risk of 1E-5 for nonradiological carcinogens. The evaluation of the noncarcinogenic health hazard produces a quantitative estimate (i.e., the HI) for the toxicity resulting from the COCs present at the site. This estimate is evaluated for determination of further action by comparison of this quantitative estimate with the EPA standard HI of unity (1). The evaluation of the health hazard from radioactive compounds produces a quantitative estimate of doses resulting from the COCs present at the site. This estimated dose is used to calculate an assumed risk. However, this calculated risk is presented for illustration purposes only, not to determine compliance with regulations.

The specific equations used for the individual exposure pathways can be found in RAGS (EPA 1989) and are outlined below. The RESRAD Manual (ANL 1993) describes similar equations for the calculation of radiological exposures.

Soil Ingestion

A receptor can ingest soil or dust directly by working in the contaminated soil. Indirect ingestion can occur from sources such as unwashed hands introducing contaminated soil to food that is then eaten. An estimate of intake from ingesting soil will be calculated as follows:

$$I_s = \frac{C_s * IR * CF * EF * ED}{BW * AT}$$

where:

- I_s = Intake of contaminant from soil ingestion (milligrams [mg]/kilogram [kg]-day)
- C_s = Chemical concentration in soil (mg/kg)
- IR = Ingestion rate (mg soil/day)
- CF = Conversion factor (1E-6 kg/mg)
- EF = Exposure frequency (days/year)
- ED = Exposure duration (years)
- BW = Body weight (kg)
- AT = Averaging time (period over which exposure is averaged) (days)

It should be noted that it is conservatively assumed that the receptor only ingests soil from the contaminated source.

Soil Inhalation

A receptor can inhale soil or dust directly by working in the contaminated soil. An estimate of intake from inhaling soil will be calculated as follows (EPA August 1997):

$$I_s = \frac{C_s * IR * EF * ED * \left(\frac{1}{VF} \text{ or } \frac{1}{PEF} \right)}{BW * AT}$$

where:

- I_s = Intake of contaminant from soil inhalation (mg/kg-day)
- C_s = Chemical concentration in soil (mg/kg)
- IR = Inhalation rate (cubic meters [m³]/day)
- EF = Exposure frequency (days/year)
- ED = Exposure duration (years)
- VF = soil-to-air volatilization factor (m³/kg)
- PEF = particulate emission factor (m³/kg)
- BW = Body weight (kg)
- AT = Averaging time (period over which exposure is averaged) (days)

Soil Dermal Contact

$$D_a = \frac{C_s * CF * SA * AF * ABS * EF * ED}{BW * AT}$$

where:

- D_a = Absorbed dose (mg/kg-day)
- C_s = Chemical concentration in soil (mg/kg)
- CF = Conversion factor (1E-6 kg/mg)
- SA = Skin surface area available for contact (cm²/event)
- AF = Soil to skin adherence factor (mg/cm²)
- ABS = Absorption factor (unitless)
- EF = Exposure frequency (events/year)

ED = Exposure duration (years)
 BW = Body weight (kg)
 AT = Averaging time (period over which exposure is averaged) (days)

Groundwater Ingestion

A receptor can ingest water by drinking it or through using household water for cooking. An estimate of intake from ingesting water will be calculated as follows (EPA August 1997):

$$I_w = \frac{C_w * IR * EF * ED}{BW * AT}$$

where:

I_w = Intake of contaminant from water ingestion (mg/kg/day)
 C_w = Chemical concentration in water (mg/liter [L])
 IR = Ingestion rate (L/day)
 EF = Exposure frequency (days/year)
 ED = Exposure duration (years)
 BW = Body weight (kg)
 AT = Averaging time (period over which exposure is averaged) (days)

Groundwater Inhalation

The amount of a constituent taken into the body via exposure to volatilization from showering or other household water uses will be evaluated using the concentration of the constituent in the water source (EPA 1991 and 1992). An estimate of intake from volatile inhalation from groundwater will be calculated as follows (EPA 1991):

$$I_w = \frac{C_w * K * IR_i * EF * ED}{BW * AT}$$

where:

I_w = Intake of volatile in water from inhalation (mg/kg/day)
 C_w = Chemical concentration in water (mg/L)
 K = volatilization factor (0.5 L/m³)
 IR_i = Inhalation rate (m³/day)
 EF = Exposure frequency (days/year)
 ED = Exposure duration (years)
 BW = Body weight (kg)
 AT = Averaging time (period over which exposure is averaged—days)

For volatile compounds, volatilization from groundwater can be an important exposure pathway from showering and other household uses of groundwater. This exposure pathway will only be evaluated for organic chemicals with a Henry's Law constant greater than 1×10^{-5} and with a molecular weight of 200 grams/mole or less (EPA 1991).

Tables 2 and 3 show the default parameter values suggested for use by SNL/NM at SWMUs, based upon the selected land-use scenarios for nonradiological and radiological COCs,

respectively. References are given at the end of the table indicating the source for the chosen parameter values. SNL/NM uses default values that are consistent with both regulatory guidance and the RME approach. Therefore, the values chosen will, in general, provide a conservative estimate of the actual risk parameter. These parameter values are suggested for use for the various exposure pathways, based upon the assumption that a particular site has no unusual characteristics that contradict the default assumptions. For sites for which the assumptions are not valid, the parameter values will be modified and documented.

Summary

SNL/NM will use the described default exposure routes and parameter values in risk assessments at sites that have an industrial, recreational, or residential future land-use scenario. There are no current residential land-use designations at SNL/NM ER sites, but NMED has requested this scenario to be considered to provide perspective of the risk under the more restrictive land-use scenario. For sites designated as industrial or recreational land use, SNL/NM will provide risk parameter values based upon a residential land-use scenario to indicate the effects of data uncertainty on risk value calculations or in order to potentially mitigate the need for institutional controls or restrictions on SNL/NM ER sites. The parameter values are based upon EPA guidance and supplemented by information from other government sources. If these exposure routes and parameters are acceptable, SNL/NM will use them in risk assessments for all sites where the assumptions are consistent with site-specific conditions. All deviations will be documented.

Table 2
Default Nonradiological Exposure Parameter Values for Various Land-Use Scenarios

Parameter	Industrial	Recreational	Residential
General Exposure Parameters			
Exposure Frequency (day/yr)	250 ^{a,b}	8.7 (4 hr/wk for 52 wk/yr) ^{a,b}	350 ^{a,b}
Exposure Duration (yr)	25 ^{a,b,c}	30 ^{a,b,c}	30 ^{a,b,c}
Body Weight (kg)	70 ^{a,b,c}	70 Adult ^{a,b,c} 15 Child ^{a,b,c}	70 Adult ^{a,b,c} 15 Child ^{a,b,c}
Averaging Time (days) for Carcinogenic Compounds (= 70 yr x 365 day/yr)	25,550 ^{a,b}	25,550 ^{a,b}	25,550 ^{a,b}
for Noncarcinogenic Compounds (= ED x 365 day/yr)	9,125 ^{a,b}	10,950 ^{a,b}	10,950 ^{a,b}
Soil Ingestion Pathway			
Ingestion Rate (mg/day)	100 ^{a,b}	200 Child ^{a,b} 100 Adult ^{a,b}	200 Child ^{a,b} 100 Adult ^{a,b}
Inhalation Pathway			
Inhalation Rate (m ³ /day)	20 ^{a,b}	15 Child ^a 30 Adult ^a	10 Child ^a 20 Adult ^a
Volatilization Factor (m ³ /kg)	Chemical Specific	Chemical Specific	Chemical Specific
Particulate Emission Factor (m ³ /kg)	1.36E9 ^a	1.36E9 ^a	1.36E9 ^a
Water Ingestion Pathway			
Ingestion Rate (liter/day)	2.4 ^a	2.4 ^a	2.4 ^a
Dermal Pathway			
Skin Adherence Factor (mg/cm ²)	0.2 ^a	0.2 Child ^a 0.07 Adult ^a	0.2 Child ^a 0.07 Adult ^a
Exposed Surface Area for Soil/Dust (cm ² /day)	3,300 ^a	2,800 Child ^a 5,700 Adult ^a	2,800 Child ^a 5,700 Adult ^a
Skin Adsorption Factor	Chemical Specific	Chemical Specific	Chemical Specific

^aTechnical Background Document for Development of Soil Screening Levels (NMED December 2000).

^bRisk Assessment Guidance for Superfund, Vol. 1, Part B (EPA 1991).

^cExposure Factors Handbook (EPA August 1997).

ED = Exposure duration.

EPA = U.S. Environmental Protection Agency.

hr = Hour(s).

kg = Kilogram(s).

m = Meter(s).

mg = Milligram(s).

NA = Not available.

wk = Week(s).

yr = Year(s).

Table 3
Default Radiological Exposure Parameter Values for Various Land-Use Scenarios

Parameter	Industrial	Recreational	Residential
General Exposure Parameters			
Exposure Frequency	8 hr/day for 250 day/yr	4 hr/wk for 52 wk/yr	365 day/yr
Exposure Duration (yr)	25 ^{a,b}	30 ^{a,b}	30 ^{a,b}
Body Weight (kg)	70 Adult ^{a,b}	70 Adult ^{a,b}	70 Adult ^{a,b}
Soil Ingestion Pathway			
Ingestion Rate	100 mg/day ^c	100 mg/day ^c	100 mg/day ^c
Averaging Time (days) (= 30 yr x 365 day/yr)	10,950 ^d	10,950 ^d	10,950 ^d
Inhalation Pathway			
Inhalation Rate (m ³ /yr)	7,300 ^{d,e}	10,950 ^e	7,300 ^{d,e}
Mass Loading for Inhalation g/m ³	1.36 E-5 ^d	1.36 E-5 ^d	1.36 E-5 ^d
Food Ingestion Pathway			
Ingestion Rate, Leafy Vegetables (kg/yr)	NA	NA	16.5 ^c
Ingestion Rate, Fruits, Non-Leafy Vegetables & Grain (kg/yr)	NA	NA	101.8 ^b
Fraction Ingested	NA	NA	0.25 ^{b,d}

^aRisk Assessment Guidance for Superfund, Vol. 1, Part B (EPA 1991).

^bExposure Factors Handbook (EPA August 1997).

^cEPA Region VI guidance (EPA 1996).

^dFor radionuclides, RESRAD (ANL 1993).

^eSNL/NM (February 1998).

EPA = U.S. Environmental Protection Agency.

g = Gram(s)

hr = Hour(s).

kg = Kilogram(s).

m = Meter(s).

mg = Milligram(s).

NA = Not applicable.

wk = Week(s).

yr = Year(s).

References

ANL, see Argonne National Laboratory.

Argonne National Laboratory (ANL), 1993. *Manual for Implementing Residual Radioactive Material Guidelines Using RESRAD*, Version 5.0, ANL/EAD/LD-2, Argonne National Laboratory, Argonne, IL.

DOE, see U.S. Department of Energy.

DOE and USAF, see U.S. Department of Energy and U.S. Air Force.

EPA, see U.S. Environmental Protection Agency.

New Mexico Environment Department (NMED), March 2000. "Assessing Human Health Risks Posed by Chemical: Screening-level Risk Assessment," Hazardous and Radioactive Materials Bureau, NMED, March 6, 2000.

New Mexico Environment Department (NMED), December 2000. "Technical Background Document for Development of Soil Screening Levels," Hazardous Waste Bureau and Ground Water Quality Bureau Voluntary Remediation Program, December 18, 2000.

Sandia National Laboratories/New Mexico (SNL/NM), February 1998. "RESRAD Input Parameter Assumptions and Justification," Sandia National Laboratories/New Mexico Environmental Restoration Project, Albuquerque, New Mexico.

U.S. Department of Energy (DOE), 1993. DOE Order 5400.5, "Radiation Protection of the Public and the Environment," U.S. Department of Energy, Washington, D.C.

U.S. Department of Energy (DOE), 1996. "Environmental Assessment of the Environmental Restoration Project at Sandia National Laboratories/New Mexico," U.S. Department of Energy, Kirtland Area Office.

U.S. Department of Energy, U.S. Air Force, and U.S. Forest Service, September 1995. "Workbook: Future Use Management Area 2," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates, the U.S. Air Force, and the U.S. Forest Service.

U.S. Department of Energy, U.S. Air Force, and U.S. Forest Service, October 1995. "Workbook: Future Use Management Area 1," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates, the U.S. Air Force, and the U.S. Forest Service.

U.S. Department of Energy and U.S. Air Force (DOE and USAF), January 1996. "Workbook: Future Use Management Areas 3,4,5,and 6," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates, and the U.S. Air Force.

U.S. Department of Energy and U.S. Air Force (DOE and USAF), March 1996. "Workbook: Future Use Management Area 7," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates and the U.S. Air Force.

U.S. Environmental Protection Agency (EPA), 1989. "Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual," EPA/540-1089/002, U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1991. "Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part B)," EPA/540/R-92/003, U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1992. "Dermal Exposure Assessment: Principles and Applications," EPA/600/8-91/011B, Office of Research and Development, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1996. "Soil Screening Guidance: Technical Background Document," EPA/540/1295/128, Office of Solid Waste and Emergency Response, Washington, D.C.

U.S. Environmental Protection Agency (EPA), August 1997. *Exposure Factors Handbook*, EPA/600/8-89/043, U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997. (OSWER No. 9200.4-18) *Establishment of Cleanup Levels for CERCLA Sites with Radioactive Contamination*, U.S. EPA Office of Radiation and Indoor Air, Washington D.C, August 1997.



374216

JUSTIFICATION FOR CLASS III
PERMIT MODIFICATION MARCH 2006
AOC 1117 OPERABLE UNIT 1295
BUILDING 9982 DRYWELL SOLAR
TOWER COMPLEX

MAR 06 2006