

9-1-2005

Justification for Class III Permit Modification September 2005, DSS Site 1052, Operable Unit 1295, Building 803 Seepage Pit at Technical Area I

Sandia National Laboratories/NM

Follow this and additional works at: https://digitalrepository.unm.edu/snl_complete

Recommended Citation

Sandia National Laboratories/NM. "Justification for Class III Permit Modification September 2005, DSS Site 1052, Operable Unit 1295, Building 803 Seepage Pit at Technical Area I." (2005). https://digitalrepository.unm.edu/snl_complete/171

This Technical Report is brought to you for free and open access by the Sandia National Labs/NM Technical Reports at UNM Digital Repository. It has been accepted for inclusion in Regulatorily Completed by an authorized administrator of UNM Digital Repository. For more information, please contact disc@unm.edu.




This work supported by the United States Department of Energy under contract DE-AC04-94-185000.



Drain and Septic Systems - Areas of Concern (AOCs)

276, 1004, 1031, 1034, 1035, 1036, 1052, 1078, 1079, 1080, 1081, 1084, 1087, 1092, 1098, 1102, 1104, 1113, and 1120 (Poster 2/2)



Environmental Restoration Project

Summary of Data Used for NFA Justification

- Soil samples were analyzed at on- and off-site laboratories for VOCs, SVOCs, PCBs, HE compounds, metals, cyanide, gross alpha/beta activity, and radionuclides by gamma spectroscopy.
- There were VOCs detected at the 19 sites, SVOCs were detected at 15 of the sites, PCBs were detected at 9 sites, and cyanide was identified at 14 of the sites. HE compounds were detected at one of the sites (AOC 1113).
- Barium was detected at concentrations above the background value at six sites. Chromium and arsenic were detected at concentrations above background values at five sites. Silver was detected at concentrations above the background value at three sites, lead was detected above the background value at two sites, and mercury was detected above the background value at one site. No other metals were detected above background concentrations.
- Uranium-235 was detected at an activity slightly above the background activity at 5 of the 19 sites and, although not detected, the MDA for U-235 exceeded the background activity at 14 sites and the MDA for U-238 exceeded the background activity at one site. Gross alpha activity was slightly above background activity at five of the 19 sites, and gross beta activity was above the background activity at one site.
- All confirmatory soil sample analytical results for each site were used for characterizing that site, for performing the risk screening assessment, and as justification for the NFA proposal for the site.

Recommended Future Land Use

- Industrial land use was established for these 19 AOC sites.

Results of Risk Analysis

- Risk assessment results for industrial and residential land-use scenarios are calculated per NMED risk assessment guidance as presented in "Supplemental Risk Document Supporting Class 3 Permit Modification Process."
- Because COCs were present in concentrations greater than background-screening levels or because constituents were present that did not have background-screening numbers, it was necessary to perform risk assessments for these all of these AOCs. The risk assessment analysis evaluated the potential for adverse health effects for industrial and residential land-use scenarios.
- The maximum concentration value for lead was 22.2 mg/kg at AOC 1081 and 11.9 mg/kg at AOC 1087; these exceed the background value of 11.8 mg/kg. The EPA intentionally does not provide any human health toxicological data on lead; therefore, no risk parameter values could be calculated. The NMED guidance for lead screening concentrations for construction and industrial land-use scenarios are 750 and 1,500 mg/kg, respectively. The EPA screening guidance value for a residential land-use scenario is 400 mg/kg. The maximum concentration for lead at these two sites are less than all the screening values; therefore, lead was eliminated from further consideration in the human health risk assessment for each site.
- The non-radiological total human health HIs for 18 of the 19 AOCs are below NMED guidelines for a residential land-use scenario.
- For four sites, the total estimated excess cancer risks are at or slightly above the residential land-use scenario guideline. However, the incremental excess cancer risk values for these four sites are below the NMED residential land-use scenario guideline.
- For one of the 19 sites (AOC 1081), the total HI and the estimated excess cancer risk are above the NMED guidelines for the residential land-use scenario due to elevated levels of arsenic and silver. However, the total HI and estimated excess cancer risk values are below the NMED guidelines for the industrial land-use scenario.
- The total human health TEDEs for industrial land-use scenarios ranged from 0.001 to 0.46 mrem/yr, all of which are substantially below the EPA numerical guideline of 15 mrem/yr. The total human health TEDEs for residential land-use scenarios ranged from 0.0052 to 0.12 mrem/yr, all of which are substantially below the EPA numerical guideline of 75 mrem/yr. Therefore, these AOCs are eligible for unrestricted radiological release.
- Using the SNL predictive ecological risk and scoping assessment methodologies, it was concluded that a complete ecological pathway for each of 18 of the sites was not associated with the respective COPELs for that site. Thus, a more detailed ecological risk assessment to predict the level of risk was not deemed necessary for these sites.
- Ecological risks associated with AOC 1084 were predicted incorporating potential receptors and site-specific COPECs. The HQ values predicted were less than one, with the exception of barium. For barium, the contribution from background concentrations accounts for the majority (52%) of the HQ values. Therefore, ecological risks associated with this site are expected to be low.
- In conclusion, human health and ecological risks are acceptable for 18 sites for a residential land-use scenario and for all 19 for an industrial land-use scenario per NMED guidance. Thus, 18 of these sites are proposed for CAC without institutional controls, and one site (AOC 1081) is proposed for CAC with institutional controls.

The total HIs and excess cancer risk values for the nonradiological COCs at the 19 AOCs are as follows:

The total HIs and excess cancer risk values for the nonradiological COCs at the 19 AOCs are as follows:

AOC Number	Site Name	Residential Land-Use Scenario	
		Total Hazard Index	Excess Cancer Risk
276	Former Bldg 829X Silver Recovery Sump	0.27	2E-5 Total ^a 3.95E-6 Incremental
1004	Bldg 6969 Septic System	0.08	2E-6 Total
1031	Former Bldgs. 6589 and 6600 Septic System	0.25	1E-5 Total ^a 2.55E-6 Incremental
1034	Bldg 6710 Septic System	0.00	2E-9 Total
1035	Bldg 6715 Septic System	0.04	3E-9 Total
1036	Bldg 6922 Septic System	0.26	1E-5 Total ^a 8.35E-7 Incremental
1052	Bldg 803 Seepage Pit	0.00	2E-6 Total
1078	Bldg 6640 Septic System	0.27	1E-5 Total ^a 3.72E-7 Incremental
1079	Bldg 6643 Septic System	0.00	3E-8 Total
1080	Bldg 6644 Septic System	0.00	4E-8 Total
1084	Bldg 6505 Septic System	0.08	None
1087	Bldg 6743 Seepage Pit	0.00	4E-9 Total
1092	MO 228-230 Septic System	0.06	None
1098	TA-V Plenum Rooms Drywell	0.03	3E-7 Total
1102	Former Bldg 889 Septic System	0.00	1E-10 Total
1104	Bldg 6595 Seepage Pit	0.00	2E-6 Total
1113	Bldg 6597 Drywell	0.14	1E-7 Total
1120	Bldg 6643 Drywell	0.12	1E-6 Total
<i>NMED Guidance for Residential Land Use</i>		< 1	<1E-5
AOC Number	Site Name	Industrial Land-Use Scenario	
		Total Hazard Index	Excess Cancer Risk
1081	Bldg 6650 Septic System	0.39	5E-6 Total
<i>NMED Guidance for Industrial Land Use</i>		< 1	<1E-5

^aMaximum value exceeds NMED guidance for specified land-use scenario, therefore, incremental values are shown.

For More Information Contact


U.S. Department of Energy
Sandia Site Office
Environmental Restoration
Mr. John Gould
Telephone (505) 845-6089

Sandia National Laboratories
Environmental Restoration Project
Task Leader: Mike Sanders
Telephone (505) 284-2478





This work supported by the United States Department of Energy under contract DE-AC04-94185000.


Drain and Septic Systems (DSS) Areas of Concern (AOCs) 276, 1004, 1031, 1034, 1035 1036, 1052






Environmental Restoration Project



Septic system demolition and backfilling.



Three-foot long Geoprobe soil sampling device used to collect soil samples.



For More Information Contact

U.S. Department of Energy
Sandia Site Office
Environmental Restoration
Mr. John Gould
Telephone (505) 845-6089

Sandia National Laboratories
Environmental Restoration Project
Task Leader: Mike Sanders
Telephone (505) 284-2478




This work supported by the United States Department of Energy under contract DE-AC04-94185000.



Drain and Septic Systems - Areas of Concern (AOCs)

276, 1004, 1031, 1034, 1035, 1036, 1052, 1078, 1079, 1080, 1081, 1084, 1087, 1092, 1098, 1102, 1104, 1113, and 1120 (Poster 1/2)



Environmental Restoration Project

Site History

Drain and septic system site histories for the 19 AOCs are as follows:

AOC Number	Site Name	Location	Year Building and System Built	Year Drain or Septic System Abandoned	Year(s) Septic Tank Effluent Sampled	Year Septic Tank Pumped For the last Time
276	Former Bldg 829X Silver Recovery Sump	TA-I	1948-1978	1994	No septic tank at this site	NA
1004	Bldg 6969 Septic System	Robotic Vehicle Range	1955	System is active	Periodically since 1992	Periodically
1031	Former Bldgs 6589 and 6600 Septic System	TA-III	1967	1991 (septic tank and seepage pit backfilled in 2002)	1990-1991, 1992, 1995	1996
1034	Bldg 6710 Septic System	TA-III	1958	Early 1990s	1990-1991, 1992, 1995	1996
1035	Bldg 6715 Septic System	TA-III	1962	Early 1990s	1990-1991, 1992, 1995	1996
1036	Bldg 6922 Septic System	TA-III	1955	1991	1990-1991, 1992, 1995	2005
1052	Bldg 803 Seepage Pit	TA-I	1957	Unknown	No septic tank at this site	NA
1078	Bldg 6640 Septic System	TA-III	1959	1991	1990-1991	Unknown (backfilled in 1991)
1079	Bldg 6643 Septic System	TA-III	1959	1991	1990-1991, 1992, 1995	2005
1080	Bldg 6644 Septic System	TA-III	1959	1991	1990-1991, 1992, 1995	1996
1081	Bldg 6650 Septic System	TA-III	1967	1991	1990-1991, 1992, 1995 (south septic tank); 2004 (north septic tank)	1996 (south septic tank); Unknown (north septic tank)
1084	Bldg 6505 Septic System	TA-III	1954	1991	1990-1991	Unknown (backfilled before 2002)
1087	Bldg 6743 Seepage Pit	TA-III	1967	2004, 2005	No septic tank at this site	NA
1092	MO 228-230 Septic System	TA-III	1988	1991	1990-1991	Unknown (backfilled before 2002)
1098	TA-V Plenum Rooms Drywell	TA-V	1958	Early 1990s	No septic tank at this site	NA
1102	Former Bldg 889 Septic System	TA-I	Early 1950s	Early 1990s	1992-1995	Unknown (removed prior to 1999)
1104	Bldg 6595 Seepage Pit	TA-V	1966	Early 1990s	No septic tank at this site	NA
1113	Bldg 6597 Drywell	TA-V	1971	2002	No septic tank at this site	NA
1120	Bldg 6643 Drywell	TA-III	1989	1991	No septic tank at this site	NA

Depth to Groundwater

Depth to groundwater at these 19 AOCs is as follows:

AOC Number	Site Name	Location	Groundwater Depth (ft bgs)
276	Former Bldg 829X Silver Recovery Sump	TA-I	555
1004	Bldg 6969 Septic System	Robotic Vehicle Range	548
1031	Former Bldgs. 6589 and 6600 Septic System	TA-III	486
1034	Bldg 6710 Septic System	TA-III	470
1035	Bldg 6715 Septic System	TA-III	470
1036	Bldg 6922 Septic System	TA-III	490
1052	Bldg 803 Seepage Pit	TA-I	552
1078	Bldg 6640 Septic System	TA-III	476
1079	Bldg 6643 Septic System	TA-III	487
1080	Bldg 6644 Septic System	TA-III	480
1081	Bldg 6650 Septic System	TA-III	480
1084	Bldg 6505 Septic System	TA-III	508
1087	Bldg 6743 Seepage Pit	TA-III	461
1092	MO 228-230 Septic System	TA-III	488
1098	TA-V Plenum Rooms Drywell	TA-V	509
1102	Former Bldg 889 Septic System	TA-I	535
1104	Bldg 6595 Seepage Pit	TA-V	507
1113	Bldg 6597 Drywell	TA-V	515
1120	Bldg 6643 Drywell	TA-III	483

Constituents of Concern

- VOCs
- SVOCs
- PCBs
- HE Compounds
- Metals
- Cyanide
- Radionuclides

Investigations

- A backhoe was used to positively locate buried components (drainfield drain lines, drywells) for placement of soil vapor samplers, and soil borings.
- Ten of the 19 AOCs were selected by NMED for passive soil-vapor sampling to screen for VOCs; no significant VOC contamination was identified at any of the ten sites.
- Soil samples were collected from directly beneath drainfield drain lines, seepage pits, and drywells to determine if COCs were released to the environment from drain systems.
- Four of the sites were selected by NMED for active soil vapor sampling to screen for VOCs. Each of the active soil-vapor monitoring wells was 150 ft deep with vapor sampling ports at 5, 20, 70, 100, and 150-ft bgs. The VOC concentrations were significantly lower than the 10 ppmv action level established by NMED.


The years that site-specific characterization activities were conducted and soil sampling depths at each of these 19 AOC sites are as follows:

AOC Number	Site Name	Buried Components (Drain Lines, Drywells) Located With a Backhoe	Soil Sampling Beneath Drainlines, Seepage Pits, Drywells	Type(s) of Drain System, and Soil Sampling Depths (ft bgs)	Passive Soil Vapor Sampling	Active Soil Vapor Monitor Well Installation and Sampling
276	Former Bldg 829X Silver Recovery Sump	None	1994, 2002	Silver Recovery Sump 8, 13	2002	None
1004	Bldg 6969 Septic System	2002	2002	Drainfield 8, 13	2002	2003
1031	Former Bldgs 6589 and 6600 Septic System	2002	2002	Seepage Pits 15, 20	2002	None
1034	Bldg 6710 Septic System	None	2002	Seepage Pit 14, 19	2002	None
1035	Bldg 6715 Septic System	None	2002	Seepage Pit 11, 16	2002	None
1036	Bldg 6922 Septic System	1997	1998, 1999	Drainfield 5, 10	None	None
1052	Bldg 803 Seepage Pit	None	2002	Seepage Pit 27, 27	2002	2003
1078	Bldg 6640 Septic System	2002	2002	Drainfield 5, 10	None	None
1079	Bldg 6643 Septic System	2002	2002	Drainfield 11, 16	None	None
1080	Bldg 6644 Septic System	2002	2002	Drainfield Borehole 1 & 2, 5, 10	None	None
1081	Bldg 6650 Septic System	2003 (north septic tank)	2002	Borehole 7, 6, 11 South seepage pit 10, 12, 15, 17 North seepage pit 10, 12, 15, 17, 20, 24, 25	2002	2003
1084	Bldg 6505 Septic System	2002	2002	Drainfield 3, 8	2002	None
1087	Bldg 6743 Seepage Pit	None	2002	Seepage Pit 8, 13	2002	None
1092	MO 228-230 Septic System	2002, 2003	2002	Drainfield 6, 11	None	2003
1098	TA-V Plenum Rooms Drywell	None	2002	Drywell 10, 15	None	None
1102	Former Bldg 889 Septic System	1999, 2002	2002	Seepage Pit 25, 30	None	None
1104	Bldg 6595 Seepage Pit	None	2002	Seepage Pit 11, 16	None	None
1113	Bldg 6597 Drywell	2002	2002	Drywell 5, 10	None	None
1120	Bldg 6643 Drywell	2002	2002	Drywell 8, 13	2002	None

For More Information Contact

U.S. Department of Energy
Sandia Site Office
Environmental Restoration
Mr. John Gould
Telephone (505) 845-6089

Sandia National Laboratories
Environmental Restoration Project
Task Leader: Mike Sanders
Telephone (505) 284-2478



Sandia National Laboratories

Justification for Class III Permit Modification

September 2005

DSS Site 1052

Operable Unit 1295

Building 803 Seepage Pit at Technical Area I

CAC (SWMU Assessment Report) Submitted December 2004

RSI Submitted March 2005


RSI Submitted April 2005

**Environmental
Restoration
Project**



**United States Department of Energy
Sandia Site Office**

CAC



Sandia National Laboratories/New Mexico
Environmental Restoration Project

**SWMU ASSESSMENT REPORT AND
PROPOSAL FOR
CORRECTIVE ACTION COMPLETE
DRAIN AND SEPTIC SYSTEMS SITE 1052,
BUILDING 803 SEEPAGE PIT**

December 2004



United States Department of Energy
Sandia Site Office

TABLE OF CONTENTS

LIST OF FIGURES	iii
LIST OF TABLES.....	v
LIST OF ANNEXES	vii
ACRONYMS AND ABBREVIATIONS.....	ix
1.0 PROJECT BACKGROUND.....	1-1
2.0 DSS SITE 1052: BUILDING 803 SEEPAGE PIT	2-1
2.1 Summary	2-1
2.2 Site Description and Operational History.....	2-1
2.2.1 Site Description	2-1
2.2.2 Operational History.....	2-7
2.3 Land Use	2-7
2.3.1 Current Land Use	2-7
2.3.2 Future/Proposed Land Use	2-7
3.0 INVESTIGATORY ACTIVITIES	3-1
3.1 Summary.....	3-1
3.2 Investigation 1—Passive Soil-Vapor Sampling	3-1
3.2.1 Passive Soil-Vapor Sampling Methodology.....	3-1
3.2.2 Passive Soil-Vapor Survey Results and Conclusions	3-2
3.3 Investigation 2—Soil Sampling.....	3-2
3.3.1 Soil Sampling Methodology	3-2
3.3.2 Soil Sampling Results and Conclusions	3-6
3.3.3 Soil Sampling Quality Assurance/Quality Control Samples and Data Validation Results	3-19
3.4 Investigation 3—Active Soil-Vapor Sampling	3-20
3.4.1 Active Soil-Vapor Sampling Methodology	3-20
3.4.2 Active Soil-Vapor Sampling Results	3-20
3.5 Site Sampling Data Gaps	3-20
4.0 CONCEPTUAL SITE MODEL.....	4-1
4.1 Nature and Extent of Contamination	4-1
4.2 Environmental Fate	4-1

TABLE OF CONTENTS (Concluded)

4.3	Site Assessment.....	4-7
4.3.1	Summary	4-7
4.3.2	Risk Assessments	4-7
4.4	Baseline Risk Assessments	4-9
4.4.1	Human Health.....	4-9
4.4.2	Ecological	4-9
5.0	RECOMMENDATION FOR CORRECTIVE ACTION COMPLETE WITHOUT CONTROLS DETERMINATION	5-1
5.1	Rationale	5-1
5.2	Criterion.....	5-1
6.0	REFERENCES.....	6-1

LIST OF FIGURES

Figure

2.2.1-1	Location Map of Drain and Septic Systems (DSS) Site Number 1052, Bldg. 803 Seepage Pit, TA-I.....	2-3
2.2.1-2	Site Map of Drain and Septic Systems (DSS) Site Number 1052, Bldg. 803 Seepage Pit, TA-I.....	2-5
3.3-1	Collecting soil samples with the Geoprobe™ from the borehole drilled at DSS Site 1052, the Building 803 Seepage Pit. View to the southeast. September 19, 2002.....	3-3
3.4.1-1	A typical FLUTe™ soil-vapor monitoring well completion showing five individual vapor sampling tubes exiting the wellhead. Each tube is connected to an individual, downhole soil-vapor sampling port on the side of the well. The sample ports are at depths of 5 to 150 feet bgs.....	3-21
4.2-1	Conceptual Site Model Flow Diagram for DSS Site 1052, Building 803 Seepage Pit.....	4-3

This page intentionally left blank.

LIST OF TABLES

Table

3.3-1	Summary of Area Sampled, Analytical Methods, and Laboratories Used for DSS Site 1052, Building 803 Seepage Pit Soil Samples3-5	3-5
3.3.2-1	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, VOC Analytical Results, September 2002 (Off-Site Laboratory)3-7	3-7
3.3.2-2	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, VOC Analytical MDLs, September 2002 (Off-Site Laboratory).....3-8	3-8
3.3.2-3	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, SVOC Analytical Results, September 2002 (Off-Site Laboratory)3-9	3-9
3.3.2-4	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, SVOC Analytical MDLs, September 2002 (Off-Site Laboratory)3-10	3-10
3.3.2-5	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, PCB Analytical Results, September 2002 (Off-Site Laboratory)3-12	3-12
3.3.2-6	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, PCB Analytical MDLs, September 2002 (Off-Site Laboratory)3-13	3-13
3.3.2-7	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, HE Compound Analytical Results, September 2002 (Off-Site Laboratory)3-13	3-13
3.3.2-8	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, HE Compound Analytical MDLs, September 2002 (Off-Site Laboratory)3-14	3-14
3.3.2-9	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, Metals Analytical Results, September 2002 (Off-Site Laboratory)3-15	3-15
3.3.2-10	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, Metals Analytical MDLs, September 2002 (Off-Site Laboratory)3-16	3-16
3.3.2-11	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, Total Cyanide Analytical Results, September 2002 (Off-Site Laboratory)3-17	3-17
3.3.2-12	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, Total Cyanide Analytical MDLs, September 2002 (Off-Site Laboratory)3-17	3-17

LIST OF TABLES (Concluded)

Table

3.3.2-13	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, Gamma Spectroscopy Analytical Results, September 2002 (On-Site Laboratory).....	3-18
3.3.2-14	Summary of DSS Site 1052, Building 803 Seepage Pit, Confirmatory Soil Sampling, Gross Alpha/Beta Activity Analytical Results, September 2002 (Off-Site Laboratory)	3-19
4.2-1	Summary of Potential COCs for DSS Site 1052, Building 803 Seepage Pit	4-5
4.3.2-1	Summation of Incremental Nonradiological and Radiological Risks from DSS Site 1052, Building 803 Seepage Pit Carcinogens	4-8

LIST OF ANNEXES

Annex

- A DSS Site 1052 Gore-Sorber™ Passive Soil-Vapor Survey Analytical Results
- B DSS Site 1052 Soil Sample Data Validation Results
- C DSS Site 1052 Soil-Vapor Monitoring Well Analytical Results and Data Validation Report
- D DSS Site 1052 Risk Assessment

This page intentionally left blank.

ACRONYMS AND ABBREVIATIONS

AOP	Administrative Operating Procedure
BA	butyl acetate
bgs	below ground surface
CAC	Corrective Action Complete
COC	constituent of concern
DSS	Drain and Septic Systems
EB	equipment blank
EPA	U.S. Environmental Protection Agency
ER	Environmental Restoration
FIP	Field Implementation Plan
FLUTE™	Flexible Liner Underground Technologies
GS	Gore-Sorber™
HE	High explosive
HI	hazard index
HWB	Hazardous Waste Bureau
KAFB	Kirtland Air Force Base
MDL	method detection limit
mrem	millirem
NFA	no further action
NMED	New Mexico Environment Department
OU	Operable Unit
PCB	polychlorinated biphenyl
ppbv	parts per billion by volume
RCRA	Resource Conservation and Recovery Act
RPSD	Radiation Protection Sample Diagnostics
SAP	Sampling and Analysis Plan
SNL/NM	Sandia National Laboratories/New Mexico
SVOC	Semivolatile organic compound
SWMU	Solid Waste Management Unit
TA	Technical Area
TB	trip blank
TEDE	total effective dose equivalent
TOP	Technical Operating Procedure
VOC	volatile organic compound
yr	year

This page intentionally left blank.

1.0 PROJECT BACKGROUND

Environmental characterization of Sandia National Laboratories/New Mexico (SNL/NM) drain and septic systems (DSS) started in the early 1990s. These units consist of either septic systems (one or more septic tanks plumbed to either drainfields or seepage pits), or other types of miscellaneous drain units without septic tanks (including drywells or french drains, seepage pits, and surface outfalls). Initially, 23 of these sites were designated as Solid Waste Management Units (SWMUs) under Operable Unit (OU) 1295, Septic Tanks and Drainfields. Characterization work at 22 of these 23 SWMUs has taken place since 1994 as part of SNL/NM Environmental Restoration (ER) Project activities. The twenty-third site did not require any characterization, and an administrative proposal for no further action (NFA) was granted in July 1995.

Numerous other DSS sites that were not designated as SWMUs were also present throughout SNL/NM. An initial list of these non-SWMU sites was compiled and summarized in an SNL/NM document dated July 8, 1996; the list included a total of 101 sites, facilities, or systems (Bleakly July 1996). For tracking purposes, each of these 101 individual DSS sites was designated with a unique four-digit site identification number starting with 1001. This numbering scheme was devised to clearly differentiate these non-SWMU sites from existing SNL/NM SWMUs, which have been designated by one- to three-digit numbers. As work progressed on the DSS site evaluation project, it became apparent that the original 1996 list was in need of field verification and updating. This process included researching SNL/NM's extensive library of facilities engineering drawings and conducting field-verification inspections jointly with SNL/NM ER personnel and New Mexico Environment Department (NMED)/Hazardous Waste Bureau (HWB) regulatory staff from July 1999 through January 2000. The goals of this additional work included the following:

- Determine to the degree possible whether each of the 101 systems included on the 1996 list was still in existence, or had ever existed.
- For systems confirmed or believed to exist, determine the exact or apparent locations and components of those systems (septic tanks, drainfields, seepage pits, etc.).
- Identify which systems would, or would not, need initial shallow investigation work as required by the NMED.
- For systems requiring characterization, determine the specific types of shallow characterization work (including passive soil-vapor sampling and/or shallow soil borings) that would be required by the NMED.

A number of additional drain systems were identified from the engineering drawings and field inspection work. It was also determined that some of the sites on the 1996 list actually contained more than one individual drain or septic system that had been combined under one four-digit site number. In order to reduce confusion, a decision was made to assign each individual system its own unique four-digit number. A new site list containing a total of 121 individual DSS sites was generated in 2000. Of these 121 sites, the NMED required environmental assessment work at a total of 61. No characterization was required at the remaining 60 sites because the sites either were found not to exist, were the responsibility of

other non-SNL/NM organizations, were already designated as individual SWMUs, or were considered by the NMED to pose no threat to human health or the environment. Subsequent backhoe excavation at DSS Site 1091 confirmed that the system did not exist, which decreased the number of DSS sites requiring characterization to 60.

Concurrent with the field inspection and site identification work, NMED/HWB and SNL/NM ER Project technical personnel worked together to reach consensus on a staged approach and specific procedures that would be used to characterize the DSS sites, as well as the remaining OU 1295 Septic Tanks and Drainfield SWMUs that had not been approved for NFA. These procedures are described in detail in the "Sampling and Analysis Plan [SAP] for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico" (SNL/NM October 1999), which was approved by the NMED/HWB on January 28, 2000 (Bearzi January 2000). A follow-on document, "Field Implementation Plan [FIP], Characterization of Non-Environmental Restoration Drain and Septic Systems" (SNL/NM November 2001), was then written to formally document the updated DSS site list and the specific site characterization work required by the NMED for each of the 60 DSS sites. The FIP was approved by the NMED in February 2002 (Moats February 2002).

2.0 DSS SITE 1052: BUILDING 803 SEEPAGE PIT

2.1 Summary

The SNL/NM ER Project conducted an assessment of DSS Site 1052, the Building 803 Seepage Pit. There are no known or specific environmental concerns at this site. The assessment was conducted to determine whether environmental contamination was released to the environment via the seepage pit present at the site. This report provides documentation that the site was specifically characterized, that no significant releases of contaminants to the environment occurred via the Building 803 Seepage Pit, and that it does not pose a threat to human health or the environment under either the industrial or residential land-use scenarios. Current operations at the site are conducted in accordance with applicable laws and regulations that are protective of the environment.

Review and analysis of all relevant data for DSS Site 1052 indicate that concentrations of constituents of concern (COCs) at this site were found to be below applicable risk assessment action levels. Thus, a determination of Corrective Action Complete (CAC) without controls (NMED April 2004) is recommended for DSS Site 1052 based upon sampling data demonstrating that COCs released from the site into the environment pose an acceptable level of risk.

2.2 Site Description and Operational History

2.2.1 Site Description

DSS Site 1052 is located in SNL/NM Technical Area (TA)-I on federally owned land controlled by Kirtland Air Force Base (KAFB) and permitted to the U.S. Department of Energy (Figure 2.2.1-1). The site is located approximately 5,000 feet south of the Wyoming Gate entrance to KAFB and is on the west side of Building 803 (Figure 2.2.1-2). The abandoned system consisted of a 4-foot-diameter, 22-foot-deep, metal seepage pit (Figure 2.2.1-2). Construction details are based upon engineering drawings (SNL/NM January 1963), site inspections, and backhoe excavations of the system. The system received discharges from Building 803, approximately 20 feet to the east.

The surface geology at DSS Site 1052 is characterized by a veneer of aeolian sediments underlain by Upper Santa Fe Group alluvial fan deposits that interfinger with sediments of the ancestral Rio Grande west of the site. These deposits extend to, and probably far below, the water table at this site. The alluvial fan materials originated in the Manzanita Mountains east of DSS Site 1052, and typically consist of a mixture of silts, sands, and gravels that are poorly sorted, and exhibit moderately connected lenticular bedding. Individual beds range from 1 to 5 feet in thickness with a preferred east-west orientation and have moderate to low hydraulic conductivities (SNL/NM March 1996). The area surrounding the site is paved and xeriscaped with gravel and no vegetation is present.

The ground surface in the vicinity of the site is flat to very slightly sloping to the west. The closest major drainage is Tijeras Arroyo, located approximately 1.3 miles southeast of the site. No perennial surface-water bodies are present in the vicinity of the site. Average

This page intentionally left blank.



Legend








-  DSS Site 1052
-  Major Road
-  KAFB Boundary
-  USFS Withdrawn Area Boundary
-  SNL Technical Area

Figure 2.2.1-1
Location Map of Drain and Septic
Systems (DSS) Site Number 1052,
Bldg. 803 Seepage Pit, TA-I




Sandia National Laboratories, New Mexico
 Environmental Geographic Information System



- Legend**
- ▼ Soil-Vapor Monitoring Well
 - Soil Boring Location
 - ⊕ Gore-Sorber Sample Location
 - Seepage Pit
 - - - - - Drain Line
 - Building / Structure
 - Edge of Pavement
 - Fence

Figure 2.2.1-2
Site Map of Drain and Septic System (DSS) Site Number 1052, Bldg. 803 Seepage Pit, TA-I



Sandia National Laboratories, New Mexico
Environmental Geographic Information System

annual rainfall in the SNL/NM and KAFB area, as measured at Albuquerque International Sunport, is 8.1 inches (NOAA 1990). Infiltration of precipitation is almost nonexistent as virtually all of the moisture subsequently undergoes evapotranspiration. The estimates of evapotranspiration rates for the KAFB area range from 95 to 99 percent of the annual rainfall (SNL/NM March 1996).

The site lies at an average elevation of approximately 5,408 feet above mean sea level (SNL/NM April 2003). Two water-bearing ones, a shallow groundwater system and the regional aquifer, underlie this site. Depth to the shallow groundwater system, which has a limited lateral extent and is present beneath the north-central part of KAFB, is approximately 267 feet below ground surface (bgs) at the site. The shallow groundwater system is not used as a water supply source. Depth to regional groundwater is approximately 552 feet bgs at the site. Both the City of Albuquerque and KAFB use the regional aquifer as a water supply source. Groundwater flow in the shallow system is to the southeast, while that in the regional aquifer is to the northwest beneath DSS Site 1052 (SNL/NM May 2003). The nearest production wells to DSS Site 1052 are KAFB-1, approximately 2,850 feet to the southwest, and KAFB-3, approximately 1.2 miles to the northwest. The nearest regional aquifer groundwater monitoring well is PGS-2, approximately 900 feet north of the site.

2.2.2 Operational History

Available information indicates that Building 803, which is currently an administration building, was constructed in 1957 (SNL/NM March 2003), and it is assumed the seepage pit system was constructed at the same time. Because operational records are not available, the site investigation was planned to be consistent with other DSS site investigations and to sample for possible COCs that may have been released during facility operations. At an undetermined date, the discharges were routed to the City of Albuquerque sanitary sewer system. The old drain line would have been disconnected, capped, and the system abandoned in place concurrent with this change (Romero September 2003).

2.3 Land Use

2.3.1 Current Land Use

The current land use for DSS Site 1052 is industrial.

2.3.2 Future/Proposed Land Use

The projected future land use for DSS Site 1052 is industrial (DOE et al. September 1995).

This page intentionally left blank.

3.0 INVESTIGATORY ACTIVITIES

3.1 Summary

Three assessment investigations have been conducted at this site. In April and May 2002, a passive soil-vapor survey was conducted to determine whether areas of significant volatile organic compound (VOC) contamination were present in the soil around the seepage pit (Investigation 1). In September 2002, subsurface soil samples were collected from one boring drilled through the center of, and beneath, the seepage pit (Investigation 2). In May and June 2003, a 150-foot-deep, active soil-vapor monitoring well was installed at DSS Site 1052. This was one of seven DSS sites selected by the NMED/HWB for additional, deep soil-vapor monitoring (Investigation 3). Investigations 1, 2, and 3 were required by the NMED/HWB to adequately characterize the site and were conducted in accordance with procedures presented in the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001) described in Chapter 1.0. These investigations are discussed in the following sections.

3.2 Investigation 1—Passive Soil-Vapor Sampling

In April and May 2002, a passive soil-vapor survey was conducted in the Building 803 seepage pit area. This survey was required at this site by NMED/HWB regulators and was conducted to determine whether significant VOC contamination was present in the soil at the site.

3.2.1 Passive Soil-Vapor Sampling Methodology

A Gore-Sorber™ (GS) passive soil-vapor survey is a qualitative screening procedure that can be used to identify many VOCs present in the vapor phase in soil. The technique is highly sensitive to organic vapors, and the result produces a qualitative measure of organic soil vapor chemistry over a two- to three-week period rather than at one point in time.

Each GS soil-vapor sampler consists of a 1-foot-long, 0.25-inch diameter tube of waterproof, vapor-permeable fabric containing 40 milligrams of absorbent material. At each sampling location, a 3-foot-deep by 1.5-inch-diameter borehole was drilled with the Geoprobe™. A sample identification tag and location string were attached to the GS sampler and lowered into the open borehole to a depth of 1 to 2 feet bgs. The location string was attached to a numbered pin flag at the surface. A cork was placed in the borehole above the sampler as a seal, and the upper 1 foot of the borehole, from the cork to the ground surface, was backfilled with site soil.

The vapor samplers were left in the ground for approximately two weeks before retrieval. After retrieval, each sampler was individually placed into a pre-cleaned jar, sealed, and sent to W.L. Gore and Associates for analysis by thermal desorption and gas chromatography using a modified U.S. Environmental Protection Agency (EPA) Method 8260. Analytical results for the VOCs of interest are reported as mass (expressed in micrograms) of the individual VOCs absorbed by the sampler while it was in the ground (Gore June 2002). All samples were documented and handled in accordance with applicable SNL/NM operating procedures.

3.2.2 Passive Soil-Vapor Survey Results and Conclusions

A total of four GS passive soil-vapor samplers were placed in the seepage pit area of the site (Figure 2.2.1-2). Samplers were installed at the site on April 23, 2002, and were retrieved on May 8, 2002. Sample locations are designated by the same six-digit sample number both on Figure 2.2.1-2 and in the analytical results tables presented in Annex A.

As shown in the analytical results tables in Annex A, the GS samplers were analyzed for a total of 30 individual or groups of VOCs, including trichloroethene, tetrachloroethene, cis- and trans-dichloroethene, and benzene/toluene/ethylbenzene/xylene. Low to trace-level (but quantifiable) amounts of six individual or groups of VOCs were detected in the GS samplers installed at this site. The analytical results indicated there were no areas of significant VOC contamination at the site that would require additional characterization.

3.3 Investigation 2—Soil Sampling

Once the seepage pit was located, soil sampling was conducted in accordance with the rationale and procedures in the SAP (SNL/NM October 1999) approved by the NMED. On September 19, 2002, soil samples were collected from one borehole drilled through, and beneath, the seepage pit. The soil boring location is shown on Figure 2.2.1-2. Figure 3.3-1 shows soil samples being collected at DSS Site 1052. A summary of the borehole, sample depths, sample analyses, analytical methods, laboratories, and sample date is presented in Table 3.3-1.

3.3.1 Soil Sampling Methodology

An auger drill rig was used to sample all boreholes at two depth intervals. In the borehole drilled through the center of the seepage pit, the shallow sample interval started at the estimated base of the gravel aggregate in the seepage pit bottom, and the lower (deep) interval started at 5 feet below the top of the upper sample interval. Once the auger rig had reached the top of the sampling interval, a 3- or 4-foot-long by 1.5-inch inside diameter Geoprobe™ sampling tube lined with a butyl acetate (BA) sampling sleeve was inserted into the borehole and hydraulically driven downward 3 or 4 feet to fill the tube with soil.

Once the sample tube was retrieved from the borehole, the sample for VOC analysis was immediately collected by slicing off a 3- to 4-inch section from the lower end of the BA sleeve and capping the section ends with Teflon® film, then a rubber end cap, and finally sealing the tube with tape.

For the non-VOC analyses, the soil remaining in the BA liner was emptied into a decontaminated mixing bowl, and aliquots of soil were transferred into appropriate sample containers for analysis. On occasion, the amount of soil recovered in the first sampling run was insufficient for sample volume requirements. In this case, additional sampling runs were completed until an adequate soil volume was recovered. Soil recovered from these additional runs was emptied into the mixing bowl and blended with the soil already collected. Aliquots of the blended soil were then transferred into sample containers and submitted for analysis.



Figure 3.3-1
Collecting soil samples with the Geoprobe™ from the borehole drilled at DSS Site 1052, the Building 803 Seepage Pit. View to the southeast. September 19, 2002

Table 3.3-1
Summary of Area Sampled, Analytical Methods, and Laboratories Used for
DSS Site 1052, Building 803 Seepage Pit Soil Samples

Sampling Area	Number of Borehole Locations	Top of Sampling Intervals in Each Borehole (ft bgs)	Total Number of Soil Samples	Analytical Parameters and EPA Methods ^a	Analytical Laboratory	Date Samples Collected
Seepage Pit	1	22, 27	2	VOCs EPA Method 8260	GEL	09-19-02
	1	22, 27	2	SVOCs EPA Method 8270	GEL	09-19-02
	1	22, 27	2	PCBs EPA Method 8082	GEL	09-19-02
	1	22, 27	2	HE Compounds EPA Method 8330	GEL	09-19-02
	1	22, 27	2	RCRA Metals EPA Methods 6000/7000	GEL	09-19-02
	1	22, 27	2	Hexavalent Chromium EPA Method 7196A	GEL	09-19-02
	1	22, 27	2	Total Cyanide EPA Method 9012A	GEL	09-19-02
	1	22, 27	2	Gamma Spectroscopy EPA Method 901.1	RPSD	09-19-02
	1	22, 27	2	Gross Alpha/Beta Activity EPA Method 900.0	GEL	09-19-02

^aEPA November 1986.

bgs = Below ground surface.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ft = Foot (feet).

GEL = General Engineering Laboratories, Inc.

HE = High explosive(s).

PCB = Polychlorinated biphenyl.

RCRA = Resource Conservation and Recovery Act.

RPSD = Radiation Protection Sample Diagnostics Laboratory.

SVOC = Semivolatile organic compound.

VOC = Volatile organic compound.

All samples were documented and handled in accordance with applicable SNL/NM operating procedures and transported to on- and off-site laboratories for analysis.

3.3.2 Soil Sampling Results and Conclusions

Analytical results for the soil samples collected at DSS Site 1052 are presented and discussed in this section.

VOCs

VOC analytical results for the two soil samples collected from the seepage pit borehole are summarized in Table 3.3.2-1. Method detection limits (MDLs) for the VOC soil analyses are presented in Table 3.3.2-2. Low concentrations of 2-butanone were detected in both soil samples. This compound was not detected in the associated trip blanks (TBs).

SVOCs

Semivolatile organic compound (SVOC) analytical results for the two soil samples collected from the seepage pit borehole are summarized in Table 3.3.2-3. MDLs for the SVOC soil analyses are presented in Table 3.3.2-4. One SVOC was detected in the 22-foot-bgs sample and eight SVOCs were detected in the 27-foot-bgs sample. These detected contaminants are probably the result of discharges to the seepage pit.

PCBs

Polychlorinated biphenyl (PCB) analytical results for the two soil samples collected from the seepage pit borehole are summarized in Table 3.3.2-5. MDLs for the PCB soil analyses are presented in Table 3.3.2-6. A low concentration of Aroclor-1254 was detected in the 27-foot-bgs sample.

HE Compounds

High explosive (HE) compound analytical results for the two soil samples collected from the seepage pit borehole are summarized in Table 3.3.2-7. MDLs for the HE soil analyses are presented in Table 3.3.2-8. No HE compounds were detected in either soil sample collected.

RCRA Metals and Hexavalent Chromium

Resource Conservation and Recovery Act (RCRA) metals and hexavalent chromium analytical results for the two soil samples collected from the seepage pit borehole are summarized in Table 3.3.2-9. MDLs for the metals in soil analyses are presented in Table 3.3.2-10. None of the metal concentrations detected in the samples exceed the corresponding NMED-approved background concentrations.

Table 3.3.2-1
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, VOC Analytical Results
 September 2002
 (Off-Site Laboratory)

Sample Attributes			VOCs (EPA Method 8260 ^a) (µg/kg)
Record Number ^b	ER Sample ID	Sample Depth (ft)	2-Butanone
605728	803-SP1-BH1-22-S	22	4.24 J (5.1)
605728	803-SP1-BH1-27-S	27	5.23
Quality Assurance/Quality Control Samples (µg/L)			
605728	829X-SP1-BH1-TB ^c	NA	ND (2.31)
605728	829X-SP1-TB ^c	NA	ND (2.31)

Note: Values in **bold** represent detected analytes.

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

^cER sample ID reflects the final site for VOC samples included in this shipment.

BH = Borehole.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

J () = The reported value is greater than or equal to the MDL but is less than the practical quantitation limit, shown in parentheses.

MDL = Method detection limit.

µg/kg = Microgram(s) per kilogram.

µg/L = Microgram(s) per liter.

NA = Not applicable.

ND () = Not detected above the MDL, shown in parentheses.

S = Soil sample.

SP = Seepage pit.

TB = Trip blank.

VOC = Volatile organic compound.

Table 3.3.2-2
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, VOC Analytical MDLs
 September 2002
 (Off-Site Laboratory)

Analyte	EPA Method 8260 ^a Detection Limit (µg/kg)
Acetone	3.38–3.59
Benzene	0.433–0.459
Bromodichloromethane	0.471–0.5
Bromoform	0.471–0.5
Bromomethane	0.481–0.51
2-Butanone	3.6–3.82
Carbon disulfide	2.27–2.41
Carbon tetrachloride	0.471–0.5
Chlorobenzene	0.394–0.418
Chloroethane	0.779–0.827
Chloroform	0.5–0.531
Chloromethane	0.356–0.378
Dibromochloromethane	0.481–0.51
1,1-Dichloroethane	0.452–0.48
1,2-Dichloroethane	0.413–0.439
1,1-Dichloroethene	0.481–0.51
cis-1,2-Dichloroethene	0.452–0.48
trans-1,2-Dichloroethene	0.51–0.541
1,2-Dichloropropane	0.462–0.49
cis-1,3-Dichloropropene	0.413–0.439
trans-1,3-Dichloropropene	0.24–0.255
Ethylbenzene	0.365–0.388
2-Hexanone	3.63–3.85
Methylene chloride	1.3–1.38
4-Methyl-2-pentanone	3.88–4.11
Styrene	0.375–0.398
1,1,2,2-Tetrachloroethane	0.875–0.929
Tetrachloroethene	0.365–0.388
Toluene	0.327–0.347
1,1,1-Trichloroethane	0.51–0.541
1,1,2-Trichloroethane	0.519–0.551
Trichloroethene	0.433–0.459
Vinyl acetate	1.71–1.82
Vinyl chloride	0.538–0.571
Xylene	0.375–0.398

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method detection limit.

µg/kg = Microgram(s) per kilogram.

VOC = Volatile organic compound.

Table 3.3.2-3
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, SVOC Analytical Results
 September 2002
 (Off-Site Laboratory)

Sample Attributes			SVOCs (EPA Method 8270 ^a) (µg/kg)							
Record Number ^b	ER Sample ID	Sample Depth (ft)	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(g,h,i) perylene	Benzo(k) fluoranthene	Chrysene	Fluoranthene	Indeno(1,2,3-cd) pyrene	Pyrene
605728	803-SP1-BH1-22-S	22	ND (16.7)	ND (16.7)	ND (16.7)	ND (16.7)	ND (16.7)	ND (16.7)	ND (16.7)	143 J
605728	803-SP1-BH1-27-S	27	105	32.3 J (33.3)	28.6 J (33.3)	42.9	38.1	37.2	175	166 J

Note: Values in **bold** represent detected analytes.

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

BH = Borehole.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

J = Analytical result was qualified as an estimated value.

J () = The reported value is greater than or equal to the MDL but is less than the practical quantitation limit, shown in parentheses.

MDL = Method detection limit.

µg/kg = Microgram(s) per kilogram.

ND () = Not detected above the MDL, shown in parentheses.

S = Soil sample.

SP = Seepage pit.

SVOC = Semivolatile organic compound.

Table 3.3.2-4
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, SVOC Analytical MDLs
 September 2002
 (Off-Site Laboratory)

Analyte	EPA Method 8270 ^a Detection Limit (µg/kg)
Acenaphthene	8
Acenaphthylene	16.7
Anthracene	16.7
Benzo(a)anthracene	16.7
Benzo(a)pyrene	16.7
Benzo(b)fluoranthene	16.7
Benzo(g,h,i)perylene	16.7
Benzo(k)fluoranthene	16.7
4-Bromophenyl phenyl ether	34
Butylbenzyl phthalate	28.7
Carbazole	16.7
4-Chlorobenzenamine	167
bis(2-Chloroethoxy)methane	12.3
bis(2-Chloroethyl)ether	37.3
bis-Chloroisopropyl ether	11
4-Chloro-3-methylphenol	167
2-Chloronaphthalene	13.7
2-Chlorophenol	15.3
4-Chlorophenyl phenyl ether	19.7
Chrysene	16.7
o-Cresol	26
Dibenz[a,h]anthracene	16.7
Dibenzofuran	17
1,2-Dichlorobenzene	10
1,3-Dichlorobenzene	11.3
1,4-Dichlorobenzene	15.7
3,3'-Dichlorobenzidine	167
2,4-Dichlorophenol	20.7
Diethylphthalate	17.7
2,4-Dimethylphenol	167
Dimethylphthalate	18.3
Di-n-butyl phthalate	24
Dinitro-o-cresol	167
2,4-Dinitrophenol	167
2,4-Dinitrotoluene	25.3
2,6-Dinitrotoluene	33.3
Di-n-octyl phthalate	30.3
Diphenyl amine	22.3
bis(2-Ethylhexyl) phthalate	30
Fluoranthene	16.7
Fluorene	4
Hexachlorobenzene	20
Hexachlorobutadiene	12.7

Refer to footnotes at end of table.

Table 3.3.2-4 (Concluded)
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, SVOC Analytical MDLs
 September 2002
 (Off-Site Laboratory)

Analyte	EPA Method 8270 ^a Detection Limit ($\mu\text{g}/\text{kg}$)
Hexachlorocyclopentadiene	167
Hexachloroethane	22
Indeno(1,2,3-cd)pyrene	16.7
Isophorone	16
2-Methylnaphthalene	16.7
4-Methylphenol	33.3
Naphthalene	16.7
2-Nitroaniline	167
3-Nitroaniline	167
4-Nitroaniline	37
Nitrobenzene	20.3
2-Nitrophenol	17
4-Nitrophenol	167
n-Nitrosodipropylamine	22.7
Pentachlorophenol	167
Phenanthrene	16.7
Phenol	12.7
Pyrene	16.7
1,2,4-Trichlorobenzene	12.7
2,4,5-Trichlorophenol	17.3
2,4,6-Trichlorophenol	27.3

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method detection limit.

$\mu\text{g}/\text{kg}$ = Microgram(s) per kilogram.

SVOC = Semivolatile organic compound.

Table 3.3.2-5
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, PCB Analytical Results
 September 2002
 (Off-Site Laboratory)

Sample Attributes			PCBs (EPA Method 8082 ^a) (µg/kg)
Record Number ^b	ER Sample ID	Sample Depth (ft)	Aroclor-1254
605728	803-SP1-BH1-22-S	22	ND (0.5)
605728	803-SP1-BH1-27-S	27	2.2 J (3.33)

Note: Values in **bold** represent detected analytes.

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

BH = Borehole.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

J () = The reported value is greater than or equal to the MDL but is less than the practical quantitation limit, shown in parentheses.

MDL = Method detection limit.

µg/kg = Microgram(s) per kilogram.

ND () = Not detected above the MDL, shown in parentheses.

PCB = Polychlorinated biphenyl.

S = Soil sample.

SP = Seepage pit.

Table 3.3.2-6
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, PCB Analytical MDLs
 September 2002
 (Off-Site Laboratory)

Analyte	EPA Method 8082 ^a Detection Limit (µg/kg)
Aroclor-1016	1
Aroclor-1221	2.82
Aroclor-1232	1.67
Aroclor-1242	1.67
Aroclor-1248	1
Aroclor-1254	0.5
Aroclor-1260	1

^aEPA November 1986.
 DSS = Drain and Septic Systems.
 EPA = U.S. Environmental Protection Agency.
 MDL = Method detection limit.
 µg/kg = Microgram(s) per kilogram.
 PCB = Polychlorinated biphenyl.

Table 3.3.2-7
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, HE Compound Analytical Results
 September 2002
 (Off-Site Laboratory)

Sample Attributes			HE (EPA Method 8330 ^a) (µg/kg)
Record Number ^b	ER Sample ID	Sample Depth (ft)	
605728	803-SP1-BH1-22-S	22	ND
605728	803-SP1-BH1-27-S	27	ND

^aEPA November 1986.
^bAnalysis request/chain-of-custody record.
 BH = Borehole.
 DSS = Drain and Septic Systems.
 EPA = U.S. Environmental Protection Agency.
 ER = Environmental Restoration.
 ft = Foot (feet).
 HE = High explosive(s).
 ID = Identification.
 µg/kg = Microgram(s) per kilogram.
 ND = Not detected.
 S = Soil sample.
 SP = Seepage pit.

Table 3.3.2-8
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, HE Compound Analytical MDLs
 September 2002
 (Off-Site Laboratory)

Analyte	EPA Method 8330 ^a Detection Limit (µg/kg)
2-Amino-4,6-dinitrotoluene	18.1
4-Amino-2,6-dinitrotoluene	34.1
1,3-Dinitrobenzene	34.1
2,4-Dinitrotoluene	55
2,6-Dinitrotoluene	48
HMX	48
Nitrobenzene	48
2-Nitrotoluene	24
3-Nitrotoluene	24
4-Nitrotoluene	24
RDX	48
Tetryl	22.1
1,3,5-Trinitrobenzene	29
2,4,6-Trinitrotoluene	48

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

HE = High explosive(s).

HMX = Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine.

MDL = Method detection limit.

µg/kg = Microgram(s) per kilogram.

RDX = Hexahydro-1,3,5-trinitro-1,3,5-triazine.

Tetryl = Methyl-2,4,6-trinitrophenylnitramine.

Table 3.3.2-9
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, Metals Analytical Results
 September 2002
 (Off-Site Laboratory)

Sample Attributes			Metals (EPA Methods 6000/7000/7196A ^a) (mg/kg)								
Record Number ^b	ER Sample ID	Sample Depth (ft)	Arsenic	Barium	Cadmium	Chromium	Chromium (VI)	Lead	Mercury	Selenium	Silver
605728	803-SP1-BH1-22-S	22	0.941 J	72.5	0.225 J (0.45)	7.71 J	ND (0.0533)	2.62 J	0.00387 J (0.00992)	ND (0.146)	ND (0.0813)
605728	803-SP1-BH1-27-S	27	2.4	119	0.192 J (0.442)	9.12 J	ND (0.0523)	5.94 J	0.00294 J (0.00936)	0.18 J (0.442)	ND (0.0798)
Background Concentration—North Supergroup ^c			4.4	200	0.9	12.8	NC	11.2	<0.1	<1	<1

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

^cDinwiddie September 1997.

BH = Borehole.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

J = Analytical result was qualified as an estimated value.

J () = The reported value is greater than or equal to the MDL but is less than the practical quantitation limit, shown in parentheses.

MDL = Method detection limit.

mg/kg = Milligram(s) per kilogram.

NC = Not calculated.

ND () = Not detected above the MDL, shown in parentheses.

S = Soil sample.

SP = Seepage pit.

Table 3.3.2-10
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, Metals Analytical MDLs
 September 2002
 (Off-Site Laboratory)

Analyte	EPA Methods 6000/7000/7196A ^a Detection Limit (mg/kg)
Arsenic	0.183–0.186
Barium	0.059–0.0601
Cadmium	0.0423–0.0431
Chromium	0.143–0.145
Chromium (VI)	0.0523–0.0533
Lead	0.251–0.256
Mercury	0.00092–0.000975
Selenium	0.143–0.146
Silver	0.0798–0.0813

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method detection limit.

mg/kg = Milligram(s) per kilogram.

Total Cyanide

Total cyanide analytical results for the two soil samples collected from the seepage pit borehole are summarized in Table 3.3.2-11. MDLs for the cyanide soil analyses are presented in Table 3.3.2-12. Cyanide was not detected in either sample collected.

Radionuclides

Analytical results for the gamma spectroscopy analysis of the two soil samples collected from the seepage pit borehole are summarized in Table 3.3.2-13. Uranium-235 was detected at an activity above the NMED-approved background in the 22-foot-bgs sample. All other activities were below the NMED-approved background levels.

Gross Alpha/Beta Activity

Gross alpha/beta activity analytical results for the two soil samples collected from the seepage pit borehole are summarized in Table 3.3.2-14. No gross alpha or beta activity was detected above the New Mexico-established background levels (Miller September 2003) in any of the samples. These results indicate no significant levels of radioactive material are present in the soil at the site.

Table 3.3.2-11
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, Total Cyanide Analytical Results
 September 2002
 (Off-Site Laboratory)

Sample Attributes			Total Cyanide (EPA Method 9012A ^a) (mg/kg)
Record Number ^b	ER Sample ID	Sample Depth (ft)	
605728	803-SP1-BH1-22-S	22	ND
605728	803-SP1-BH1-27-S	27	ND

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

BH = Borehole.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

mg/kg = Milligram(s) per kilogram.

ND = Not detected.

S = Soil sample.

SP = Seepage pit.

Table 3.3.2-12
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, Total Cyanide Analytical MDLs
 September 2002
 (Off-Site Laboratory)

Analyte	EPA Method 9012A ^a Detection Limit (mg/kg)
Total Cyanide	0.0419

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

MDL = Method detection limit.

mg/kg = Milligram(s) per kilogram.

Table 3.3.2-13
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, Gamma Spectroscopy Analytical Results
 September 2002
 (On-Site Laboratory)

Sample Attributes			Activity (EPA Method 901.1 ^a) (pCi/g)							
Record Number ^b	ER Sample ID	Sample Depth (ft)	Cesium-137		Thorium-232		Uranium-235		Uranium-238	
			Result	Error ^c	Result	Error ^c	Result	Error ^c	Result	Error ^c
605731	803-SP1-BH1-22-S	22	ND (0.0303)	--	0.742	0.366	0.238	0.16	ND (0.46)	--
605731	803-SP1-BH1-27-S	27	ND (0.0336)	--	0.737	0.358	0.125	0.172	ND (0.493)	--
Background Activity—North Supergroup ^d			0.084	NA	1.54	NA	0.18	NA	1.3	NA

Note: Values in **bold** exceed background soil activities.

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

^cTwo standard deviations about the mean detected activity.

^dDinwiddie September 1997.

BH = Borehole.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

MDA = Minimum detectable activity.

NA = Not applicable.

ND () = Not detected above the MDA, shown in parentheses.

pCi/g = Picocurie(s) per gram.

S = Soil sample.

SP = Seepage pit.

-- = Error not calculated for nondetect results.

Table 3.3.2-14
 Summary of DSS Site 1052, Building 803 Seepage Pit
 Confirmatory Soil Sampling, Gross Alpha/Beta Activity Analytical Results
 September 2002
 (Off-Site Laboratory)

Sample Attributes			Activity (EPA Method 900.0 ^a) (pCi/g)			
Record Number ^b	ER Sample ID	Sample Depth (ft)	Gross Alpha		Gross Beta	
			Result	Error ^c	Result	Error ^c
605728	803-SP1-BH1-22-S	22	13.7	3.12	20.7	1.45
605728	803-SP1-BH1-27-S	27	9.85	2.91	20.6	1.48
Background Activity ^d			17.4	NA	35.4	NA

^aEPA November 1986.

^bAnalysis request/chain-of-custody record.

^cTwo standard deviations about the mean detected activity.

^dMiller September 2003.

BH = Borehole.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

ER = Environmental Restoration.

ft = Foot (feet).

ID = Identification.

NA = Not applicable.

pCi/g = Picocurie(s) per gram.

S = Soil sample.

SP = Seepage pit.

3.3.3 Soil Sampling Quality Assurance/Quality Control Samples and Data Validation Results

Throughout the DSS Project, quality assurance/quality control samples were collected at an approximate frequency of 1 per 20 field samples. These included duplicate, equipment blank (EB), and TB samples. Typically, samples were shipped to the laboratory in batches of up to 20 samples, so that any one shipment might contain samples from several sites. Aqueous EB samples were collected at an approximate frequency of 1 per 20 site samples. The EB samples were analyzed for the same analytical suite as the soil samples in that shipment. The analytical results for the EB samples appear only on the data tables for the site where they were collected. However, the results were used in the data validation process for all the samples in that batch.

Aqueous TB samples, for VOC analysis only, were included in every sample cooler containing VOC soil samples. The analytical results for the TB samples appear on the VOC data tables for the sites in that shipment. The results were used in the data validation process for all the samples in that batch. No VOCs were detected in the TBs for DSS Site 1052 (Table 3.3.2-1).

No duplicate or EB samples were collected at this site.

All laboratory data were reviewed and verified/validated according to "Verification and Validation of Chemical and Radiochemical Data," Technical Operating Procedure (TOP) 94-03, Rev. 0 (SNL/NM July 1994) or SNL/NM ER Project "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03 (SNL/NM December 1999). In addition, SNL/NM Department 7713 (Radiation Protection Sample Diagnostics

[RPSD] Laboratory) reviewed all gamma spectroscopy results according to "Laboratory Data Review Guidelines," Procedure No. RPSD-02-11, Issue No. 2 (SNL/NM July 1996). Annex B contains the data validation reports for the samples collected at this site. The data are acceptable for use in this request for a determination of CAC without controls.

3.4 Investigation 3—Active Soil-Vapor Sampling

3.4.1 Active Soil-Vapor Sampling Methodology

Active soil-vapor sampling typically involves directly pumping soil-vapor from the subsurface for analysis. Vapor collection can be accomplished either by simple open-pipe systems analogous to groundwater monitoring wells screened in the interval of interest or through sophisticated "down hole" systems with individual inlet port and collection tube sets placed at multiple sampling depths. Figure 3.4.1-1 shows a typical soil-vapor monitoring well completion. The extracted soil-vapor can be analyzed immediately, collected on adsorbent media, or collected into special canisters for later laboratory analysis.

3.4.2 Active Soil-Vapor Sampling Results

In May 2003, as part of the DSS investigation, a Flexible Liner Underground Technologies (FLUTE™) soil-vapor monitoring well was installed at DSS Site 1052 (Figure 2.2.1-2). This vapor well was 150 feet deep and had vapor sampling ports at depths of 5, 20, 70, 100, and 150 feet bgs. After installation, subsurface conditions were allowed to equilibrate for more than three months before the well was sampled on September 10, 2003. Soil-vapor samples from each of the five sampling depths were collected in special canisters and sent to an off-site laboratory for analysis. Total VOC soil-vapor concentrations ranged from a low of 66.4 parts per billion by volume (ppbv) in the 20-foot-bgs interval to a maximum of 169 ppbv in the 100-foot-bgs sample. The analytical results and data validation report for these samples are presented in Annex C.

In accordance with previous agreements with the NMED (SNL/NM October 1999), because the total VOC concentration in the 150-foot-bgs sample from this well was less than 10 parts per million by volume, no additional soil-vapor sampling was required from this well and no additional soil-vapor or groundwater monitoring wells were required at this site by the NMED (Keiling December 2003).

3.5 Site Sampling Data Gaps

Analytical data from the site assessment were sufficient for characterizing the nature and extent of possible COC releases. There are no further data gaps regarding characterization of DSS Site 1052.



Figure 3.4.1-1

A typical FLUTE™ soil-vapor monitoring well completion showing five individual vapor sampling tubes exiting the wellhead. Each tube is connected to an individual, downhole soil-vapor sampling port on the side of the well. The sample ports are at depths of 5 to 150 feet bgs.

4.0 CONCEPTUAL SITE MODEL

The conceptual site model for DSS Site 1052, the Building 803 Seepage Pit, is based upon the COCs identified in the soil samples collected from beneath the seepage pit at this site. This section summarizes the nature and extent of contamination and the environmental fate of the COCs.

4.1 Nature and Extent of Contamination

Potential COCs at DSS Site 1052 are VOCs, SVOCs, PCBs, HE compounds, cyanide, RCRA metals, hexavalent chromium, and radionuclides. One VOC, eight SVOCs, and the PCB Aroclor-1254 were detected. No HE compounds were detected in any of the soil samples collected at this site. None of the eight RCRA metals were detected at concentrations above the approved maximum background concentrations for SNL/NM North Supergroup soils (Dinwiddie September 1997). Hexavalent chromium and cyanide were not detected in these samples, but because they do not have quantified background screening concentrations, it is unknown whether these COCs exceed background. When a metal concentration exceeded its maximum background screening value, it was considered further in the risk assessment process. One of the four representative gamma spectroscopy radionuclides was detected at an activity exceeding the corresponding background level. Finally, no gross alpha/beta activity was detected above the New Mexico-established background.

4.2 Environmental Fate

Potential COCs may have been released into the vadose zone via aqueous effluent discharged from the seepage pit. Possible secondary release mechanisms include the uptake of COCs that may have been released into the soil beneath the seepage pit (Figure 4.2-1). The depth to the regional groundwater aquifer at the site (approximately 552 feet bgs) most likely precludes migration of potential COCs into the groundwater system. The potential pathways to receptors include soil ingestion, dermal contact, and inhalation, which could occur as a result of receptor exposure to contaminated subsurface soil at the site. No intake routes through plant, meat, or milk ingestion are considered appropriate for either the industrial or residential land-use scenarios. Annex D provides additional discussion on the fate and transport of COCs at DSS Site 1052.

Table 4.2-1 summarizes the potential COCs for DSS Site 1052. All potential COCs were retained in the conceptual model and were evaluated in both the human health and ecological risk assessments. The current and future land use for DSS Site 1052 is industrial (DOE et al. September 1995).

The potential human receptors at the site are considered to be an industrial worker and resident. The exposure routes for the receptors are dermal contact and ingestion/inhalation; however, these are realistic possibilities only if contaminated soil is excavated at the site. The major exposure route modeled in the human health risk assessment is soil ingestion for COCs. The inhalation pathway is included because of the potential to inhale dust and volatiles. The

This page intentionally left blank.




Figure 4.2-1
Conceptual Site Model Flow Diagram for DSS Site 1052, Building 803 Seepage Pit

Table 4.2-1
Summary of Potential COCs for DSS Site 1052, Building 803 Seepage Pit

COC Type		Number of Samples ^a	COCs Detected or with Concentrations Greater than Background or Nonquantified Background	Maximum Background Limit/North Supergroup ^b (mg/kg)	Maximum Concentration ^c (All Samples) (mg/kg)	Average Concentration ^d (mg/kg)	Number of Samples Where COCs Detected or with Concentrations Greater than Background or Nonquantified Background ^e
VOCs		2	2-Butanone	NA	0.0052	0.0047	2
SVOCs		2	Benzo(a)pyrene	NA	0.105	0.0567	1
		2	Benzo(b)fluoranthene	NA	0.0323 J	0.0203	1
		2	Benzo(g,h,i)perylene	NA	0.0286 J	0.0185	1
		2	Benzo(k)fluoranthene	NA	0.0429	0.0256	1
		2	Chrysene	NA	0.0381	0.0232	1
		2	Fluoranthene	NA	0.0372	0.0228	1
		2	Indeno(1,2,3-cd)pyrene	NA	0.175	0.0917	1
PCBs		2	Aroclor-1254	NA	0.0022 J	0.0012	1
HE Compounds		2	None	NA	NA	NA	None
RCRA Metals		2	None	NA	NA	NA	None
Hexavalent Chromium		2	None	NC	NA	NA	None
Cyanide		2	None	NC	NA	NA	None
Radionuclides (pCi/g)	Gamma Spectroscopy	2	Uranium-235	0.18	0.238	NC ^f	1
	Gross Alpha	2	None	NA	NA	NA	None
	Gross Beta	2	None	NA	NA	NA	None

^aNumber of samples includes duplicates and splits.

^bDinwiddie September 1997.

^cMaximum concentration is either the maximum amount detected, or for radionuclides, the greater of either the maximum detection or the maximum MDA above background.

^dAverage concentration includes all samples except blanks. The average is calculated as the sum of detected amounts and one-half of the MDLs for nondetect results, divided by the number of samples.

^eSee appropriate data table for sample locations.

^fAn average MDA is not calculated because of the variability in instrument counting error and the number of reported nondetect activities for gamma spectroscopy.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

HE = High explosive(s).

J = Analytical result was qualified as an estimated value.

Table 4.2-1 (Concluded)
Summary of Potential COCs for DSS Site 1052, Building 803 Seepage Pit

MDA = Minimum detectable activity.
MDL = Method detection limit.
mg/kg = Milligram(s) per kilogram.
NA = Not applicable.
NC = Not calculated.
PCB = Polychlorinated biphenyl.
pCi/g = Picocurie(s) per gram.
RCRA = Resource Conservation and Recovery Act.
SVOC = Semivolatile organic compound.
VOC = Volatile organic compound.

dermal pathway is included because of the potential for receptors to be exposed to the contaminated soil.

No pathways to groundwater and no intake routes through flora or fauna are considered appropriate for either the industrial or residential land-use scenarios. Annex D provides additional discussion of the exposure routes and receptors at DSS Site 1052.

4.3 Site Assessment

Site assessment at DSS Site 1052 included risk assessments for both human health and ecological risk. This section briefly summarizes the site assessment results, and Annex D discusses the risk assessment performed for DSS Site 1052 in more detail.

4.3.1 Summary

The site assessment concluded that DSS Site 1052 poses no significant threat to human health under either the industrial or residential land-use scenarios. Ecological risks were found to be insignificant because no pathways exist.

4.3.2 Risk Assessments

Risk assessments were performed for both human health and ecological risk at DSS Site 1052. This section summarizes the results.

4.3.2.1 *Human Health*

DSS Site 1052 has been recommended for an industrial land-use scenario (DOE et al. September 1995). Because VOCs, SVOCs, PCBs, hexavalent chromium, cyanide, and uranium-235 were detected, are present above background, or do not have quantified background values, it was necessary to perform a human health risk assessment analysis for the site, which included these COCs. Annex D provides a complete discussion of the risk assessment process, results, and uncertainties. The risk assessment process provides a quantitative evaluation of the potential adverse human health effects from constituents in the site's soil by calculating the hazard index (HI) and excess cancer risk for both industrial and residential land-use scenarios.

The HI calculated for the COCs at DSS Site 1052 is 0.00 for the industrial land-use scenario, which is less than the numerical standard of 1.0 suggested by risk assessment guidance (EPA 1989). The incremental HI risk, determined by subtracting risk associated with background from potential nonradiological COC risk (without rounding), is 0.00. The excess cancer risk for DSS Site 1052 COCs is $7E-7$ for an industrial land-use scenario. NMED guidance states that cumulative excess lifetime cancer risk must be less than $1E-5$ (Bearzi January 2001); thus the excess cancer risk for this site is below the suggested acceptable risk value. The estimated incremental excess cancer risk is $7.34E-7$. Both the incremental HI and excess cancer risk are below NMED guidelines.

The HI calculated for the COCs at DSS Site 1052 is 0.00 for the residential land-use scenario, which is less than the numerical standard of 1.0 suggested by risk assessment guidance (EPA 1989). The incremental HI risk, determined by subtracting risk associated with background from potential nonradiological COC risk (without rounding), is 0.00. The excess cancer risk for DSS Site 1052 COCs is 2E-6 for a residential land-use scenario. NMED guidance states that cumulative excess lifetime cancer risk must be less than 1E-5 (Bearzi January 2001); thus the excess cancer risk for this site is below the suggested acceptable risk value. The excess incremental cancer risk is 2.49E-6. Both the incremental HI and incremental excess cancer risk are below NMED guidelines.

For the radiological COCs, one of the constituents had a reported value greater than the corresponding background value. The incremental total effective dose equivalent (TEDE) and corresponding estimated cancer risk from radiological COCs are much lower than the EPA guidance values; the estimated TEDE is 8.3E-3 millirem (mrem)/year (yr) for the industrial land-use scenario. This value is much lower than the EPA's numerical guidance of 15 mrem/yr (EPA 1997a). The corresponding estimated incremental excess cancer risk value is 7.0E-8 for the industrial land-use scenario. Furthermore, the incremental TEDE for the residential land-use scenario that results from a complete loss of institutional controls is 2.1E-2 mrem/yr with an associated estimated incremental excess cancer risk of 2.1E-7. The guideline for this scenario is 75 mrem/yr (SNL/NM February 1998). Therefore, DSS Site 1052 is eligible for unrestricted radiological release.

The incremental nonradiological and radiological carcinogenic risks are tabulated and summed in Table 4.3.2-1.

Table 4.3.2-1
Summation of Incremental Nonradiological and Radiological Risks from
DSS Site 1052, Building 803 Seepage Pit Carcinogens

Scenario	Nonradiological Risk	Radiological Risk	Total Risk
Industrial	7.34E-7	7.0E-8	8.0E-7
Residential	2.49E-6	2.1E-7	2.7E-6

DSS = Drain and Septic Systems.

Uncertainties associated with the calculations are considered small relative to the conservatism of the risk assessment analysis. Therefore, it is concluded that this site poses insignificant risk to human health under both the industrial and residential land-use scenarios.

4.3.2.2 *Ecological*

An ecological assessment that corresponds with the procedures in the EPA's Ecological Risk Assessment Guidance for Superfund (EPA 1997b) also was performed as set forth by the NMED Risk-Based Decision Tree in the "RPMP [RCRA Permits Management Program] Document Requirement Guide" (NMED March 1998). An early step in the evaluation compared COC concentrations and identified potentially bioaccumulative constituents (see Annex D, Sections IV, VII.2, and VII.2.1). This methodology also required developing a site conceptual model and a food web model, as well as selecting ecological receptors, as presented in "Predictive Ecological Risk Assessment Methodology, Environmental Restoration Program,

Sandia National Laboratories, New Mexico” (IT July 1998). The risk assessment also includes the estimation of exposure and ecological risk.

All COCs at DSS Site 1052 are located at depths 5 feet bgs or greater. Therefore, no complete ecological pathways exist at this site, and a more detailed ecological risk assessment is not necessary.

4.4 Baseline Risk Assessments

This section discusses the baseline risk assessments for human health and ecological risk.

4.4.1 Human Health

Because the results of the human health risk assessment summarized in Section 4.3.2.1 indicate that DSS Site 1052 poses insignificant risk to human health under both the industrial and residential land-use scenarios, a baseline human health risk assessment is not required for this site.

4.4.2 Ecological

Because the results of the ecological risk assessment summarized in Section 4.3.2.2 indicate that no complete pathways exist at DSS Site 1052, a baseline ecological risk assessment is not required for the site.

This page intentionally left blank.

5.0 RECOMMENDATION FOR CORRECTIVE ACTION COMPLETE WITHOUT CONTROLS DETERMINATION

5.1 Rationale

Based upon field investigation data and the human health and ecological risk assessment analyses, a determination of CAC without controls is recommended for DSS Site 1052 for the following reasons:

- The soil has been sampled for all potential COCs.
- No COCs are present in the soil at levels considered hazardous to human health for either an industrial or residential land-use scenario.
- None of the COCs warrant ecological concern because no complete pathways exist at the site.

5.2 Criterion

Based upon the evidence provided in Section 5.1, a determination of CAC without controls (NMED April 2004) is recommended for DSS Site 1052. This is consistent with the NMED's NFA Criterion 5, which states, "the SWMU/AOC [Area of Concern] has been characterized or remediated in accordance with current applicable state or federal regulations, and the available data indicate that contaminants pose an acceptable level of risk under current and projected future land use" (NMED March 1998).

This page intentionally left blank.

6.0 REFERENCES

Bearzi, J. (New Mexico Environment Department/Hazardous Waste Bureau), January 2000. Letter to M.J. Zamorski (U.S. Department of Energy) and L. Shephard (Sandia National Laboratories/New Mexico) approving the "Sampling and Analysis Plan for Characterizing and Assessing Potential Releases to the Environment for Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico." January 28, 2000.

Bearzi, J.P. (New Mexico Environment Department), January 2001. Memorandum to RCRA-Regulated Facilities, "Risk-Based Screening Levels for RCRA Corrective Action Sites in New Mexico," Hazardous Waste Bureau, New Mexico Environment Department, Santa Fe, New Mexico. January 23, 2001.

Bleakly, D. (Sandia National Laboratories/New Mexico), July 1996. Memorandum, "List of Non-ER Septic/Drain Systems for the Sites Identified Through the Septic System Inventory Program." July 8, 1996.

Dinwiddie, R.S. (New Mexico Environment Department), September 1997. Letter to M.J. Zamorski (U.S. Department of Energy), Request for Supplemental Information: Background Concentrations Report, SNL/KAFB, September 24, 1997.

DOE, see U.S. Department of Energy.

EPA, see U.S. Environmental Protection Agency.

Gore, see Gore, W.L. and Associates.

Gore, W.L. and Associates (Gore), June 2002. "Gore-Sorber Screening Survey Final Report, Non-ER Drain and Septic, Kirtland AFB, NM," W.L. Gore Production Order Number 10960025, Sandia National Laboratories/New Mexico, June 6, 2002.

IT, see IT Corporation.

IT Corporation (IT), July 1998. "Predictive Ecological Risk Assessment Methodology, Environmental Restoration Program, Sandia National Laboratories, New Mexico," IT Corporation, Albuquerque, New Mexico.

Keiling, J. E. (New Mexico Environment Department/Hazardous Waste Bureau), December 2003. Letter to K. L. Boardman (Sandia Site Office, National Nuclear Security Administration) and P. B. Davies (Sandia National Laboratories/New Mexico), regarding "Environmental Restoration Project Drain and Septic Systems (DSS) Soil Vapor Well Sample Results; Dated November 2003."

Miller, M. (Sandia National Laboratories/New Mexico), September 2003. Memorandum to F.B. Nimick (Sandia National Laboratories/New Mexico), regarding "State of New Mexico Background for Gross Alpha/Beta Assays in Soil Samples." September 12, 2003.

Moats, W. (New Mexico Environment Department/Hazardous Waste Bureau), February 2002. Letter to M. J. Zamorski (U.S. Department of Energy) and P. Davies (Sandia National Laboratories/New Mexico) approving the "Field Implementation Plan, Characterization of Non-Environmental Restoration Drain and Septic Systems." February 21, 2002.

National Oceanic and Atmospheric Administration (NOAA), 1990. "Local Climatological Data, Annual Summary with Comparative Data," Albuquerque, New Mexico.

New Mexico Environment Department (NMED) March 1998. "RPMP Document Requirement Guide," RCRA Permits Management Program, Hazardous and Radioactive Materials Bureau, New Mexico Environment Department, Santa Fe, New Mexico.

New Mexico Environment Department (NMED) April 2004. "Compliance Order on Consent Pursuant to New Mexico Hazardous Waste Act § 74-4-10," New Mexico Environment Department, Santa Fe, New Mexico. April 29, 2004.

NMED, see New Mexico Environment Department.

NOAA, see National Oceanic and Atmospheric Administration.

Romero, T. (Sandia National Laboratories/New Mexico), September 2003. Internal communication to M. Sanders stating that during the connection of septic systems to the new City of Albuquerque sewer system, the old systems were disconnected and the lines capped. September 16, 2003.

Sandia National Laboratories/New Mexico (SNL/NM), January 1963. SNL/NM Facilities Engineering Drawing 81668 showing the Building 803 Seepage Pit, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), July 1994. "Verification and Validation of Chemical and Radiochemical Data," Technical Operating Procedure (TOP) 94-03, Rev. 0, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), March 1996. "Site-Wide Hydrogeologic Characterization Project, Calendar Year 1995 Annual Report," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), July 1996. "Laboratory Data Review Guidelines," Radiation Protection Diagnostics Procedure No. RPSD-02-11, Issue No. 2, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), February 1998. "RESRAD Input Parameter Assumptions and Justification," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), October 1999. "Sampling and Analysis Plan for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico," Sandia National Laboratories, Albuquerque, New Mexico. October 19, 1999.

Sandia National Laboratories/New Mexico (SNL/NM), December 1999. "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03, Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), November 2001. "Field Implementation Plan, Characterization of Non-Environmental Restoration Drain and Septic Systems," Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), March 2003. Database printout provided by SNL/NM Facilities Engineering showing the year that numerous SNL/NM buildings were constructed, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), April 2003. "DSS Sites Mean Elevation Report," GIS Group, Environmental Restoration Department, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), May 2003. "Tijeras Arroyo Groundwater Investigation Work Plan (Final Version)," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

SNL/NM, see Sandia National Laboratories/New Mexico.

U.S. Department of Energy (DOE), U.S. Air Force, and U.S. Forest Service, September 1995. "Workbook: Future Use Management Area 2," prepared by Future Use Logistics and Support Working Group in cooperation with Department of Energy Affiliates, the U.S. Air Force, and the U.S. Forest Service.

U.S. Environmental Protection Agency (EPA), November 1986. "Test Methods for Evaluating Solid Waste," 3rd ed., Update 3, SW-846, Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington D.C.

U.S. Environmental Protection Agency (EPA), 1989. "Risk Assessment Guidance for Superfund, Vol. 1: Human Health Evaluation Manual," EPA/540/1-89/002, Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997a. "Establishment of Cleanup Levels for CERCLA Sites with Radioactive Contamination," OSWER Directive No. 9200.4-18, Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997b. "Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risks," Interim Final, U.S. Environmental Protection Agency, Washington, D.C.

This page intentionally left blank.

ANNEX A
DSS Site 1052
Gore-Sorber™ Passive Soil-Vapor Survey
Analytical Results



W. L. GORE & ASSOCIATES, INC.

100 CHESAPEAKE BLVD., P.O. BOX 10 • ELKTON, MARYLAND 21922-0010 • PHONE: 410/392-7600
FAX: 410/506-4780

GORE-SORBER® EXPLORATION SURVEY
GORE-SORBER® SCREENING SURVEY

June 6, 2002

Mike Sanders
Sandia National Laboratories
Mail Stop 0719
1515 Eubank, SE
Building 9925, Room 108
Albuquerque, NM 87123

Site Reference: Non-ER Drain & Septic, Kirtland AFB, NM
Gore Production Order Number: 10960025

Dear Mr. Sanders:

Thank you for choosing a GORE-SORBER® Screening Survey.

The attached package consists of the following information (in duplicate):

- **Final report**
- **Chain of custody and analytical data table (included in Appendix A)**
- **Stacked total ion chromatograms (included in Appendix A)**

Please contact our office if you have any questions or comments concerning this report. We appreciate this opportunity to be of service to Sandia National Laboratories, and look forward to working with you again in the future.

Sincerely,
W.L. Gore & Associates, Inc.

Jay W. Hodny, Ph.D.
Associate

Attachments
cc: Andre Brown (W.L. Gore & Associates, Inc.)

I:\MAPPING\PROJECTS\10960025\020606R.DOC



W. L. GORE & ASSOCIATES, INC.

100 CHESAPEAKE BLVD., P.O. BOX 10 • ELKTON, MARYLAND 21922-0010 • PHONE: 410/392-7600
FAX: 410/506-4780

GORE-SORBER® EXPLORATION SURVEY
GORE-SORBER® SCREENING SURVEY

1 of 6

GORE-SORBER® Screening Survey Final Report

Non-ER Drain & Septic
Kirtland AFB, NM

June 6, 2002


Prepared For:
Sandia National Laboratories
Mail Stop 0719, 1515 Eubank, SE
Albuquerque, NM 87123


W.L. Gore & Associates, Inc.


Written/Submitted by:
Jay W. Hodny, Ph.D., Project Manager

Reviewed/Approved by:
Jim E. Whetzel, Project Manager

Analytical Data Reviewed by:
Jim E. Whetzel, Chemist







I:\MAPPING\PROJECTS\10960025\020606R.DOC

This document shall not be reproduced, except in full, without written approval of W.L. Gore & Associates

**GORE-SORBER® Screening Survey
Final Report**

REPORT DATE: June 6, 2002

AUTHOR: JWH

SITE INFORMATION

Site Reference: Non-ER Drain & Septic, Kirtland AFB, NM

Customer Purchase Order Number: 28518

Gore Production Order Number: 10960025

Gore Site Code: CCT, CCX

FIELD PROCEDURES

Modules shipped: 142

Installation Date(s): 4/23,24,25,26,29,30/2002; 5/1,6/2002

Modules Installed: 135

Field work performed by: Sandia National Laboratories

Retrieval date(s): 5/8,9,10,14,15,16,21/2002

Modules Retrieved: 131

Modules Lost in Field: 4

Modules Not Returned: 1

Exposure Time: ~15 [days]

Trip Blanks Returned: 3

Unused Modules Returned: 3

Date/Time Received by Gore: 5/17/2002 @ 2:00 PM; 5/24/2002@1:30PM **By:** MM

Chain of Custody Form attached: ✓

Chain of Custody discrepancies: None

Comments:

Modules #179227, -228, and -229 were identified as trip blanks.

Modules #179137, -138, -140, and -141 were not retrieved and considered lost from the field.

Module #179231 was not returned.

Modules #179230, 232, and -233 were returned unused.

**GORE-SORBER® Screening Survey
Final Report**

ANALYTICAL PROCEDURES

W.L. Gore & Associates' Screening Module Laboratory operates under the guidelines of its Quality Assurance Manual, Operating Procedures and Methods. The quality assurance program is consistent with Good Laboratory Practices (GLP) and ISO Guide 25, "General Requirements for the Competence of Calibration and Testing Laboratories", third edition, 1990.

Instrumentation consists of state of the art gas chromatographs equipped with mass selective detectors, coupled with automated thermal desorption units. Sample preparation simply involves cutting the tip off the bottom of the sample module and transferring one or more exposed sorbent containers (sorbent, each containing 40mg of a suitable granular adsorbent) to a thermal desorption tube for analysis. Sorbent containers remain clean and protected from dirt, soil, and ground water by the insertion/retrieval cord, and require no further sample preparation.

Analytical Method Quality Assurance:

The analytical method employed is a modified EPA method 8260/8270. Before each run sequence, two instrument blanks, a sorbent containing 5µg BFB (Bromofluorobenzene), and a method blank are analyzed. The BFB mass spectra must meet the criteria set forth in the method before samples can be analyzed. A method blank and a sorbent containing BFB is also analyzed after every 30 samples and/or trip blanks. Standards containing the selected target compounds at three calibration levels of 5, 20, and 50µg are analyzed at the beginning of each run. The criterion for each target compound is less than 35% RSD (relative standard deviation). If this criterion is not met for any target compound, the analyst has the option of generating second- or third-order standard curves, as appropriate. A second-source reference standard, at a level of 10µg per target compound, is analyzed after every ten samples and/or trip blanks, and at the end of the run sequence. Positive identification of target compounds is determined by 1) the presence of the target ion and at least two secondary ions; 2) retention time versus reference standard; and, 3) the analyst's judgment.

NOTE: All data have been archived. Any replicate sorbent containers not used in the initial analysis will be discarded fifteen (15) days from the date of analysis.

Laboratory analysis: thermal desorption, gas chromatography, mass selective detection

Instrument ID: # 2 **Chemist:** JW

Compounds/mixtures requested: Gore Standard VOC/SVOC Target Compounds (A1)

Deviations from Standard Method: None

Comments: Soil vapor analytes and abbreviations are tabulated in the Data Table Key (page 6). Module #179091 was returned and noted as damaged, no carbonaceous sorbent containers; therefore, target compound masses reported in data table cannot be compared to the mass data from the other modules directly.

Module #179101, no identification tag was returned with this module.

**GORE-SORBER® Screening Survey
Final Report**

DATA TABULATION

CONTOUR MAPS ENCLOSED: No contour maps were generated.

NOTE: All data values presented in Appendix A represent masses of compound(s) desorbed from the GORE-SORBER Screening Modules received and analyzed by W.L. Gore & Associates, Inc., as identified in the Chain of Custody (Appendix A). The measurement traceability and instrument performance are reproducible and accurate for the measurement process documented. Semi-quantitation of the compound mass is based on either a single-level (QA Level 1) or three-level (QA Level 2) standard calibration.

General Comments:

- This survey reports soil gas mass levels present in the vapor phase. Vapors are subject to a variety of attenuation factors during migration away from the source concentration to the module. Thus, mass levels reported from the module will often be less than concentrations reported in soil and groundwater matrix data. In most instances, the soil gas masses reported on the modules compare favorably with concentrations reported in the soil or groundwater (e.g., where soil gas levels are reported at greater levels relative to other sampled locations on the site, matrix data should reveal the same pattern, and vice versa). However, due to a variety of factors, a perfect comparison between matrix data and soil gas levels can rarely be achieved.
- Soil gas signals reported by this method cannot be identified specifically to soil adsorbed, groundwater, and/or free-product contamination. The soil gas signal reported from each module can evolve from all of these sources. Differentiation between soil and groundwater contamination can only be achieved with prior knowledge of the site history (i.e., the site is known to have groundwater contamination only).
- QA/QC trip blank modules were provided to document potential exposures that were not part of the soil gas signal of interest (i.e., impact during module shipment, installation and retrieval, and storage). The trip blanks are identically manufactured and packaged soil gas modules to those modules placed in the subsurface. However, the trip blanks remain unopened during all phases of the soil gas survey. Levels reported on the trip blanks may indicate potential impact to modules other than the contaminant source of interest.

**GORE-SORBER® Screening Survey
Final Report**

- Unresolved peak envelopes (UPEs) are represented as a series of compound peaks clustered together around a central gas chromatograph elution time in the total ion chromatogram. Typically, UPEs are indicative of complex fluid mixtures that are present in the subsurface. UPEs observed early in the chromatogram are considered to indicate the presence of more volatile fluids, while UPEs observed later in the chromatogram may indicate the presence of less volatile fluids. Multiple UPEs may indicate the presence of multiple complex fluids.

Project Specific Comments:

- Stacked total ion chromatograms (TICs) are included in Appendix A. The six-digit serial number of each module is incorporated into the TIC identification (e.g.: 123456S.D represents module #123456).
- No target compounds were detected on the trip blanks and/or the method blanks. Thus, target analyte levels reported for the field-installed modules that exceed trip and method blank levels, and the analyte method detection limit, have a high probability of originating from on-site sources.
- A small subset of modules was placed at each of several site locations; therefore no contour mapping was performed. Larger and more comprehensive soil gas surveys may be warranted at the individual sites where elevated soil gas levels were observed.

GORE-SORBER® Screening Survey Final Report

KEY TO DATA TABLE Non-ER Drain & Septic, Kirtland AFB, NM

UNITS

µg	micrograms (per sorber), reported for compounds
MDL	method detection limit
bdl	below detection limit
nd	non-detect

ANALYTES

BTEX	combined masses of benzene, toluene, ethylbenzene and total xylenes (Gasoline Range Aromatics)
BENZ	benzene
TOL	toluene
EtBENZ	ethylbenzene
mpXYL	m-, p-xylene
oXYL	o-xylene
C11,C13&C15	combined masses of undecane, tridecane, and pentadecane (C11+C13+C15) (Diesel Range Alkanes)
UNDEC	undecane
TRIDEC	tridecane
PENTADEC	pentadecane
TMBs	combined masses of 1,3,5-trimethylbenzene and 1,2,4-trimethylbenzene
135TMB	1,3,5-trimethylbenzene
124TMB	1,2,4-trimethylbenzene
ct12DCE	cis- & trans-1,2-dichloroethene
t12DCE	trans-1,2-dichloroethene
c12DCE	cis-1,2-dichloroethene
NAPH&2-MN	combined masses of naphthalene and 2-methyl naphthalene
NAPH	naphthalene
2MeNAPH	2-methyl naphthalene
MTBE	methyl t-butyl ether
11DCA	1,1-dichloroethane
CHCl ₃	chloroform
111TCA	1;1,1-trichloroethane
12DCA	1,2-dichloroethane
CCl ₄	carbon tetrachloride
TCE	trichloroethene
OCT	octane
PCE	tetrachloroethene
CIBENZ	chlorobenzene
14DCB	1,4-dichlorobenzene

BLANKS

TBn	unexposed trip blanks, travels with the exposed modules
method blank	QA/QC module, documents analytical conditions during analysis

APPENDIX A:

1. CHAIN OF CUSTODY
2. DATA TABLE

GORE-SORBER® Screening Survey Chain of Custody

For W.L. Gore & Associates use only
Production Order # 10960025



W. L. Gore & Associates, Inc., Survey Products Group

100 Chesapeake Boulevard • Elkton, Maryland 21921 • Tel: (410) 392-7600 • Fax (410) 506-4780

Instructions: Customer must complete ALL shaded cells

Customer Name: <u>SANDIA NATIONAL LABS</u>		Site Name: <u>NON-ER DRAIN+ SEPTIC</u>	
Address: <u>ACCOUNTS PAYABLE MS0154</u> <u>P.O. BOX 5130</u> <u>ALBUQUERQUE NM 87185 U.S.A.</u>		Site Address: <u>KIVL 2ND AFB, NM</u> <u>KIRTLAND</u>	
Phone: <u>505-284-3303</u>		Project Manager: <u>MIKE SANDERS</u>	
FAX: <u>505-284-2616</u>		Customer Project No.: _____	
		Customer P.O. #: <u>28518</u> Quote #: <u>211946</u>	
Serial # of Modules Shipped		# of Modules for Installation <u>135</u> # of Trip Blanks <u>7</u>	
# 179087 - # 179144	# <u>179087</u> - # <u>179134</u>	Total Modules Shipped: <u>142</u> Pieces	
# 179150 - # 179233	# <u>179135</u> - # <u>179136</u>	Total Modules Received: <u>142</u> Pieces	
# - #	# <u>179139</u> - #	Total Modules Installed: <u>135</u> Pieces	
# - #	# <u>179142</u> - # <u>179144</u>	Serial # of Trip Blanks (Client Decides) #	
# - #	# <u>179150</u> - # <u>179151</u>	# <u>179227</u>	#
# - #	# - #	#	#
# - #	# - #	#	#
# - #	# - #	#	#
# - #	# - #	#	#
# - #	# - #	#	#
Prepared By: <u>[Signature]</u>	#	#	#
Verified By: <u>[Signature]</u>	#	#	#
Installation Performed By: Name (please print): <u>GILBERT QUINTANA</u> Company/Affiliation: <u>SNL/NM</u>		Installation Method(s) (circle those that apply): Slide Hammer Hammer Drill Auger Other: <u>GEOPRIBE</u>	
Installation Start Date and Time: <u>4/23/02</u> <u>10815T</u> : <u>AM</u> PM			
Installation Complete Date and Time: <u>5/6/02</u> <u>109901</u> : <u>AM</u> PM			
Retrieval Performed By: Name (please print): <u>GILBERT QUINTANA</u> Company/Affiliation: <u>SNL/NM</u>		Total Modules Retrieved: _____ Pieces	
		Total Modules Lost in Field: _____ Pieces	
		Total Unused Modules Returned: _____ Pieces	
Retrieval Start Date and Time: <u>5/8/02</u> <u>1</u> <u>1</u> : <u>AM</u> PM			
Retrieval Complete Date and Time: <u>1</u> <u>1</u> : <u>AM</u> PM			
Relinquished By: <u>[Signature]</u>	Date: <u>3-4-02</u>	Time: <u>12:00</u>	Received By: <u>Mike Sanders</u>
Affiliation: <u>W.L. Gore & Associates, Inc.</u>			Affiliation: <u>Sandia/ER</u>
Relinquished By: <u>[Signature]</u>	Date: <u>5-14-02</u>	Time: <u>12:58</u>	Received By: _____
Affiliation: <u>6135</u>			Affiliation: _____
Relinquished By: _____	Date: _____	Time: _____	Received By: <u>[Signature]</u>
Affiliation: _____			Affiliation: <u>W.L. Gore & Associates, Inc.</u>
			Date: <u>5/17/02</u> Time: <u>14:00</u>

GORE-SORBER® Screening Survey Chain of Custody

For W.L. Gore & Associates use only
Production Order # 10960025



W. L. Gore & Associates, Inc., Survey Products Group

100 Chesapeake Boulevard • Elkton, Maryland 21921 • Tel: (410) 392-7600 • Fax (410) 506-4780

Instructions: Customer must complete ALL shaded cells

Customer Name: <u>SANDIA NATIONAL LABS</u>			Site Name: <u>NON-ER DUAIN+ SEPTIC</u>		
Address: <u>ACCOUNTS PAYABLE MS0154</u>			Site Address: <u>KITL 2ND AFB, NM</u>		
<u>P.O. BOX 5130</u>			<u>KIRTLAND</u>		
<u>ALBUQUERQUE NM 87185 U.S.A.</u>			Project Manager: <u>MIKE SANDERS</u>		
Phone: <u>505-284-3303</u>			Customer Project No.: _____		
FAX: <u>505-284-2614</u>			Customer P.O. #: <u>28518</u> Quote #: <u>211946</u>		
Serial # of Modules Shipped			# of Modules for Installation <u>135</u> # of Trip Blanks <u>7</u>		
# 179087 - # 179144	# 179152 - # 179187	Total Modules Shipped: <u>142</u>	Pieces		
# 179150 - # 179233	# 179188 - # 179226	Total Modules Received: <u>142</u>	Pieces		
# - #	# - #	Total Modules Installed: <u>135</u>	Pieces		
# - #	# - #	Serial # of Trip Blanks (Client Decides)		#	
# - #	# - #	# <u>179228</u>	#	#	
# - #	# - #	# <u>179229</u>	#	#	
# - #	# - #	#	#	#	
# - #	# - #	#	#	#	
# - #	# - #	#	#	#	
# - #	# - #	#	#	#	
# - #	# - #	#	#	#	
Prepared By: <u>Cherone W/L</u>	#	#	#	#	
Verified By: <u>Mary Anne Murphy</u>	#	#	#	#	
Installation Performed By:			Installation Method(s) (circle those that apply):		
Name (please print): <u>GILBERT QUINTANA</u>			Slide Hammer Hammer Drill Auger		
Company/Affiliation: <u>SNL/NM</u>			Other: <u>GEOPROBE</u>		
Installation Start Date and Time: <u>4/23/02 10815T</u>			: <u>AM</u> PM		
Installation Complete Date and Time: <u>5/6/02 109901</u>			: <u>AM</u> PM		
Retrieval Performed By:			Total Modules Retrieved: <u>74</u> Pieces		
Name (please print): <u>GILBERT QUINTANA</u>			Total Modules Lost in Field: <u>4</u> Pieces		
Company/Affiliation: <u>SNL/NM</u>			Total Unused Modules Returned: <u>3</u> Pieces		
Retrieval Start Date and Time: <u>5/8/02 1 1</u>			: AM PM		
Retrieval Complete Date and Time: <u>1 1</u>			: AM PM		
Relinquished By: <u>W/L</u>	Date: <u>3-4-02</u>	Time: <u>12:00</u>	Received By: <u>Mike Sanders</u>	Date: <u>3-7-02</u>	Time: _____
Affiliation: <u>W.L. Gore & Associates, Inc.</u>			Affiliation: <u>Sandia 6133</u>		
Relinquished By: <u>William J. Silva</u>	Date: <u>5-21-02</u>	Time: <u>0935</u>	Received By: _____	Date: _____	Time: _____
Affiliation: <u>Sandia N.L. 6135</u>			Affiliation: _____		
Relinquished By: _____	Date: _____	Time: _____	Received By: <u>Mary Anne Murphy</u>	Date: <u>5-24-02</u>	Time: <u>13:30</u>
Affiliation: _____			Affiliation: <u>W.L. Gore & Associates, Inc.</u>		

GORE-SORBER® Screening Survey
Installation and Retrieval Log

SITE NAME & LOCATION

1. of 4

DSS SITE 1052

LINE #	MODULE #	INSTALLATION DATE/TIME	RETRIEVAL DATE/TIME	EVIDENCE OF LIQUID HYDROCARBONS (LPH) or HYDROCARBON ODOR (Check as appropriate)			MODULE IN WATER (check one)		COMMENTS
				LPH	ODOR	NONE	YES	NO	
1.	179087	4/23/02, 0815	05-08-02, 0800					✓	1001/898-GS-5
2.	179088	0822						↓	GS-3
3.	179089	0830						↓	GS-2
4.	179090	0840						↓	GS-1
5.	179091	0852						↓	GS-4
6.	179092	0952	0830					✓	1052/803-GS-1
7.	179093	1000						↓	-4
8.	179094	1010						↓	-3
9.	179095	1018						↓	-2
10.	179096	1135	0900						1030/6587-5
11.	179097	1151							-6
12.	179098	1238							-4
13.	179099	1247							-3
14.	179100	1254							-2
15.	179101	1304							-1
16.	179102	1347	0920						1002/6620-4
17.	179103	1355							-5
18.	179104	1404							-1
19.	179105	1431							-3
20.	179106	1440							-
21.	179107	4/24/02, 0848	5-9-02, 0930						1108/6531-5
22.	179108	0853							-6
23.	179109	0900							-4
24.	179110	0907							-2
25.	179111	0916							-3
26.	179112	0936							-1
27.	179113	4/25/02, 0746	5-10-02, 0812						1027/6530-5
28.	179114	0754							-2
29.	179115	0800							-3
30.	179116	0810							-4
31.	179117	0818	0917						-1
32.	179118	0915	5-10-02, 0925						1010/6536-5
33.	179119	0922							6
34.	179120	0931							4
35.	179121	0942							2
36.	179122	0947							1
37.	179123	0954	1002						3
38.	179124	1026	5-10-02, 1013						1028/6560-1
39.	179125	1043							4
40.	179126	1052							3
41.	179127	1103	1041						2
42.	179128	1420	5-10-02, 1045						1026/6501-✓

GORE SORBER SCREENING SURVEY ANALYTICAL RESULTS
 SANDIA NATIONAL LABS, ALBUQUERQUE, NM
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 NON-ER DRAIN AND SEPTIC, KIRTLAND AFB, NM
 SITES CCT AND CCX - PRODUCTION ORDER #10960025

DSS SITE 1052

DATE ANALYZED	SAMPLE NAME	BTEX, ug	BENZ, ug	TOL, ug	EtBENZ, ug	mpXYL, ug	oXYL, ug	C11, C13, &C15, ug	UNDEC, ug	TRIDEC, ug	PENTADEC, ug	TMBs, ug
	MDL=		0.03	0.02	0.01	0.01	0.01		0.02	0.01	0.02	
5/20/2002	179087	0.03	nd	nd	bdl	0.01	0.02	0.51	0.04	0.02	0.45	0.06
5/20/2002	179088	nd	nd	nd	nd	nd	nd	0.53	0.03	0.02	0.48	0.00
5/20/2002	179089	nd	nd	nd	nd	nd	nd	0.35	0.04	0.02	0.29	0.00
5/20/2002	179090	0.02	nd	nd	nd	0.02	nd	0.94	0.06	0.03	0.85	0.04
5/20/2002	179091	0.13	nd	0.06	nd	0.05	0.02	0.12	0.03	0.04	0.05	0.03
5/20/2002	179092	nd	nd	nd	nd	nd	nd	0.22	0.04	0.01	0.17	0.00
5/20/2002	179093	0.00	nd	nd	nd	bdl	nd	0.33	0.04	0.01	0.28	nd
5/20/2002	179094	0.00	nd	bdl	nd	nd	nd	0.41	0.03	0.01	0.37	nd
5/20/2002	179095	nd	nd	nd	nd	nd	nd	0.45	0.05	0.06	0.34	0.00
5/20/2002	179096	nd	nd	nd	nd	nd	nd	0.44	0.06	0.05	0.33	0.06
5/20/2002	179097	0.05	nd	nd	nd	0.03	0.02	0.60	0.04	0.02	0.53	0.03
5/20/2002	179098	0.02	nd	nd	nd	0.02	nd	0.80	0.04	0.02	0.74	0.00
5/20/2002	179099	nd	nd	nd	nd	nd	nd	0.63	0.05	0.01	0.57	0.00
5/20/2002	179100	nd	nd	nd	nd	nd	nd	0.24	0.04	0.03	0.18	nd
5/21/2002	179101	0.06	nd	0.04	nd	0.02	nd	1.66	0.11	0.21	1.33	0.00
5/21/2002	179102	0.01	nd	nd	nd	0.01	nd	0.45	0.04	0.03	0.38	0.00
5/21/2002	179103	0.44	nd	0.19	0.04	0.17	0.04	1.04	0.11	0.05	0.89	0.04
5/21/2002	179104	0.01	nd	nd	nd	0.01	nd	0.39	0.04	0.01	0.34	0.00
5/21/2002	179105	nd	nd	nd	nd	nd	nd	0.08	0.04	0.02	0.03	0.00
5/21/2002	179106	0.03	nd	0.03	bdl	nd	nd	0.48	0.03	0.03	0.43	0.00
5/21/2002	179107	0.09	nd	0.07	nd	0.02	nd	0.30	0.09	0.12	0.10	0.04
5/21/2002	179108	0.06	nd	0.04	nd	0.02	bdl	0.04	0.03	0.01	bdl	0.00
5/21/2002	179109	0.02	nd	nd	nd	0.02	nd	0.00	bdl	bdl	bdl	0.00
5/21/2002	179110	0.00	nd	bdl	nd	nd	nd	0.03	0.03	bdl	bdl	0.00
5/21/2002	179111	nd	nd	nd	nd	nd	nd	0.07	0.04	0.01	0.02	0.00
5/21/2002	179112	0.04	nd	0.03	nd	0.01	nd	0.02	0.02	bdl	bdl	0.00
5/21/2002	179113	0.02	nd	0.02	nd	nd	nd	0.02	0.02	bdl	bdl	0.00
5/21/2002	179114	nd	nd	nd	nd	nd	nd	0.09	0.04	0.02	0.03	0.00
5/21/2002	179115	0.02	nd	nd	nd	0.02	nd	0.09	0.03	0.03	0.03	0.00
5/21/2002	179116	nd	nd	nd	nd	nd	nd	0.05	0.03	0.02	bdl	nd
5/21/2002	179117	0.09	nd	0.07	nd	0.03	nd	1.21	0.05	0.32	0.85	0.00
5/21/2002	179118	0.16	nd	0.11	nd	0.05	nd	0.05	0.05	bdl	bdl	0.00
5/21/2002	179119	0.08	nd	0.06	nd	0.01	nd	0.06	0.04	0.02	bdl	0.00
5/21/2002	179120	0.33	nd	0.21	nd	0.09	0.03	0.12	0.07	0.03	0.02	0.00
5/21/2002	179121	0.07	0.05	nd	nd	0.02	nd	0.05	0.04	0.02	bdl	0.00
5/21/2002	179122	nd	nd	nd	nd	nd	nd	0.05	0.03	0.01	bdl	nd
5/21/2002	179123	nd	nd	nd	nd	nd	nd	0.00	bdl	nd	bdl	nd
5/21/2002	179124	0.10	nd	0.08	nd	0.02	nd	0.05	0.04	0.01	bdl	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE SORBER SCREENING SURVEY ANALYTICAL RESULTS
 SANDIA NATIONAL LABS, ALBUQUERQUE, NM
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 NON-ER DRAIN AND SEPTIC, KIRTLAND AFB, NM
 SITES CCT AND CCX - PRODUCTION ORDER #10960025

DSS SITE 1052

SAMPLE NAME	124TMB, ug	135TMB, ug	ct12DCE, ug	t12DCE, ug	c12DCE, ug	NAPH&2-MN, ug	NAPH, ug	2MeNAPH, ug	MTBE, ug	11DCA, ug	111TCA, ug	12DCA, ug
MDL=	0.03	0.02		0.14	0.03		0.01	0.02	0.04	0.04	0.02	0.02
179087	0.06	bdl	nd	nd	nd	0.11	0.06	0.05	nd	nd	nd	nd
179088	bdl	bdl	nd	nd	nd	0.02	0.02	bdl	nd	nd	nd	nd
179089	bdl	bdl	nd	nd	nd	0.04	0.02	0.02	nd	nd	nd	nd
179090	0.04	bdl	nd	nd	nd	0.15	0.10	0.05	nd	nd	nd	nd
179091	0.03	bdl	nd	nd	nd	0.02	0.02	bdl	nd	nd	nd	nd
179092	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179093	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
179094	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
179095	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179096	0.06	bdl	nd	nd	nd	0.56	0.34	0.23	nd	nd	0.03	nd
179097	0.03	bdl	nd	nd	nd	0.04	0.02	0.02	nd	nd	nd	nd
179098	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179099	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179100	nd	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179101	bdl	bdl	nd	nd	nd	0.02	0.02	bdl	nd	nd	nd	nd
179102	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179103	0.04	bdl	nd	nd	nd	0.10	0.04	0.06	nd	nd	nd	nd
179104	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179105	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179106	bdl	bdl	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179107	0.04	bdl	nd	nd	nd	0.09	0.07	0.02	nd	nd	nd	nd
179108	bdl	bdl	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179109	bdl	nd	nd	nd	nd	0.01	0.01	bdl	nd	nd	nd	nd
179110	bdl	nd	nd	nd	nd	0.02	0.02	bdl	nd	nd	nd	nd
179111	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179112	bdl	bdl	nd	nd	nd	0.03	nd	0.03	nd	nd	nd	nd
179113	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179114	bdl	bdl	nd	nd	nd	0.02	0.02	bdl	nd	nd	nd	nd
179115	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179116	nd	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179117	bdl	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
179118	bdl	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179119	bdl	bdl	nd	nd	nd	0.00	nd	bdl	nd	nd	0.03	nd
179120	bdl	bdl	nd	nd	nd	0.00	nd	bdl	nd	nd	bdl	nd
179121	bdl	bdl	nd	nd	nd	0.02	0.02	bdl	nd	nd	nd	nd
179122	nd	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd
179123	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
179124	nd	nd	nd	nd	nd	0.00	nd	bdl	nd	nd	nd	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE SORBER SCREENING SURVEY ANALYTICAL RESULTS
 SANDIA NATIONAL LABS, ALBUQUERQUE, NM
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 NON-ER DRAIN AND SEPTIC, KIRTLAND AFB, NM
 SITES CCT AND CCX - PRODUCTION ORDER #10960025

DSS SAE 1052

SAMPLE NAME	TCE, ug	OCT, ug	PCE, ug	14DCB, ug	CHCl3, ug	CCl4, ug	CIBENZ, ug
MDL=	0.02	0.02	0.01	0.01	0.03	0.03	0.01
179087	0.78	nd	0.03	0.02	bdl	nd	nd
179088	0.22	nd	0.02	nd	nd	nd	nd
179089	0.21	nd	0.03	nd	nd	nd	nd
179090	0.13	nd	0.02	nd	nd	nd	nd
179091	0.09	0.20	0.04	bdl	nd	nd	nd
179092	nd	nd	0.23	nd	nd	nd	nd
179093	nd	nd	0.03	nd	nd	nd	nd
179094	0.09	nd	0.33	nd	nd	nd	nd
179095	nd	nd	0.63	nd	nd	nd	nd
179096	0.05	nd	0.41	nd	nd	nd	nd
179097	bdl	nd	0.56	nd	nd	nd	nd
179098	bdl	nd	0.24	nd	nd	nd	nd
179099	0.04	nd	0.40	nd	nd	nd	nd
179100	0.12	nd	0.22	nd	nd	nd	nd
179101	0.04	nd	0.14	nd	nd	nd	nd
179102	nd	nd	0.05	nd	nd	nd	nd
179103	nd	0.18	0.03	nd	nd	nd	nd
179104	nd	nd	nd	nd	nd	nd	nd
179105	nd	nd	0.01	nd	nd	nd	nd
179106	nd	nd	0.05	nd	nd	nd	nd
179107	nd	nd	0.06	nd	nd	nd	nd
179108	nd	nd	0.02	nd	nd	nd	nd
179109	nd	nd	0.02	nd	nd	nd	nd
179110	nd	nd	0.02	nd	nd	nd	nd
179111	nd	nd	0.03	nd	nd	nd	nd
179112	nd	nd	nd	nd	nd	nd	nd
179113	0.14	nd	0.03	nd	nd	nd	nd
179114	2.52	0.07	0.09	nd	nd	nd	nd
179115	0.30	nd	0.06	nd	nd	nd	nd
179116	0.43	nd	0.02	nd	nd	nd	nd
179117	2.71	nd	0.10	nd	nd	nd	nd
179118	1.74	nd	0.33	nd	nd	nd	nd
179119	2.50	nd	0.88	nd	nd	nd	nd
179120	7.82	0.13	0.39	nd	nd	nd	nd
179121	11.48	nd	0.31	nd	nd	nd	nd
179122	4.17	nd	0.06	nd	nd	bdl	nd
179123	14.22	nd	0.24	nd	nd	nd	nd
179124	bdl	0.09	1.72	nd	nd	nd	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

ANNEX B
DSS Site 1052
Soil Sample Data Validation Results

RECORDS CENTER CODE: ER/1295/DSS/DAT

SMO ANALYTICAL DATA ROUTING FORM

PROJECT NAME: DSS Soil Sampling PROJECT/TASK: 7223_02.03.02
SNL TASK LEADER: Collins ORG/MS/CF0#: 6133/1089/CF032-03
SMO PROJECT LEAD: Herrera SAMPLE SHIP DATE: 9/25/2002

ARCOC	LAB	LAB ID	PRELIM DATE	FINAL DATE	EDD		BY
					EDD	ON Q	
605728	GEL	67794A		10/24/2002	X	X	JAC
605729	GEL	67794B		10/24/2002	X	X	JAC

CORRECTIONS REQUESTED/RECEIVED: W. Palencia 11/14/02
PROBLEM #: 5306 11/8/02
REVIEW COMPLETED BY/DATE: W. Palencia 11/14/02
FINAL TRANSMITTED TO/DATE: Sanders 11/14/02
SENT TO VALIDATION BY/DATE: Conn 11/21/02
RUSH VALIDATION REQUIRED EST. TAT:
VALIDATION COMPLETED BY/DATE: NJ 12.04.02
TO ERDMS OR RECORDS CENTER BY/DATE: Gann Conn Hastor 12/19/02

COMMENTS: _____

CONTRACT LABORATORY
ANALYSIS REQUEST AND CHAIN OF CUSTODY

Internal Lab

Batch No. *n/a* SMO Use AR/COC **805728**

Dapt. No./Mail Stop: 8135/1089	Date Samples Shipped: <i>9-25-02</i>	Project/Task No.: <i>7223.02.03.02</i>	<input type="checkbox"/> Waste Characterization
Project/Task Manager: Mike Sanders	Carrier/Waybill No. <i>13884</i>	SMO Authorization: <i>[Signature]</i>	-Send preliminary/copy report to:
Project Name: DSS soil sampling	Lab Contact: Edie Kent 803-656-8171	Contract #: PO 21671	<input type="checkbox"/> Released by COC No.:
Record Center Code: ER/1285/DSS/DAT	Lab Destination: GEL	<i>SOB ATTACHED BELOW</i>	<input checked="" type="checkbox"/> Validation Required
Logbook Ref. No.: ER 090	SMO Contact/Phone: Pam Puiseari/505-844-3185	<i>OR PER</i>	Bill To: Santa National Labs (Accounts Payable)
Service Order No. CF032-073 <i>04</i>	Send Report to SMO: Wendy Palencia/505-844-3132		P.O. Box 5800 MS 0154
Location: Tech Area			Albuquerque, NM 87185-0154

Reference LOV (available at SMO) <i>677947</i>												
Sample No.-Fraction	ER Sample ID or Sample Location Detail	Pump Depth (ft)	ER Site No.	Date/Time (hr) Collected	Sample Matrix	Container Type	Volume	Preservative	Collection Method	Sample Type	Parameter & Method Requested	Lab Sample ID
059903-001	6710/1034-SP1-BH1-14-S	14'	1034	9-19-02/1115	S	AS	4oz	4c	G	SA	VOC(8260B)	001
059904-001	6710/1034-SP1-BH1-19-S	19'	↑	1150	S	AS	4oz	4c	G	SA	VOC(8260B)	02
059903-002	6710/1034-SP1-BH1-14-S	14'	↑	1120	S	AG	500ml	4c	G	SA	see below for parameter	12
059904-002	6710/1034-SP1-BH1-19-S	19'	↓	1155	S	AG	500ml	4c	G	SA	see below for parameter	13
059905-001	803/1052-SP1-BH1-22-S	22'	1052	1455	S	AS	4oz	4c	G	SA	VOC(8260B)	03
059906-001	803/1052-SP1-BH1-27-S	27'	↑	1535	S	AS	4oz	4c	G	SA	VOC(8260B)	04
059905-002	803/1052-SP1-BH1-22-S	22'	↓	1500	S	AG	500ml	4c	G	SA	see below for parameter	14
059906-002	803/1052-SP1-BH1-27-S	27'	↓	1540	S	AG	500ml	4c	G	SA	see below for parameter	15
059907-001	829X/276-SP1-BH1-8-S	8'	276	9-24-02/1350	S	AS	4oz	4c	G	SA	VOC(8260B)	05
059908-001	829X/276-SP1-BH1-13-S	13'	↓	1410	S	AS	4oz	4c	G	SA	VOC(8260B)	06

RMMMA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Ref. No.	Sample Tracking	Smo Use	Special Instructions/QC Requirements	Abnormal Conditions on Receipt Lab Use <i>4C</i>
Sample Disposal <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by lab		Date Entered (mm/dd/yy)		EDD <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Turnaround Time <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush		Entered by:		Level C Package <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Return Samples By:	Level of Rush:	QC Inits.		*Send report to:	
Sample Team Members	Name	Signature	Ink	Company/Organization/Phone/Cellular	
	J. Lee	<i>[Signature]</i>	<i>[Ink]</i>	Weston/8135/505-284-3309	
	M. Gibson	<i>[Signature]</i>	<i>[Ink]</i>	MDA/MS/505-284-3309	
	G. Quintana	<i>[Signature]</i>	<i>[Ink]</i>	Shaw/8135/505-284-3309	

1. Received by <i>[Signature]</i>	Org. <i>MS</i>	Date <i>9-25-02</i>	Time <i>0915</i>	4. Relinquished by	Org.	Date	Time
2. Relinquished by <i>[Signature]</i>	Org. <i>MS</i>	Date <i>9-25-02</i>	Time <i>1030</i>	5. Relinquished by	Org.	Date	Time
3. Received by <i>[Signature]</i>	Org. <i>MS</i>	Date <i>9/25/02</i>	Time <i>0945</i>	6. Received by	Org.	Date	Time
3. Relinquished by <i>[Signature]</i>	Org.	Date	Time	8. Relinquished by	Org.	Date	Time
3. Received by	Org.	Date	Time	6. Received by	Org.	Date	Time

**OFF-SITE LABORATORY
Analysis Request And Chain Of Custody (Continuation)**

Page 2 of 2
AR/COC **605728**

Project Name:		Project/Task Manger			Project/Task No.: 7220.02.03.02							
Location Tech Area		Reference LOV (available at SMO) 67794%										Lab use
Building Room												
Sample No-Fraction	ER Sample ID or Sample Location detail	Beginning Depth (ft)	ER Site No.	Date/Time (hr) Collected	Sample Matrix	Container Type	Volume	Preservative	Collection Method	Sample Type	Parameter & Method Requested	Lab Sample ID
059907-002	829X/276-SP1-BH1-8-S	8'	276	9-24-02/1353	S	AG	500ml	4c	G	SA	see below for parameter	
059908-002	829X/276-SP1-BH1-13-S	13'	↑	1415	S	AG	500ml	4c	G	SA	see below for parameter	
059909-001	829X/276-SP1-BH1-8-DU	8'	↑	1400	S	AS	4oz	4c	G	SA	VOC(8260B)	
059910-001	829X/276-SP1-BH1-8-DU	8'	↑	1400	S	AG	500ml	4c	G	SA	see below for parameter	
059911-001	829X/276-SP1-BH1-TB	N/A	↓	1425	DW	G	3x40ml	HCL	G	TB	VOC(8260B)	67798%
059926-001	829X/276-SP1-EB	↑	↑	9-25-02/0745	L	G	3x40ml	HCL	G	EB	VOC(8260B)	
059926-002	829X/276-SP1-EB	↑	↑	0750	L	AG	2x1R	4c	G	EB	SVOC(8270C)	
059926-003	829X/276-SP1-EB	↑	↑	0755	L	AG	2x1ft	4c	G	EB	PCB(8081)	
059926-004	829X/276-SP1-EB	↑	↑	0800	L	AG	2x1R	4c	G	EB	HE(8330)	
059926-005	829X/276-SP1-EB	↑	↑	0805	L	P	1 lt	NaOH	G	EB	Total Cyanide(8010)	
059926-006	829X/276-SP1-EB	↑	↑	0810	L	P	500ml	4c	G	EB	Hex.Chromium(7188)	
059926-007	829X/276-SP1-EB	↑	↑	0815	L	P	500ml	HNO3	G	EB	RCRA metals(6010,7470)	
059926-008	829X/276-SP1-EB	↓	↓	0820	L	P	1 ft	HNO3	G	EB	Gross Alpha/Beta(900)	
059927-001	829X/276-SP1-TB	N/A	↓	0825	DW	G	3x40ml	HCL	G	TB	VOC(8260B)	
Approved/Conditioned Receipts Recipient Initials												

CONTRACT LABORATORY
ANALYSIS REQUEST AND CHAIN OF CUSTODY

Internal Lab

Batch No. **N/A** SMO Use AR/COC **605729**

Dept. No./Mail Stop: 6135/1089	Date Samples Shipped: 7-25-02	Project/Task No.: 7223.02.03.02	<input type="checkbox"/> Waste Characterization
Project/Task Manager: Mike Sanders	Carrier/Waybill No. 13884	SMO Authorization: <i>08 Aug SMO</i>	-Send preliminary/copy report to:
Project Name: DSS soil sampling	Lab Contact: Edin Kent 803-656-8171	Contract #: PO 21871	<input type="checkbox"/> Released by COC No.:
Record Center Code: ER/1295/DSS/DAT	Lab Destination: GEL	SEE ATTACHED BOTTLE	<input checked="" type="checkbox"/> Validation Required
Logbook Ref. No.: ER 080	SMO Contact/Phone: Pam Pleasant/505-844-3185		BH To: Send National Labs (Accounts Payable)
Service Order No. CF032-02/3	Sond Report to SMO: Wendy Palencia/505-844-3132		P.O. Box 5800 MS 0154

Sample No.-Fraction	ER Sample ID or Sample Location Detail	Pump Depth (ft)	ER Site No.	Date/Time(hr) Collected	Sample Matrix	Container		Preserv-ative	Collection Method	Sample Type	Parameter & Method Requested	Lab Sample ID
						Type	Volume					
059912-001	915-922/1003-SP1-BH1-27-S	27'	1093	9-24-02/0835	S	AS	4oz	4c	G	SA	VOC(8260B)	08
059913-001	915-922/1003-SP1-BH1-33-S	33'		0925	S	AS	4oz	4c	G	SA	VOC(8260B)	09
059912-002	915-922/1003-SP1-BH1-27-S	27'		0840	S	AG	500ml	4c	G	SA	see below for parameter	19
059913-002	915-922/1003-SP1-BH1-33-S	33'		0830	S	AG	500ml	4c	G	SA	see below for parameter	20
059914-001	915-922/1003-SP2-BH1-26-S	26'		1100	S	AS	4oz	4c	G	SA	VOC(8260B)	10
059915-001	915-922/1003-SP2-BH1-31-S	31'		1130	S	AS	4oz	4c	G	SA	VOC(8260B)	11
059914-002	915-922/1003-SP2-BH1-26-S	26'		1105	S	AG	500ml	4c	G	SA	see below for parameter	21
059915-002	915-922/1003-SP2-BH1-31-S	31'		1135	S	AG	500ml	4c	G	SA	see below for parameter	22
059916-001	915-922/1003-SP2-TB	N/A		1145	DIW	G	3x40ml	HCL	G	TB	VOC(8260B)	004

RMMA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Ref. No.	Sample Tracking	Smo Use	Special Instructions/QC Requirements	Abnormal Conditions on Receipt Lab Use
Sample Disposal <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by lab		Date Entered(mm/dd/yy)		EDD <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Turnaround Time <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush		Entered by:		Level C Package <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Return Samples By:	Level of Rush:	QC Inis.		*Send report to:	
Sample Team Members	Name	Signature	Init	Company/Organization/Phone/Cellular	
	J. Lee	<i>[Signature]</i>		Weston/6135/505-284-3309	
	W. Gibson	[Signature]		MBW/6135/505-844-3287	
	G. Quintana	<i>[Signature]</i>		Shaw/6135/505-284-3309	

1. Relinquished by <i>[Signature]</i>	Org. 6135	Date 7-25-02	Time 0815	4. Relinquished by	Org.	Date	Time
1. Received by	Org. 6132	Date 7-25-02	Time 0915	4. Received by	Org.	Date	Time
2. Relinquished by <i>[Signature]</i>	Org. 6137	Date 7-25-02	Time 1030	5. Relinquished by	Org.	Date	Time
2. Received by	Org. 602	Date 9/26/02	Time 0945	5. Received by	Org.	Date	Time
3. Relinquished by <i>[Signature]</i>	Org.	Date	Time	6. Relinquished by	Org.	Date	Time
3. Received by	Org.	Date	Time	6. Received by	Org.	Date	Time

Sample Findings Summary

Site: DSS soil sampling

ARCOG: 605728, 605729

Data: Organic, Inorganic and Radiochemistry

Sample ID	VOC (8260)	SVOC (8270)	129-00-0 (pyrene)	117-81-7 (bis(2-ethylhexyl)phthalate)	191-24-2 (benzo(g,h,i)perylene)	PCBs (8082)	All HE(8330) compounds	479-45-8 (tebryl)	Metals	7782-49-2 (selenium)	7440-38-2 (arsenic)	7440-47-3 (chromium)	7439-92-1 (lead)	General Chemistry	18540-29-9 (hexavalent chromium)	Radiochemistry
059926-004 829X/276-SP1-EB							P2	R,P2								
059926-006 829X/276-SP1-EB															UJ, HT	
059926-007 829X/276-SP1-EB												J, B				
059903-002 6710/1034-SP1-BH1-14-S			J								J	J	J		UJ, A2	
059904-002 6710/1034-SP1-BH1-19-S				333UJ,B								J	J			
059905-002 803/1052-SP1-BH1-22-S			J	333UJ,B							J	J	J			
059906-002 803/1052-SP1-BH1-27-S			J	333UJ,B	J					J, B3		J	J			
059907-002 829X/276-SP1-BH1-8-S				333UJ,B								J	J			
059908-002 829X/276-SP1-BH1-13-S				333UJ,B						J, B3	J	J	J			
059910-002 829X/276-SP1-BH1-8-DU				333UJ,B								J	J			
059912-002 915-922/1003-SP1-BH1-27-S										J, B3	J	J	J			
059913-002 915-922/1003-SP1-BH1-33-S			J	333UJ,B							J	J	J			
059914-002 915-922/1003-SP2-BH1-26-S				333UJ,B							J	J	J			
059915-002 915-922/1003-SP2-BH1-31-S				333UJ,B							J	J	J			

Validated By:

A. Neal

Date: 12/04/02

Analytical Quality Associates, Inc.



616 Maxine NE
Albuquerque, NM 87123
Phone: 505-299-5201
Fax: 505-299-6744
Email: minteer@aol.com

MEMORANDUM

DATE: 12/04/02
TO: File
FROM: Linda Thal
SUBJECT: Inorganic Data Review and Validation - SNL
Site: DSS soil sampling
ARCOG # 605728, 605729
GEL SDG # 67794 and 67798
Project/Task No. 7223.02.03.02

See the attached Data Validation Worksheets for supporting documentation on the data review and validation. Data are evaluated using SNL/NM ER Project AOP 00-03.

Summary

The samples were prepared and analyzed with approved procedures using methods SW-846 6010 (ICP-AES metals), SW-846 7471/7470 (Hg), SW-846 9012A (total CN) and SW-846 7196A (hexavalent chromium).

Problems were identified with the data package that resulted in the qualification of data.

ICP-AES – Metals Batch # 204452 (Samples 67794-012 through -022)

Selenium was detected in the CCB at a value > DL but < RL. The sample results for 67794-015, -017 and -019 were detect, < 5X the blank value and will be qualified "J, B3".

Sample 67794-012 had an arsenic value < 5X RL. The difference between the sample result and the duplicate result was > RL. All associated sample results were < 5X RL (excluding 67794-013, -015, -016 and -018) and will be qualified "J".

The duplicate RPD for chromium (40%) and lead (45%) was > QC acceptance criteria (35%). All associated sample results were > 5X RL and will be qualified "J".

ICP-AES – Metals Batch # 204455 (Sample 67798 -010)

Chromium was detected in the MB at a value > DL but < RL.

Sample 67798 -010 had a value > DL, < RL and < 5X the blank value and will be qualified "J, B".

Hexavalent Chromium - Batch #205618 (Sample 67794-012)

The MS %R (63/71%) were < QC acceptance criteria (75-125%). Sample 67794-012 was non-detect and will be qualified "UJ, A2".

Hexavalent Chromium – Batch # 204193 (Sample 67798-009)

Sample 67798-009 was received by the laboratory and analyzed after the holding time had expired but within 2X the holding time. The sample result was non-detect and will be qualified "UJ, HT".

Data are acceptable and QC measures appear to be adequate. The following sections discuss the data review and validation.

Holding Times/Preservation

All Analyses: The samples were analyzed within the prescribed holding time and properly preserved except as mentioned above in the summary section and as follows:

Sample 67794-015 was received in a broken container in a Ziploc bag. It is not known what affect this will have on the data and therefore, no data will be qualified.

Calibration

All Analyses: The initial and continuing calibration data met QC acceptance criteria.

Blanks

All Analyses: All blank criteria were met except as mentioned above in the summary section and as follows:

ICP-AES – Metals Batch # 204452 (Samples 67794-012 through -022)

Selenium was detected in the CCB at a value > DL but < RL. All associated sample results (excluding 67794-015, -017 and -019) were non-detect and will not be qualified.

Chromium was detected in the EB at a value > DL but < RL. All associated sample results were > 5X the blank values and will not be qualified.

ICP-AES – Metals Batch # 204455 (Sample 67798 -010)

Barium, cadmium and arsenic were detected in the CCB at values > DL but < RL. The sample results were non-detect and will not be qualified.

Hexavalent Chromium – Batch # 204193 (Sample 67798-009)

Hexavalent chromium was detected in the CCB at a value > DL but < RL. The sample result was non-detect and will not be qualified.

Total Cyanide – Batch # 206136 (Sample 67794-022)

Total cyanide was detected in the MB at a value > DL but < RL. The sample result was non-detect and will not be qualified.

Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analyses

All Analyses: The LCS/LCSD met QC acceptance criteria.

Matrix Spike (MS) Analysis

All Analyses: The MS met QC acceptance criteria except as mentioned above in the summary section and as follows:

ICP-AES – Metals Batch # 204455 (Sample 67798 –010)

The sample used for the MS was of similar matrix from another SNL SDG. No data will be qualified as a result.

CVAA-Hg Batch # 204420 (Sample 67798-010)

The sample used for the MS was of similar matrix from another SNL SDG. No data will be qualified as a result.

Total Cyanide (Batch #205123) and Hexavalent Chromium (Batch # 205618/204193)

The sample used for the MS was of similar matrix from another SNL SDG. No data will be qualified as a result.

Replicate Analysis

All Analyses: The replicate analysis met QC acceptance criteria except as mentioned above in the summary section and as follows:

ICP-AES – Metals Batch # 204452 (Samples 67794-012 through –022)

Sample 67794-012 had an arsenic value < 5X RL. The difference between the sample result and the duplicate result was > RL. Sample 67794-013, -015, -016 and – 018 had values > 5X RL and will not be qualified.

ICP-AES – Metals Batch # 204455 (Sample 67798 –010)

The sample used for the replicate was of similar matrix from another SNL SDG. No data will be qualified as a result.

CVAA-Hg Batch # 204420 (Sample 67798–010)

The sample used for the replicate was of similar matrix from another SNL SDG. No data will be qualified as a result.

Total Cyanide (Batch #205123) and Hexavalent Chromium (Batch # 205618/204193)

The sample used for the replicate was of similar matrix from another SNL SDG. No data will be qualified as a result.

ICP Interference Check Sample (ICS)

ICP-AES (All batches): The ICS-AB met QC acceptance criteria.

All Other Analyses: No ICS required.

ICP Serial Dilution

ICP-AES (All batches): The serial dilution met QC acceptance criteria.

ICP-AES – Metals Batch # 204455 (Sample 67798 –010)

The sample used for the serial dilution was of similar matrix from another SNL SDG.
No data will be qualified as a result.

All Other Analyses: No serial dilutions required.

Detection Limits/Dilutions

All Analyses: All detection limits were properly reported.

ICP-AES: All soil samples were diluted 2X.

All Other Analyses: No dilutions were performed.

Other QC

All Analyses: An equipment blank and a field duplicate were submitted on the ARCOC. There is however no "required" procedures for validating a field duplicate. No field blank was submitted on the ARCOC.

It should be noted that the COC requested that metals be analyzed by method SW-846 6020.

No raw data was submitted with the package.

No other specific issues were identified which affect data quality.

Analytical Quality Associates, Inc.



616 Maxine NE
Albuquerque, NM 87123
Phone: 505-299-5201
Fax: 505-299-6744
Email: minteer@aol.com

MEMORANDUM

DATE: 12/03/02
TO: File
FROM: Linda Thal
SUBJECT: Organic Data Review and Validation - SNL
Site: DSS soil sampling
ARCO # 605728, -729 GEL SDG # 67794, -98
Project/Task No. 7223.02.03.02

See the attached Data Validation Worksheets for supporting documentation on the data review and validation. Data are evaluated using SNL/NM ER Project AOP 00-03.

Summary

The samples were prepared and analyzed with approved procedures using methods SW-846 8260A/B (VOC), 8270C (SVOC), 8082 (PCBs) and 8330 (HEs). Problems were identified with the data package that resulted in the qualification of data.

SVOC – Batch # 204423 (Sample 67794-012 through -022)

The initial calibration had a correlation coefficient < 0.99 but > 0.90 for pyrene (0.982). Sample 67794-012, -014, -015 and -020 had pyrene values $> DL$ and will be qualified "J".

The CCV had a %D $> 40\%$ with a positive bias for bis(2-ethylhexyl)phthalate. All associated sample results (excluding sample 67794-012 and -19) had values $> DL$ and will be qualified "J".

The CCV had a %D $> 20\%$ with a positive bias for benzo(g,h,i)perylene (22%). Sample 67794-015 had a value $> DL$ and will be qualified "J".

The MB had a bis(2-ethylhexyl)phthalate value $> DL$ but $< RL$. All associated sample results (excluding sample 67794-012 and -19) had values $> DL$, $< RL$ and $< 10X$ the blank value and will be qualified "U, B" at the RL.

HE - Batch # 205512 (Sample 67798-007)

No MSD, LCSD or replicate was extracted with this batch. As there is no measure of precision all the sample results will be qualified "P2".

The sample had a value for tetryl $> DL$ but $< RL$. The confirmation RPD was $> 75\%$ and therefore the sample result will be qualified "R".

Data are acceptable and QC measures appear to be adequate. The following sections discuss the data review and validation.

Holding Times/Preservation

All Analysis: The samples were properly preserved and analyzed within the method prescribed holding time except as follows:

VOC

It should be noted that the sample Review and Receipt form indicated that the VOC containers/vials had headspace. It is not known what affect this will have on the samples and therefore, no data will be qualified.

SVOC, PCBs and HE

Sample 67794-015 was received in a broken container in a Ziploc bag. It is not known what affect this will have on the data and therefore, no data will be qualified.

Calibration

All Analysis: All initial and continuing calibration acceptance criteria were met except as mentioned above in the summary section and as follows:

VOC Batch # 204483

Vinyl acetate had %D > 20% but < 40% in all the CCVs preceding the samples. All associated sample results were non-detect and no data will be qualified.

Carbon disulfide had %D > 20% but < 40% in the CCV preceding sample 67794-006. The sample result was non-detect and no data will be qualified.

VOC Batch # 204910

Carbon disulfide had %D > 20% but < 40% in the CCV preceding the samples. All associated sample results were non-detect and no data will be qualified.

SVOC - Batch # 204423 (Sample 67794-012 through -022)

The initial calibration had a correlation coefficient < 0.99 but > 0.90 for pyrene (0.982). All associated sample results (excluding sample 67794-012, -014, -015 and -020) were non-detect and will not be qualified.

The CCV had a %D > 40% but < 60% with a positive bias for bis(2-ethylhexyl)phthalate (40.4%). Sample 67794-012 and -19 were non-detect and unaffected by a positive bias. No data will be qualified.

The CCV had a %D > 20% with a positive bias for benzo(g,h,i)perylene (22%). All associated sample results (excluding 67794-015) were non-detect and unaffected by a positive bias. No data will be qualified.

Several other compounds in the CCV preceding the samples had a %D > 20% but < 40% (see DV worksheet). All associated sample results were non-detect and no data will be qualified.

SVOC - Batch # 204661 (Sample 67798-005)

The initial calibration had a correlation coefficient < 0.99 but > 0.90 for pyrene (0.982). The sample result was non-detect and will not be qualified.

The CCV had a %D > 40% but < 60% with a positive bias for bis(2-ethylhexyl)phthalate (51%). Several other compounds in the CCV preceding the samples had a %D > 20% but < 40% (see DV worksheet). The sample results were non-detect and no data will be qualified.

Blanks

All Analysis: All method blank (MB), equipment blank (EB) and trip blank (TB) acceptance criteria were met except as mentioned above in the summary section and as follows:

VOC Batch # 204483

Sample 67798-004 (TB) had a 1,2-dichloropropane value > DL but < RL. All associated sample results were non-detect and no data will be qualified.

SVOC – Batch # 204423 (Sample 67794-012 through -022)

The MB had a bis(2-ethylhexyl)phthalate value > DL but < RL. Sample 67794-012 and -019 were non-detect and will not be qualified.

The EB had a diethylphthalate value > DL but < RL. All associated sample results were non-detect and no data will be qualified.

Surrogates

All Analysis: All surrogate acceptance criteria were met.

Internal Standards (ISs)

All Analysis: All internal standard acceptance criteria were met.

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

All Analysis: All MS/MSD acceptance criteria were met except as mentioned above in the summary section and as follows:

VOC Batch # 204910

No MS/MSD was reported for this batch. The LCS/LCSD met all QC acceptance criteria for accuracy and precision. No data will be qualified.

SVOC – Batch # 204423 and 204661

Several compounds (see DV worksheet) had %R < QC acceptance criteria (75 – 125%). Using professional judgment, no data will be qualified.

SVOC - Batch # 204661

It should be noted that only 500ml (DF=2x) of sample was used for the MS/MSD. It is not known what affect this would have on the extraction procedure and no data will be qualified.

PCB Batch # 204654

It should be noted that the sample used for the MS/MSD was of similar matrix from another SNL SDG. Only 500ml (DF=2x) of sample was used for the MS/MSD. It is not known what affect this would have on the extraction procedure. No data will be qualified.

Laboratory Control Samples (LCS/LCSD) Analysis

All Analysis: The LCS/LCSD acceptance criteria were met with the following exceptions:

VOC Batch # 204483 and 204910

The QC acceptance criteria for the LCS were met by the successful analysis of a second source CCV.

It should be noted that no compound was associated with internal standard 1,4-dichlorobenzene-d4. No data will be qualified as a result.

SVOC – Batch # 204423 and 204661

It should be noted that no compound was associated with internal standard perylene-d12. No data will be qualified as a result.

HE - Batch # 205512 (Sample 67798-007 (EB))

The LCS %R was slightly below QC acceptance criteria for 3-nitrotoluene and 4-nitrotoluene (see DV sheet). However, a MS was performed on sample 67798-007 and all the %Rs were in criteria. There was no more sample remaining to perform a re-extraction. Using professional judgment, no data will be qualified.

Detection Limits/Dilutions

All Analysis: All detection limits were properly reported. Samples were not diluted.

Confirmation Analyses

VOC and SVOC: No confirmation analyses required.

PCB: All confirmation acceptance criteria were met.

HE – Batch # 204696(Sample 67794-012 through –022)

The sample results were non-detect and therefore no confirmation analysis was required.

Other QC

VOC: A trip blank, equipment blank and a field duplicate were submitted on the ARCOC. There is no "required" validation procedure for assessing field duplicates.

It should be noted that vinyl acetate is on the TAL for soils but not for waters.

SVOC, PCB and HE: An equipment blank and a field duplicate were submitted on the ARCOC.

There is no "required" validation procedure for assessing field duplicates.

No field blank was submitted on the ARCOC.

No raw data was submitted with the package.

No other specific issues were identified which affect data quality.

Analytical Quality Associates, Inc.



616 Maxine NE
Albuquerque, NM 87123
Phone: 505-299-5201
Fax: 505-299-6744
Email: minteer@aol.com

MEMORANDUM

DATE: December 04, 2002
TO: File
FROM: Linda Thal
SUBJECT: Radiochemical Data Review and Validation - SNL
Site: DSS soil sampling
ARCOC 605728 and 605729
GEL SDG # 67794 and 67798 Project/Task No. 7223.02.03.02

See the attached Data Validation Worksheets for supporting documentation on the data review and validation. This validation was performed according to SNL/NM ER Project AOP 00-03.

Summary

All samples were prepared and analyzed with approved procedures using method EPA 900.0 (Gross Alpha/Beta). No problems were identified with the data package that resulted in the qualification of data.

Data are acceptable and QC measures appear to be adequate. The following sections discuss the data review and validation.

Holding Times/Preservation

All Analyses: All samples were analyzed within the prescribed holding times and properly preserved with the following exception:

Sample 67794-015 was received in a broken container in a Ziploc bag. It is not known what affect this will have on the data and therefore, no data will be qualified.

Calibration

All Analyses: The case narrative stated the instruments used were properly calibrated.

Blanks

No target analytes were detected in the method blank or equipment blank at concentrations > the associated MDAs.

Matrix Spike (MS) Analysis

The MS/MSD analyses met all QC acceptance criteria.

Batch # 204950 (Sample 67798-011)

The sample used for the MS/MSD was of similar matrix from another SNL SDG.
No data will be qualified.

Laboratory Control Sample (LCS) Analysis

The LCS analyses met all QC acceptance criteria.

Replicates

The replicate analyses met all QC acceptance criteria.

Batch # 204950 (Sample 67798-011)

The sample used for the replicate was of similar matrix from another SNL SDG.
No data will be qualified.

Tracer/Carrier Recoveries

No tracer/carrier required.

Negative Bias

All sample results met negative bias QC acceptance criteria.

Detection Limits/Dilutions

All detection limits were properly reported. No samples were diluted.

Other QC

An equipment blank and a field duplicate were submitted on the ARCOC. There are no required validation procedures for a field duplicate. No field blank was submitted on the ARCOC.

No raw data was submitted with the package.

No other specific issues were identified which affect data quality.

Data Validation Summary

Site/Project: DSS Soil Sampling Project/Task #: 7223.02.03.02 # of Samples: 22 4 11 Matrix: Soil 4 H₂O
 AR/COC #: 605728, 605729 Laboratory Sample IDs: 67794 - 001 thru - 022
 Laboratory: GL 67798 - 001 thru - 011
 Laboratory Report #: 67794

QC Element	Analysis									
	Organics				Inorganics				RAD	Hexavalent Other Chromium
	VOC	SVOC	Pesticide/ PCB	HPLC (HE)	ICP/AES	GFAA/ AA	CVAA (Hg)	CN		
1. Holding Times/Preservation	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓ UJ, HT
2. Calibrations	✓	J ✓	✓	✓	✓		✓	✓		✓
3. Method Blanks	✓	U, B ✓	✓	✓	J, B3 J, B		✓	✓		✓
4. MS/MSD	✓	✓	✓	✓ P ₂	✓		✓	✓		UJ, HT ✓
5. Laboratory Control Samples	✓	✓	✓	✓	✓		✓	✓		✓
6. Replicates					J ✓		✓	✓		✓
7. Surrogates	✓	✓	✓	✓						NA
8. Internal Standards	✓	✓								
9. TCL Compound Identification	✓	✓								
10. ICP Interference Check Sample					✓					
11. ICP Serial Dilution					✓					
12. Carrier/Chemical Tracer Recoveries										
13. Other QC	KB TB DUP	KB DUP	KB DUP	KB DUP	KB DUP		KB DUP	KB DUP	KB DUP	KB DUP

J = Estimated
 U = Not Detected
 UJ = Not Detected, Estimated
 R = Unusable

Check (✓) = Acceptable
 Shaded Cells = Not Applicable (also "NA")
 NP = Not Provided
 Other: _____

15 received broken inside ziploc bag

Reviewed By: D/val Date: 10.04.02

Holding Time and Preservation

Site/Project: DSS Soil Sampling AR/COC #: 605728, -29 Laboratory Sample IDs: 67794 - ⁰⁰¹~~012~~ Hru - 022
 Laboratory: GEL Laboratory Report #: 67794 67798 - 001 Hru - 011
 # of Samples: 22 & 11 Matrix: Soils & H₂O

Sample ID	Analytical Method	Holding Time Criteria	Days Holding Time was Exceeded	Preservation Criteria	Preservation Deficiency	Comments
67798-009	SW-846 7196A	24 hours	6 hours 10' 9.25 8:10 9.26 14:20	NA	NA	UJ, HT

Reviewed By: *R. Khal* Date: 12.04.02

NS lot 2 soils

Volatile Organics (SW 846 Method 8260)

Site/Project: DSS soil sampling AR/COC#: 605728 - 29 # of Samples: 11 Matrix: Soils
 Laboratory: GRL Laboratory Report #: 67794 Laboratory Sample IDs: 67794-001 thru -011
 Methods: SW-846 8260A Batch #: 204483

IS	CAS #	Name	TCL	Min. RF	Intercept	Calib. RF	Calib. RSD/R ²	CCV %D	Method Blks	LCS	LCS D	LCS RPD	MS	MSD	MS RPD	587 Field Dup. RPD	67798-002 Equip. Blanks	67798-001 & 003 Trip Blanks	67798-004 - 004 TB SA 8-11
						>.05	<20%/ 0.99	20% 2 3											
1	71-55-6	1,1,1-trichloroethane	✓	0.10		✓	✓	✓	✓		NA						✓	✓	✓
2	79-34-5	1,1,2,2-tetrachloroethane		0.30															
2	79-00-5	1,1,2-trichloroethane		0.10															
1	75-34-3	1,1-dichloroethane		0.10						✓			✓	✓	✓				
1	75-35-4	1,1-dichloroethane		0.20															
1	107-06-2	1,2-dichloroethane		0.10															
1	540-59-0	1,2-dichloroethane (total)		0.01															
1	78-87-5	1,2-dichloropropane	✓	0.01															0.267J
1	78-93-3	2-butanone (MEK) (10xblk)	✓	0.01															✓
1	110-75-8	2-chloroethyl vinyl ether																	
2	591-78-6	2-hexanone (MBK)	✓	0.01															
2	108-10-1	4-methyl-2-pentanone (MIBK)		0.10															
1	67-64-1	acetone (10xblk)		0.01	✓	✓	✓												
1	71-43-2	benzene		0.50					✓				✓	✓	✓				
1	75-27-4	bromodichloromethane		0.20						✓									
3	75-25-2	bromoform		0.10	✓	✓	✓												
1	74-83-9	bromomethane		0.10															
1	75-15-0	carbon disulfide		0.10				24											
1	56-23-4	carbon tetrachloride		0.10				✓											
2	108-90-7	chlorobenzene		0.50					✓				✓	✓	✓				
1	75-00-3	chloroethane		0.01															
1	67-66-3	chloroform		0.20															
1	74-87-3	chloromethane		0.10															
1	10061-01-5	cis-1,3-dichloropropene		0.20															
2	124-48-1	dibromochloromethane		0.10	✓	✓	✓												
2	100-41-4	ethylbenzene		0.10															
1	75-09-2	methylene chloride (10xblk)		0.01	✓	✓	✓												
2	100-42-5	styrene		0.30															
2	127-18-4	tetrachloroethene		0.20															
2	108-88-3	toluene (10xblk)		0.40						✓			✓	✓	✓				
2	10061-02-6	trans-1,3-dichloropropene		0.10	✓	✓	✓												
1	79-01-6	trichloroethene		0.30			200 3		✓				✓	✓	✓				
1	75-01-4	vinyl chloride		0.10															
2	1330-20-7	xylene (total)		0.30															
		CIS-1,2-DICHLOROETHANE																	
		TRANS-1,2-DICHLOROETHANE																	

Comments: Vinyl acetate (soils only)

Notes: Shaded rows are RCRA compounds -26 -27

Reviewed By: D/hal Date: 12.03.02

CCV LCS. same for
 According to sample rev & receipt form, the von vials B-18
 had headspace. COC 728 & 729

Volatile Organics

Site/Project: _____ AR/COC #: 605728, -29 Batch #: _____
 Laboratory: _____ Laboratory Report #: _____ # of Samples: _____ Matrix: _____

Surrogate Recovery and Internal Standard Outliers (SW 846 Method 8260)

Sample	SMC 1	SMC 2	SMC 3	IS 1 Area	IS 1 RT	IS 2 area	IS 2 RT	IS 3 area	IS 3 RT
<i>IN CRITERIA</i>									

SMC 1: 4-Bromofluorobenzene
 SMC 2: Dibromofluoromethane
 SMC 3: Toluene-d8
 IS 1: Fluorobenzene
 IS 2: Chorobenzene-d5
 IS 3: 1,4-Dichlorobenzene-d4

Comments:
 9.27 ^① CCY & LCS 8.11 SA 1-11 (excl. 6)
 9.27 ^② CCY & LCS 20.15 ms/msd
 Carbon Disulfide & Vinyl Acetate >20%
 9.30 ^③ CCY & LCS 8.08 SA 6

NS dot d (783 & EB)

Volatile Organics (SW 846 Method 8260)

Site/Project: DSS Soil Sampling AR/COC #: 605728, -29 # of Samples: 4 Matrix: H2O
 Laboratory: CEL Laboratory Report #: 67794 Laboratory Sample IDs: 67798-001 thru -004
 Methods: SW-846 8260 B Batch #: 204910

IS	CAS #	Name	TCL	Min. RF	Intercept	Calib. RF	Calib. RSD/R ²	CCV %D	Method Blks	LCS	LCS D	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Trip Blanks
						>.05	<20%/0.99	20%										
1	71-55-6	1,1,1-trichloroethane	✓	0.10		✓	✓	✓	✓				NA			NA		
2	79-34-5	1,1,2,2-tetrachloroethane		0.30														
2	79-00-5	1,1,2-trichloroethane		0.10														
1	75-34-3	1,1-dichloroethane		0.10														
1	75-35-4	1,1-dichloroethane		0.20						✓	✓	✓						
1	107-06-2	1,2-dichloroethane		0.10														
1	540-59-0	1,2-dichloroethane(total)		0.01														
1	78-87-5	1,2-dichloropropane	✓	0.01														
1	78-93-3	2-butanone (MEK) (10xblk)	✓	0.01														
1	110-75-8	2-chloroethyl vinyl ether																
2	591-78-6	2-hexanone (MBK)	✓	0.01														
2	108-10-1	4-methyl-2-pentanone (MIBK)		0.10														
1	67-64-1	acetone(10xblk)		0.01	✓	✓	✓											
1	71-43-2	benzene		0.50						✓	✓	✓						
1	75-27-4	bromodichloromethane		0.20						✓	✓	✓						
3	75-25-2	bromoform		0.10	✓	✓	✓											
1	74-83-9	bromomethane		0.10														
1	75-15-0	carbon disulfide		0.10				-20%										
1	56-23-5	carbon tetrachloride		0.10				✓										
2	108-90-7	chlorobenzene		0.30						✓	✓	✓						
1	75-00-3	chloroethane		0.01														
1	67-66-3	chloroform		0.20														
1	74-87-3	chloromethane		0.10														
1	10061-01-5	cis-1,3-dichloropropene		0.20														
2	124-48-1	dibromochloromethane		0.10	✓	✓	✓											
2	100-41-4	ethylbenzene		0.10														
1	75-09-2	methylene chloride (10xblk)		0.01	✓	✓	✓											
2	100-42-5	styrene		0.30														
2	127-18-4	tetrachloroethane		0.20														
2	108-88-3	toluene(10xblk)		0.40						✓	✓	✓						
2	10061-02-6	trans-1,3-dichloropropene		0.10	✓	✓	✓											
1	79-01-6	trichloroethane		0.30		288=3	✓			✓	✓	✓						
1	75-01-4	vinyl chloride		0.10		✓												
2	1330-20-7	xylenes(total)		0.30														
		trans-1,2-dichloroethane																
		cis-1,2-dichloroethane																

Comments: No ms/msd not reqd.
CCV & LCS same fue

Notes: Shaded rows are RCRA compounds.

Reviewed By: K/hal Date: 12.03.02

Volatile Organics

Site/Project: _____ AR/COC #: 605728, -29 Batch #s: _____

Laboratory: _____ Laboratory Report #: _____ # of Samples: _____ Matrix: _____

Surrogate Recovery and Internal Standard Outliers (SW 846 Method 8260)

Sample	SMC 1	SMC 2	SMC 3	IS 1 Area	IS 1 RT	IS 2 area	IS 2 RT	IS 3 area	IS 3 RT
<i>IN CRITERIA</i>									

SMC 1: 4-Bromofluorobenzene IS 1: Fluorobenzene
SMC 2: Dibromofluoromethane IS 2: Chorobenzene-d5
SMC 3: Toluene-d8 IS 3: 1,4-Dichlorobenzene-d4

Comments:

Semivolatile Organics (SW 846 Method 8270)

Site/Project: DSS soil sampling AR/COC #: 605728, -29 Laboratory Sample IDs: 67794-012 thru 022

Laboratory: GEL Laboratory Report #: 67794 67798-005 (CB)

Methods: SW-846 8270C 1 2

of Samples: 11 Matrix: SOILS Batch #s: 204423 204661 (CB)

IS	BNA	CAS #	NAME	TCL	Min. RF	Intercept	Calib. RF	Calib. RSD/R ²	CCV %D	Method Blanks	LCS	LCSB	LCS RPD	MS	MSD	MS RPD	16818 Field Dup. RPD	67798-005 Equip. Blanks	Field Blanks	a	a	a		
							>0.05 / 1.02	<20% / 0.992	20% / 2															
2	BN	120-82-1	1,2,4-Trichlorobenzene	✓	0.20		✓	✓	✓	✓	✓	✓	NA	✓	✓	✓	✓	✓	NA	✓	✓	MS	MSD	EPD
1	BN	95-50-1	1,2-Dichlorobenzene		0.40																			
1	BN	541-73-1	1,3-Dichlorobenzene		0.60																			
1	BN	106-46-7	1,4-Dichlorobenzene		0.50						✓	✓		✓	✓	✓					✓	✓	✓	
3	A	95-95-4	2,4,5-Trichlorophenol		0.20																			
3	A	88-06-2	2,4,6-Trichlorophenol		0.20						✓	✓		73	✓	✓					✓	✓	✓	
2	A	120-83-2	2,4-Dichlorophenol		0.20						✓	✓		✓	✓	✓					✓	✓	✓	
2	A	105-67-9	2,4-Dimethylphenol		0.20				21															
3	A	51-28-5	2,4-dinitrophenol		0.01	✓	✓	0.01	✓															
3	BN	121-14-2	2,4-Dinitrotoluene		0.20			✓			✓	✓		✓	✓	✓					✓	✓	✓	
3	BN	606-20-2	2,6-Dinitrotoluene		0.20																			
3	BN	91-58-7	2-Chloronaphthalene		0.80																			
1	A	95-57-8	2-Chlorophenol		0.80						✓	✓		✓	✓	✓					✓	✓	✓	
2	BN	91-57-6	2-Methylnaphthalene		0.40																			
1	A	95-48-7	2-Methylphenol (o-cresol)		0.70						✓	✓		70	72	✓					65	70	✓	
3	BN	88-74-4	2-Nitroaniline		0.01	✓	✓	0.01																
2	A	88-75-5	2-Nitrophenol		0.10			✓																
5	BN	91-94-1	3,3'-Dichlorobenzidine		0.01																			
3	BN	99-09-2	3-Nitroaniline		0.01	✓	✓	0.01	26															
4	A	534-52-1	4,6-Dinitro-2-methylphenol		0.01	✓	✓	0.01	24															
4	BN	101-55-3	4-Bromophenyl-phenylether		0.10			✓	24	27														
3	BN	7005-72-3	4-Chlorophenyl-phenylether		0.40			✓																
2	A	59-50-7	4-Chloro-3-methylphenol		0.20			✓			✓	✓		✓	✓	✓					✓	✓	✓	
2	BN	106-47-8	4-Chloroaniline		0.01			✓	21															
1	A	106-44-5	4-Methylphenol (p-cresol)		0.60			✓																

Comments: m, p-cresol ✓

Notes: Shaded rows are RCRA compounds. 64 72 ✓

Reviewed By: D/Wal Date: 10.03.02

Semivolatile Organics

Site/Project: _____ AR/COC #: 605728 - 29 Batch #: _____
 Laboratory: _____ Laboratory Report #: _____ # of Samples: _____ Matrix: _____

IS	BNA	CAS #	NAME	TCL	Min. RF	Intercept	Callb. RF	Callb. RSD/R ²	CCV %D	Method Blanks	LCS	LCS D	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Field Blanks	MU	MWD	RPD	
							>.05	<20%/0.99	20%														2
3	BN	100-01-6	4-Nitroaniline	✓	0.01	✓	✓	✓	33	✓	✓		NA				✓	✓	NA				
3	A	100-02-7	4-Nitrophenol		0.01				24	22				✓	✓	✓				✓	✓	✓	✓
3	BN	83-32-9	Acenaphthene		0.90				✓	✓		✓	✓	✓	✓					✓	✓	✓	✓
3	BN	208-96-8	Acenaphthylene		0.90																		
4	BN	120-12-7	Anthracene		0.70																		
5	BN	56-55-3	Benzo(a)anthracene		0.80																		
6	BN	50-32-8	Benzo(a)pyrene		0.70	✓	✓	✓															
6	BN	205-99-2	Benzo(b)fluoranthene		0.70																		
6	BN	191-24-2	Benzo(g,h,i)perylene		0.50				22	29													
6	BN	207-08-9	Benzo(k)fluoranthene		0.70	✓	✓	✓	✓	✓													
2	BN	111-91-1	bis(2-Chloroethoxy)methane		0.30																		
1	BN	111-44-4	bis(2-Chloroethyl)ether		0.70																		
1	BN	108-60-1	bis(2-chloroisopropyl)ether		0.01																		
5	BN	117-81-7	bis(2-Ethylhexyl)phthalate		0.01	✓	✓	✓	40	51													
5	BN	85-68-7	Butylbenzylphthalate		0.01				28	22													
4	BN	86-74-8	Carbazole		0.01				32	21													
5	BN	218-01-9	Chrysene		0.70																		
6	BN	53-70-3	Dibenz(a,h)anthracene		0.40	✓	✓	✓															
3	BN	132-64-9	Dibenzofuran		0.80																		
3	BN	84-66-2	Diethylphthalate		0.01																		
3	BN	131-11-3	Dimethylphthalate		0.01																		
4	BN	84-74-2	Di-n-butylphthalate		0.01																		
6	BN	117-84-0	Di-n-octylphthalate		0.01	✓	✓	✓	100	99													
4	BN	206-44-0	Fluoranthene		0.60			✓															
3	BN	86-73-7	Fluorene		0.90																		
4	BN	118-74-1	Hexachlorobenzene		0.10						✓	✓		✓	✓	✓				✓	✓	✓	✓
2	BN	87-68-3	Hexachlorobutadiene		0.01						✓	✓		71	74	✓				70	✓	✓	✓
3	BN	77-47-4	Hexachlorocyclopentadiene		0.01																		
1	BN	67-72-1	Hexachloroethane		0.30						✓	✓		74	70	✓				72	✓	✓	✓

Comments:

Semivolatile Organics

Site/Project: _____ AR/COC #: 605728, -729

Batch #: _____

Laboratory: _____ Laboratory Report #: _____

of Samples: _____ Matrix: _____

IS	BNA	CAS #	NAME	TCL	Min. RF	Intercept	Calib. RF	Calib. RSD/R ²	CCV %D	Method Blanks		LCS	LCS #	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Field Blanks	MS	MSD	RPD			
										1	2													1	2	1
6	BN	193-39-5	Indeno(1,2,3-cd)pyrene	✓	0.50	1.42	1.05	<20%/100%	20%	✓	✓			NA				✓	✓	NA				2	2	2
2	BN	78-59-1	Isophorone		0.40																					
2	BN	91-20-3	Naphthalene		0.70																					
2	BN	98-95-3	Nitrobenzene		0.20						✓	✓		71	73	✓					69	✓			✓	
4	BN	86-30-6	N-Nitrosodiphenylamine (I)		0.01																					
1	BN	621-64-7	N-Nitroso-di-propylamine	✓	0.50						✓	✓		✓	✓	✓					✓	✓			✓	
4	A	87-86-5	Pentachlorophenol		0.05	✓	✓	✓			✓	✓		✓	✓	✓					✓	✓			✓	
4	BN	85-01-8	Phenanthrene		0.70						✓	✓		✓	✓	✓					✓	✓			✓	
1	A	108-95-2	Phenol		0.80						✓	✓		✓	✓	✓					✓	✓			✓	
5	BN	129-00-0	Pyrene		0.60	✓	✓	1.82			✓	✓		✓	✓	✓					✓	✓			✓	
			Diphenylamine																							

Surrogate Recovery Outliers

Sample	SMC 1	SMC 2	SMC 3	SMC 4	SMC 5	SMC 6	SMC 7	SMC 8
IN CRITERIA								

- SMC 1: Nitrobenzene-d5 (BN)
- SMC 2: 2-Fluorobiphenyl (BN)
- SMC 3: p-Terphenyl-d14 (BN)
- SMC 4: Phenol-d6 (A)
- SMC 5: 2-Fluorophenol (A)
- SMC 6: 2,4,6-Tribromophenol (A)
- SMC 7: 2,2-Chlorophenol-d4 (A)
- SMC 8: 1,2-Dichlorobenzene-d4 (BN)

Comments: 204423
 MB bis All SA except 12 & 19 3330, B
 Pyrene detects 90 J 12, 14, 15, 20
 NDS no g.
 CCV bis > 40% All tres J NDS ^{LT} ~~no g~~
 # 15 tre PAHs received broken
 benzo gk pyrene tre %D = 22
 > DL "J"

Internal Standard Outliers

Sample	IS 1-area	IS 1-RT	IS 2-area	IS 2-RT	IS 3-area	IS 3-RT	IS 4-area	IS 4-RT	IS 5-area	IS 5-RT	IS 6-area	IS 6-RT
IN CRITERIA												

- IS 1: 1,4-Dichlorobenzene-d4 (BN)
- IS 2: Naphthalene-d8 (BN)
- IS 3: Acenaphthene-d10 (BN)
- IS 4: Phenanthrene-d10 (BN)
- IS 5: Chrysene-d12 (BN)
- IS 6: Perylene-d12 (BN)

204441
 Pyrene I Cal no g
 Bis %D CCV > 40 no g
 MS/MSD some

PCBs (SW 846 - Method 8082)

Site/Project: DSS Soil Sampling AR/COC #: 605728-29 Laboratory Sample IDs: 67794-012 thru-022
 Laboratory: GKA Laboratory Report #: 67794 67798-006 (EB)
 Methods: SW-846 8082
 # of Samples: 11 Matrix: Soils & Water Batch #: 204381 204654

CAS #	Name	T C L	Intercept	Calib		CCV %D	Method Blanks	LCS	LCSB	LCS		MS	MSD	MS		Field Dup. RPD	Equip. Blanks	Field Blanks
				RSD/R ²						RPD				RPD				
12674-11-2	Aroclor-1016	✓	NA	✓	✓	✓	✓			NA					✓	✓	NA	
11104-28-2	Aroclor-1221	✓					✓								✓	✓		
11141-16-5	Aroclor-1232	✓					✓								✓	✓		
53469-21-9	Aroclor-1242	✓		✓	✓	✓	✓								?	✓		
12672-29-6	Aroclor-1248	✓		✓	✓	✓	✓								✓	✓		
11097-69-1	Aroclor-1254	✓		✓	✓	✓	✓								?	✓		
11096-82-5	Aroclor-1260	✓		✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓		

Sample	SMC % REC	SMC RT	Sample	SMC % REC	SMC RT
<i>IN CRITERIA</i>					

Comments: No new data to ID aroclors

Confirmation

Sample	CAS #	RPD > 25%	Sample	CAS #	RPD > 25%
<i>IN CRITERIA</i>					

204654 ms/msd 6782)
SNA 504
(only 500ms)

Reviewed By: Alhal Date: 10.03.02

High Explosives (SW 846 Method 8330)

Site/Project: DJJ Soil Sampling AR/COC #: 605728, -29 Laboratory Sample IDs: 67794 - 012 Hru - 022
 Laboratory: GFL Laboratory Report #: 67794 67798 - 007 (ES)
 Methods: SW-846 8330 1 2
 # of Samples: 11 0 1 Matrix: Soils 0 H2O Batch #: 204696 205512 (ES)

CAS #	NAME	1 / 1	Intercept	Curve	CCV	Method	LCS	LCSB	LCS	MS	MSD	MS	Field	Equip.	Field
				R ²	%D	Blanks			RPD			RPD		Dup.	Blanks
2691-41-0	HMX	✓	NA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	U	U
121-82-4	RDX	✓		✓		✓		✓		✓		✓			
99-35-4	1,3,5-Trinitrobenzene														
99-65-0	1,3-dinitrobenzene														
98-95-3	Nitrobenzene														
479-45-8	Tetryl													0.042 JP.	
118-96-7	2,4,6-trinitrotoluene														
35572-78-2	2-amino-4,6-dinitrotoluene														
1946-51-0	4-amino-2,6-dinitrotoluene														
121-14-2	2,4-dinitrotoluene														
606-20-2	2,6-dinitrotoluene														
88-72-2	2-nitrotoluene														
99-99-0	4-nitrotoluene								72	(13-110)					
99-08-1	3-nitrotoluene								71	(13-110)					
78-11-5	PETN														

Sample	SMC %REC	SMC RT	Sample	SMC %REC	SMC RT
IN CRITERIA					

Comments:

205512
No LCSB, MSD or replicate "Pd"

Confirmation

Sample	CAS #	RPD > 25%	Sample	CAS #	RPD > 25%
NA					
67798-007	Tetryl	166%			

LT

Solids-to-aqueous conversion:
 mg/kg = µg/g : [(µg/g) x (sample mass {g} / sample vol. {ml}) x (1000 ml / 1 liter)] / Dilution Factor = µg/l
 Reviewed By: Alhal Date: 10-04-02

NS 1 of 2 soils

Inorganic Metals

Site/Project: DJI Soil Sampling AR/COC #: 605728, -29 Laboratory Sample IDs: 699 6779A - 012 thru -00d
 Laboratory: GFA Laboratory Report #: _____
 Methods: SW-846 7471 6010
 # of Samples: 11 Matrix: Soil Batch #s: 20440 (Hg) 204452 (Metals)

CAS # Analyte	QC Element																			
	TAL	ICV	CCV	ICB	CCB	Method Blanks	LCS	LCS D	LCS D RPD	MS	MSD	MSD RPD	<35% Rep. RPD	ICS AB	Serial Dilution	Field Dup. RPD	Equip. Blanks	Field Blanks	CCBS	EBXS
7429-90-5 Al								NA			NA								NA	
7440-39-3 Ba	✓	✓	✓	✓	✓	✓	✓		✓			✓	✓	✓	✓	✓				
7440-41-7 Be																				
7440-43-9 Cd	✓	✓	✓	✓	✓	✓	✓		✓			NA	✓	NA	✓	✓				
7440-70-2 Ca																				
7440-47-3 Cr	✓	✓	✓	✓	✓	✓	✓		✓			NO	✓	✓	✓	✓	1.773			3.865 ug/l
7440-48-4 Co																				ALL
7440-50-8 Cu																				
7439-89-6 Fe																				
7439-95-4 Mg																				
7439-96-5 Mn																				
7440-02-0 Ni																				
7440-09-7 K																				
7440-22-4 Ag	✓	✓	✓	✓	✓	✓	✓		✓			NA	✓	NA	✓	✓				
7440-23-5 Na																				
7440-62-2 V																				
7440-66-6 Zn																				
7439-92-1 Pb	✓	✓	✓	✓	✓	✓	✓		✓			AS	✓	✓	✓	✓	✓			15, 17, 19
7782-49-2 Se	✓	✓	✓	✓	3.06	✓	✓		✓			NA	✓	NA	✓	✓			15.3	
7440-38-2 As	✓	✓	✓	✓	✓	✓	✓		✓			>RL	✓	NA	✓	✓				<5X J, B3
7440-36-0 Sb												NO <35%								
7440-28-0 Tl																				
7439-97-6 Hg	✓	✓	✓	✓	✓	✓	✓		✓			NA								
Cyanide CN																				

Notes: Shaded rows are RCRA metals. Solids-to-aqueous conversion: mg/kg = µg/g : [(µg/g) x (sample mass {g}) / sample vol. {ml}) x (1000 ml / 1 liter)] / Dilution Factor = µg/l

Comments: Dup AS sa < 5X RL ∴ RL applies
 Diff between sa & dup > RL.
 All detects < 5X RL "J"
 12, 14, 17, 19, 20, 21, 22

ICP AES - Soils
 2X

C & Pb > 5X RL = "J" 12, 13, 14 ex all SA.

Reviewed By: Dhal Date: 12-04-02

B-14

See in CCB bracketing 12, 13, 14, 15 only
 NO NO NO < 5X J, B3 LT
 µg/kg → µg/l × 10

Inorganic Metals

Site/Project: DJW 2011 sampling AR/COC #: 605728 - 29 Laboratory Sample IDs: 67798 - 010
 Laboratory: GFA Laboratory Report #: 67794
 Methods: SW-846 7470 6010B
 # of Samples: 1 Matrix: Aqueous Batch #: 204420 (Ag) 204455 (Metals)

CAS # Analyte	QC Element																		
	TAL	ICV	CCV	ICB	CCB	Method Blanks	LCS	LCSD	LCSD RPD	MS	MSD	MSD RPD	Rep. RPD	ICS AB	Serial Dilution	Field Dup. RPD	Equip. Blanks	Field Blanks	
7429-90-5 Al								NA			NA					NA			
7440-39-3 Ba	✓	✓	✓	✓	.429	✓	✓			✓			NA	✓	NA				
7440-41-7 Be																			
7440-43-9 Cd	✓	✓	✓	✓	.343	✓	✓			✓			NA	✓	NA				
7440-70-2 Ca																			
7440-47-3 Cr	✓	✓	✓	✓	.567	✓	✓			✓			NA	✓	NA				SA L SX MB
7440-48-4 Co																			J, B
7440-50-8 Cu																			
7439-89-6 Fe																			
7439-95-4 Mg																			
7439-96-5 Mn																			
7440-02-0 Ni																			
7440-09-7 K																			
7440-22-4 Ag	✓	✓	✓	✓	✓	✓	✓			✓			NA	✓	NA				
7440-23-5 Na																			
7440-62-2 V																			
7440-66-6 Zn																			
7439-92-1 Pb	✓	✓	✓	✓	✓	✓	✓			✓			NA	✓	NA				
7782-49-2 Se	✓	✓	✓	✓	✓	✓	✓			✓			I	✓	I				
7440-38-2 As	✓	✓	✓	✓	4.0	✓	✓			✓			I	✓	I				
7440-36-0 Sb																			
7440-28-0 Tl																			
7439-97-6 Hg	✓	✓	✓	✓	✓	✓	✓			✓			NA						
Cyanide CN																			

Notes: Shaded rows are RCRA metals. Solids-to-aqueous conversion: mg/kg = µg/g; [(µg/g) x (sample mass (g) / sample vol. (ml)) x (1000 ml / 1 liter)] / Dilution Factor = µg/l

Comments: DUP MS SD 204455

67821 JNA

Reviewed By: d/ual Date: 12.04.02

DUP MS 204420
67354 JNA

General Chemistry

Site/Project: DSS Soil Sampling AR/COC #: 605728 - 29 Laboratory Sample IDs: 67794 - 012 thru - 022
 Laboratory: GFA Laboratory Report #: 67794 67798-008 (TCN) 67798-009 (G⁶⁺)
 Methods: SW-846 9012A (TCN) 7196A (G⁶⁺) 205981 (EB) 204193 (EB)
 # of Samples: 11 Matrix: Soils Batch #: 205123 (TCN) 205618 (G⁶⁺)
206136 (TCN-022) 205620 (G⁶⁺-022)

CAS #	Analyte	QC Element																		
		TAL	ICV	CCV	ICB	CCB	Method Blanks	LCS	LCSD	LCSD RPD	MS	MSD	MSD RPD	Rep. RPD	ICS AB	Serial Dilution	Field Dup. RPD	Equip. Blanks	Field Blanks	
205981 67798-008	Total Cyanide		✓	✓	✓	✓	✓	✓	✓	✓	✓	NA		NA						
205123 67794-012 → 021			✓	✓	✓	✓	✓	✓	NA		✓			NA	NA	NA	✓	✓	NA	
206136 67794-022			✓	✓	✓	✓	0.08835 mg/kg	✓			✓			NA			✓	✓	NA	MSX5 = 0.4415 SA NO
204193 67798-009	Hexavalent Chromium		✓	✓	✓	0.006 mg/L	✓	✓			✓			NA						SA NO
205618 67794-012 → 021 LT			✓	✓	✓	✓	✓	✓			✓			NA			✓	✓	NA	
205620 67794-022			✓	✓	✓	✓	✓	✓			✓			NA			✓	✓	NA	

Comments: 67798-009 > HT UJ HT
 NCR # 5078
 205123 #
 205618 : 67601 Dup /ms (SNL)
 204193 : 67608 Dup /ms (SNL)

* Falls within GFA's criteria
 NCR # 6532

Reviewed By: [Signature] Date: 10.04.02

Radiochemistry

Site/Project: 58 DJS soil sampling AR/COC #: 605728 - 29 Laboratory Sample IDs: 67794 - 012 thru - 022
 Laboratory: GKA Laboratory Report #: 67794 67798 - 011 (CS)
 Methods: EPA 900.0
 # of Samples: 11 Matrix: SOILS Batch #s: 205013 204950 (CS)

Analyte	QC Element												
	Method Blanks	LCS	MS/MSD	Rep RER	Equip. Blanks	Field Dup. RER	Field Blanks	Sample ID	Isotope	IS/Trace	Sample ID	Isotope	IS/Trace
Criteria	U	20%	25%	<1.0	U	<1.0	U	N/A		50-105			50-105
H3													
U-238													
U-234													
U-235/-236													
Th-232													
Th-228													
Th-230													
Pu-239/-240													
Gross Alpha	✓	✓	✓✓	✓	✓	✓	N/A						
Nonvolatile Beta	✓	✓	✓✓	✓	✓	✓	N/A						
Ra-226													
Ra-28													
Ni-63													
Gamma Spec. Am-241													
Gamma Spec. Cs-137					AL-LT								
Gamma Spec. Co-60													
Gross α	✓	✓	✓✓	✓	N/A	→							
Nonvolatile β	✓	✓	✓✓	✓	N/A	→							

205013

204950

Parameter	Method	Typical Tracer	Typical Carrier
Iso-U	Alpha spec.	U-232	NA
Iso-Pu	Alpha spec.	Pu-242	NA
Iso-Th	Alpha spec.	Th-229	NA
Am-241	Alpha spec.	Am-242	NA
Sr-90	Beta	Y ingrowth	NA
Ni-63	Beta	NA	Ni by ICP
Ra-226	Deamination	NA	NA
Ra-226	Alpha spec.	Ba-133 or Ra-225	NA
Ra-228	Gamma spec.	Ba-133	NA

Gamma spec. LCS contains: Am-241, Cs-137, and Co-60

Comments:

204950 DUP ms/msd 67169 (SNK)

Reviewed By: Alhal Date: 12.04.02

Contract Verification Review (CVR)

Project Leader COLLINS Project Name DSS SOIL SAMPLING Case No. 7223_02.03.02
 AR/COC No. 605728 & 605729 Analytical Lab GEL SDG No. 67794A & B

In the tables below, mark any information that is missing or incorrect and give an explanation.

1.0 Analysis Request and Chain of Custody Record and Log-In Information

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
1.1	All items on COC complete - data entry clerk initialed and dated	X				
1.2	Container type(s) correct for analyses requested	X				
1.3	Sample volume adequate for # and types of analyses requested	X				
1.4	Preservative correct for analyses requested	X				
1.5	Custody records continuous and complete	X				
1.6	Lab sample number(s) provided and SNL sample number(s) cross referenced and correct	X				
1.7	Date samples received	X				
1.8	Condition upon receipt information provided	X				

2.0 Analytical Laboratory Report

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
2.1	Data reviewed, signature	X				
2.2	Method reference number(s) complete and correct	X				
2.3	QC analysis and acceptance limits provided (MB, LCS, Replicate)	X				
2.4	Matrix spike/matrix spike duplicate data provided (if requested)	X				
2.5	Detection limits provided; PQL and MDL (or IDL), MDA and L _c	X				
2.6	QC batch numbers provided	X				
2.7	Dilution factors provided and all dilution levels reported	X				
2.8	Data reported in appropriate units and using correct significant figures	X				
2.9	Radiochemistry analysis uncertainty (2 sigma error) and tracer recovery (if applicable) reported	X				
2.10	Narrative provided	X				
2.11	TAT met	X				
2.12	Hold times met	X		HEXAVALENT CHROMIUM SAMPLE #059928-008 RECEIVED PAST HOLDING TIME	X	
2.13	Contractual qualifiers provided	X				
2.14	All requested result and TIC (if requested) data provided	X				

Contract Verification Review (Continued)

3.0 Data Quality Evaluation

Item	Yes	No	If no, Sample ID No./Fraction(s) and Analysis
3.1 Are reporting units appropriate for the matrix and meet contract specified or project-specific requirements? Inorganics and metals reported as ppm (mg/liter or mg/Kg)? Tritium reported in picocuries per liter with percent moisture for soil samples? Units consistent between QC samples and sample data	X		
3.2 Quantitation limit met for all samples	X		
3.3 Accuracy		X	M-NITROTOLUENE & P-NITROTOLUENE FAILED RECOVERY LIMITS FOR EXPLOSIVES LCS (aq)
a) Laboratory control samples accuracy reported and met for all samples			
b) Surrogate data reported and met for all organic samples analyzed by a gas chromatography technique	X		
c) Matrix spike recovery data reported and met	X		
3.4 Precision		X	RPDs FOR ARSENIC, CHROMIUM & LEAD FAILED ACCEPTANCE LIMITS
a) Replicate sample precision reported and met for all inorganic and radiochemistry samples			
b) Matrix spike duplicate RPD data reported and met for all organic samples	X		
3.5 Blank data		X	BIS(2-ETHYLHEXYL)PHTHALATE DETECTED IN BLANK CHROMIUM DETECTED IN AQUEOUS BLANK CYANIDE DETECTED IN BLANK
a) Method or reagent blank data reported and met for all samples			
b) Sampling blank (e.g., field, trip, and equipment) data reported and met		X	1,2-DICHLOROPROPANE DETECTED IN TRIP BLANK DIETHYLPHTHALATE DETECTED IN EQUIPMENT BLANK TETRYL DETECTED IN EQUIPMENT BLANK CHROMIUM DETECTED IN EQUIPMENT BLANK
3.6 Contractual qualifiers provided: "J"- estimated quantity; "B"-analyte found in method blank above the MDL for organic or above the PQL for inorganic; "U"- analyte undetected (results are below the MDL, IDL, or MDA (radiochemical)); "H"-analysis done beyond the holding time	X		
3.7 Narrative addresses planchet flaming for gross alpha/beta	X		
3.8 Narrative included, correct, and complete	X		
3.9 Second column confirmation data provided for methods 8330 (high explosives) and 8082 (pesticides/PCBs)	X		

Contract Verification Review (Continued)

4.0 Calibration and Validation Documentation

Item	Yes	No	Comments
4.1 GC/MS (8260, 8270, etc.)			
a) 12-hour tune check provided	X		
b) Initial calibration provided	X		
c) Continuing calibration provided	X		
d) Internal standard performance data provided	X		
e) Instrument run logs provided	X		
4.2 GC/HPLC (8330 and 8010 and 8082)			
a) Initial calibration provided	X		
b) Continuing calibration provided	X		
c) Instrument run logs provided	X		
4.3 Inorganics (metals)			
a) Initial calibration provided	X		
b) Continuing calibration provided	X		
c) ICP interference check sample data provided	X		
d) ICP serial dilution provided	X		
e) Instrument run logs provided	X		
4.4 Radiochemistry			
a) Instrument run logs provided	X		

Contract Verification Review (Concluded)

5.0 Problem Resolution

Summarize the findings in the table below. List only samples/fractions for which deficiencies have been noted.

Sample/Fraction No.	Analysis	Problems/Comments/Resolutions
ALL AQUEOUS	VOC	TECHNICAL NARRATIVE ILLEGIBLE (pg. 308-309)
ALL	GROSS ALPHA / BETA	TECHNICAL NARRATIVE ILLEGIBLE (pg. 788-790)
ALL	GROSS ALPHA / BETA	TECHNICAL NARRATIVE ILLEGIBLE (pg. 806-807)

Were deficiencies unresolved? Yes No

Based on the review, this data package is complete. Yes No

If no, provide: nonconformance report or correction request number 5306 and date correction request was submitted: 11-14-2002

Reviewed by: W. Palencia Date: 11-14-2002 Closed by: W. Palencia Date: 11/19/02

ANNEX C
DSS Site 1052
Soil-Vapor Monitoring Well Analytical Results and
Data Validation Report

Analytical Report

ANALYTICAL REPORT

PROJECT NO. CASE#7223.02.02.01

DSS SOIL VAPOR WELL SAMPLING

Lot #: E3I150194

Pam Puissant

SANDIA NATIONAL LABORATORIES

SEVERN TRENT LABORATORIES, INC.

Marisol Tabirara
Project Manager

September 19, 2003

EXECUTIVE SUMMARY - Detection Highlights

E3I150194

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
063092-001/1052-VW-01-5-SV 09/10/03 07:35 001				
Dichlorodifluoromethane	2.2	2.0	ppb (v/v)	EPA-21 TO-14A
Trichlorofluoromethane	15	2.0	ppb (v/v)	EPA-21 TO-14A
1,1,2-Trichloro- 1,2,2-trifluoroethane	1.4 J	2.0	ppb (v/v)	EPA-21 TO-14A
Chloroform	3.5	2.0	ppb (v/v)	EPA-21 TO-14A
Carbon tetrachloride	3.5	2.0	ppb (v/v)	EPA-21 TO-14A
Benzene	0.90 J	2.0	ppb (v/v)	EPA-21 TO-14A
Trichloroethene	11	2.0	ppb (v/v)	EPA-21 TO-14A
Toluene	1.0 J	2.0	ppb (v/v)	EPA-21 TO-14A
Tetrachloroethene	31	2.0	ppb (v/v)	EPA-21 TO-14A
063093-001/1052-VW-01-20-SV 09/10/03 07:40 002				
Dichlorodifluoromethane	1.5 J	2.0	ppb (v/v)	EPA-21 TO-14A
Trichlorofluoromethane	8.1	2.0	ppb (v/v)	EPA-21 TO-14A
1,1,2-Trichloro- 1,2,2-trifluoroethane	0.89 J	2.0	ppb (v/v)	EPA-21 TO-14A
Chloroform	2.7	2.0	ppb (v/v)	EPA-21 TO-14A
Carbon tetrachloride	1.4 J	2.0	ppb (v/v)	EPA-21 TO-14A
Trichloroethene	11	2.0	ppb (v/v)	EPA-21 TO-14A
Toluene	1.8 J	2.0	ppb (v/v)	EPA-21 TO-14A
Tetrachloroethene	39	2.0	ppb (v/v)	EPA-21 TO-14A
063094-001/1052-VW-01-70-SV 09/10/03 07:45 003				
Dichlorodifluoromethane	2.3	2.0	ppb (v/v)	EPA-21 TO-14A
Trichlorofluoromethane	13	2.0	ppb (v/v)	EPA-21 TO-14A
1,1,2-Trichloro- 1,2,2-trifluoroethane	1.7 J	2.0	ppb (v/v)	EPA-21 TO-14A
Acetone	6.2 J	10	ppb (v/v)	EPA-21 TO-14A
Chloroform	5.4	2.0	ppb (v/v)	EPA-21 TO-14A
Carbon tetrachloride	2.6	2.0	ppb (v/v)	EPA-21 TO-14A
Trichloroethene	15	2.0	ppb (v/v)	EPA-21 TO-14A
Toluene	11	2.0	ppb (v/v)	EPA-21 TO-14A
Tetrachloroethene	43	2.0	ppb (v/v)	EPA-21 TO-14A
063095-001/1052-VW-01-100-SV 09/10/03 07:50 004				
Dichlorodifluoromethane	6.6	2.0	ppb (v/v)	EPA-21 TO-14A
Trichlorofluoromethane	44	2.0	ppb (v/v)	EPA-21 TO-14A
1,1,2-Trichloro- 1,2,2-trifluoroethane	4.5	2.0	ppb (v/v)	EPA-21 TO-14A
Acetone	5.9 J	10	ppb (v/v)	EPA-21 TO-14A

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E3I150194

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
063095-001/1052-VW-01-100-SV 09/10/03 07:50 004				
Chloroform	16	2.0	ppb (v/v)	EPA-21 TO-14A
Carbon tetrachloride	9.5	2.0	ppb (v/v)	EPA-21 TO-14A
Benzene	0.88 J	2.0	ppb (v/v)	EPA-21 TO-14A
Trichloroethene	21	2.0	ppb (v/v)	EPA-21 TO-14A
Toluene	11	2.0	ppb (v/v)	EPA-21 TO-14A
Tetrachloroethene	50	2.0	ppb (v/v)	EPA-21 TO-14A
063096-001/1052-VW-01-150-SV 09/10/03 07:55 005				
Dichlorodifluoromethane	7.5	2.0	ppb (v/v)	EPA-21 TO-14A
Trichlorofluoromethane	41	2.0	ppb (v/v)	EPA-21 TO-14A
Carbon disulfide	6.6 J	10	ppb (v/v)	EPA-21 TO-14A
1,1,2-Trichloro- 1,2,2-trifluoroethane	4.0	2.0	ppb (v/v)	EPA-21 TO-14A
Chloroform	23	2.0	ppb (v/v)	EPA-21 TO-14A
Carbon tetrachloride	16	2.0	ppb (v/v)	EPA-21 TO-14A
Benzene	1.1 J	2.0	ppb (v/v)	EPA-21 TO-14A
Trichloroethene	18	2.0	ppb (v/v)	EPA-21 TO-14A
Toluene	4.5	2.0	ppb (v/v)	EPA-21 TO-14A
Tetrachloroethene	25	2.0	ppb (v/v)	EPA-21 TO-14A

ANALYTICAL METHODS SUMMARY

E3I150194

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
Volatile Organics by TO-14A	EPA-21 TO-14A

References:

EPA-21 "Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air", Second Edition, EPA/625/R-96/010b, January 1999

SAMPLE SUMMARY

E3I150194

<u>WO #</u>	<u>SAMPLE#</u>	<u>CLIENT SAMPLE ID</u>	<u>SAMPLED DATE</u>	<u>SAMP TIME</u>
F0DD1	001	063092-001/1052-VW-01-5-SV	09/10/03	07:35
F0DD4	002	063093-001/1052-VW-01-20-SV	09/10/03	07:40
F0DD5	003	063094-001/1052-VW-01-70-SV	09/10/03	07:45
F0DD6	004	063095-001/1052-VW-01-100-SV	09/10/03	07:50
F0DD7	005	063096-001/1052-VW-01-150-SV	09/10/03	07:55

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063092-001/1052-VW-01-5-SV

GC/MS Volatiles

Lot-Sample #....: E3I150194-001 Work Order #....: F0DD11AC Matrix.....: AIR
 Date Sampled....: 09/10/03 Date Received...: 09/12/03
 Prep Date.....: 09/17/03 Analysis Date...: 09/17/03
 Prep Batch #....: 3261541 Analysis Time...: 18:09
 Dilution Factor: 1
 Analyst ID.....: 117751 Instrument ID...: MSA
 Method.....: EPA-21 TO-14A

PARAMETER	RESULT	LIMIT	UNITS	MDL
Dichlorodifluoromethane	2.2	2.0	ppb (v/v)	0.50
Chloromethane	ND	4.0	ppb (v/v)	1.0
1,2-Dichloro- 1,1,2,2-tetrafluoroethane	ND	2.0	ppb (v/v)	0.80
Vinyl chloride	ND	2.0	ppb (v/v)	0.80
Bromomethane	ND	2.0	ppb (v/v)	1.0
Chloroethane	ND	4.0	ppb (v/v)	0.80
Trichlorofluoromethane	15	2.0	ppb (v/v)	0.50
1,1-Dichloroethene	ND	2.0	ppb (v/v)	0.50
Carbon disulfide	ND	10	ppb (v/v)	2.0
1,1,2-Trichloro- 1,2,2-trifluoroethane	1.4 J	2.0	ppb (v/v)	0.50
Acetone	ND	10	ppb (v/v)	2.0
Methylene chloride	ND	2.0	ppb (v/v)	0.80
trans-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.50
1,1-Dichloroethane	ND	2.0	ppb (v/v)	0.50
Vinyl acetate	ND	10	ppb (v/v)	2.0
cis-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.80
2-Butanone (MEK)	ND	10	ppb (v/v)	2.0
Chloroform	3.5	2.0	ppb (v/v)	0.80
1,1,1-Trichloroethane	ND	2.0	ppb (v/v)	0.50
Carbon tetrachloride	3.5	2.0	ppb (v/v)	0.50
Benzene	0.90 J	2.0	ppb (v/v)	0.80
1,2-Dichloroethane	ND	2.0	ppb (v/v)	0.80
Trichloroethene	11	2.0	ppb (v/v)	0.50
1,2-Dichloropropane	ND	2.0	ppb (v/v)	0.80
Bromodichloromethane	ND	2.0	ppb (v/v)	0.80
cis-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.50
4-Methyl-2-pentanone (MIBK)	ND	10	ppb (v/v)	2.0
Toluene	1.0 J	2.0	ppb (v/v)	0.50
trans-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.80
1,1,2-Trichloroethane	ND	2.0	ppb (v/v)	0.60
Tetrachloroethene	31	2.0	ppb (v/v)	0.60
2-Hexanone	ND	10	ppb (v/v)	1.0
Dibromochloromethane	ND	2.0	ppb (v/v)	0.50
1,2-Dibromoethane (EDB)	ND	2.0	ppb (v/v)	0.50

(Continued on next page)

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063092-001/1052-VW-01-5-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-001 Work Order #...: F0DD11AC Matrix.....: AIR

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Chlorobenzene	ND	2.0	ppb (v/v)	0.50
Ethylbenzene	ND	2.0	ppb (v/v)	0.50
m-Xylene & p-Xylene	ND	2.0	ppb (v/v)	1.0
o-Xylene	ND	2.0	ppb (v/v)	0.60
Styrene	ND	2.0	ppb (v/v)	0.60
Bromoform	ND	2.0	ppb (v/v)	0.50
1,1,2,2-Tetrachloroethane	ND	2.0	ppb (v/v)	0.50
Benzyl chloride	ND	10	ppb (v/v)	0.80
4-Ethyltoluene	ND	2.0	ppb (v/v)	0.70
1,3,5-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,3-Dichlorobenzene	ND	2.0	ppb (v/v)	0.70
1,4-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trichloro- benzene	ND	5.0	ppb (v/v)	1.0
Hexachlorobutadiene	ND	4.0	ppb (v/v)	1.0

NOTE (S) :

J Estimated result. Result is less than RL.

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063093-001/1052-VW-01-20-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-002 Work Order #...: F0DD41AC Matrix.....: AIR
 Date Sampled...: 09/10/03 Date Received...: 09/12/03
 Prep Date.....: 09/17/03 Analysis Date...: 09/17/03
 Prep Batch #...: 3261541 Analysis Time...: 18:48
 Dilution Factor: 1
 Analyst ID.....: 117751 Instrument ID...: MSA
 Method.....: EPA-21 TO-14A

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	1.5 J	2.0	ppb (v/v)	0.50
Chloromethane	ND	4.0	ppb (v/v)	1.0
1,2-Dichloro- 1,1,2,2-tetrafluoroethane	ND	2.0	ppb (v/v)	0.80
Vinyl chloride	ND	2.0	ppb (v/v)	0.80
Bromomethane	ND	2.0	ppb (v/v)	1.0
Chloroethane	ND	4.0	ppb (v/v)	0.80
Trichlorofluoromethane	8.1	2.0	ppb (v/v)	0.50
1,1-Dichloroethene	ND	2.0	ppb (v/v)	0.50
Carbon disulfide	ND	10	ppb (v/v)	2.0
1,1,2-Trichloro- 1,2,2-trifluoroethane	0.89 J	2.0	ppb (v/v)	0.50
Acetone	ND	10	ppb (v/v)	2.0
Methylene chloride	ND	2.0	ppb (v/v)	0.80
trans-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.50
1,1-Dichloroethane	ND	2.0	ppb (v/v)	0.50
Vinyl acetate	ND	10	ppb (v/v)	2.0
cis-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.80
2-Butanone (MEK)	ND	10	ppb (v/v)	2.0
Chloroform	2.7	2.0	ppb (v/v)	0.80
1,1,1-Trichloroethane	ND	2.0	ppb (v/v)	0.50
Carbon tetrachloride	1.4 J	2.0	ppb (v/v)	0.50
Benzene	ND	2.0	ppb (v/v)	0.80
1,2-Dichloroethane	ND	2.0	ppb (v/v)	0.80
Trichloroethene	11	2.0	ppb (v/v)	0.50
1,2-Dichloropropane	ND	2.0	ppb (v/v)	0.80
Bromodichloromethane	ND	2.0	ppb (v/v)	0.80
cis-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.50
4-Methyl-2-pentanone (MIBK)	ND	10	ppb (v/v)	2.0
Toluene	1.8 J	2.0	ppb (v/v)	0.50
trans-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.80
1,1,2-Trichloroethane	ND	2.0	ppb (v/v)	0.60
Tetrachloroethene	39	2.0	ppb (v/v)	0.60
2-Hexanone	ND	10	ppb (v/v)	1.0
Dibromochloromethane	ND	2.0	ppb (v/v)	0.50
1,2-Dibromoethane (EDB)	ND	2.0	ppb (v/v)	0.50

(Continued on next page)

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063093-001/1052-VW-01-20-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-002 Work Order #...: F0DD41AC Matrix.....: AIR

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Chlorobenzene	ND	2.0	ppb (v/v)	0.50
Ethylbenzene	ND	2.0	ppb (v/v)	0.50
m-Xylene & p-Xylene	ND	2.0	ppb (v/v)	1.0
o-Xylene	ND	2.0	ppb (v/v)	0.60
Styrene	ND	2.0	ppb (v/v)	0.60
Bromoform	ND	2.0	ppb (v/v)	0.50
1,1,2,2-Tetrachloroethane	ND	2.0	ppb (v/v)	0.50
Benzyl chloride	ND	10	ppb (v/v)	0.80
4-Ethyltoluene	ND	2.0	ppb (v/v)	0.70
1,3,5-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,3-Dichlorobenzene	ND	2.0	ppb (v/v)	0.70
1,4-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trichloro- benzene	ND	5.0	ppb (v/v)	1.0
Hexachlorobutadiene	ND	4.0	ppb (v/v)	1.0

NOTE(S) :

J Estimated result. Result is less than RL.

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063094-001/1052-VW-01-70-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-003 Work Order #...: F0DD51AC Matrix.....: AIR
Date Sampled...: 09/10/03 Date Received...: 09/12/03
Prep Date.....: 09/17/03 Analysis Date...: 09/17/03
Prep Batch #...: 3261541 Analysis Time...: 19:36
Dilution Factor: 1
Analyst ID.....: 117751 Instrument ID...: MSA
Method.....: EPA-21 TO-14A

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	2.3	2.0	ppb (v/v)	0.50
Chloromethane	ND	4.0	ppb (v/v)	1.0
1,2-Dichloro- 1,1,2,2-tetrafluoroethane	ND	2.0	ppb (v/v)	0.80
Vinyl chloride	ND	2.0	ppb (v/v)	0.80
Bromomethane	ND	2.0	ppb (v/v)	1.0
Chloroethane	ND	4.0	ppb (v/v)	0.80
Trichlorofluoromethane	13	2.0	ppb (v/v)	0.50
1,1-Dichloroethene	ND	2.0	ppb (v/v)	0.50
Carbon disulfide	ND	10	ppb (v/v)	2.0
1,1,2-Trichloro- 1,2,2-trifluoroethane	1.7 J	2.0	ppb (v/v)	0.50
Acetone	6.2 J	10	ppb (v/v)	2.0
Methylene chloride	ND	2.0	ppb (v/v)	0.80
trans-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.50
1,1-Dichloroethane	ND	2.0	ppb (v/v)	0.50
Vinyl acetate	ND	10	ppb (v/v)	2.0
cis-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.80
2-Butanone (MEK)	ND	10	ppb (v/v)	2.0
Chloroform	5.4	2.0	ppb (v/v)	0.80
1,1,1-Trichloroethane	ND	2.0	ppb (v/v)	0.50
Carbon tetrachloride	2.6	2.0	ppb (v/v)	0.50
Benzene	ND	2.0	ppb (v/v)	0.80
1,2-Dichloroethane	ND	2.0	ppb (v/v)	0.80
Trichloroethene	15	2.0	ppb (v/v)	0.50
1,2-Dichloropropane	ND	2.0	ppb (v/v)	0.80
Bromodichloromethane	ND	2.0	ppb (v/v)	0.80
cis-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.50
4-Methyl-2-pentanone (MIBK)	ND	10	ppb (v/v)	2.0
Toluene	11	2.0	ppb (v/v)	0.50
trans-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.80
1,1,2-Trichloroethane	ND	2.0	ppb (v/v)	0.60
Tetrachloroethene	43	2.0	ppb (v/v)	0.60
2-Hexanone	ND	10	ppb (v/v)	1.0
Dibromochloromethane	ND	2.0	ppb (v/v)	0.50
1,2-Dibromoethane (EDB)	ND	2.0	ppb (v/v)	0.50

(Continued on next page)

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063094-001/1052-VW-01-70-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-003 Work Order #...: F0DD51AC Matrix.....: AIR

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Chlorobenzene	ND	2.0	ppb (v/v)	0.50
Ethylbenzene	ND	2.0	ppb (v/v)	0.50
m-Xylene & p-Xylene	ND	2.0	ppb (v/v)	1.0
o-Xylene	ND	2.0	ppb (v/v)	0.60
Styrene	ND	2.0	ppb (v/v)	0.60
Bromoform	ND	2.0	ppb (v/v)	0.50
1,1,2,2-Tetrachloroethane	ND	2.0	ppb (v/v)	0.50
Benzyl chloride	ND	10	ppb (v/v)	0.80
4-Ethyltoluene	ND	2.0	ppb (v/v)	0.70
1,3,5-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,3-Dichlorobenzene	ND	2.0	ppb (v/v)	0.70
1,4-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trichloro- benzene	ND	5.0	ppb (v/v)	1.0
Hexachlorobutadiene	ND	4.0	ppb (v/v)	1.0

NOTE (S) :

J Estimated result. Result is less than RL.

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063095-001/1052-VW-01-100-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-004	Work Order #...: F0DD61AC	Matrix.....: AIR
Date Sampled...: 09/10/03	Date Received...: 09/12/03	
Prep Date.....: 09/17/03	Analysis Date...: 09/17/03	
Prep Batch #...: 3261541	Analysis Time...: 20:11	
Dilution Factor: 1		
Analyst ID.....: 117751	Instrument ID...: MSA	
	Method.....: EPA-21 TO-14A	

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	6.6	2.0	ppb (v/v)	0.50
Chloromethane	ND	4.0	ppb (v/v)	1.0
1,2-Dichloro- 1,1,2,2-tetrafluoroethane	ND	2.0	ppb (v/v)	0.80
Vinyl chloride	ND	2.0	ppb (v/v)	0.80
Bromomethane	ND	2.0	ppb (v/v)	1.0
Chloroethane	ND	4.0	ppb (v/v)	0.80
Trichlorofluoromethane	44	2.0	ppb (v/v)	0.50
1,1-Dichloroethene	ND	2.0	ppb (v/v)	0.50
Carbon disulfide	ND	10	ppb (v/v)	2.0
1,1,2-Trichloro- 1,2,2-trifluoroethane	4.5	2.0	ppb (v/v)	0.50
Acetone	5.9 J	10	ppb (v/v)	2.0
Methylene chloride	ND	2.0	ppb (v/v)	0.80
trans-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.50
1,1-Dichloroethane	ND	2.0	ppb (v/v)	0.50
Vinyl acetate	ND	10	ppb (v/v)	2.0
cis-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.80
2-Butanone (MEK)	ND	10	ppb (v/v)	2.0
Chloroform	16	2.0	ppb (v/v)	0.80
1,1,1-Trichloroethane	ND	2.0	ppb (v/v)	0.50
Carbon tetrachloride	9.5	2.0	ppb (v/v)	0.50
Benzene	0.88 J	2.0	ppb (v/v)	0.80
1,2-Dichloroethane	ND	2.0	ppb (v/v)	0.80
Trichloroethene	21	2.0	ppb (v/v)	0.50
1,2-Dichloropropane	ND	2.0	ppb (v/v)	0.80
Bromodichloromethane	ND	2.0	ppb (v/v)	0.80
cis-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.50
4-Methyl-2-pentanone (MIBK)	ND	10	ppb (v/v)	2.0
Toluene	11	2.0	ppb (v/v)	0.50
trans-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.80
1,1,2-Trichloroethane	ND	2.0	ppb (v/v)	0.60
Tetrachloroethene	50	2.0	ppb (v/v)	0.60
2-Hexanone	ND	10	ppb (v/v)	1.0
Dibromochloromethane	ND	2.0	ppb (v/v)	0.50
1,2-Dibromoethane (EDB)	ND	2.0	ppb (v/v)	0.50

(Continued on next page)

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063095-001/1052-VW-01-100-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-004 Work Order #...: F0DD61AC Matrix.....: AIR

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Chlorobenzene	ND	2.0	ppb (v/v)	0.50
Ethylbenzene	ND	2.0	ppb (v/v)	0.50
m-Xylene & p-Xylene	ND	2.0	ppb (v/v)	1.0
o-Xylene	ND	2.0	ppb (v/v)	0.60
Styrene	ND	2.0	ppb (v/v)	0.60
Bromoform	ND	2.0	ppb (v/v)	0.50
1,1,2,2-Tetrachloroethane	ND	2.0	ppb (v/v)	0.50
Benzyl chloride	ND	10	ppb (v/v)	0.80
4-Ethyltoluene	ND	2.0	ppb (v/v)	0.70
1,3,5-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,3-Dichlorobenzene	ND	2.0	ppb (v/v)	0.70
1,4-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trichloro- benzene	ND	5.0	ppb (v/v)	1.0
Hexachlorobutadiene	ND	4.0	ppb (v/v)	1.0

NOTE (S) :

J Estimated result. Result is less than RL.

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063096-001/1052-VW-01-150-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-005 Work Order #...: FODD71AC Matrix.....: AIR
Date Sampled...: 09/10/03 Date Received...: 09/12/03
Prep Date.....: 09/17/03 Analysis Date...: 09/17/03
Prep Batch #...: 3261541 Analysis Time...: 20:53
Dilution Factor: 1
Analyst ID.....: 117751 Instrument ID...: MSA
Method.....: EPA-21 TO-14A

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	7.5	2.0	ppb (v/v)	0.50
Chloromethane	ND	4.0	ppb (v/v)	1.0
1,2-Dichloro- 1,1,2,2-tetrafluoroethane	ND	2.0	ppb (v/v)	0.80
Vinyl chloride	ND	2.0	ppb (v/v)	0.80
Bromomethane	ND	2.0	ppb (v/v)	1.0
Chloroethane	ND	4.0	ppb (v/v)	0.80
Trichlorofluoromethane	41	2.0	ppb (v/v)	0.50
1,1-Dichloroethene	ND	2.0	ppb (v/v)	0.50
Carbon disulfide	6.6 J	10	ppb (v/v)	2.0
1,1,2-Trichloro- 1,2,2-trifluoroethane	4.0	2.0	ppb (v/v)	0.50
Acetone	ND	10	ppb (v/v)	2.0
Methylene chloride	ND	2.0	ppb (v/v)	0.80
trans-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.50
1,1-Dichloroethane	ND	2.0	ppb (v/v)	0.50
Vinyl acetate	ND	10	ppb (v/v)	2.0
cis-1,2-Dichloroethene	ND	2.0	ppb (v/v)	0.80
2-Butanone (MEK)	ND	10	ppb (v/v)	2.0
Chloroform	23	2.0	ppb (v/v)	0.80
1,1,1-Trichloroethane	ND	2.0	ppb (v/v)	0.50
Carbon tetrachloride	16	2.0	ppb (v/v)	0.50
Benzene	1.1 J	2.0	ppb (v/v)	0.80
1,2-Dichloroethane	ND	2.0	ppb (v/v)	0.80
Trichloroethene	18	2.0	ppb (v/v)	0.50
1,2-Dichloropropane	ND	2.0	ppb (v/v)	0.80
Bromodichloromethane	ND	2.0	ppb (v/v)	0.80
cis-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.50
4-Methyl-2-pentanone (MIBK)	ND	10	ppb (v/v)	2.0
Toluene	4.5	2.0	ppb (v/v)	0.50
trans-1,3-Dichloropropene	ND	2.0	ppb (v/v)	0.80
1,1,2-Trichloroethane	ND	2.0	ppb (v/v)	0.60
Tetrachloroethene	25	2.0	ppb (v/v)	0.60
2-Hexanone	ND	10	ppb (v/v)	1.0
Dibromochloromethane	ND	2.0	ppb (v/v)	0.50
1,2-Dibromoethane (EDB)	ND	2.0	ppb (v/v)	0.50

(Continued on next page)

SANDIA NATIONAL LABORATORIES

Client Sample ID: 063096-001/1052-VW-01-150-SV

GC/MS Volatiles

Lot-Sample #...: E3I150194-005 Work Order #...: F0DD71AC Matrix.....: AIR

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Chlorobenzene	ND	2.0	ppb (v/v)	0.50
Ethylbenzene	ND	2.0	ppb (v/v)	0.50
m-Xylene & p-Xylene	ND	2.0	ppb (v/v)	1.0
o-Xylene	ND	2.0	ppb (v/v)	0.60
Styrene	ND	2.0	ppb (v/v)	0.60
Bromoform	ND	2.0	ppb (v/v)	0.50
1,1,2,2-Tetrachloroethane	ND	2.0	ppb (v/v)	0.50
Benzyl chloride	ND	10	ppb (v/v)	0.80
4-Ethyltoluene	ND	2.0	ppb (v/v)	0.70
1,3,5-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trimethylbenzene	ND	2.0	ppb (v/v)	0.80
1,3-Dichlorobenzene	ND	2.0	ppb (v/v)	0.70
1,4-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2-Dichlorobenzene	ND	2.0	ppb (v/v)	0.80
1,2,4-Trichloro- benzene	ND	5.0	ppb (v/v)	1.0
Hexachlorobutadiene	ND	4.0	ppb (v/v)	1.0

NOTE(S) :

1 Estimated result. Result is less than RL.

The remaining portions of this report:

- **QA/QC;**
- **1052-VW-01 Extended Raw Data,**

**are available through the SNL/NM Environmental
Safety & Health and Security Record Center**

Contract Verification Review (CVR)

Project Leader COLLINS

Project Name DSS-NFA

Case No. 7223_02.02.01

AR/COC No. 606763

Analytical Lab SEVERN TRENT

SDG No. E3I150194

In the tables below, mark any information that is missing or incorrect and give an explanation.

1.0 Analysis Request and Chain of Custody Record and Log-In Information

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
1.1	All items on COC complete - data entry clerk initialed and dated	X				
1.2	Container type(s) correct for analyses requested	X				
1.3	Sample volume adequate for # and types of analyses requested	X				
1.4	Preservative correct for analyses requested	X				
1.5	Custody records continuous and complete	X				
1.6	Lab sample number(s) provided and SNL sample number(s) cross referenced and correct	X				
1.7	Date samples received	X				
1.8	Condition upon receipt information provided	X				

2.0 Analytical Laboratory Report

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
2.1	Data reviewed, signature	X				
2.2	Method reference number(s) complete and correct	X				
2.3	QC analysis and acceptance limits provided (MB, LCS, Replicate)	X				
2.4	Matrix spike/matrix spike duplicate data provided (if requested)	N/A				
2.5	Detection limits provided; PQL and MDL (or IDL), MDA and L _c	X				
2.6	QC batch numbers provided	X				
2.7	Dilution factors provided and all dilution levels reported	X				
2.8	Data reported in appropriate units and using correct significant figures	X				
2.9	Radiochemistry analysis uncertainty (2 sigma error) and tracer recovery (if applicable) reported	N/A				
2.10	Narrative provided	X				
2.11	TAT met	X				
2.12	Hold times met	X				
2.13	Contractual qualifiers provided	X				
2.14	All requested result and TIC (if requested) data provided	X				

Contract Verification Review (Continued)

3.0 Data Quality Evaluation

Item	Yes	No	If no, Sample ID No./Fraction(s) and Analysis
3.1 Are reporting units appropriate for the matrix and meet contract specified or project-specific requirements? Inorganics and metals reported as ppm (mg/liter or mg/Kg)? Tritium reported in picocuries per liter with percent moisture for soil samples? Units consistent between QC samples and sample data	X		
3.2 Quantitation limit met for all samples	X		
3.3 Accuracy	X		
a) Laboratory control samples accuracy reported and met for all samples			
b) Surrogate data reported and met for all organic samples analyzed by a gas chromatography technique	N/A		
c) Matrix spike recovery data reported and met	N/A		
3.4 Precision	N/A		
a) Replicate sample precision reported and met for all inorganic and radiochemistry samples			
b) Matrix spike duplicate RPD data reported and met for all organic samples	N/A		
3.5 Blank data	X		
a) Method or reagent blank data reported and met for all samples			
b) Sampling blank (e.g., field, trip, and equipment) data reported and met	N/A		
3.6 Contractual qualifiers provided: "J"- estimated quantity; "B"-analyte found in method blank above the MDL for organic or above the PQL for inorganic; "U"- analyte undetected (results are below the MDL, IDL, or MDA (radiochemical)); "H"-analysis done beyond the holding time	X		
3.7 Narrative addresses planchet flaming for gross alpha/beta	N/A		
3.8 Narrative included, correct, and complete	X		
3.9 Second column confirmation data provided for methods 8330 (high explosives) and 8082 (pesticides/PCBs)	N/A		

Contract Verification Review (Continued)

4.0 Calibration and Validation Documentation

Item	Yes	No	Comments
4.1 GC/MS (8260, 8270, etc.)			
a) 12-hour tune check provided	X		
b) Initial calibration provided	X		
c) Continuing calibration provided	X		
d) Internal standard performance data provided	X		
e) Instrument run logs provided	X		
4.2 GC/HPLC (8330 and 8010 and 8082)			
a) Initial calibration provided	N/A		
b) Continuing calibration provided	N/A		
c) Instrument run logs provided	N/A		
4.3 Inorganics (metals)			
a) Initial calibration provided	N/A		
b) Continuing calibration provided	N/A		
c) ICP interference check sample data provided	N/A		
d) ICP serial dilution provided	N/A		
e) Instrument run logs provided	N/A		
4.4 Radiochemistry			
a) Instrument run logs provided	N/A		

Contract Verification Review (Concluded)

5.0 Problem Resolution

Summarize the findings in the table below. List only samples/fractions for which deficiencies have been noted.

Sample/Fraction No.	Analysis	Problems/Comments/Resolutions

Were deficiencies unresolved? Yes No

Based on the review, this data package is complete. Yes No

If no, provide: nonconformance report or correction request number _____ and date correction request was submitted:-_____

Reviewed by: W. Palencia

Date: 9-25-2003 Closed by: _____ Date: _____

CONTRACT LABORATORY ANALYSIS REQUEST AND CHAIN OF CUSTODY

Internal Lab

Batch No. *N/A*

SMO Use

AR/COC

606763

Dept. No./Mail Stop: 6132/1089	Date Samples Shipped: <i>9/10/03</i>	Project/Task No.: 7223.02.02.01	<input type="checkbox"/> Waste Characterization -Send preliminary/copy report to:
Project/Task Manager: Mike Sanders	Carrier/Waybill No. <i>26418</i>	SMO Authorization: <i>A SMO</i>	<input type="checkbox"/> Released by COC No.: _____
Project Name: DSS Soil Vapor Well Sampling	Lab Contact: Mark Loeb(800)333-3305	Contract #: <i>PO 21673</i>	
Record Center Code: _____	Lab Destination: Severn Trent St.Louis	<i>SEE Bottle order</i>	<input type="checkbox"/> Validation Required
Logbook Ref. No.: _____	SMO Contact/Phone: Pam Puissant(505)844-3185		Bill To: Sandia National Labs (Accounts Payable)
Service Order No. CF023-03	Send Report to SMO: Wendy Palencia(505)844-3132		P.O. Box 5800 MS 0154 Albuquerque, NM 87185-0154

Location: Tech Area 1	Reference LOV(available at SMO)		
Building: Room			

Sample No.-Fraction	ER Sample ID or Sample Location Detail	Pump Depth (ft)	ER Site No.	Date/Time(hr) Collected	Sample Matrix	Container		Preservative	Collection Method	Sample Type	Parameter & Method Requested	Lab Sample ID
						Type	Volume					
063092-001	1052-VW-01-5-SV	5		<i>9-10-03/0735</i>	SG	SC	6L	none	G	SA	TO-14 <i>Summa# A-239</i>	
063093-001	1052-VW-01-20-SV	20		<i>0740</i>	SG	SC	6L	none	G	SA	TO-14 <i>12620</i>	
063094-001	1052-VW-01-70-SV	70		<i>0745</i>	SG	SC	6L	none	G	SA	TO-14 <i>9339B</i>	
063095-001	1052-VW-01-100-SV	100		<i>0750</i>	SG	SC	6L	none	G	SA	TO-14 <i>0182</i>	
063096-001	1052-VW-01-150-SV	150		<i>0755</i>	SG	SC	6L	none	G	SA	TO-14 <i>9305BB</i>	

RMMA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Ref. No. _____	Sample Tracking Smo Use _____ Date Entered(mm/dd/yy) <i>09/11/03</i> Entered by: <i>JAC</i>	Special Instructions/QC Requirements EDD <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Level C Package <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Abnormal Conditions on Receipt												
Turnaround Time <input type="checkbox"/> 7 Day <input checked="" type="checkbox"/> 15 Day <input type="checkbox"/> 30 Day	Return Samples By: <input type="checkbox"/> Negotiated TAT QC inits. <i>RK</i>	*Send report to: Mike Sanders Dept.6132 Mail stop 1089 505-284-2478 Tim Jackson Mail stop 1087 505-284-2547 *Please list as separate report.	Lab Use												
Sample Team Members <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Name</th> <th>Signature</th> <th>Init</th> <th>Company/Organization/Phone/Cellular</th> </tr> <tr> <td>J Lee</td> <td><i>[Signature]</i></td> <td>JDL</td> <td>Weston Solutions 6134 (505)284-3309</td> </tr> <tr> <td>R Lynch</td> <td><i>[Signature]</i></td> <td></td> <td>Weston Solutions 6134 (505)844-4015</td> </tr> </table>	Name	Signature		Init	Company/Organization/Phone/Cellular	J Lee	<i>[Signature]</i>	JDL	Weston Solutions 6134 (505)284-3309	R Lynch	<i>[Signature]</i>		Weston Solutions 6134 (505)844-4015		
Name	Signature	Init	Company/Organization/Phone/Cellular												
J Lee	<i>[Signature]</i>	JDL	Weston Solutions 6134 (505)284-3309												
R Lynch	<i>[Signature]</i>		Weston Solutions 6134 (505)844-4015												

1. Relinquished by <i>[Signature]</i> Org. <i>6134</i> Date <i>9/10/03</i> Time <i>0810</i>	4. Relinquished by _____ Org. _____ Date _____ Time _____
1. Received by <i>[Signature]</i> SMO Org. <i>6133</i> Date <i>9/10/03</i> Time <i>0810</i>	4. Received by _____ Org. _____ Date _____ Time _____
2. Relinquished by <i>[Signature]</i> SMO Org. <i>6133</i> Date <i>9/10/03</i> Time <i>1100</i>	5. Relinquished by _____ Org. _____ Date _____ Time _____
2. Received by _____ Org. _____ Date _____ Time _____	5. Received by _____ Org. _____ Date _____ Time _____
3. Relinquished by _____ Org. _____ Date _____ Time _____	6. Relinquished by _____ Org. _____ Date _____ Time _____
3. Received by _____ Org. _____ Date _____ Time _____	6. Received by _____ Org. _____ Date _____ Time _____

DSS Vapor Wells SUMMA CANNISTER LOG

J Lee 505-284-3309 R Lynch 505-844-4013

SERIAL#	DATE RCVD	DATE TESTED	VAC (in Hg) FOR INITIAL VAC (@5400)	DATE USED	VAC AFTER SAMPLING (in Hg @ 5400)	DATE RET TO SMO (AFTER SAMPLING)
---------	-----------	-------------	--	-----------	--------------------------------------	-------------------------------------

9340B	9-4-03	9-4-03	26	9-9-03		9-10-03
04340	↑	↑	25	↑		↑
12341	↑	↑	25	↑		↑
12607	↑	↑	22	↑		↑
A-331	↑	↑	24	↑		↑
12843	↑	↑	26	↑		↑
93102	↑	↑	26	↑		↑
93124	↑	↑	26	↑		↑
A-174	↑	↑	25	↑		↑
12592	↑	↑	26	↑		↑
93243	↑	↑	25	↑		↑
9118B	↑	↑	25	↑		↑
93227	↑	↑	25	↑		↑
0060	↑	↑	25	↑		↑
12485	↑	↑	25	↑		↑
A-239	↑	↑	25	↑		↑
12166	↑	↑	26	↑		↑
12167	↑	↑	26	↑		↑
04164	↑	↑	25	↑		↑
GL0101	↑	↑	25	↑		↑
0102	↑	↑	25	↑		↑
60-A	↑	↑	26	↑		↑
93276	↑	↑	26	↑		↑
12261	↑	↑	25	↑		↑
93108	↑	↑	26	↑		↑
04751	↑	↑	26	↑		↑
0117	↑	↑	26	↑		↑
A-277	↑	↑	26	↑		↑
02856	↑	↑	25	↑		↑
12184	↑	↑	26	↑		↑
93040	↑	↑	25	↑		↑
12631	↑	↑	25	↑		↑
* 0182	↑	↑	20	↑		↑
93058B	↑	↑	24	↑		↑
12260	↑	↑		↑		↑
12620	↑	↑	24	↑		↑
* 9339B	↓	↓	18	↓		↓

Sample Findings Summary

Site: DSS-NFA

AR/COC: 606763


Data Type: Organic

Analysis met QC acceptance criteria. No data will be qualified.

Validated By: Kevin A. Lambert

Date: 09/29/03

Analytical Quality Associates, Inc.



616 Maxine NE
Albuquerque, NM 87123
Phone: 505-299-5201
Fax: 505-299-6744
Email: minteer@aol.com

MEMORANDUM

DATE: September 29, 2003
TO: File
FROM: Kevin Lambert
SUBJECT: Organic Data Review and Validation – SNL
DSS-NFA, AR/COC No. 606763, SDG No. E31150194 (STCA), and Project/Task No.
7223.02.02.01

See the attached Data Validation Worksheets for supporting documentation on the data review and validation. Data are evaluated using SNL/NM ER Project AOP 00-03.

Summary

All samples were prepared and analyzed with accepted procedures using method EPA21 TO-14A. All compounds were successfully analyzed. No problems were identified with the data package that result in the qualification of data.

Data are acceptable and QC measures appear to be adequate. The following sections discuss the data review and validation.

Holding Times

All samples were analyzed within the prescribed holding times.

Calibration

The initial calibration and continuing calibration data met QC acceptance criteria except as follows.

The calibration RF for chloromethane (0.089) was < the specified minimum RF (0.10). However, the calibration RSD and CCV %D for chloromethane met QC acceptance criteria. Associated sample results were non-detect (ND) and as a result based on professional judgment no data will be qualified.

The calibration RSD for benzyl chloride (29%) and bromoform (25%) were > 20% but ≤ 40%. Associated sample results were ND and as a result based on professional judgment no data will be qualified.

The CCV %D for vinyl acetate (-30%) was > 20% but ≤ 40%. Associated sample results were ND and as a result based on professional judgment no data will be qualified.

Blanks

No target analytes were detected in the blanks.

Surrogates

Surrogate assessment is not required for this analysis.

Internal Standards

Internal standards data met QC acceptance criteria.

Matrix Spike/Matrix Spike Duplicate (MS/MSD)

MS/MSD is not required. The LCS/LCSD is used to assess accuracy and precision.

Laboratory Control Sample (LCS)

The LCS/LCSD met QC acceptance criteria.

Detection Limits/Dilutions

All detection limits were properly reported; no dilutions were required

Other QC

No equipment blank (EB), trip blank (TB) or field duplicate pair was submitted on the ARCOG.

No other specific issues were identified which affect data quality.

Data Validation Summary

Site/Project: DSS-NFA Project/Task #: 7223.02.02.01 # of Samples: 5 Matrix: Soil gas (Air)
 AR/COC #: 606763 Laboratory Sample IDs: E3I50194-001 to -005
 Laboratory: STCA
 SDG #: E3I50194

QC Element	Analysis									
	TO-14A Organics				Inorganics				RAD	Other
	VOC	SVOC	Pesticide/ PCB	HPLC (HE)	ICP/AES	GFAA/ AA	CVAA (Hg)	CN		
1. Holding Times/Preservation	✓									
2. Calibrations	✓									
3. Method Blanks	✓									
4. MS/MSD	NA									
5. Laboratory Control Samples	✓									
6. Replicates										
7. Surrogates	NA									
8. Internal Standards	✓									
9. TCL Compound Identification	✓									
10. ICP Interference Check Sample										
11. ICP Serial Dilution										
12. Carrier/Chemical Tracer Recoveries										
13. Other QC	NA									

J = Estimated
 U = Not Detected
 UJ = Not Detected, Estimated
 R = Unusable

Check (✓) = Acceptable
 Shaded Cells = Not Applicable (also "NA")
 NP = Not Provided
 Other: _____

Reviewed By: Kevin A Lambert Date: 9-29-03

Volatile Organics (TO-14)

Site/Project: DSS-NFA AR/COC #: 606763
 Laboratory: STCA Laboratory Report #: E3I150194
 Methods: EPA21(TO-14A)

of Samples: 5 Matrix: AIR
 Laboratory Sample IDs: E3I150194-001 to -005
 Batch #: 3261541

IS	CAS #	Name	TCL	Min. RF	Intercept	Calib. RF	Calib. RSD/R ²	CCV %D	Method Blks	LCS	LCS D	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Trip Blanks
						>.05	<20% / 0.99	20%										
1	74-87-3	Chloromethane	✓	0.10	NA	0.089	✓	✓	✓									
1	74-83-9	Bromomethane	✓	0.10														
1	75-01-4	vinyl chloride	✓	0.10														
1	75-00-3	Chloroethane	✓	0.01														
1	75-09-2	methylene chloride (10xblk)	✓	0.01						✓	✓	✓						
1	67-64-1	acetone(10xblk)	✓	0.01														
1	75-35-4	1,1-dichloroethene	✓	0.20						✓	✓	✓						
1	75-34-3	1,1-dichloroethane	✓	0.10														
1	67-66-3	Chloroform	✓	0.20														
1	107-06-2	1,2-dichloroethane	✓	0.10														
1	78-93-3	2-butanone(10xblk)	✓	0.01														
2	71-35-6	1,1,1-trichloroethane	✓	0.10														
2	56-23-5	carbon tetrachloride	✓	0.10														
2	78-87-5	1,2-dichloropropane	✓	0.01														
2	10061-01-5	cis-1,3-dichloropropene	✓	0.20														
2	79-01-6	Trichloroethene	✓	0.30						✓	✓	✓						
2	79-00-5	1,1,2-trichloroethane	✓	0.10														
2	71-43-2	Benzene	✓	0.50														
2	10061-02-6	trans-1,3-dichloropropene	✓	0.10														
3	108-10-1	4-methyl-2-pentanone	✓	0.10														
3	127-18-4	Tetrachloroethene	✓	0.20														
3	79-34-5	1,1,2,2-tetrachloroethane	✓	0.30						✓	✓	✓						
3	108-88-3	toluene(10xblk)	✓	0.40						✓	✓	✓						
3	108-90-7	Chlorobenzene	✓	0.50														
3	100-41-4	Ethylbenzene	✓	0.10														
3	100-42-5	Styrene	✓	0.30														
	107-05-01	Allyl chloride																
	100-44-7	Benzyl chloride	✓															
	106-93-4	1,2-dibromoethane	✓															
	95-50-1	1,2-dichlorobenzene	✓															
	541-73-1	1,3-dichlorobenzene	✓															
	106-46-7	1,4-dichlorobenzene	✓															
	75-71-8	dichlorodifluoromethane	✓															

Comments: NA- Not Applicable

Notes: Shaded rows are RCRA compounds.

① Calib RF < min RF, RSD & CCV %D met QC criteria, Associated sample results ND, no data qualified as a result

Reviewed By: Kevin A Lambert Date: 9-29-03

Volatile Organics (TO-14)

Site/Project: _____ AR/COC #: 606763 # of Samples: _____ Matrix: _____
 Laboratory: _____ Laboratory Report #: _____ Laboratory Sample IDs: _____
 Methods: _____ Batch #: _____

IS	CAS #	Name	TCL	Min. RF	Intercept	①	②	③	Method Blks	LCS	LCSD	LCS RPD	MS	MSD	MS RPD	Field Dup. RPD	Equip. Blanks	Trip Blanks
						Calib. RF	Calib. RSD/R	CCV %D										
						>.05	<20% / 0.99	20%										
76-14-2		1,2-dichloro-1,1,2,2-tetrafluoroethane	✓		NA	✓	✓	✓	✓									
156-59-2		cis-1,2-dichloroethene	✓															
156-60-5		trans-1,2-dichloroethene	✓															
87-68-3		hexachlorobutadiene	✓															
120-82-1		1,2,4-trichlorobenzene	✓															
75-15-0		carbon disulfide	✓															
75-69-4		trichlorofluoromethane	✓															
95-63-6		1,2,4-trimethylbenzene	✓															
108-67-8		1,3,5-trimethylbenzene	✓															
76-13-1		1,1,2-trichloro-1,2,2-trifluoroethane	✓															
136777-61-2		m-, p-xylene	✓															
95-47-6		o-xylene	✓															
622-96-8		4-ethyltoluene	✓															
108-05-4		vinyl acetate	✓															
75-27-4		bromodichloromethane	✓															
591-78-6		2-hexanone	✓															
124-48-1		dibromochloromethane	✓															
75-25-2		bromoform	✓															
64-17-5		ethanol																
67-56-1		methanol																
80-62-6		methyl methacrylate																
141-78-6		ethyl acetate																
107-02-8		acrolein																
75-05-8		acetonitrile																
67-63-0		isopropanol																
107-13-1		acrylonitrile																
123-91-1		1,4,-dioxane																

Comments: ② RSD > 20 but < 40, Associated sample results ND, No data qualified as a result

Notes: Shaded rows are RCRA compounds.

Volatile Organics (TO-14)

Site/Project: _____ AR/COC #: 606763 Batch #: _____
 Laboratory: _____ Laboratory Report #: _____ # of Samples: _____ Matrix: _____

Surrogate Recovery and Internal Standard Outliers (TO-14)

Sample	SMC 1	SMC 2	SMC 3	IS 1 area	IS 1 RT	IS 2 area	IS 2 RT	IS 3 area	IS 3 RT

N/A

Met
Criteria

SMC 1: 4-Bromofluorobenzene IS 1: Bromochloromethane
 SMC 2: 1,2-Dichloroethane-d4 IS 2: 1,4-Difluorobenzene
 SMC 3: Toluene-d8 IS 3: Chlorobenzene-d5

Comments:

③ CCV% D > 20 but < 40, Associated sample results ND, No data qualified as a result

Contract Verification Review (CVR)

Project Leader COLLINS

Project Name DSS-NFA

Case No. 7223_02.02.01

AR/COC No. 606763

Analytical Lab SEVERN TRENT

SDG No. E31150194

In the tables below, mark any information that is missing or incorrect and give an explanation.

1.0 Analysis Request and Chain of Custody Record and Log-In Information

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
1.1	All items on COC complete - data entry clerk initialed and dated	X				
1.2	Container type(s) correct for analyses requested	X				
1.3	Sample volume adequate for # and types of analyses requested	X				
1.4	Preservative correct for analyses requested	X				
1.5	Custody records continuous and complete	X				
1.6	Lab sample number(s) provided and SNL sample number(s) cross referenced and correct	X				
1.7	Date samples received	X				
1.8	Condition upon receipt information provided	X				

2.0 Analytical Laboratory Report

Line No.	Item	Complete?		If no, explain	Resolved?	
		Yes	No		Yes	No
2.1	Data reviewed, signature	X				
2.2	Method reference number(s) complete and correct	X				
2.3	QC analysis and acceptance limits provided (MB, LCS, Replicate)	X				
2.4	Matrix spike/matrix spike duplicate data provided (if requested)	N/A				
2.5	Detection limits provided; PQL and MDL (or IDL), MDA and L _c	X				
2.6	QC batch numbers provided	X				
2.7	Dilution factors provided and all dilution levels reported	X				
2.8	Data reported in appropriate units and using correct significant figures	X				
2.9	Radiochemistry analysis uncertainty (2 sigma error) and tracer recovery (if applicable) reported	N/A				
2.10	Narrative provided	X				
2.11	TAT met	X				
2.12	Hold times met	X				
2.13	Contractual qualifiers provided	X				
2.14	All requested result and TIC (if requested) data provided	X				

Contract Verification Review (Continued)

3.0 Data Quality Evaluation

Item	Yes	No	If no, Sample ID No./Fraction(s) and Analysis
3.1 Are reporting units appropriate for the matrix and meet contract specified or project-specific requirements? Inorganics and metals reported as ppm (mg/liter or mg/Kg)? Tritium reported in picocuries per liter with percent moisture for soil samples? Units consistent between QC samples and sample data	X		
3.2 Quantitation limit met for all samples	X		
3.3 Accuracy a) Laboratory control samples accuracy reported and met for all samples	X		
b) Surrogate data reported and met for all organic samples analyzed by a gas chromatography technique	N/A		
c) Matrix spike recovery data reported and met	N/A		
3.4 Precision	N/A		
a) Replicate sample precision reported and met for all inorganic and radiochemistry samples	N/A		
b) Matrix spike duplicate RPD data reported and met for all organic samples	N/A		
3.5 Blank data a) Method or reagent blank data reported and met for all samples	X		
b) Sampling blank (e.g., field, trip, and equipment) data reported and met	N/A		
3.6 Contractual qualifiers provided: "J"- estimated quantity; "B"-analyte found in method blank above the MDL for organic or above the PQL for inorganic; "U"- analyte undetected (results are below the MDL, IDL, or MDA (radiochemical)); "H"-analysis done beyond the holding time	X		
3.7 Narrative addresses planchet flaming for gross alpha/beta	N/A		
3.8 Narrative included, correct, and complete	X		
3.9 Second column confirmation data provided for methods 8330 (high explosives) and 8082 (pesticides/PCBs)	N/A		

Contract Verification Review (Continued)

4.0 Calibration and Validation Documentation

Item	Yes	No	Comments
4.1 GC/MS (8260, 8270, etc.)			
a) 12-hour tune check provided	X		
b) Initial calibration provided	X		
c) Continuing calibration provided	X		
d) Internal standard performance data provided	X		
e) Instrument run logs provided	X		
4.2 GC/HPLC (8330 and 8010 and 8082)			
a) Initial calibration provided	N/A		
b) Continuing calibration provided	N/A		
c) Instrument run logs provided	N/A		
4.3 Inorganics (metals)			
a) Initial calibration provided	N/A		
b) Continuing calibration provided	N/A		
c) ICP interference check sample data provided	N/A		
d) ICP serial dilution provided	N/A		
e) Instrument run logs provided	N/A		
4.4 Radiochemistry			
a) Instrument run logs provided	N/A		

RECORDS CENTER CODE: _____

SMO ANALYTICAL DATA ROUTING FORM

PROJECT NAME: DSS-NFA PROJECT/TASK: 7223 02.02.01
 SNL TASK LEADER: Collins ORG/MS/CF0#: 6133/1087/CF023-03
 SMO PROJECT LEAD: Palencia SAMPLE SHIP DATE: 9/10/2003

ARCOG	LAB	LAB ID	PRELIM DATE	FINAL DATE	EDD			
					EDD	ON Q	Cust CD	RC CD
606763	STCA	E31150194		9/24/2003	X	X		

DATA PACKAGE TAT:	<input type="checkbox"/>	RUSH	<input checked="" type="checkbox"/>	NORMAL
CORRECTIONS REQUESTED BY/DATE:				
PROBLEM #/DATE CORRECTION RECEIVED:	<input type="checkbox"/>			
CVR COMPLETED BY/DATE:		<i>W. Palencia</i>		<i>9-25-03</i>
FINAL TRANSMITTED TO/DATE:		<i>Sanders</i>		<i>9-25-03</i>
SENT TO VALIDATION BY/DATE:		<i>J. Conn</i>		<i>09/25/03</i>
REVISIONS REQUESTED/REVISIONS RECEIVED (DATE):	<input type="checkbox"/>		<input type="checkbox"/>	
VALIDATION COMPLETED BY/DATE:				
COPY TO WM BY/DATE:				
CD REQUESTED BY/DATE:		<i>J. Conn</i>		<i>09/25/03</i>
CD RECEIVED BY/DATE:				
TO ERDMS OR RECORDS CENTER BY/DATE:				

COMMENTS:

ANNEX D
DSS Site 1052
Risk Assessment

TABLE OF CONTENTS

I.	Site Description and History	D-1
II.	Data Quality Objectives.....	D-2
III.	Determination of Nature, Rate, and Extent of Contamination	D-5
	III.1 Introduction	D-5
	III.2 Nature of Contamination	D-5
	III.3 Rate of Contaminant Migration	D-5
	III.4 Extent of Contamination.....	D-6
IV.	Comparison of COCs to Background Levels	D-6
V.	Fate and Transport.....	D-10
VI.	Human Health Risk Assessment.....	D-11
	VI.1 Introduction	D-11
	VI.2 Step 1. Site Data.....	D-11
	VI.3 Step 2. Pathway Identification.....	D-12
	VI.4 Step 3. Background Screening Procedure.....	D-12
	VI.4.1 Methodology	D-12
	VI.4.2 Results.....	D-15
	VI.5 Step 4. Identification of Toxicological Parameters	D-15
	VI.6 Step 5. Exposure Assessment and Risk Characterization.....	D-17
	VI.6.1 Exposure Assessment	D-17
	VI.6.2 Risk Characterization	D-18
	VI.7 Step 6. Comparison of Risk Values to Numerical Guidelines	D-18
	VI.8 Step 7. Uncertainty Discussion	D-20
	VI.9 Summary.....	D-21
VII.	Ecological Risk Assessment	D-22
	VII.1 Introduction	D-22
	VII.2 Scoping Assessment	D-23
	VII.2.1 Data Assessment.....	D-23
	VII.2.2 Bioaccumulation	D-23
	VII.2.3 Fate and Transport Potential	D-23
	VII.2.4 Scoping Risk-Management Decision.....	D-23
VIII.	References.....	D-24
	Appendix 1	D-29

This page intentionally left blank.

LIST OF TABLES

Table	Page
1	Summary of Sampling Performed to Meet DQOs D-2
2	Number of Confirmatory Soil and QA/QC Samples Collected from DSS Site 1052..... D-3
3	Summary of Data Quality Requirements for DSS Site 1052 D-4
4	Nonradiological COCs for Human Health Risk Assessment at DSS Site 1052 with Comparison to the Associated SNL/NM Background Screening Value, BCF, and Log K_{ow} D-7
5	Radiological COCs for Human Health Risk Assessment at DSS Site 1052 with Comparison to the Associated SNL/NM Background Screening Value and BCF D-9
6	Summary of Fate and Transport at DSS Site 1052..... D-11
7	Toxicological Parameter Values for DSS Site 1052 Nonradiological COCs.... D-16
8	Radiological Toxicological Parameter Values for DSS Site 1052 COCs Obtained from RESRAD Risk Coefficients..... D-17
9	Risk Assessment Values for DSS Site 1052 Nonradiological COCs..... D-19
10	Risk Assessment Values for DSS Site 1052 Nonradiological Background Constituents D-19
11	Summation of Incremental Nonradiological and Radiological Risks from DSS Site 1052, Building 803 Seepage Pit Carcinogens D-22

LIST OF FIGURES

Figure	Page
1	Conceptual Site Model Flow Diagram for DSS Site 1052, Building 803 Seepage Pit..... D-13

This page intentionally left blank.

DSS SITE 1052: RISK ASSESSMENT REPORT

I. Site Description and History

Drain and Septic Systems (DSS) Site 1052, the Building 803 Seepage Pit, at Sandia National Laboratories/New Mexico (SNL/NM), is located in Technical Area-I on federally owned land controlled by Kirtland Air Force Base (KAFB) and permitted to the U.S. Department of Energy (DOE). The abandoned system consisted of a 4-foot-diameter, 22-foot-deep, concrete seepage pit. Available information indicates that Building 803 was constructed in 1957 (SNL/NM March 2003), and it is assumed that the seepage pit was also constructed at that time. At an undetermined date, the discharges were routed to the City of Albuquerque sanitary sewer system. The old drain line would have been disconnected, capped, and the system abandoned in place concurrent with this change (Romero September 2003).

Environmental concern about DSS Site 1052 is based upon the potential for the release of constituents of concern (COCs) in effluent discharged to the environment via the seepage pit at this site. Because operational records were not available, the investigation was planned to be consistent with other DSS site investigations and to sample for possible COCs that may have been released during facility operations.

The ground surface in the vicinity of the site is flat or slopes slightly to the west. The closest major drainage is Tijeras Arroyo, located approximately 1.3 miles southeast of the site. No springs or perennial surface-water bodies are located within 2.2 miles of the site. Average annual rainfall in the SNL/NM and KAFB area, as measured at Albuquerque International Sunport, is 8.1 inches (NOAA 1990). Surface-water runoff in the vicinity of the site is minor because the surface is flat or slopes slightly to the west. Infiltration of precipitation is almost nonexistent as virtually all of the moisture subsequently undergoes evapotranspiration. The estimates of evapotranspiration for the KAFB area range from 95 to 99 percent of the annual rainfall (SNL/NM March 1996). Most of the area immediately surrounding DSS Site 1052 is xeriscaped with gravel and no vegetation is present. No storm sewers are used to direct surface water away from the site.

DSS Site 1052 lies at an average elevation of approximately 5,408 feet above mean sea level (SNL/NM April 2003). The groundwater beneath the site occurs in both a shallow and regional aquifer in unconfined conditions in essentially unconsolidated silts, sands, and gravels. The depth to the shallow groundwater system, which has limited lateral extent and is present beneath the north-central portion of KAFB, is approximately 267 feet below ground surface (bgs) at the site. The shallow groundwater system is not used as a water supply source. Depth to the regional groundwater aquifer is approximately 552 feet bgs. Both the City of Albuquerque and KAFB use the regional groundwater aquifer as a water supply source. Groundwater flow in the shallow groundwater system is to the southeast, while that in the regional aquifer is to the northwest beneath the site (SNL/NM May 2003). The nearest production wells are KAFB-1, approximately 2,850 feet to the southwest, and KAFB-3, approximately 1.2 miles to the northwest. The nearest regional aquifer groundwater monitoring well is PGS-2, approximately 900 feet north of the site.

II. Data Quality Objectives

The Data Quality Objectives (DQOs) presented in the "Sampling and Analysis Plan [SAP] for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico" (SNL/NM October 1999) and "Field Implementation Plan [FIP], Characterization of Non-Environmental Restoration Drain and Septic Systems" (SNL/NM November 2001) identified the site-specific sample locations, sample depths, sampling procedures, and analytical requirements for this and many other DSS sites. The DQOs outlined the quality assurance (QA)/quality control (QC) requirements necessary for producing defensible analytical data suitable for risk assessment purposes. The sampling conducted at this site was designed to:

- Determine whether hazardous waste or hazardous constituents were released at the site.
- Characterize the nature and extent of any releases.
- Provide analytical data of sufficient quality to support risk assessments.

Table 1 summarizes the rationale for determining the sampling locations at this site. The source of potential COCs at DSS Site 1052 was effluent discharged to the environment from the seepage pit at this site.

Table 1
Summary of Sampling Performed to Meet DQOs

DSS Site 1052 Sampling Area	Potential COC Source	Number of Sampling Locations	Sample Density (samples/acre)	Sampling Location Rationale
Soil beneath the seepage pit	Effluent discharged to the environment from the seepage pit	1	NA	Evaluate potential COC releases to the environment from effluent discharged from the seepage pit

COC = Constituent of concern.
DQO = Data Quality Objective.
DSS = Drain and Septic Systems.
NA = Not applicable.

Using a Geoprobe™, the soil samples were collected from two 3- or 4-foot-long sampling intervals at one borehole location at DSS Site 1052. Sampling intervals started at 22 and 27 feet bgs in the single seepage pit boring. The soil samples were collected in accordance with the procedures described in the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001). Table 2 summarizes the types of confirmatory and QA/QC samples collected at the site and the laboratories that performed the analyses.

Table 2
Number of Confirmatory Soil and QA/QC Samples Collected from DSS Site 1052

Sample Type	VOCs	SVOCs	PCBs	HE	RCRA Metals	Hexavalent Chromium	Cyanide	Gamma Spectroscopy Radionuclides	Gross Alpha/Beta
Confirmatory	2	2	2	2	2	2	2	2	2
Duplicates	0	0	0	0	0	0	0	0	0
EBs and TBs ^a	2	0	0	0	0	0	0	0	0
Total Samples	4	2	2	2	2	2	2	2	2
Analytical Laboratory	GEL	GEL	GEL	GEL	GEL	GEL	GEL	RPSD	GEL

^aTBs for VOCs only.

DSS = Drain and Septic Systems.

EB = Equipment blank.

GEL = General Engineering Laboratories, Inc.

HE = High explosive(s).

PCB = Polychlorinated biphenyl.

QA/QC = Quality assurance/quality control.

RCRA = Resource Conservation and Recovery Act.

RPSD = Radiation Protection Sample Diagnostics Laboratory.

SVOC = Semivolatile organic compound.

TB = Trip blank.

VOC = Volatile organic compound.

The soil samples were analyzed for volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), high explosive (HE) compounds, polychlorinated biphenyls (PCBs), Resource Conservation and Recovery Act (RCRA) metals, hexavalent chromium, cyanide, radionuclides, and gross alpha/beta activity. The samples were analyzed by an off-site laboratory (General Engineering Laboratories, Inc.) and the on-site Radiation Protection Sample Diagnostics (RPSD) Laboratory. Table 3 summarizes the analytical methods and the data quality requirements from the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001).

Table 3
Summary of Data Quality Requirements for DSS Site 1052

Analytical Method^a	Data Quality Level	GEL	RPSD
VOCs EPA Method 8260	Defensible	2	None
SVOCs EPA Method 8270	Defensible	2	None
PCBs EPA Method 8082	Defensible	2	None
HE Compounds EPA Method 8330	Defensible	2	None
RCRA Metals EPA Method 6000/7000	Defensible	2	None
Hexavalent Chromium EPA Method 7196A	Defensible	2	None
Total Cyanide EPA Method 9012A	Defensible	2	None
Gamma Spectroscopy Radionuclides EPA Method 901.1	Defensible	None	2
Gross Alpha/Beta Activity EPA Method 900.0	Defensible	2	None

Note: The number of samples does not include QA/QC samples such as duplicates, trip blanks, and equipment blanks.

^aEPA November 1986.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

GEL = General Engineering Laboratories, Inc.

HE = High explosive(s).

PCB = Polychlorinated biphenyl.

QA/QC = Quality assurance/quality control.

RCRA = Resource Conservation and Recovery Act.

RPSD = Radiation Protection Sample Diagnostics Laboratory.

SVOC = Semivolatile organic compound.

VOC = Volatile organic compound.

QA/QC samples were collected during the sampling effort according to the Environmental Restoration (ER) Project Quality Assurance Project Plan. The QA/QC samples consisted of two trip blanks (for VOCs only) and one set of equipment blanks. No significant QA/QC problems were identified in the QA/QC samples.

All of the soil sample results were verified/validated by SNL/NM according to "Verification and Validation of Chemical and Radiochemical Data," Technical Operating Procedure (TOP) 94-03, Rev. 0 (SNL/NM July 1994) or SNL/NM ER Project "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03 (SNL/NM December 1999). The data validation reports are presented in the associated DSS Site 1052 request for a determination of Corrective Action Complete (CAC) without controls. The gamma spectroscopy data from the RPSD Laboratory were reviewed according to "Laboratory Data Review Guidelines," Procedure No. RPSD-02-11, Issue No. 2 (SNL/NM July 1996). The gamma spectroscopy results are presented in the CAC proposal. The reviews confirmed that the analytical data are defensible and therefore acceptable for use in the request for a determination of CAC without controls. Therefore, the DQOs have been fulfilled.

III. Determination of Nature, Rate, and Extent of Contamination

III.1 Introduction

The determination of the nature, migration rate, and extent of contamination at DSS Site 1052 is based upon an initial conceptual model validated with confirmatory sampling at the site. The initial conceptual model was developed from archival site research, site inspections, soil sampling, and active and passive soil-vapor sampling. The DQOs contained in the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001) identified the sample locations, sample density, sample depth, and analytical requirements. The sample data were subsequently used to develop the final conceptual site model for DSS Site 1052, which is presented in Section 4.0 of the associated request for a determination of CAC without controls. The quality of the data specifically used to determine the nature, migration rate, and extent of contamination is described in the following sections.

III.2 Nature of Contamination

Both the nature of contamination and the potential for the degradation of COCs at DSS Site 1052 were evaluated using laboratory analyses of the soil samples. The analytical requirements included analyses for VOCs, SVOCs, HE compounds, PCBs, RCRA metals, hexavalent chromium, cyanide, radionuclides by gamma spectroscopy, and gross alpha/beta activity. The analytes and methods listed in Tables 2 and 3 are appropriate to characterize the COCs and potential degradation products at DSS Site 1052.

III.3 Rate of Contaminant Migration

At an unspecified date, the seepage pit at DSS Site 1052 was deactivated and discharges were directed to the City of Albuquerque sanitary sewer system. The migration rate of COCs that may have been introduced into the subsurface via the seepage pit at this site was therefore dependent upon the volume of aqueous effluent discharged to the environment from this system when it was operational. Any migration of COCs from this site after use of the seepage pit was discontinued has been predominantly dependent upon precipitation. However, it is highly unlikely that sufficient precipitation has fallen on the site to reach the depth at which COCs may have been discharged to the subsurface from this system. Analytical data generated from the

soil sampling conducted at the site are adequate to characterize the rate of COC migration at DSS Site 1052.

III.4 Extent of Contamination

Subsurface soil samples were collected from a borehole drilled at one location beneath the effluent release point (the seepage pit) at the site to assess whether releases of effluent from the septic system caused any environmental contamination.

The soil samples were collected at sampling depths starting at 22 and 27 feet bgs beneath the seepage pit. Sampling intervals started at the depths at which effluent discharged from the seepage pit would have entered the subsurface environment at the site. This sampling procedure was required by New Mexico Environment Department (NMED) regulators and has been used at numerous DSS-type sites at SNL/NM. The soil samples are considered to be representative of the soil potentially contaminated with the COCs at this site and are sufficient to determine the vertical extent, if any, of COCs.

IV. Comparison of COCs to Background Levels

Site history and characterization activities are used to identify potential COCs. The DSS Site 1052 request for a determination of CAC without controls describes the identification of COCs and the sampling that was conducted in order to determine the concentration levels of those COCs across the site. Generally, COCs evaluated in this risk assessment include all detected organic and all inorganic and radiological COCs for which samples were analyzed. When the detection limit of an organic compound is too high (i.e., could possibly cause an adverse effect to human health or the environment), the compound is retained. Nondetected organic compounds not included in this assessment were determined to have detection limits low enough to ensure protection of human health and the environment. In order to provide conservatism in this risk assessment, the calculation uses only the maximum concentration value of each COC found for the entire site. The SNL/NM maximum background concentration (Dinwiddie September 1997) was selected to provide the background screen listed in Tables 4 and 5.

Nonradiological inorganic constituents that are essential nutrients, such as iron, magnesium, calcium, potassium, and sodium, are not included in this risk assessment (EPA 1989). Both radiological and nonradiological COCs are evaluated. The nonradiological COCs included in this risk assessment consist of both inorganic and organic compounds.

Table 4 lists the nonradiological COCs and Table 5 lists the radiological COCs for the human health risk assessment at DSS Site 1052. All samples were collected from depths of 5 feet bgs or greater; therefore, evaluation of ecological risk was not performed. Both tables show the associated SNL/NM maximum background concentration values (Dinwiddie September 1997). Section VI.4 discusses the results presented in Tables 4 and 5.

Table 4
Nonradiological COCs for Human Health Risk Assessment at DSS Site 1052 with
Comparison to the Associated SNL/NM Background Screening Value, BCF, and Log K_{ow}

COC	Maximum Concentration (All Samples) (mg/kg)	SNL/NM Background Concentration (mg/kg) ^a	Is Maximum COC Concentration Less Than or Equal to the Applicable SNL/NM Background Screening Value?	BCF (maximum aquatic)	Log K _{ow} (for organic COCs)	Bioaccumulator? ^b (BCF>40, Log K _{ow} >4)
Inorganic						
Arsenic	2.4	4.4	Yes	44 ^c	–	Yes
Barium	119	200	Yes	170 ^d	–	Yes
Cadmium	0.225 J	0.9	Yes	64 ^c	–	Yes
Chromium, total	9.12 J	12.8	Yes	16 ^c	–	No
Chromium VI	0.0267 ^e	NC	Unknown	16 ^c	–	No
Cyanide	0.021 ^e	NC	Unknown	NC	–	Unknown
Lead	5.94 J	11.2	Yes	49 ^c	–	Yes
Mercury	0.0039 J	<0.1	Yes	5,500 ^c	–	Yes
Selenium	0.18 J	<1	Yes	800 ^f	–	Yes
Silver	0.0407 ^e	<1	Yes	0.5 ^c	–	No
Organic						
Benzo(a)pyrene	0.105	NA	NA	3,000 ^c	6.04 ^c	Yes
Benzo(b)fluoranthene	0.0323 J	NA	NA	14,500 ^g	6.124 ^g	Yes
Benzo(g,h,i)perylene	0.0286 J	NA	NA	58,884 ^g	6.58 ^g	Yes
Benzo(k)fluoranthene	0.0429	NA	NA	93,325 ^g	6.84 ^g	Yes
2-Butanone	0.0052	NA	NA	1 ^h	0.29 ^h	No
Chrysene	0.0381	NA	NA	18,000 ^g	5.91 ^g	Yes
Fluoranthene	0.0372	NA	NA	12,302 ^g	4.90 ^g	Yes
Indeno(1,2,3-cd)pyrene	0.175	NA	NA	59,407 ^g	6.58 ^g	Yes
PCBs (Aroclor-1254)	0.0022 J	NA	NA	31,200 ^c	6.72 ^c	Yes
Pyrene	0.166 J	NA	NA	36,300 ^c	5.32 ^g	Yes

Refer to footnotes at end of table.

Table 4 (Concluded)
Nonradiological COCs for Human Health Risk Assessment at DSS Site 1052 with Comparison to the Associated SNL/NM Background Screening Value, BCF, and Log K_{ow}

Note: **Bold** indicates the COCs that exceed the background screening values and/or are bioaccumulators.

^aDinwiddie September 1997, North Area Supergroup.

^bNMED March 1998.

^cYanicak March 1997.

^dNeumann 1976.

^eParameter was not detected. Concentration is one-half the detection limit.

^fCallahan et al. 1979.

^gMicromedex, Inc. 1998.

^hHoward 1990.

BCF = Bioconcentration factor.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

J = Estimated concentration.

K_{ow} = Octanol-water partition coefficient.

Log = Logarithm (base 10).

mg/kg = Milligram(s) per kilogram.

NA = Not applicable.

NC = Not calculated.

NMED = New Mexico Environment Department.

PCB = Polychlorinated biphenyl.

SNL/NM = Sandia National Laboratories/New Mexico.

– = Information not available.

Table 5
Radiological COCs for Human Health Risk Assessment at DSS Site 1052 with Comparison to the Associated SNL/NM Background Screening Value and BCF

COC	Maximum Activity (All Samples) (pCi/g)^a	SNL/NM Background Activity (pCi/g)^b	Is Maximum COC Activity Less Than or Equal to the Applicable SNL/NM Background Screening Value?	BCF (maximum aquatic)	Is COC a Bioaccumulator?^c (BCF >40)
Cs-137	ND (0.0336)	0.084	Yes	3,000 ^d	Yes
Th-232	0.742	1.54	Yes	3,000 ^e	Yes
U-235	0.238	0.18	No	900 ^e	Yes
U-238	ND (0.493)	1.3	Yes	900 ^e	Yes

Note: **Bold** indicates COCs that exceed the background screening values and/or are bioaccumulators.

^aValue listed is the greater of either the maximum detection or the highest MDA.

^bDinwiddie September 1997, North Area Supergroup.

^cNMED March 1998.

^dWhicker and Schultz 1982.

^eBaker and Soldat 1992.

BCF = Bioconcentration factor.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

MDA = Minimum detectable activity.

ND () = Not detected above the MDA, shown in parentheses.

NMED = New Mexico Environment Department.

pCi/g = Picocurie(s) per gram.

SNL/NM = Sandia National Laboratories/New Mexico.

V. Fate and Transport

The primary releases of COCs at DSS Site 1052 were to the subsurface soil resulting from the discharge of effluents from the Building 803 seepage pit. Wind, water, and biota are natural mechanisms of COC transport from the primary release point; however, because the discharge was to subsurface soil, none of these mechanisms are considered to be of potential significance as transport mechanisms at this site. Because the seepage pit is no longer active, additional infiltration of water is not expected. Infiltration of precipitation is essentially nonexistent at DSS Site 1052, as virtually all of the moisture either drains away from the site or evaporates. Because regional groundwater at this site is approximately 552 feet bgs, the potential for COCs to reach groundwater through the unsaturated zone above the water table is extremely low.

The COCs at DSS Site 1052 include both inorganic and organic constituents. The inorganic COCs include both radiological and nonradiological analytes. With the exception of cyanide, the inorganic COCs are elemental in form and are not considered to be degradable. Transformations of these inorganic constituents could include changes in valence (oxidation/reduction reactions) or incorporation into organic forms (e.g., the conversion of selenite or selenate from soil to seleno-amino acids in plants). Cyanide can be metabolized by soil biota. Radiological COCs will undergo decay to stable isotopes or radioactive daughter elements. However, because of the long half-life of the radiological COC (U-235), the aridity of the environment at this site, and the lack of potential contact with biota, none of these mechanisms are expected to result in significant losses or transformations of the inorganic COCs.

The organic COCs at DSS Site 1052 consist of VOCs, SVOCs, and PCBs. Organic COCs may be degraded through photolysis, hydrolysis, and biotransformation. Photolysis requires light and therefore takes place in the air, at the ground surface, or in surface water. Hydrolysis includes chemical transformations in water and may occur in the soil solution. Biotransformation (i.e., transformation caused by plants, animals, and microorganisms) may occur; however, biological activity may be limited by the arid environment at this site. Because of the depth of the COCs in the soil, the loss of 2-butanone through volatilization is expected to be minimal.

Table 6 summarizes the fate and transport processes that can occur at DSS Site 1052. The COCs at this site include both radiological and nonradiological inorganic analytes as well as organic analytes. Wind, surface water, and biota are considered to be of low significance as potential transport mechanisms at this site. Significant leaching into the subsurface soil is unlikely, and leaching into the groundwater at this site is highly unlikely. The potential for transformation of COCs is low, and loss through decay of the radiological COC is insignificant because of its long half-life.

Table 6
Summary of Fate and Transport at DSS Site 1052

Transport and Fate Mechanism	Existence at Site	Significance
Wind	Yes	Low
Surface runoff	Yes	Low
Migration to groundwater	No	None
Food chain uptake	Yes	Low
Transformation/degradation	Yes	Low to moderate

DSS = Drain and Septic Systems.

VI. Human Health Risk Assessment

VI.1 Introduction

The human health risk assessment of this site includes a number of steps that culminate in a quantitative evaluation of the potential adverse human health effects caused by constituents located at the site. The steps to be discussed include the following:

Step 1.	Site data are described that provide information on the potential COCs, as well as the relevant physical characteristics and properties of the site.
Step 2.	Potential pathways are identified by which a representative population might be exposed to the COCs.
Step 3.	The potential intake of these COCs by the representative population is calculated using a tiered approach. The first component of the tiered approach is a screening procedure that compares the maximum concentration of the COC to an SNL/NM maximum background screening value. COCs that are not eliminated during the first screening procedure are carried forward in the risk assessment process.
Step 4.	Toxicological parameters are identified and referenced for COCs that were not eliminated during the screening procedure.
Step 5.	Potential toxicity effects (specified as a hazard index [HI]) and estimated excess cancer risks are calculated for nonradiological COCs and background. For radiological COCs, the incremental total effective dose equivalent (TEDE) and incremental estimated cancer risk are calculated by subtracting applicable background concentrations directly from maximum on-site contaminant values. This background subtraction applies only when a radiological COC occurs as contamination and exists as a natural background radionuclide.
Step 6.	These values are compared with guidelines established by the U.S. Environmental Protection Agency (EPA), NMED, and the DOE to determine whether further evaluation and potential site cleanup are required. Nonradiological COC risk values also are compared to background risk so that an incremental risk can be calculated.
Step 7.	Uncertainties of the above steps are addressed.

VI.2 Step 1. Site Data

Section I of this risk assessment provides the site description and history for DSS Site 1052. Section II presents a comparison of results to DQOs. Section III discusses the nature, rate, and extent of contamination.

VI.3 Step 2. Pathway Identification

DSS Site 1052 has been designated with a future land-use scenario of industrial (DOE et al. September 1995) (see Appendix 1 for default exposure pathways and parameters). However, the residential land-use scenario is also considered in the pathway analysis. Because of the location and characteristics of the potential contaminants, the primary pathway for human exposure is considered to be soil ingestion for the nonradiological COCs and direct gamma exposure for the radiological COCs. The inhalation pathway for both nonradiological and radiological COCs is included because the potential exists to inhale dust and volatiles. Soil ingestion is included for the radiological COCs as well. The dermal pathway is included for the nonradiological COCs because of the potential for the receptor to be exposed to contaminated soil. No water pathways to the groundwater are considered. Depth to groundwater at DSS Site 1052 is approximately 552 feet bgs. No intake routes through plant, meat, or milk ingestion are considered appropriate for either the industrial or residential land-use scenarios. Figure 1 shows the conceptual site model flow diagram for DSS Site 1052.

Pathway Identification

Nonradiological Constituents	Radiological Constituents
Soil ingestion	Soil ingestion
Inhalation (dust and volatiles)	Inhalation (dust)
Dermal contact	Direct gamma

VI.4 Step 3. Background Screening Procedure

This section discusses Step 3, the background screening procedure, which compares the maximum COC concentration to the background screening level. The methodology and results are described in the following sections.

VI.4.1 Methodology

Maximum concentrations of nonradiological COCs are compared to the approved SNL/NM maximum screening levels for this area. The SNL/NM maximum background concentration was selected to provide the background screen in Table 4 and used to calculate risk attributable to background in Section VI.6.2. Only the COCs that were detected above the corresponding SNL/NM maximum background screening levels or that do not have either a quantifiable or calculated background screening level are considered in further risk assessment analyses.

For radiological COCs that exceed the SNL/NM background screening levels, background values are subtracted from the individual maximum radionuclide concentrations. Those that do not exceed these background levels are not carried any further in the risk assessment. This approach is consistent with DOE Order 5400.5, "Radiation Protection of the Public and the Environment" (DOE 1993). Radiological COCs that do not have a background value and are detected above the analytical minimum detectable activity are carried through the risk assessment at the maximum levels. The resultant radiological COCs remaining after this step are referred to as background-adjusted radiological COCs.




Figure 1
Conceptual Site Model Flow Diagram for DSS Site 1052, Building 803 Seepage Pit

VI.4.2 Results

Tables 4 and 5 show the DSS Site 1052 maximum COC concentrations that were compared to the SNL/NM maximum background values (Dinwiddie September 1997) for the human health risk assessment. For the nonradiological COCs, none of the constituents were measured at concentrations greater than their background screening values. Two constituents do not have quantified background screening concentrations; therefore it is unknown whether these COCs exceed background. Ten constituents are organic compounds that do not have corresponding background screening values.

The maximum concentration value for total PCBs is 0.0022 J milligrams (mg)/kilogram (kg). This concentration is less than the EPA screening level of 1 mg/kg (Title 40, Code of Federal Regulations, Part 761). Because the maximum concentration for PCBs at this site is less than the screening value, PCBs are eliminated from further consideration in the human health risk assessment.

For the radiological COCs, one constituent (U-235) exhibited an activity greater than its background screening level.

VI.5 Step 4. Identification of Toxicological Parameters

Tables 7 (nonradiological) and 8 (radiological) list the COCs retained in the risk assessment and the values for the available toxicological information. The toxicological values for the nonradiological COCs presented in Table 7 were obtained from the Integrated Risk Information System (IRIS) (EPA 2004a), the Technical Background Document for Development of Soil Screening Levels (NMED February 2004), and the EPA Region 6 electronic database (EPA 2004b). Dose conversion factors (DCFs) used in determining the excess TEDE values for radiological COCs for the individual pathways were the default values provided in the RESRAD computer code (Yu et al. 1993a) as developed in the following documents:

- DCFs for ingestion and inhalation were taken from "Federal Guidance Report No. 11, Limiting Values of Radionuclide Intake and Air Concentration and Dose Conversion Factors for Inhalation, Submersion, and Ingestion" (EPA 1988).
- DCFs for surface contamination (contamination on the surface of the site) were taken from DOE/EH-0070, "External Dose-Rate Conversion Factors for Calculation of Dose to the Public" (DOE 1988).
- DCFs for volume contamination (exposure to contamination deeper than the immediate surface of the site) were calculated using the methods discussed in "Dose-Rate Conversion Factors for External Exposure to Photon Emitters in Soil" (Kocher 1983) and in ANL/EAIS-8, "Data Collection Handbook to Support Modeling the Impacts of Radioactive Material in Soil" (Yu et al. 1993b).

Table 7
Toxicological Parameter Values for DSS Site 1052 Nonradiological COCs

COC	RfD _o (mg/kg-d)	Confidence ^a	RfD _{inh} (mg/kg-d)	Confidence ^a	SF _o (mg/kg-d) ⁻¹	SF _{inh} (mg/kg-d) ⁻¹	Cancer Class ^b	ABS
Inorganic								
Chromium VI	3E-3 ^c	L	2.3E-6 ^c	L	–	4.2E+1 ^c	A	0.01 ^d
Cyanide	2E-2 ^c	M	–	–	–	–	D	0.1 ^d
Organic								
Benzo(a)pyrene	–	–	–	–	7.3E+0 ^c	3.1E+0 ^e	B2	0.13 ^d
Benzo(b)fluoranthene	–	–	–	–	7.3E-1 ^e	3.1E-1 ^e	B2	0.13 ^d
Benzo(g,h,i)perylene ^f	–	–	–	–	7.3E+0 ^e	3.1E+0 ^e	B2	0.13 ^d
Benzo(k)fluoranthene	–	–	–	–	7.3E-2 ^e	3.1E-2 ^e	B2	0.13 ^d
2-Butanone	6E-1 ^c	L	2.9E-1 ^c	L	–	–	D	0.1 ^d
Chrysene	–	–	–	–	7.3E-3 ^e	3.1E-3 ^e	B2	0.13 ^d
Fluoranthene	4E-2 ^c	L	4E-2 ^e	–	–	–	D	0.13 ^d
Indeno(1,2,3-cd)pyrene	–	–	–	–	7.3E-1 ^e	3.1E-1 ^e	B2	0.13 ^d
Pyrene	3E-2 ^c	L	3E-2 ^e	–	–	–	D	0.1 ^d

^aConfidence associated with IRIS (EPA 2004a) database values. Confidence: L = low, M = medium.

^bEPA weight-of-evidence classification system for carcinogenicity (EPA 1989) taken from IRIS (EPA 2004a):

A = Human carcinogen.

B2 = Probable human carcinogen. Sufficient evidence in animals and inadequate or no evidence in humans.

D = Not classifiable as to human carcinogenicity.

^cToxicological parameter values from IRIS electronic database (EPA 2004a).

^dToxicological parameter values from NMED (February 2004).

^eToxicological parameter values from EPA Region 6 (EPA 2004b).

^fToxicological parameter values for benzo(g,h,i)perylene could not be found. Dibenz[a,h]anthracene was used as a surrogate.

ABS = Gastrointestinal absorption coefficient.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

IRIS = Integrated Risk Information System.

mg/kg-d = Milligram(s) per kilogram-day.

(mg/kg-d)⁻¹ = Per milligram per kilogram-day.

NMED = New Mexico Environment Department.

RfD_{inh} = Inhalation chronic reference dose.

RfD_o = Oral chronic reference dose.

SF_{inh} = Inhalation slope factor.

SF_o = Oral slope factor.

– = Information not available.

Table 8
Radiological Toxicological Parameter Values for DSS Site 1052 COCs
Obtained from RESRAD Risk Coefficients^a

COC	SF_o (1/pCi)	SF_{inh} (1/pCi)	SF_{ev} (g/pCi-yr)	Cancer Class^b
U-235	4.70E-11	1.30E-08	2.70E-07	A

^aYu et al. 1993a.

^bEPA weight-of-evidence classification system for carcinogenicity (EPA 1989): A = Human carcinogen for high dose and high dose rate (i.e., greater than 50 rem per year). For low-level environmental exposures, the carcinogenic effect has not been observed and documented.

1/pCi = One per picocurie.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

g/pCi-yr = Gram(s) per picocurie year.

SF_{ev} = External volume exposure slope factor.

SF_{inh} = Inhalation slope factor.

SF_o = Oral (ingestion) slope factor.

VI.6 Step 5. Exposure Assessment and Risk Characterization

Section VI.6.1 describes the exposure assessment for this risk assessment. Section VI.6.2 provides the risk characterization, including the HI and excess cancer risk for both the potential nonradiological COCs and associated background for the industrial and residential land-use scenarios. The incremental TEDE and incremental estimated cancer risk are provided for the background-adjusted radiological COC for both the industrial and residential land-use scenarios.

VI.6.1 Exposure Assessment

Appendix 1 provides the equations and parameter input values used in calculating intake values and subsequent HI and excess cancer risk values for the individual exposure pathways. The appendix shows parameters for both industrial and residential land-use scenarios. The equations for nonradiological COCs are based upon the Risk Assessment Guidance for Superfund (RAGS) (EPA 1989). Parameters are based upon information from the RAGS (EPA 1989), the Technical Background Document for Development of Soil Screening Levels (NMED February 2004), as well as other EPA and NMED guidance documents, and reflect the reasonable maximum exposure (RME) approach advocated by the RAGS (EPA 1989). For the radiological COC, the coded equation provided in RESRAD computer code is used to estimate the incremental TEDE and cancer risk for individual exposure pathways. Further discussion of this process is provided in the "Manual for Implementing Residual Radioactive Material Guidelines Using RESRAD" (Yu et al. 1993a).

Although the designated land-use scenario for this site is industrial, risk and TEDE values for a residential land-use scenario are also presented.

VI.6.2 Risk Characterization

Table 9 shows an HI of 0.00 for the DSS Site 1052 nonradiological COCs and an estimated excess cancer risk of $7E-7$ for the designated industrial land-use scenario. The numbers presented include exposure from soil ingestion, dermal contact, and dust and volatile inhalation for nonradiological COCs. Table 10 shows an HI of 0.00 and no estimated excess cancer risk for the DSS Site 1052 associated background constituents under the designated industrial land-use scenario.

For the radiological COC, contribution from the direct gamma exposure pathway is included. For the industrial land-use scenario, a TEDE was calculated that results in an incremental TEDE of $8.3E-3$ millirem (mrem)/year (yr). In accordance with EPA guidance found in Office of Solid Waste and Emergency Response (OSWER) Directive No. 9200.4-18 (EPA 1997a), an incremental TEDE of 15 mrem/yr is used for the probable land-use scenario (industrial in this case); the calculated dose value for DSS Site 1052 for the industrial land-use scenario is well below this guideline. The estimated excess cancer risk is $7.0E-8$.

For the nonradiological COCs under the residential land-use scenario, the HI is 0.00 with an estimated excess cancer risk of $2E-6$ (Table 9). The numbers in the table include exposure from soil ingestion, dermal contact, and dust and volatile inhalation. Although the EPA (1991) guidelines generally recommend that inhalation not be included in a residential land-use scenario, this pathway is included because of the potential for soil in Albuquerque, New Mexico, to be eroded and for dust to be present in predominantly residential areas. Because of the nature of the local soil, other exposure pathways are not considered (see Appendix 1). Table 10 shows an HI of 0.00 and no estimated excess cancer risk for the DSS Site 1052 associated background constituents under the residential land-use scenario.

For the radiological COC, the incremental TEDE for the residential land-use scenario is $2.1E-2$ mrem/yr. The guideline being used is an excess TEDE of 75 mrem/yr (SNL/NM February 1998) for a complete loss of institutional controls (residential land use in this case); the calculated dose value for DSS Site 1052 for the residential land-use scenario is well below this guideline. Consequently, DSS Site 1052 is eligible for unrestricted radiological release as the residential land-use scenario resulted in an incremental TEDE of less than 75 mrem/yr to the on-site receptor. The estimated incremental excess cancer risk is $2.1E-7$. The excess cancer risk from the nonradiological and radiological COCs should be summed to provide risk estimates for persons exposed to both types of carcinogenic contaminants, as noted in OSWER Directive No. 9200.4-18 "Establishment of Cleanup Levels for CERCLA [Comprehensive Environmental Response, Compensation, and Liability Act] Sites with Radioactive Contamination," (EPA 1997a). This summation is tabulated in Section VI.9, Summary.

VI.7 Step 6. Comparison of Risk Values to Numerical Guidelines

The human health risk assessment analysis evaluates the potential for adverse health effects for both the industrial (the designated land-use scenario for this site) and residential land-use scenarios.

Table 9
Risk Assessment Values for DSS Site 1052 Nonradiological COCs

COC	Maximum Concentration (mg/kg)	Industrial Land-Use Scenario ^a		Residential Land-Use Scenario ^a	
		Hazard Index	Cancer Risk	Hazard Index	Cancer Risk
Inorganic					
Chromium VI	0.0267 ^b	0.00	6E-11	0.00	1E-10
Cyanide	0.021 ^b	0.00	–	0.00	–
Organic					
Benzo(a)pyrene	0.105	0.00	5E-7	0.00	2E-6
Benzo(b)fluoranthene	0.0323 J	0.00	2E-8	0.00	5E-8
Benzo(g,h,i)perylene	0.0286 J	0.00	1E-7	0.00	5E-7
Benzo(k)fluoranthene	0.0429	0.00	2E-9	0.00	7E-9
2-Butanone	0.0052	0.00	–	0.00	–
Chrysene	0.0381	0.00	2E-10	0.00	6E-10
Fluoranthene	0.0372	0.00	–	0.00	–
Indeno(1,2,3-cd)pyrene	0.175	0.00	8E-8	0.00	2E-7
Pyrene	0.166 J	0.00	–	0.00	–
Total		0.00	7E-7	0.00	2E-6

^aEPA 1989.

^bConcentration is one-half the maximum detection limit.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

J = Estimated concentration.

mg/kg = Milligram(s) per kilogram.

– = Information not available.

Table 10
Risk Assessment Values for DSS Site 1052 Nonradiological Background Constituents

COC	Background Concentration ^a (mg/kg)	Industrial Land-Use Scenario ^b		Residential Land-Use Scenario ^b	
		Hazard Index	Cancer Risk	Hazard Index	Cancer Risk
Chromium VI	NC	–	–	–	–
Cyanide	NC	–	–	–	–
Total		0.00	–	0.00	–

^aDinwiddie September 1997, North Area Supergroup.

^bEPA 1989.

COC = Constituent of concern.

DSS = Drain and Septic Systems.

EPA = U.S. Environmental Protection Agency.

mg/kg = Milligram(s) per kilogram.

NC = Not calculated.

– = Information not available.

For the nonradiological COCs under the industrial land-use scenario, the HI is 0.00 (less than the numerical guideline of 1 suggested in the RAGS [EPA 1989]). The estimated excess cancer risk is $7E-7$. NMED guidance states that cumulative excess lifetime cancer risk must be less than $1E-5$ (Bearzi January 2001); thus the excess cancer risk for this site is below the suggested acceptable risk value. This assessment also determined risks considering background concentrations of the potential nonradiological COCs for both the industrial and residential land-use scenarios. Assuming the industrial land-use scenario, there is neither a quantifiable HI nor an excess cancer risk for nonradiological COCs. The incremental risk is determined by subtracting risk associated with background from potential COC risk. These numbers are not rounded before the difference is determined and therefore may appear to be inconsistent with numbers presented in tables and within the text. For conservatism, the background constituents that do not have quantified background screening concentrations are assumed to have a hazard quotient of 0.00. The incremental HI is 0.00 and the estimated incremental excess cancer risk is $7.34E-7$ for the industrial land-use scenario. These incremental risk calculations indicate insignificant risk to human health from nonradiological COCs under an industrial land-use scenario.

For the radiological COC under the industrial land-use scenario, the incremental TEDE is $8.3E-3$ mrem/yr, which is significantly lower than EPA's numerical guideline of 15 mrem/yr. The estimated incremental excess cancer risk is $7.0E-8$.

The calculated HI for the nonradiological COCs under the residential land-use scenario is 0.00, which is below numerical guidance. The estimated excess cancer risk is $2E-6$. NMED guidance states that cumulative excess lifetime cancer risk must be less than $1E-5$ (Bearzi January 2001); thus the excess cancer risk for this site is below the suggested acceptable risk value. The incremental HI is 0.00 and the estimated incremental excess cancer risk is $2.49E-6$ for the residential land-use scenario. These incremental risk calculations indicate insignificant risk to human health from nonradiological COCs under the residential land-use scenario.

The incremental TEDE for a residential land-use scenario from the radiological component is $2.1E-2$ mrem/yr, which is significantly lower than the numerical guideline of 75 mrem/yr suggested in the SNL/NM "RESRAD Input Parameter Assumptions and Justification" (SNL/NM February 1998). The estimated incremental excess cancer risk is $2.1E-7$.

VI.8 Step 7. Uncertainty Discussion

The determination of the nature, rate, and extent of contamination at DSS Site 1052 is based upon an initial conceptual model that was validated with sampling conducted at the site. The sampling was implemented in accordance with the SAP (SNL/NM October 1999) and FIP (SNL/NM November 2001). The DQOs contained in these two documents are appropriate for use in risk assessments. The data from soil samples collected at effluent release points are representative of potential COC releases to the site. The analytical requirements and results satisfy the DQOs, and data quality was verified/validated in accordance with SNL/NM procedures. Therefore, there is no uncertainty associated with the data quality used to perform the risk assessment at DSS Site 1052.

Because of the location, history of the site, and future land use (DOE et al. September 1995), there is low uncertainty in the land-use scenario and the potentially affected populations that were considered in performing the risk assessment analysis. Based upon the COCs found in

the near-surface soil and the location and physical characteristics of the site, there is little uncertainty in the exposure pathways relevant to the analysis.

An RME approach is used to calculate the risk assessment values. Specifically, the parameter values in the calculations are conservative and calculated intakes are probably overestimated. Maximum measured values of COC concentrations are used to provide conservative results.

Table 7 shows the uncertainties (confidence levels) in nonradiological toxicological parameter values. There is a combination of estimated values and values from the IRIS (EPA 2004a), EPA Region 6 (EPA 2004b), and Technical Background Document for Development of Soil Screening Levels (NMED February 2004). Where values are not provided, information is not available from the Health Effects Assessment Summary Tables (EPA 1997b), IRIS (EPA 2004a), Technical Background Document for Development of Soil Screening Levels (NMED February 2004), Risk Assessment Information System (ORNL 2003), or EPA regions (EPA 2004b, EPA 2002a, EPA 2002b). Because of the conservative nature of the RME approach, uncertainties in toxicological values are not expected to change the conclusion from the risk assessment analysis.

Risk assessment values for the nonradiological COCs are within the acceptable range for human health under the industrial and residential land-use scenarios compared to established numerical guidance.

For the radiological COC, the conclusion of the risk assessment is that potential effects on human health for both the industrial and residential land-use scenarios are below background and represent only a small fraction of the estimated 360 mrem/yr received by the average U.S. population (NCRP 1987).

The overall uncertainty in all of the steps in the risk assessment process is not considered to be significant with respect to the conclusion reached.

VI.9 Summary

DSS Site 1052 contains identified COCs consisting of some inorganic, organic, and radiological compounds. Because of the location of the site, the designated industrial land-use scenario, and the nature of contamination, potential exposure pathways identified for this site include soil ingestion, dermal contact, and dust and volatile inhalation for chemical COCs, and soil ingestion, dust inhalation, and direct gamma exposure for radionuclides. The same exposure pathways are applied to the residential land-use scenario.

Using conservative assumptions and an RME approach to risk assessment, calculations for the nonradiological COCs show that for the industrial land-use scenario the HI (0.00) is significantly lower than the accepted numerical guidance from the EPA. The estimated excess cancer risk is $7E-7$; thus, excess cancer risk is also below the acceptable risk value provided by the NMED for an industrial land-use scenario (Bearzi January 2001). The incremental HI is 0.00 and the estimated incremental excess cancer risk is $7.34E-7$ for the industrial land-use scenario. The incremental risk calculations indicate insignificant risk to human health for the industrial land-use scenario.

Using conservative assumptions and an RME approach to risk assessment, calculations for the nonradiological COCs show that for the residential land-use scenario the HI (0.00) is below

the accepted numerical guidance from the EPA. The estimated excess cancer risk is $2E-6$. Thus, excess cancer risk is below the acceptable risk value provided by the NMED for a residential land-use scenario (Bearzi January 2001). The incremental HI is 0.00 and the estimated incremental excess cancer risk is $2.49E-6$ for the residential land-use scenario. The incremental risk calculations indicate insignificant risk to human health for the residential land-use scenario.

The incremental TEDE and corresponding estimated cancer risk from radiological COCs are much less than EPA guidance values. The estimated TEDE is $8.3E-3$ mrem/yr for the industrial land-use scenario, which is much less than the EPA's numerical guidance of 15 mrem/yr (EPA 1997a). The corresponding estimated incremental excess cancer risk value is $7.0E-8$ for the industrial land-use scenario. Furthermore, the incremental TEDE for the residential land-use scenario that results from a complete loss of institutional control is $2.1E-2$ mrem/yr with an associated estimated incremental excess cancer risk of $2.1E-7$. The guideline for this scenario is 75 mrem/yr (SNL/NM February 1998). Therefore, DSS Site 1052 is eligible for unrestricted radiological release.

The excess cancer risk from the nonradiological and radiological COCs should be summed to provide risk estimates for persons exposed to both types of carcinogenic contaminants, as noted in OSWER Directive No. 9200.4-18 (EPA 1997a). The summation of the nonradiological and radiological carcinogenic risks is tabulated in Table 11.

Table 11
Summation of Incremental Nonradiological and Radiological Risks from
DSS Site 1052, Building 803 Seepage Pit Carcinogens

Scenario	Nonradiological Risk	Radiological Risk	Total Risk
Industrial	$7.34E-7$	$7.0E-8$	$8.0E-7$
Residential	$2.49E-6$	$2.1E-7$	$2.7E-6$

DSS = Drain and Septic Systems.

Uncertainties associated with the calculations are considered small relative to the conservatism of the risk assessment analysis. Therefore, it is concluded that this site poses insignificant risk to human health under both the industrial and residential land-use scenarios.

VII. Ecological Risk Assessment

VII.1 Introduction

This section addresses the ecological risks associated with exposure to constituents of potential ecological concern (COPECs) in the soil at DSS Site 1052. A component of the NMED Risk-Based Decision Tree (NMED March 1998) is to conduct an ecological risk assessment that corresponds with that presented in EPA's Ecological RAGS (EPA 1997c). The current methodology is tiered and contains an initial scoping assessment followed by a more detailed risk assessment if warranted by the results of the scoping assessment. Initial components of NMED's decision tree (a discussion of DQOs, data assessment, and evaluations of bioaccumulation as well as fate and transport potential) are addressed in previous sections of

this report. At the end of the scoping assessment, a determination is made as to whether a more detailed examination of potential ecological risk is necessary.

VII.2 Scoping Assessment

The scoping assessment focuses primarily on the likelihood of exposure of biota at, or adjacent to, the site to constituents associated with site activities. Included in this section are an evaluation of existing data with respect to the existence of complete ecological exposure pathways, an evaluation of bioaccumulation potential, and a summary of fate and transport potential. A scoping risk-management decision (Section VII.2.4) summarizes the scoping results and assesses the need for further examination of potential ecological impacts.

VII.2.1 Data Assessment

As indicated in Section IV, all COCs at DSS Site 1052 are at depths of 5 feet bgs or greater. Therefore, no complete ecological exposure pathways exist at this site, and no COCs are considered to be COPECs.

VII.2.2 Bioaccumulation

Because no COPECs are associated with this site, bioaccumulation potential was not evaluated.

VII.2.3 Fate and Transport Potential

The potential for the COCs to migrate from the source of contamination to other media or biota is discussed in Section V. As noted in Table 6 (Section V), wind, surface water, and biota (food chain uptake) are expected to be of low significance as transport mechanisms for COCs at this site. Degradation, transformation, and decay of the radiological COC also are expected to be of low significance.

VII.2.4 Scoping Risk-Management Decision

Based upon information gathered through the scoping assessment, it is concluded that complete ecological pathways are not associated with COCs at this site. Therefore, no COPECs exist at the site, and a more detailed risk assessment was not deemed necessary to predict the potential level of ecological risk associated with the site.

VIII. References

Baker, D.A., and J.K. Soldat, 1992. "Methods for Estimating Doses to Organisms from Radioactive Materials Released into the Aquatic Environment," PNL-8150, Pacific Northwest Laboratory, Richland, Washington.

Bearzi, J.P. (New Mexico Environment Department), January 2001. Memorandum to RCRA-Regulated Facilities, "Risk-Based Screening Levels for RCRA Corrective Action Sites in New Mexico," Hazardous Waste Bureau, New Mexico Environment Department, Santa Fe, New Mexico. January 23, 2001.

Callahan, M.A., M.W. Slimak, N.W. Gabel, I.P. May, C.F. Fowler, J.R. Freed, P. Jennings, R.L. Durfee, F.C. Whitmore, B. Maestri, W.R. Mabey, B.R. Holt, and C. Gould, 1979. "Water-Related Environmental Fate of 129 Priority Pollutants," EPA-440/4-79-029, Office of Water and Waste Management, Office of Water Planning and Standards, U.S. Environmental Protection Agency, Washington, D.C.

Dinwiddie, R.S. (New Mexico Environment Department), September 1997. Letter to M.J. Zamorski (U.S. Department of Energy), "Request for Supplemental Information: Background Concentrations Report, SNL/KAFB." September 24, 1997.

DOE, see U.S. Department of Energy.

EPA, see U.S. Environmental Protection Agency.

Howard, P.H., 1990. Volume II: "Solvents," *Handbook of Environmental Fate and Exposure Data for Organic Chemicals*, Lewis Publishers, Inc. Chelsea, Michigan.

Kocher, D.C. 1983. "Dose-Rate Conversion Factors for External Exposure to Photon Emitters in Soil," *Health Physics*, Vol. 28, pp. 193–205.

Micromedex, Inc., 1998, Hazardous Substances Databank.

National Council on Radiation Protection and Measurements (NCRP), 1987. "Exposure of the Population in the United States and Canada from Natural Background Radiation," *NCRP Report No. 94*, National Council on Radiation Protection and Measurements, Bethesda, Maryland.

National Oceanic and Atmospheric Administration (NOAA), 1990. "Local Climatological Data, Annual Summary with Comparative Data," Albuquerque, New Mexico.

NCRP, see National Council on Radiation Protection and Measurements.

Neumann, G., 1976. "Concentration Factors for Stable Metals and Radionuclides in Fish, Mussels and Crustaceans—A Literature Survey," Report 85-04-24, National Swedish Environmental Protection Board.

New Mexico Environment Department (NMED), March 1998. "Risk-Based Decision Tree Description," in New Mexico Environment Department, "RPMP Document Requirement Guide," RCRA Permits Management Program, Hazardous and Radioactive Materials Bureau, New Mexico Environment Department, Santa Fe, New Mexico.

New Mexico Environment Department (NMED), February 2004. "Technical Background Document for Development of Soil Screening Levels, Revision 2," Hazardous Waste Bureau and Ground Water Quality Bureau Voluntary Remediation Program, New Mexico Environment Department, Santa Fe, New Mexico.

NMED, see New Mexico Environment Department.

NOAA, see National Oceanographic and Atmospheric Administration.

Oak Ridge National Laboratory, 2003. "Risk Assessment Information System," electronic database maintained by Oak Ridge National Laboratory, Oak Ridge, Tennessee.

ORNL, Oak Ridge National Laboratory.

Romero, T. (Sandia National Laboratories/New Mexico), September 2003. Internal communication to M. Sanders stating that during the connection of septic systems to the new City of Albuquerque sewer system, the old systems were disconnected and the lines capped. September 16, 2003.

Sandia National Laboratories/New Mexico (SNL/NM), July 1994. "Verification and Validation of Chemical and Radiochemical Data," Technical Operating Procedure (TOP) 94-03, Rev. 0, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), March 1996. "Site-Wide Hydrogeologic Characterization Project, Calendar Year 1995 Annual Report," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), July 1996. "Laboratory Data Review Guidelines," Radiation Protection Diagnostics Procedure No. RPSD-02-11, Issue No. 2, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), February 1998. "RESRAD Input Parameter Assumptions and Justification," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), October 1999. "Sampling and Analysis Plan for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico," Sandia National Laboratories, Albuquerque, New Mexico. October 19, 1999.

Sandia National Laboratories/New Mexico (SNL/NM), December 1999. "Data Validation Procedure for Chemical and Radiochemical Data," Administrative Operating Procedure (AOP) 00-03, Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), November 2001. "Field Implementation Plan, Characterization of Non-Environmental Restoration Drain and Septic Systems," Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), March 2003. Database printout provided by SNL/NM Facilities Engineering showing the year that numerous SNL/NM buildings were constructed, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), April 2003. "DSS Sites Mean Elevation Report," GIS Group, Environmental Restoration Department, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories/New Mexico (SNL/NM), May 2003. "Tijeras Arroyo Groundwater Investigation Work Plan (Final Version)," Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

SNL/NM, see Sandia National Laboratories/New Mexico.

U.S. Department of Energy (DOE), 1988. "External Dose-Rate Conversion Factors for Calculation of Dose to the Public," DOE/EH-0070, Assistant Secretary for Environment, Safety and Health, U.S. Department of Energy, Washington, D.C.

U.S. Department of Energy (DOE), 1993. "Radiation Protection of the Public and the Environment," DOE Order 5400.5, U.S. Department of Energy, Washington, D.C.

U.S. Department of Energy (DOE), U.S. Air Force, and U.S. Forest Service, September 1995. "Workbook: Future Use Management Area 2," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates, the U.S. Air Force, and the U.S. Forest Service.

U.S. Environmental Protection Agency (EPA), November 1986. "Test Methods for Evaluating Solid Waste," 3rd ed., Update 3, SW-846, Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1988. "Federal Guidance Report No. 11, Limiting Values of Radionuclide Intake and Air Concentration and Dose Conversion Factors for Inhalation, Submersion, and Ingestion," Office of Radiation Programs, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1989. "Risk Assessment Guidance for Superfund, Vol. I: Human Health Evaluation Manual," EPA/540-1089/002, Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1991. "Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part B)," Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997a. "Establishment of Cleanup Levels for CERCLA Sites with Radioactive Contamination," OSWER Directive No. 9200.4-18, Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997b. "Health Effects Assessment Summary Tables (HEAST), FY 1997 Update," EPA-540-R-97-036, Office of Research and Development and Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997c. "Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risks," Interim Final, U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 2002a. "Region 9 Preliminary Remediation Goals (PRGs) 2002," electronic database maintained by Region 9, U.S. Environmental Protection Agency, San Francisco, California.

U.S. Environmental Protection Agency (EPA), 2002b. "Risk-Based Concentration Table," electronic database maintained by Region 3, U.S. Environmental Protection Agency, Philadelphia, Pennsylvania.

U.S. Environmental Protection Agency (EPA), 2004a. Integrated Risk Information System (IRIS) electronic database, maintained by the U.S. Environmental Protection Agency, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 2004b. "Region 6 Preliminary Remediation Goals (PRGs) 2004," electronic database maintained by Region 6, U.S. Environmental Protection Agency, Dallas, Texas.

Whicker, F.W., and V. Schultz, 1982. *Radioecology: Nuclear Energy and the Environment*, Volume II, CRC Press, Boca Raton, Florida.

Yanicak, S. (Oversight Bureau, Department of Energy, New Mexico Environment Department), March 1997. Letter to M. Johansen (DOE/AIP/POC Los Alamos National Laboratory), "(Tentative) list of constituents of potential ecological concern (COPECs) which are considered to be bioconcentrators and/or biomagnifiers." March 3, 1997.

Yu, C., A.J. Zielen, J.-J. Cheng, Y.C. Yuan, L.G. Jones, D.J. LePoire, Y.Y. Wang, C.O. Loureiro, E. Gnanapragasam, E. Faillace, A. Wallo III, W.A. Williams, and H. Peterson, 1993a. "Manual for Implementing Residual Radioactive Material Guidelines Using RESRAD," Version 5.0. Environmental Assessment Division, Argonne National Laboratory, Argonne, Illinois.

Yu, C., C. Loureiro, J.-J. Cheng, L.G. Jones, Y.Y. Wang, Y.P. Chia, and E. Faillace, 1993b. "Data Collection Handbook to Support Modeling the Impacts of Radioactive Material in Soil," ANL/EAIS-8, Argonne National Laboratory, Argonne, Illinois.

This page intentionally left blank.

APPENDIX 1 EXPOSURE PATHWAY DISCUSSION FOR CHEMICAL AND RADIONUCLIDE CONTAMINATION

Introduction

Sandia National Laboratories/New Mexico (SNL/NM) uses a default set of exposure routes and associated default parameter values developed for each future land-use designation being considered for SNL/NM Environmental Restoration (ER) Project sites. This default set of exposure scenarios and parameter values are invoked for risk assessments unless site-specific information suggests other parameter values. Because many SNL/NM solid waste management units (SWMUs) have similar types of contamination and physical settings, SNL/NM believes that the risk assessment analyses at these sites can be similar. A default set of exposure scenarios and parameter values facilitates the risk assessments and subsequent review.

The default exposure routes and parameter values used are those that SNL/NM views as resulting in a Reasonable Maximum Exposure (RME) value. Subject to comments and recommendations by the U.S. Environmental Protection Agency (EPA) Region VI and New Mexico Environment Department (NMED), SNL/NM will use these default exposure routes and parameter values in future risk assessments.

At SNL/NM, all SWMUs exist within the boundaries of the Kirtland Air Force Base. Approximately 240 potential waste and release sites have been identified where hazardous, radiological, or mixed materials may have been released to the environment. Evaluation and characterization activities have occurred at all of these sites to varying degrees. Among other documents, the SNL/NM ER draft Environmental Assessment (DOE 1996) presents a summary of the hydrogeology of the sites and the biological resources present. When evaluating potential human health risk the current or reasonably foreseeable land use negotiated and approved for the specific SWMU/AOC, aggregate, or watershed will be used. The following references generally document these land uses: Workbook: Future Use Management Area 2 (DOE et al. September 1995); Workbook: Future Use Management Area 1 (DOE et al. October 1995); Workbook: Future Use Management Areas 3, 4, 5, and 6 (DOE and USAF January 1996); Workbook: Future Use Management Area 7 (DOE and USAF March 1996). At this time, all SNL/NM SWMUs have been tentatively designated for either industrial or recreational future land use. The NMED has also requested that risk calculations be performed based upon a residential land-use scenario. Therefore, all three land-use scenarios will be addressed in this document.

The SNL/NM ER Project has screened the potential exposure routes and identified default parameter values to be used for calculating potential intake and subsequent hazard index (HI), excess cancer risk and dose values. The EPA (EPA 1989) provides a summary of exposure routes that could potentially be of significance at a specific waste site. These potential exposure routes consist of:

- Ingestion of contaminated drinking water
- Ingestion of contaminated soil

- Ingestion of contaminated fish and shellfish
- Ingestion of contaminated fruits and vegetables
- Ingestion of contaminated meat, eggs, and dairy products
- Ingestion of contaminated surface water while swimming
- Dermal contact with chemicals in water
- Dermal contact with chemicals in soil
- Inhalation of airborne compounds (vapor phase or particulate)
- External exposure to penetrating radiation (immersion in contaminated air; immersion in contaminated water; and exposure from ground surfaces with photon-emitting radionuclides)

Based upon the location of the SNL/NM SWMUs and the characteristics of the surface and subsurface at the sites, we have evaluated these potential exposure routes for different land-use scenarios to determine which should be considered in risk assessment analyses (the last exposure route is pertinent to radionuclides only). At SNL/NM SWMUs, there is currently no consumption of fish, shellfish, fruits, vegetables, meat, eggs, or dairy products that originate on site. Additionally, no potential for swimming in surface water is present due to the high-desert environmental conditions. As documented in the RESRAD computer code manual (ANL 1993), risks resulting from immersion in contaminated air or water are not significant compared to risks from other radiation exposure routes.

For the industrial and recreational land-use scenarios, SNL/NM ER has, therefore, excluded the following five potential exposure routes from further risk assessment evaluations at any SNL/NM SWMU:

- Ingestion of contaminated fish and shellfish
- Ingestion of contaminated fruits and vegetables
- Ingestion of contaminated meat, eggs, and dairy products
- Ingestion of contaminated surface water while swimming
- Dermal contact with chemicals in water

That part of the exposure pathway for radionuclides related to immersion in contaminated air or water is also eliminated.

Based upon this evaluation, for future risk assessments the exposure routes that will be considered are shown in Table 1.

Table 1
Exposure Pathways Considered for Various Land-Use Scenarios

Industrial	Recreational	Residential
Ingestion of contaminated drinking water	Ingestion of contaminated drinking water	Ingestion of contaminated drinking water
Ingestion of contaminated soil	Ingestion of contaminated soil	Ingestion of contaminated soil
Inhalation of airborne compounds (vapor phase or particulate)	Inhalation of airborne compounds (vapor phase or particulate)	Inhalation of airborne compounds (vapor phase or particulate)
Dermal contact (nonradiological constituents only) soil only	Dermal contact (nonradiological constituents only) soil only	Dermal contact (nonradiological constituents only) soil only
External exposure to penetrating radiation from ground surfaces	External exposure to penetrating radiation from ground surfaces	External exposure to penetrating radiation from ground surfaces

Equations and Default Parameter Values for Identified Exposure Routes

In general, SNL/NM expects that ingestion of compounds in drinking water and soil will be the more significant exposure routes for chemicals; external exposure to radiation may also be significant for radionuclides. All of the above routes will, however, be considered for their appropriate land-use scenarios. The general equation for calculating potential intakes via these routes is shown below. The equations are taken from "Assessing Human Health Risks Posed by Chemicals: Screening-Level Risk Assessment" (NMED March 2000) and "Technical Background Document for Development of Soil Screening Levels" (NMED December 2000). Equations from both documents are based upon the "Risk Assessment Guidance for Superfund" (RAGS): Volume 1 (EPA 1989, 1991). These general equations also apply to calculating potential intakes for radionuclides. A more in-depth discussion of the equations used in performing radiological pathway analyses with the RESRAD code may be found in the RESRAD Manual (ANL 1993). RESRAD is the only code designated by the U.S. Department of Energy (DOE) in DOE Order 5400.5 for the evaluation of radioactively contaminated sites (DOE 1993). The Nuclear Regulatory Commission (NRC) has approved the use of RESRAD for dose evaluation by licensees involved in decommissioning, NRC staff evaluation of waste disposal requests, and dose evaluation of sites being reviewed by NRC staff. EPA Science Advisory Board reviewed the RESRAD model. EPA used RESRAD in their rulemaking on radiation site cleanup regulations. RESRAD code has been verified, undergone several benchmarking analyses, and been included in the International Atomic Energy Agency's VAMP and BIOMOVs II projects to compare environmental transport models.

Also shown are the default values SNL/NM ER will use in RME risk assessment calculations for industrial, recreational, and residential land-use scenarios, based upon EPA and other governmental agency guidance. The pathways and values for chemical contaminants are discussed first, followed by those for radionuclide contaminants. RESRAD input parameters that are left as the default values provided with the code are not discussed. Further information relating to these parameters may be found in the RESRAD Manual (ANL 1993) or by directly accessing the RESRAD websites at: <http://web.ead.anl.gov/resrad/home2/> or <http://web.ead.anl.gov/resrad/documents/>.

Generic Equation for Calculation of Risk Parameter Values

The equation used to calculate the risk parameter values (i.e., hazard quotients/HI, excess cancer risk, or radiation total effective dose equivalent [TEDE] [dose]) is similar for all exposure pathways and is given by:

$$\begin{aligned} \text{Risk (or Dose)} &= \text{Intake} \times \text{Toxicity Effect (either carcinogenic, noncarcinogenic, or radiological)} \\ &= C \times (\text{CR} \times \text{EFD}/\text{BW}/\text{AT}) \times \text{Toxicity Effect} \end{aligned} \quad (1)$$

where;

C = contaminant concentration (site specific)
 CR = contact rate for the exposure pathway
 EFD= exposure frequency and duration
 BW = body weight of average exposure individual
 AT = time over which exposure is averaged.

For nonradiological constituents of concern (COCs), the total risk/dose (either cancer risk or HI) is the sum of the risks/doses for all of the site-specific exposure pathways and contaminants. For radionuclides, the calculated radiation exposure, expressed as TEDE is compared directly to the exposure guidelines of 15 millirem per year (mrem/year) for industrial and recreational future use and 75 mrem/year for the unlikely event that institutional control of the site is lost and the site is used for residential purposes (EPA 1997).

The evaluation of the carcinogenic health hazard produces a quantitative estimate for excess cancer risk resulting from the COCs present at the site. This estimate is evaluated for determination of further action by comparison of the quantitative estimate with the potentially acceptable risk of 1E-5 for nonradiological carcinogens. The evaluation of the noncarcinogenic health hazard produces a quantitative estimate (i.e., the HI) for the toxicity resulting from the COCs present at the site. This estimate is evaluated for determination of further action by comparison of this quantitative estimate with the EPA standard HI of unity (1). The evaluation of the health hazard from radioactive compounds produces a quantitative estimate of doses resulting from the COCs present at the site. This estimated dose is used to calculate an assumed risk. However, this calculated risk is presented for illustration purposes only, not to determine compliance with regulations.

The specific equations used for the individual exposure pathways can be found in RAGS (EPA 1989) and are outlined below. The RESRAD Manual (ANL 1993) describes similar equations for the calculation of radiological exposures.

Soil Ingestion

A receptor can ingest soil or dust directly by working in the contaminated soil. Indirect ingestion can occur from sources such as unwashed hands introducing contaminated soil to food that is then eaten. An estimate of intake from ingesting soil will be calculated as follows:

$$I_s = \frac{C_s * IR * CF * EF * ED}{BW * AT}$$

where:

I_s = Intake of contaminant from soil ingestion (milligrams [mg]/kilogram [kg]-day)
 C_s = Chemical concentration in soil (mg/kg)
 IR = Ingestion rate (mg soil/day)
 CF = Conversion factor (1E-6 kg/mg)
 EF = Exposure frequency (days/year)
 ED = Exposure duration (years)
 BW = Body weight (kg)
 AT = Averaging time (period over which exposure is averaged) (days)

It should be noted that it is conservatively assumed that the receptor only ingests soil from the contaminated source.

Soil Inhalation

A receptor can inhale soil or dust directly by working in the contaminated soil. An estimate of intake from inhaling soil will be calculated as follows (EPA August 1997):

$$I_s = \frac{C_s * IR * EF * ED * \left(\frac{1}{VF} \text{ or } \frac{1}{PEF} \right)}{BW * AT}$$

where:

I_s = Intake of contaminant from soil inhalation (mg/kg-day)
 C_s = Chemical concentration in soil (mg/kg)
 IR = Inhalation rate (cubic meters [m³]/day)
 EF = Exposure frequency (days/year)
 ED = Exposure duration (years)
 VF = soil-to-air volatilization factor (m³/kg)
 PEF = particulate emission factor (m³/kg)
 BW = Body weight (kg)
 AT = Averaging time (period over which exposure is averaged) (days)

Soil Dermal Contact

$$D_a = \frac{C_s * CF * SA * AF * ABS * EF * ED}{BW * AT}$$

where:

D_a = Absorbed dose (mg/kg-day)
 C_s = Chemical concentration in soil (mg/kg)
 CF = Conversion factor (1E-6 kg/mg)
 SA = Skin surface area available for contact (cm²/event)
 AF = Soil to skin adherence factor (mg/cm²)
 ABS = Absorption factor (unitless)
 EF = Exposure frequency (events/year)

ED = Exposure duration (years)
 BW = Body weight (kg)
 AT = Averaging time (period over which exposure is averaged) (days)

Groundwater Ingestion

A receptor can ingest water by drinking it or through using household water for cooking. An estimate of intake from ingesting water will be calculated as follows (EPA August 1997):

$$I_w = \frac{C_w * IR * EF * ED}{BW * AT}$$

where:

I_w = Intake of contaminant from water ingestion (mg/kg/day)
 C_w = Chemical concentration in water (mg/liter [L])
 IR = Ingestion rate (L/day)
 EF = Exposure frequency (days/year)
 ED = Exposure duration (years)
 BW = Body weight (kg)
 AT = Averaging time (period over which exposure is averaged) (days)

Groundwater Inhalation

The amount of a constituent taken into the body via exposure to volatilization from showering or other household water uses will be evaluated using the concentration of the constituent in the water source (EPA 1991 and 1992). An estimate of intake from volatile inhalation from groundwater will be calculated as follows (EPA 1991):

$$I_w = \frac{C_w * K * IR_i * EF * ED}{BW * AT}$$

where:

I_w = Intake of volatile in water from inhalation (mg/kg/day)
 C_w = Chemical concentration in water (mg/L)
 K = volatilization factor (0.5 L/m³)
 IR_i = Inhalation rate (m³/day)
 EF = Exposure frequency (days/year)
 ED = Exposure duration (years)
 BW = Body weight (kg)
 AT = Averaging time (period over which exposure is averaged—days)

For volatile compounds, volatilization from groundwater can be an important exposure pathway from showering and other household uses of groundwater. This exposure pathway will only be evaluated for organic chemicals with a Henry's Law constant greater than 1x10⁻⁵ and with a molecular weight of 200 grams/mole or less (EPA 1991).

Tables 2 and 3 show the default parameter values suggested for use by SNL/NM at SWMUs, based upon the selected land-use scenarios for nonradiological and radiological COCs,

respectively. References are given at the end of the table indicating the source for the chosen parameter values. SNL/NM uses default values that are consistent with both regulatory guidance and the RME approach. Therefore, the values chosen will, in general, provide a conservative estimate of the actual risk parameter. These parameter values are suggested for use for the various exposure pathways, based upon the assumption that a particular site has no unusual characteristics that contradict the default assumptions. For sites for which the assumptions are not valid, the parameter values will be modified and documented.

Summary

SNL/NM will use the described default exposure routes and parameter values in risk assessments at sites that have an industrial, recreational, or residential future land-use scenario. There are no current residential land-use designations at SNL/NM ER sites, but NMED has requested this scenario to be considered to provide perspective of the risk under the more restrictive land-use scenario. For sites designated as industrial or recreational land use, SNL/NM will provide risk parameter values based upon a residential land-use scenario to indicate the effects of data uncertainty on risk value calculations or in order to potentially mitigate the need for institutional controls or restrictions on SNL/NM ER sites. The parameter values are based upon EPA guidance and supplemented by information from other government sources. If these exposure routes and parameters are acceptable, SNL/NM will use them in risk assessments for all sites where the assumptions are consistent with site-specific conditions. All deviations will be documented.

Table 2
Default Nonradiological Exposure Parameter Values for Various Land-Use Scenarios

Parameter	Industrial	Recreational	Residential
General Exposure Parameters			
Exposure Frequency (day/yr)	250 ^{a,b}	8.7 (4 hr/wk for 52 wk/yr) ^{a,b}	350 ^{a,b}
Exposure Duration (yr)	25 ^{a,b,c}	30 ^{a,b,c}	30 ^{a,b,c}
Body Weight (kg)	70 ^{a,b,c}	70 Adult ^{a,b,c} 15 Child ^{a,b,c}	70 Adult ^{a,b,c} 15 Child ^{a,b,c}
Averaging Time (days) for Carcinogenic Compounds (= 70 yr x 365 day/yr)	25,550 ^{a,b}	25,550 ^{a,b}	25,550 ^{a,b}
for Noncarcinogenic Compounds (= ED x 365 day/yr)	9,125 ^{a,b}	10,950 ^{a,b}	10,950 ^{a,b}
Soil Ingestion Pathway			
Ingestion Rate (mg/day)	100 ^{a,b}	200 Child ^{a,b} 100 Adult ^{a,b}	200 Child ^{a,b} 100 Adult ^{a,b}
Inhalation Pathway			
Inhalation Rate (m ³ /day)	20 ^{a,b}	15 Child ^a 30 Adult ^a	10 Child ^a 20 Adult ^a
Volatilization Factor (m ³ /kg)	Chemical Specific	Chemical Specific	Chemical Specific
Particulate Emission Factor (m ³ /kg)	1.36E9 ^a	1.36E9 ^a	1.36E9 ^a
Water Ingestion Pathway			
Ingestion Rate (liter/day)	2.4 ^a	2.4 ^a	2.4 ^a
Dermal Pathway			
Skin Adherence Factor (mg/cm ²)	0.2 ^a	0.2 Child ^a 0.07 Adult ^a	0.2 Child ^a 0.07 Adult ^a
Exposed Surface Area for Soil/Dust (cm ² /day)	3,300 ^a	2,800 Child ^a 5,700 Adult ^a	2,800 Child ^a 5,700 Adult ^a
Skin Adsorption Factor	Chemical Specific	Chemical Specific	Chemical Specific

^aTechnical Background Document for Development of Soil Screening Levels (NMED December 2000).

^bRisk Assessment Guidance for Superfund, Vol. 1, Part B (EPA 1991).

^cExposure Factors Handbook (EPA August 1997).

ED = Exposure duration.

EPA = U.S. Environmental Protection Agency.

hr = Hour(s).

kg = Kilogram(s).

m = Meter(s).

mg = Milligram(s).

NA = Not available.

wk = Week(s).

yr = Year(s).

Table 3
Default Radiological Exposure Parameter Values for Various Land-Use Scenarios

Parameter	Industrial	Recreational	Residential
General Exposure Parameters			
Exposure Frequency	8 hr/day for 250 day/yr	4 hr/wk for 52 wk/yr	365 day/yr
Exposure Duration (yr)	25 ^{a,b}	30 ^{a,b}	30 ^{a,b}
Body Weight (kg)	70 Adult ^{a,b}	70 Adult ^{a,b}	70 Adult ^{a,b}
Soil Ingestion Pathway			
Ingestion Rate	100 mg/day ^c	100 mg/day ^c	100 mg/day ^c
Averaging Time (days) (= 30 yr x 365 day/yr)	10,950 ^d	10,950 ^d	10,950 ^d
Inhalation Pathway			
Inhalation Rate (m ³ /yr)	7,300 ^{d,e}	10,950 ^e	7,300 ^{d,e}
Mass Loading for Inhalation g/m ³	1.36 E-5 ^d	1.36 E-5 ^d	1.36 E-5 ^d
Food Ingestion Pathway			
Ingestion Rate, Leafy Vegetables (kg/yr)	NA	NA	16.5 ^c
Ingestion Rate, Fruits, Non-Leafy Vegetables & Grain (kg/yr)	NA	NA	101.8 ^b
Fraction Ingested	NA	NA	0.25 ^{b,d}

^aRisk Assessment Guidance for Superfund, Vol. 1, Part B (EPA 1991).

^bExposure Factors Handbook (EPA August 1997).

^cEPA Region VI guidance (EPA 1996).

^dFor radionuclides, RESRAD (ANL 1993).

^eSNL/NM (February 1998).

EPA = U.S. Environmental Protection Agency.

g = Gram(s)

hr = Hour(s).

kg = Kilogram(s).

m = Meter(s).

mg = Milligram(s).

NA = Not applicable.

wk = Week(s).

yr = Year(s).

References

ANL, see Argonne National Laboratory.

Argonne National Laboratory (ANL), 1993. *Manual for Implementing Residual Radioactive Material Guidelines Using RESRAD*, Version 5.0, ANL/EAD/LD-2, Argonne National Laboratory, Argonne, IL.

DOE, see U.S. Department of Energy.

DOE and USAF, see U.S. Department of Energy and U.S. Air Force.

EPA, see U.S. Environmental Protection Agency.

New Mexico Environment Department (NMED), March 2000. "Assessing Human Health Risks Posed by Chemical: Screening-level Risk Assessment," Hazardous and Radioactive Materials Bureau, NMED, March 6, 2000.

New Mexico Environment Department (NMED), December 2000. "Technical Background Document for Development of Soil Screening Levels," Hazardous Waste Bureau and Ground Water Quality Bureau Voluntary Remediation Program, December 18, 2000.

Sandia National Laboratories/New Mexico (SNL/NM), February 1998. "RESRAD Input Parameter Assumptions and Justification," Sandia National Laboratories/New Mexico Environmental Restoration Project, Albuquerque, New Mexico.

U.S. Department of Energy (DOE), 1993. DOE Order 5400.5, "Radiation Protection of the Public and the Environment," U.S. Department of Energy, Washington, D.C.

U.S. Department of Energy (DOE), 1996. "Environmental Assessment of the Environmental Restoration Project at Sandia National Laboratories/New Mexico," U.S. Department of Energy, Kirtland Area Office.

U.S. Department of Energy, U.S. Air Force, and U.S. Forest Service, September 1995. "Workbook: Future Use Management Area 2," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates, the U.S. Air Force, and the U.S. Forest Service.

U.S. Department of Energy, U.S. Air Force, and U.S. Forest Service, October 1995. "Workbook: Future Use Management Area 1," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates, the U.S. Air Force, and the U.S. Forest Service.

U.S. Department of Energy and U.S. Air Force (DOE and USAF), January 1996. "Workbook: Future Use Management Areas 3,4,5,and 6," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates, and the U.S. Air Force.

U.S. Department of Energy and U.S. Air Force (DOE and USAF), March 1996. "Workbook: Future Use Management Area 7," prepared by the Future Use Logistics and Support Working Group in cooperation with U.S. Department of Energy Affiliates and the U.S. Air Force.

U.S. Environmental Protection Agency (EPA), 1989. "Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual," EPA/540-1089/002, U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1991. "Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part B)," EPA/540/R-92/003, U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1992. "Dermal Exposure Assessment: Principles and Applications," EPA/600/8-91/011B, Office of Research and Development, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1996. "Soil Screening Guidance: Technical Background Document," EPA/540/1295/128, Office of Solid Waste and Emergency Response, Washington, D.C.

U.S. Environmental Protection Agency (EPA), August 1997. *Exposure Factors Handbook*, EPA/600/8-89/043, U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Washington, D.C.

U.S. Environmental Protection Agency (EPA), 1997. (OSWER No. 9200.4-18) *Establishment of Cleanup Levels for CERCLA Sites with Radioactive Contamination*, U.S. EPA Office of Radiation and Indoor Air, Washington D.C, August 1997.

RSI



National Nuclear Security Administration

Sandia Site Office

P.O. Box 5400

Albuquerque, New Mexico 87185-5400



MAR 22 2005

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr James Bearzi, Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Road East, Building 1
Santa Fe, NM 87505

Dear Mr. Bearzi,

On behalf of the Department of Energy (DOE) and Sandia Corporation, DOE is submitting the enclosed responses to the New Mexico Environment Department Request for Supplemental Information, SWMU Assessment Reports and Proposals for Corrective Action Complete, Drain and Septic Systems (DSS) Sites 276, 1004, 1031, 1052, 1080, 1087, 1090, 1102, and 1113, DSS Round 7, Environmental Restoration Project at Sandia National Laboratories, New Mexico, EPA ID No. NM589011518, dated January 26, 2005.

If you have any questions, please contact John Gould at (505) 845-6089.

Sincerely,

Patty Wagner
Manager

Enclosure

cc w/enclosure:

W. Moats, NMED-HWB (via Certified Mail)

L. King, EPA, Region 6 (Via Certified Mail)

M. Gardipe, NNSA/SC/ERD

D. Pepe, NMED-OB

J. Volkerding, DOE-NMED-OB

Mr. J. Bearzi

(2)

MAR 22 2005

cc w/o enclosure:

F. Nimick, SNL, MS 1089

R. E. Fate, SNL, MS 1089

M. J. Davis, SNL, MS 1089

D. Stockham, SNL, MS 1087

B. Langkopf, SNL, MS 1087

M. Sanders, SNL, MS 1087

A. Blumberg, SNL, MS 0141

**Sandia National Laboratories
Albuquerque, New Mexico
March 2005**

**Environmental Restoration Project
Responses to NMED Request for Supplemental Information
SWMU Assessment Reports and Proposals for Corrective Action Complete:
Drain and Septic Systems (DSS) Sites 276, 1004, 1031, 1052, 1080, 1087, 1090,
1102, AND 1113, DSS ROUND 7
Dated December 2004**

INTRODUCTION

This document responds to a January 26, 2005 Request for Supplemental Information (RSI) letter from William P. Moats of the State of New Mexico Environment Department (NMED) Hazardous Waste Bureau (HWB) to the U.S Department of Energy and Sandia National Laboratories/New Mexico (SNL/NM). A response to this RSI is due within sixty (60) days of receipt of the letter by SNL/NM, or by March 26, 2005.

In this document, the NMED comments (in bold font) are restated in the same order in which they were provided in the RSI. Following each comment, the word "Response" introduces the U.S. Department of Energy/SNL/NM reply (in normal font style).

GENERAL COMMENTS

- 1. Shallow ground water is present beneath several of the sites that are included in the subject document (SWMUs 276, 1102, and 1052). This fact is stated in the description of each of these sites. Clarify why this information is neither mentioned when describing the conceptual site model nor taken into account when identifying and evaluating the potential contaminant pathways in the risk assessment reports.**

Response: As noted in each of the three reports, the shallow groundwater aquifer is approximately 265, 267, and 310 feet below ground surface (bgs) at Sites 276 (Building 829X silver recovery sump), 1052 (Building 803 seepage pit), and 1102 (Building 889 septic system) respectively. The shallow groundwater aquifer is limited in extent beneath SNL/NM and Kirtland Air Force Base (KAFB) and is not used as a water supply source. The regional groundwater aquifer is approximately 555, 552, and 535 feet bgs beneath Sites 276, 1052, and 1102, respectively. In addition, infiltration of precipitation is almost nonexistent at these sites as virtually all moisture that falls or flows onto the site subsequently undergoes evapotranspiration.

No significant contaminant of concern (COC) concentrations were detected in soil samples collected in 2002 from beneath these three units. As described in the DSS Site 1052 SWMU Assessment Report (SAR), Site 1052 was one of seven DSS project sites selected by NMED for the installation of a deep soil-vapor monitoring well, to test for the presence of significant volatile organic compound (VOC) soil-vapor concentrations in the deep subsurface at selected DSS sites. Soil vapor samples were collected at depths of 5, 20, 70, 100, and 150 feet bgs in well 1052-VW-01, and total VOC vapor concentrations in all of the samples were much lower than the 10 parts per million by volume (ppmv) action level specified in the "Sampling and Analysis Plan (SAP) for Characterizing and Assessing Potential Releases to the Environment From Septic and Other Miscellaneous Drain Systems at Sandia National Laboratories/New Mexico". Therefore, based on the sampling conducted at these three locations, it was considered unlikely that COCs have or will reach either the shallow or regional aquifers as a result of discharges from these sites. For these reasons, the groundwater pathway for these three sites was not evaluated as part of the risk assessments for these three sites.

2. **The NMED is aware of the typical background levels for gross alpha/beta for the Sandia National Laboratories area. However, the term "New Mexico-established background levels" for gross alpha and gross beta is potentially misleading in that it implies that these levels have been officially approved by the New Mexico Environment Department (NMED), which is not true. In future reports, this phrase should be eliminated from similar discussions of gross alpha/beta activities.**

Response: SNL/NM acknowledges that there are no NMED-approved maximum background levels for gross alpha/beta activities in soil, and did not intend to imply that this was the case. The upper 95th percentile (mean plus 2 standard deviations above the mean) background activities for gross alpha/beta activities of 17.4 and 25.4 picocuries per gram (pCi/g), respectively, are based upon values derived from a gross alpha/beta soil sampling study conducted in November 1990 by the NMED in which soil samples were collected from 40 locations throughout the state. This is the most comprehensive study known to attempt to determine maximum background gross alpha and beta values in soil throughout the state. These background values were used in the DSS SARs to give the detected gross alpha/beta values meaning relative to background activities, instead of presenting the values without comparison. The language in future reports will be modified to remove the implication of official approval of the background values by the NMED.

3. **Each drain and septic system report must include the date that the septic system was abandoned or otherwise inactivated and the date that the septic tank was pumped out and backfilled. If a tank has not been emptied and backfilled, state the date that these activities will occur.**

Response: The dates by which most of the septic systems in SNL/NM Technical Area (TA)-III and the Coyote Test Field (CTF) areas were "removed from service" are based upon two memos written by Mr. Joe Jones (SNL/NM), dated June 21, 1991, and July 26, 1993. In future SARs and RSI responses, for non-TA-III and CTF sites not listed in the Jones memos, additional research will be conducted as needed to determine the year in which a system was abandoned. Also, see the response to Specific Comment #7 below for additional historical information on the Building 803 seepage pit (DSS Site 1052), one of the sites included in DSS Round 7.

All known SNL/NM abandoned septic tanks were inspected in 2004 to determine if they were empty and ready to backfill, or if they contained effluent. Six tanks were found to still contain effluent. As a result, waste characterization samples were collected from these tanks in July 2004 and January 2005. SNL/NM plans to remove the waste in these six tanks and dispose of it according to SNL/NM policy in the spring of 2005. Once the waste has been removed, all of the remaining abandoned SNL/NM septic tanks and seepage pits will be backfilled in place with clean soil by mid-2005. It is anticipated that this backfilling work will commence in approximately mid-May 2005, and will be completed in approximately two months.

As of March 2005, there remain five SNL/NM-owned septic systems that are still in use. These include:

- Building 6020 septic system, 6000 Igloo area
- Building 6030 septic system, 6000 Igloo area
- Building 8895/MO-100 septic system, TA-I
- MO-14/MO-15 septic system, TA-I
- Robotic Vehicle Range septic system, east of TA-II

There are no current plans to close out these active septic systems, and the tanks will be periodically pumped out as required.

4. **Final decisions on the subject reports can not be made until the Quality Control and Gamma Spectrometry Reports addressed in NMED's January 14, 2005, Request for Supplemental Information have been received and approved by the NMED.**

Response: SNL/NM recognizes that final decisions for the proposals for Corrective Action Complete (CAC) for the DSS project sites cannot be made until the above-referenced report is completed. Work on this report is ongoing, and it is anticipated that it will be completed and delivered to the NMED by April 14, 2005, within the required 90-day time frame specified in the applicable Request for Supplemental Information letter.

SPECIFIC COMMENTS**5. Site 1087: Building 6743 Seepage Pit:**

The report states that the seepage pit at Site 1087 will be backfilled in late 2004 or early 2005, when all inflow plumbing will be disconnected. State whether the seepage pit has been backfilled and the date of this activity.

Response: The seepage pit at this site has not yet been backfilled. SNL/NM plans to backfill this seepage pit, and disconnect the piping from the Building 6743 floor drains to the seepage pit, in mid-2005.

6. Site 1090: Building 6721 Septic System:

The NMED does not believe that this site meets residential risk goals, as there are no data supporting an assertion that various semi-volatile organic compounds driving the risk assessment originate from drain field piping. Industrial land use controls will be required for Site 1090. Also, state the detection limits for all samples analyzed for Pyrene that have J-coded values in Table 3.4.2-3.

Response: SNL/NM believes that the most likely source of semivolatile organic compounds (SVOCs) detected in the shallow interval soil samples collected at this site are fragments of the disintegrated bituminous drainfield pipe. If this is the case, the source of the SVOC contamination (piping) still remains at the site, and SNL/NM accepts that the site will be designated Corrective Action Complete with Controls.

As shown on Table 3.4.2-4 of the DSS Site 1090 SAR (the SVOC analytical method detection limit [MDL] table), the MDL for pyrene is 16.7 micrograms per kilogram ($\mu\text{g}/\text{kg}$). The detections of pyrene on Table 3.4.2-3 (the SVOC data summary table) are estimated values that were J-coded during the data validation review process.

7. Site 1052: Building 803 Seepage Pit:

Provide the dates when the drainline was disconnected, the seepage pit was abandoned in place, and the discharges were routed to the City of Albuquerque sanitary sewer system.

It is not credible that SNL could not find *any* operational history for Site 1052. NMED currently has offices in Building 803 and at least some of the past uses of this building are known. Provide a description of the known historical operations at this site.

Response: The exact date that the Building 803 seepage pit was abandoned was unknown when the Site 1052 SAR was written in December 2004. However, a report titled "Storm Drain System Cross Connect Project" report produced by an SNL/NM Facilities Engineering group in August 1995 has since been located. This project was performed to investigate the storm and sanitary sewer line drain piping at SNL/NM, and to identify and correct any unauthorized cross connections (from the sanitary sewer system to the storm drain). Most of this work was done at TA-I facilities, and details, including test results for Building 803, are presented in the report. Specifically, the report states that an inspection of the Building 803 sanitary and storm drain systems was conducted on September 16, 1992, and included dye testing and inspections of interior drains. Part of the evaluation process included the introduction of fluorescent dye into various inspection ports (sinks, toilets, floor drains, etc.) in the building and observation for the presence of the dye at various downstream discharge points, to determine if there was a connection.

SNL/NM Facilities Engineering drawings show that a floor drain in the northwest part of Building 803 was connected to the seepage pit on the west side of the building. As part of the September 1992 inspection, it was determined that seepage pit floor drain was filled with concrete. The seepage pit was inspected after completion of the building dye testing, and no dye was observed to have entered the seepage pit. It was therefore concluded that the Building 803 seepage pit had been abandoned at sometime prior to September 16, 1992.

What is meant by the statement "because operational records were not available" (which appears in Section 2.2.2 of the DSS Site 1052 SAR) is that SNL/NM has, for the most part, not determined specifics on activities at this or any other DSS AOC site. It was recognized early in the DSS site investigation process that it would be very difficult, if not impossible to determine with a high degree of certainty complete site histories, and the types and quantities of COCs that may or may not have been discharged to the environment. Therefore, during the negotiation process being conducted with the NMED to determine a technical and decision-making approach to complete environmental investigations at the DSS sites, it was concluded that the most definitive way to determine if COCs are present at the sites would be to collect the same comprehensive set of characterization samples at each site. The "standard suite" of analyses was specified in the SAP, and included VOCs, SVOCs, polychlorinated biphenyls (PCBs), total cyanide, high explosive (HE) compounds, the eight Resource Conservation and Recovery Act (RCRA) metals, hexavalent chromium, radionuclides by gamma spectroscopy, and gross alpha/beta activity.

8. Site 276: Former Building 829 X Silver Recovery Sump:

The relationship between the silver sump and the sewer line on the east side of Building 829X is unclear. State whether there is any relationship between these two systems and whether the sewer line is part of SWMU 276.

Low levels of VOCs, SVOCs, and radionuclides were detected in the soil samples collected in 1994 along the sewer line. Describe any remedial activities that were conducted after the collection of these soil samples and whether the sewer line was removed. Data from the samples collected along the sewer line may need to be included in a revised risk assessment for the site.

Response: There is no known direct relationship or connection between the silver recovery sump (on the southwest side of the former Building 829X), and the sewer line on the east side of the building. SWMU 276 includes only the silver recovery sump, and does not include the sewer line. Portions of the August 1995 "Contamination Assessment Report for Soil Sampling at Building 829X" were included as Annex A of the SMWU 276 SAR for completeness, because it presents analytical results for samples collected from beneath the silver recovery sump, as well as other areas around Building 829X. Because the sewer line is not part of SWMU 276, the data from the samples collected along the sewer line is not relevant to the risk assessment for the site.

Available information (SNL/NM Facilities Engineering drawings and computer-aided design (CAD) system maps of sewer lines in TA-I) indicates that the portion of the sewer line in question was removed as part of the demolition activities for this and other nearby buildings. The area of the former Building 829X, and the sewer line and silver recovery sump are now covered by an asphalt parking lot.

9. **Site 1004: Building 6969 Septic System:**

This is an active site. The report does not state whether current operations comply with the applicable laws and regulations nor whether there are any institutional or other controls that will prevent the discharge of possible contaminants into the system in the future. Clarify how the current operations at Site 1004 are protective of the environment.

The risk assessment report for Site 1004 states that the analytical data adequately characterize the rate of contaminant migration up to the date of sampling in September 2002. State if there are any changes in the volumes or types of discharges to this system that may affect the rate of contaminant migration. Industrial land use controls may be required for Site 1004.

Response:

In the "Summary" Section 2.1 of the DSS Site 1004 SAR, the final sentence in the first paragraph states that "Current operations at the site are conducted in accordance with applicable laws and regulations that are protective of the environment."

SNL/NM has a septic system monitoring program that was established to sample all active septic tank systems at SNL/NM. The purpose of the program was to show that no contaminated material will be sent to the City of Albuquerque publically-owned treatment works (POTW) when tanks are pumped, and that no effluent contained within the tanks will contaminate the soil column. SNL/NM maintains five active septic tank systems in remote areas on KAFB that are not connected to the sanitary sewer system. These systems are used only for domestic sanitary sewage collection. Since these systems receive only domestic sewage and no industrial discharges, they do not require sampling prior to pumping and discharge to the public sewer system. However, since 1992 as a Best Management Practice (BMP), SNL/NM periodically samples these active systems prior to pumping and discharge by a certified pumping service. Environmental monitoring samples are also periodically collected from the KAFB sanitary sewer system at monitoring stations to verify and demonstrate that contaminants in waste streams exiting the facility do not exceed applicable wastewater discharge standards.

The SNL/NM Environment, Safety, and Health (ES&H) Manual describes numerous policies and procedures that are in place to ensure that operations at the site are conducted in a manner that are protective of the environment. SNL/NM department managers are directly responsible for ensuring that department activities are conducted in an environmentally responsible manner, and that department personnel are properly trained and educated about hazardous waste management practices. Also, annual audits and inspections are conducted at SNL/NM by NMED regulators to determine if the facility is in compliance with all pertinent environmental regulations.

Mr. Dan Puetz, the Robotics Vehicle Range facility representative, was contacted on March 4, 2005, and he stated that 16 to 18 permanent staff have typically worked at the facility, but that number has recently increased to approximately 35 personnel, and it could increase again to as many as 50 people approximately one year from now. The septic system at this remote facility currently receives only effluent from restrooms, and while the volume of effluent discharged to the system will increase in the future due to staff increases at the facility, the nature of the discharges will not change.

RSI



Sandia Site Office
P.O. Box 5400
Albuquerque, New Mexico 87185-5400



APR 7 2005

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Mr James Bearzi, Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Road East, Building 1
Santa Fe, NM 87505

Dear Mr. Bearzi,

On behalf of the Department of Energy (DOE) and Sandia Corporation, DOE is submitting the enclosed Quality Control (QC) Report, and copies of gamma spectroscopy analytical results for the entire Drain and Septic Systems (DSS) project, in response to the New Mexico Environment Department Request for Supplemental Information: Environmental Restoration Project SWMU Assessment Reports and Proposals for Corrective Action Complete: Drain and Septic Systems Sites 1034, 1035, 1036, 1078, 1079, 1084, 1098, 1104, and 1120, (DSS Round 6); September 2004, Environmental Restoration Project at Sandia National Laboratories, New Mexico, EPA ID No. NM589011518, dated January 14, 2005.

One hardcopy (consisting of seven volumes) will be delivered to Will Moats (NMED), and an electronic CD will be sent by certified mail to you and Laurie King (EPA).

If you have any questions, please contact John Gould at (505) 845-6089.

Sincerely,

Patty Wagner
Manager

Enclosure

Mr. J. Bearzi

(2)


APR 7 2005

cc w/ enclosure:

W. Moats, NMED-HWB (via Certified Mail)
L. King, EPA, Region 6 (Via Certified Mail)
M. Gardipe, NNSA/SC/ERD
J. Volkerding, DOE-NMED-OB

cc w/o enclosure:

D. Pepe, NMED-OB
J. Estrada, NNSA/SSO, MS 0184
F. Nimick, SNL, MS 1089
R. E. Fate, SNL, MS 1089
M. J. Davis, SNL, MS 1089
D. Stockham, SNL, MS 1087
~~B. Langkopf~~, SNL, MS 1087
P. Puissant, SNL, MS 1087
M. Sanders, SNL, MS 1087
A. Blumberg, SNL, MS 0141



Sandia National Laboratories

Drain and Septic Systems Project
Quality Control (QC) Report

April 2005

Volume 1 of 7
Master Index

and

Field Duplicate Relative Percent Difference Tables

Environmental
Restoration
Project



United States Department of Energy
Sandia Site Office

**Sandia National Laboratories/New Mexico
Drain and Septic Systems Project Quality Control Report
April 2005**

In response to the New Mexico Environmental Department (NMED) request for supplemental information dated January 14, 2005, the Sandia National Laboratories/New Mexico (SNL/NM) Environmental Restoration (ER) project is providing a complete set of laboratory analytical quality control (QC) documentation for approximately 1,200 soil and associated field blank and duplicate samples collected at the SNL/NM Drain and Septic System (DSS) sites from 1998 to 2002.


The documentation set is comprised of seven report binders. The first binder contains a master index sorted by DSS Site number, and then by analytical parameter. The master index also includes the site names, binder number in which the pertinent QC information can be found for any individual sample, Analytical Request/Chain of Custody (AR/COC) numbers, ER sample IDs, ER sample numbers, sample collection dates, sample matrix, analytical laboratory, and the laboratory analytical batch number for these DSS samples. The first binder also contains tables of calculated relative percent differences (RPDs) for primary and field duplicate sample pairs collected at the DSS sites from 1998 to 2002.

Binders 2 through 5 include the detailed QC information for General Engineering Laboratories (GEL). Binder 6 includes the same type of information for the ER Chemistry Laboratory (ERCL). Binders 2 through 6 include general narratives which address condition on receipt at the laboratory, and sample integrity issues (proper preservation, shipping, AR/COC, etc.). Technical narratives are also provided for each analytical method used. These narratives address holding time and any other specific QC method conformance issues. QC summaries are included for each QC batch. These include the result data and applicable calculations (percent recovery, RPD) for analytical blanks, spikes, and replicates. Finally, Binder 7 includes both complete gamma spectroscopy data documentation, and the associated batch QC from the SNL Radiation Protection Sample Diagnostic (RPSD) Laboratory. For each data set indicated by the AR/COC number, an individual cross reference summary sheet is provided.

DRAIN AND SEPTIC SYSTEMS PROJECT QC MASTER INDEX

Site #	Site Name	Binder #	COC#	ER Sample ID	Sample #	SAMPLE DATE	MATRIX	LAB TEST	Lab	BATCH #
1036	Bldg. 6922 SS	Volume 7	600353	ER-1295-6922-DF1-BH2-10-S	041275-005	17-JUN-98	SOIL	GAMMA SPEC	RPSD	801228
1036	Bldg. 6922 SS	Volume 7	600353	ER-1295-6922-DF1-BH2-5-S	041274-005	17-JUN-98	SOIL	GAMMA SPEC	RPSD	801228
1036	Bldg. 6922 SS	Volume 2	600351	ER-1295-6922-DF1-BH2-10-S	041271-003	17-JUN-98	SOIL	RCRA METALS	GEL	124652, 124765
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH1-10-S	041273-004	16-JUN-98	SOIL	MEKC HE	ERCL	HE-024
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH1-5-S	041272-004	16-JUN-98	SOIL	MEKC HE	ERCL	HE-024
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH2-10-S	041275-004	17-JUN-98	SOIL	MEKC HE	ERCL	HE-024
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH2-5-S	041274-004	17-JUN-98	SOIL	MEKC HE	ERCL	HE-024
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH1-10-S	041273-004	16-JUN-98	SOIL	EPA6020	ERCL	S198-015
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH1-5-S	041272-004	16-JUN-98	SOIL	EPA6020	ERCL	S198-015
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH2-10-S	041275-004	17-JUN-98	SOIL	EPA6020	ERCL	S198-015
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH2-5-S	041274-004	17-JUN-98	SOIL	EPA6020	ERCL	S198-015
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH1-10-S	041273-001	16-JUN-98	SOIL	EPA8260	ERCL	SVOC-036
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH1-5-S	041272-001	16-JUN-98	SOIL	EPA8260	ERCL	SVOC-036
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH2-10-S	041275-001	17-JUN-98	SOIL	EPA8260	ERCL	SVOC-036
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-BH2-5-S	041274-001	17-JUN-98	SOIL	EPA8260	ERCL	SVOC-036
1036	Bldg. 6922 SS	Volume 6	600352	ER-1295-6922-DF1-TB	041279-001	16-JUN-98	WATER	EPA8260	ERCL	SVOC-036
1052	Bldg. 803 SP	Volume 7	605731	803/1052-SP1-BH1-22-S	059905-003	19-SEP-02	SOIL	GAMMA SPEC	RPSD	201342
1052	Bldg. 803 SP	Volume 7	605731	803/1052-SP1-BH1-27-S	059906-003	19-SEP-02	SOIL	GAMMA SPEC	RPSD	201342
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-22-S	059905-002	19-SEP-02	SOIL	PCB-8082	GEL	204381
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-27-S	059906-002	19-SEP-02	SOIL	PCB-8082	GEL	204381
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-22-S	059905-002	19-SEP-02	SOIL	BNA-8270	GEL	204423
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-27-S	059906-002	19-SEP-02	SOIL	BNA-8270	GEL	204423
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-22-S	059905-001	19-SEP-02	SOIL	VOA-8260	GEL	204483
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-27-S	059906-001	19-SEP-02	SOIL	VOA-8260	GEL	204483
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-22-S	059905-002	19-SEP-02	SOIL	HE-8330	GEL	204696
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-27-S	059906-002	19-SEP-02	SOIL	HE-8330	GEL	204696
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-22-S	059905-002	19-SEP-02	SOIL	GROSS-A/B	GEL	205013
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-27-S	059906-002	19-SEP-02	SOIL	GROSS-A/B	GEL	205013
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-22-S	059905-002	19-SEP-02	SOIL	TOTAL-CN	GEL	205123
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-27-S	059906-002	19-SEP-02	SOIL	TOTAL-CN	GEL	205123
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-22-S	059905-002	19-SEP-02	SOIL	Cr+6	GEL	205620
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-27-S	059906-002	19-SEP-02	SOIL	Cr+6	GEL	205620
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-22-S	059905-002	19-SEP-02	SOIL	RCRA METALS	GEL	204452, 204440
1052	Bldg. 803 SP	Volume 5	605728	803/1052-SP1-BH1-27-S	059906-002	19-SEP-02	SOIL	RCRA METALS	GEL	204452, 204440
1072	Bldg. T52/F. 6500 SS	Volume 2	600438	ER-1295-6500-DF1-BH1-6-SD	041486-003	08-JUL-98	SOIL	HE-8330	GEL	126117
1072	Bldg. T52/F. 6500 SS	Volume 2	600438	ER-1295-6500-DF1-BH1-11-S	041484-002	09-JUL-98	SOIL	BNA-8270	GEL	126124
1072	Bldg. T52/F. 6500 SS	Volume 2	600438	ER-1295-6500-DF1-BH1-6-S	041482-002	08-JUL-98	SOIL	BNA-8270	GEL	126124
1072	Bldg. T52/F. 6500 SS	Volume 2	600438	ER-1295-6500-DF1-BH1-6-SD	041486-003	08-JUL-98	SOIL	BNA-8270	GEL	126124
1072	Bldg. T52/F. 6500 SS	Volume 2	600438	ER-1295-6500-DF1-BH2-11-S	041485-002	08-JUL-98	SOIL	BNA-8270	GEL	126124
1072	Bldg. T52/F. 6500 SS	Volume 2	600438	ER-1295-6500-DF1-BH2-6-S	041483-002	08-JUL-98	SOIL	BNA-8270	GEL	126124
1072	Bldg. T52/F. 6500 SS	Volume 2	600438	ER-1295-6500-DF1-BH3-11-S	041500-002	09-JUL-98	SOIL	BNA-8270	GEL	126124
1072	Bldg. T52/F. 6500 SS	Volume 2	600438	ER-1295-6500-DF1-BH3-6-S	041499-002	09-JUL-98	SOIL	BNA-8270	GEL	126124

NOTE: Multiple batch numbers are listed for reanalysis and RCRA metals for the ICP run and the mercury CVAA run.



Sandia National Laboratories

Drain and Septic Systems Project
Quality Control (QC) Report

April 2005

Volume 5 of 7

General Engineering Laboratories, Inc. (GEL) QC Data

Environmental
Restoration
Project



United States Department of Energy
Sandia Site Office

GEL QC CROSS REFERENCE

COC 605728

Site #	Site Name	SAMPLE#	F#	DISP_ER_SAMP_LOC	SAMPLE DATE	MATRIX	LAB TEST	BATCH #
1034	Bldg. 6710 SS	059903	001	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	VOA-8260	204483
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	BNA-8270	204423
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	Cr+6	205618, 205620
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	GROSS-A/B	205013
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	HE-8330	204696
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	PCB-8082	204381
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	RCRA METALS	204452, 204440
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	TOTAL-CN	205123, 206136
1034	Bldg. 6710 SS	059904	001	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	VOA-8260	204483
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	BNA-8270	204423
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	Cr+6	205618, 205620
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	GROSS-A/B	205013
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	HE-8330	204696
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	PCB-8082	204381
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	RCRA METALS	204452, 204440
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	TOTAL-CN	205123, 206136
1052	Bldg. 803 SP	059905	001	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	VOA-8260	204483
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	BNA-8270	204423
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	Cr+6	205618, 205620
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	GROSS-A/B	205013
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	HE-8330	204696
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	PCB-8082	204381
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	RCRA METALS	204452, 204440
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	TOTAL-CN	205123, 206136
1052	Bldg. 803 SP	059906	001	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	VOA-8260	204483
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	BNA-8270	204423
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	Cr+6	205618, 205620
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	GROSS-A/B	205013
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	HE-8330	204696

SDG 67794A

GEL QC CROSS REFERENCE

COC 605728

Site #	Site Name	SAMPLE#	F#	DISP_ER_SAMP_LOC	SAMPLE DATE	MATRIX	LAB TEST	BATCH #
1034	Bldg. 6710 SS	059903	001	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	VOA-8260	204483
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	BNA-8270	204423
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	Cr+6	205618, 205620
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	GROSS-A/B	205013
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	HE-8330	204696
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	PCB-8082	204381
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	RCRA METALS	204452, 204440
1034	Bldg. 6710 SS	059903	002	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	TOTAL-CN	205123, 206136
1034	Bldg. 6710 SS	059904	001	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	VOA-8260	204483
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	BNA-8270	204423
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	Cr+6	205618, 205620
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	GROSS-A/B	205013
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	HE-8330	204696
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	PCB-8082	204381
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	RCRA METALS	204452, 204440
1034	Bldg. 6710 SS	059904	002	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	TOTAL-CN	205123, 206136
1052	Bldg. 803 SP	059905	001	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	VOA-8260	204483
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	BNA-8270	204423
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	Cr+6	205618, 205620
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	GROSS-A/B	205013
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	HE-8330	204696
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	PCB-8082	204381
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	RCRA METALS	204452, 204440
1052	Bldg. 803 SP	059905	002	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	TOTAL-CN	205123, 206136
1052	Bldg. 803 SP	059906	001	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	VOA-8260	204483
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	BNA-8270	204423
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	Cr+6	205618, 205620
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	GROSS-A/B	205013
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	HE-8330	204696

SDG 67794A

GEL QC CROSS REFERENCE

COC 605728

Site #	Site Name	SAMPLE#	F#	DISP_ER_SAMP_LOC	SAMPLE DATE	MATRIX	LAB TEST	BATCH #
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	PCB-8082	204381
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	RCRA METALS	204452, 204440
1052	Bldg. 803 SP	059906	002	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	TOTAL-CN	205123, 206136
276	F. Bldg. 829X Sump	059907	001	829X/276-SP1-BH1-8-S	24-SEP-02	SOIL	VOA-8260	204483
276	F. Bldg. 829X Sump	059907	002	829X/276-SP1-BH1-8-S	24-SEP-02	SOIL	BNA-8270	204423
276	F. Bldg. 829X Sump	059907	002	829X/276-SP1-BH1-8-S	24-SEP-02	SOIL	Cr+6	205618, 205620
276	F. Bldg. 829X Sump	059907	002	829X/276-SP1-BH1-8-S	24-SEP-02	SOIL	GROSS-A/B	205013
276	F. Bldg. 829X Sump	059907	002	829X/276-SP1-BH1-8-S	24-SEP-02	SOIL	HE-8330	204696
276	F. Bldg. 829X Sump	059907	002	829X/276-SP1-BH1-8-S	24-SEP-02	SOIL	PCB-8082	204381
276	F. Bldg. 829X Sump	059907	002	829X/276-SP1-BH1-8-S	24-SEP-02	SOIL	RCRA METALS	204452, 204440
276	F. Bldg. 829X Sump	059907	002	829X/276-SP1-BH1-8-S	24-SEP-02	SOIL	TOTAL-CN	205123, 206136
276	F. Bldg. 829X Sump	059908	001	829X/276-SP1-BH1-13-S	24-SEP-02	SOIL	VOA-8260	204483
276	F. Bldg. 829X Sump	059908	002	829X/276-SP1-BH1-13-S	24-SEP-02	SOIL	BNA-8270	204423
276	F. Bldg. 829X Sump	059908	002	829X/276-SP1-BH1-13-S	24-SEP-02	SOIL	Cr+6	205618, 205620
276	F. Bldg. 829X Sump	059908	002	829X/276-SP1-BH1-13-S	24-SEP-02	SOIL	GROSS-A/B	205013
276	F. Bldg. 829X Sump	059908	002	829X/276-SP1-BH1-13-S	24-SEP-02	SOIL	HE-8330	204696
276	F. Bldg. 829X Sump	059908	002	829X/276-SP1-BH1-13-S	24-SEP-02	SOIL	PCB-8082	204381
276	F. Bldg. 829X Sump	059908	002	829X/276-SP1-BH1-13-S	24-SEP-02	SOIL	RCRA METALS	204452, 204440
276	F. Bldg. 829X Sump	059908	002	829X/276-SP1-BH1-13-S	24-SEP-02	SOIL	TOTAL-CN	205123, 206136
276	F. Bldg. 829X Sump	059909	001	829X/276-SP1-BH1-8-DU	24-SEP-02	SOIL	VOA-8260	204483
276	F. Bldg. 829X Sump	059910	001	829X/276-SP1-BH1-8-DU	24-SEP-02	SOIL	BNA-8270	204423
276	F. Bldg. 829X Sump	059910	001	829X/276-SP1-BH1-8-DU	24-SEP-02	SOIL	Cr+6	205618, 205620
276	F. Bldg. 829X Sump	059910	001	829X/276-SP1-BH1-8-DU	24-SEP-02	SOIL	GROSS-A/B	205013
276	F. Bldg. 829X Sump	059910	001	829X/276-SP1-BH1-8-DU	24-SEP-02	SOIL	HE-8330	204696
276	F. Bldg. 829X Sump	059910	001	829X/276-SP1-BH1-8-DU	24-SEP-02	SOIL	PCB-8082	204381
276	F. Bldg. 829X Sump	059910	001	829X/276-SP1-BH1-8-DU	24-SEP-02	SOIL	RCRA METALS	204452, 204440
276	F. Bldg. 829X Sump	059910	001	829X/276-SP1-BH1-8-DU	24-SEP-02	SOIL	TOTAL-CN	205123, 206136
276	F. Bldg. 829X Sump	059911	001	829X/276-SP1-BH1-TB	24-SEP-02	AQUEOUS	VOA-8260	204910
276	F. Bldg. 829X Sump	059926	001	829X/276-SP1-EB	25-SEP-02	AQUEOUS	VOA-8260	204910

SDG 67794A



Sandia National Laboratories

Drain and Septic Systems Project
Quality Control (QC) Report

April 2005

Volume 7 of 7
Radiation Protection & Sample Diagnostics (RPSD)
Laboratory Data

Environmental
Restoration
Project



United States Department of Energy
Sandia Site Office

RPSD QC CROSS REFERENCE

COC 605731
BATCH NO. 201342

Site #	Site Name	SAMPLE#	F#	ER SAMPLE ID	SAMPLE DATE	MATRIX	LAB TEST
1034	Bldg. 6710 SS	059903	003	6710/1034-SP1-BH1-14-S	19-SEP-02	SOIL	GAMMA SPEC
1034	Bldg. 6710 SS	059904	003	6710/1034-SP1-BH1-19-S	19-SEP-02	SOIL	GAMMA SPEC
1052	Bldg. 803 SP	059905	003	803/1052-SP1-BH1-22-S	19-SEP-02	SOIL	GAMMA SPEC
1052	Bldg. 803 SP	059906	003	803/1052-SP1-BH1-27-S	19-SEP-02	SOIL	GAMMA SPEC
276	F. Bldg. 829X Sump	059907	003	829/276-SP1-BH1-8-S	24-SEP-02	SOIL	GAMMA SPEC
276	F. Bldg. 829X Sump	059908	003	829/276-SP1-BH1-13-S	24-SEP-02	SOIL	GAMMA SPEC
1003	F. Bldg. 915/922 SS	059912	003	915-922/1003-SP1-BH1-27-S	24-SEP-02	SOIL	GAMMA SPEC
1003	F. Bldg. 915/922 SS	059913	003	915-922/1003-SP1-BH1-33-S	24-SEP-02	SOIL	GAMMA SPEC
1003	F. Bldg. 915/922 SS	059914	003	915-922/1003-SP2-BH1-26-S	24-SEP-02	SOIL	GAMMA SPEC
1003	F. Bldg. 915/922 SS	059915	003	915-922/1003-SP2-BH1-31-S	24-SEP-02	SOIL	GAMMA SPEC
1004	Bldg. 6969 SS	059917	003	6969/1004-DF1-BH1-8-S	20-SEP-02	SOIL	GAMMA SPEC
1004	Bldg. 6969 SS	059918	003	6969/1004-DF1-BH1-13-S	20-SEP-02	SOIL	GAMMA SPEC
1004	Bldg. 6969 SS	059919	003	6969/1004-DF1-BH1-8-S	20-SEP-02	SOIL	GAMMA SPEC
1004	Bldg. 6969 SS	059920	003	6969/1004-DF1-BH2-13-S	20-SEP-02	SOIL	GAMMA SPEC
1004	Bldg. 6969 SS	059921	003	6969/1004-DF1-BH3-8-S	20-SEP-02	SOIL	GAMMA SPEC
1004	Bldg. 6969 SS	059922	003	6969/1004-DF1-BH3-13-S	20-SEP-02	SOIL	GAMMA SPEC
1114	Bldg. 9978 DW	059923	003	9978/1114-DW1-BH1-8-S	23-SEP-02	SOIL	GAMMA SPEC
1114	Bldg. 9978 DW	059924	003	9978/1114-DW1-BH1-11-S	23-SEP-02	SOIL	GAMMA SPEC
276	F. Bldg. 829X Sump	059931	001	829/276-SP1-BH1-8-DU	24-SEP-02	SOIL	GAMMA SPEC

COC 605728

REVISED

Nonconformance (NCR) Documentation

A nonconformance report was not required for this sample delivery group/work order.

Manual Integrations

Data files associated with the initial calibration, continuing calibration check, and samples did not require manual integrations.

Additional Comments

The following package was generated using an electronic data processing program referred to as "virtual packaging". In an effort to increase quality and efficiency, the laboratory is developing systems to eventually generate all data packages electronically. The following change from "traditional" packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are on the original raw data. These hard copies are temporary stored in the laboratory. An electronic signature page inserted after the case narrative of each electronic package will indicate the analyst, reviewer, and report specialist names associated with the generation of the data package. The data validator will always sign and date the case narrative. Data that are not generated electronically, and such as hand written pages, will be scanned and inserted into the electronic package.

System Configuration

The laboratory utilizes the following GC/MS configurations:

Chromatographic Columns

Chromatographic separation of volatile components is accomplished through analysis on one of the following columns:

Column ID	Column Description
J&W1	DB-624, 60m x 0.25mm, 1.4um
J&W2	DB-624, 75m x 0.53mm, 3.0um

Instrument Configuration

Instrument systems are reference in the raw data and individual form headers by the Instrument ID designations below:

Instrument ID	System Configuration	Chromatographic Column	P & T Trap
VOA1	HP6890/HP5973	J&W1	Trap C
VOA2	HP6890/HP5973	J&W1	Trap C
VOA4	HP5890/HP5972	J&W1	Trap K
VOA5	HP5890/HP5972	J&W1	Trap C
VOA7	HP5890/HP5972	J&W2	Trap K
VOA8	HP6890/HP5973	J&W1	Trap K
VOA9	HP6890/HP5973	J&W1	Trap C

SDG#67794-1 -VOA

REVISED

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer: Charles Wilson Date: 10-21-02

Organics Package Creation

This package has been originally reviewed by Richard Bomar (10/1/2002 13:30)

This package has been peer reviewed by Debbie Smith (10/15/2002 14:40)

This package has been packaged by LySandra Gathers (10/18/2002 15:42)

This roadmap has been edited by

Package Requirements

Raw Data	TICS	Standards Traceability
N	N	

Samples

exclude	datafile	sampleno	client-id	injdate	injtime	sublist	comments
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d136.d	67798001	059911-001	01-OCT-2002	00:28	67794-1.sub	
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d137.d	67798002	059926-001	01-OCT-2002	00:54	67794-1.sub	
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d138.d	67798003	059927-001	01-OCT-2002	01:20	67794-1.sub	
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d139.d	67798004	059916-001	01-OCT-2002	01:46	67794-1.sub	

QC Samples

exclude	datafile	sampleno	client-id	injdate	injtime	sublist	comments
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d124lcs-3.d	1200308691	VBLK01LCS	30-SEP-2002	19:13	67794-1.sub	
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d125-3.d	1200308692	VBLK01LCSD	30-SEP-2002	19:39	67794-1.sub	
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d129-3.d	1200308688	VBLK01	30-SEP-2002	21:23	67794-1.sub	all samples field QC-used LCS/LCSD

**GC/MS VOLATILES
QUALITY
CONTROL
SUMMARY**

QC Summary

Client: Sandia National Laboratories
 MS-0756
 P.O. Box 5800
 Albuquerque, New Mexico

Contact: Pamela M. Pulsaant

Workorder: 67794

Report Date: October 17, 2002
 Page 1 of 5

Sample Name	NOM	Sample Qual	QC	Units	RPD%	RBC%	Range	Anst	Date Time
Volatile-GC/MS Federal									
Batch 204483									
QC1200307828 LCS									
1,1-Dichloroethylene	50.0		43.4	ug/kg		87	(75%-134%)	RMB	09/27/02 08:11
Benzene	50.0		47.5	ug/kg		95	(80%-120%)		
Chlorobenzene	50.0		46.8	ug/kg		94	(82%-118%)		
Toluene	50.0		46.3	ug/kg		93	(74%-115%)		
Trichloroethylene	50.0		47.7	ug/kg		95	(80%-119%)		
**Bromofluorobenzene	50.0		38.2	ug/kg		76	(69%-138%)		
**Dibromofluoromethane	50.0		45.8	ug/kg		92	(67%-137%)		
**Toluene-d8	50.0		40.4	ug/kg		81	(67%-139%)		
QC1200307829 LCS									
1,1-Dichloroethylene	50.0		41.9	ug/kg		84	(75%-134%)		09/27/02 20:15
Benzene	50.0		46.2	ug/kg		92	(80%-120%)		
Chlorobenzene	50.0		44.7	ug/kg		89	(82%-118%)		
Toluene	50.0		44.4	ug/kg		89	(74%-115%)		
Trichloroethylene	50.0		44.5	ug/kg		89	(80%-119%)		
**Bromofluorobenzene	50.0		47.5	ug/kg		95	(69%-138%)		
**Dibromofluoromethane	50.0		50.2	ug/kg		100	(67%-137%)		
**Toluene-d8	50.0		45.5	ug/kg		91	(67%-139%)		
QC1200308383 LCS									
1,1-Dichloroethylene	50.0		40.2	ug/kg		81	(75%-134%)		09/30/02 08:08
Benzene	50.0		44.6	ug/kg		89	(80%-120%)		
Chlorobenzene	50.0		47.1	ug/kg		94	(82%-118%)		
Toluene	50.0		47.1	ug/kg		94	(74%-115%)		
Trichloroethylene	50.0		44.6	ug/kg		89	(80%-119%)		
**Bromofluorobenzene	50.0		45.0	ug/kg		90	(69%-138%)		
**Dibromofluoromethane	50.0		46.1	ug/kg		92	(67%-137%)		
**Toluene-d8	50.0		43.3	ug/kg		87	(67%-139%)		
QC1200307822 MB									
1,1,1-Trichloroethane		U	ND	ug/kg					09/27/02 09:45
1,1,2,2-Tetrachloroethane		U	ND	ug/kg					
1,1,2-Trichloroethane		U	ND	ug/kg					
1,1-Dichloroethane		U	ND	ug/kg					
1,1-Dichloroethylene		U	ND	ug/kg					
1,2-Dichloroethane		U	ND	ug/kg					
1,2-Dichloropropane		U	ND	ug/kg					
2-Butanone		U	ND	ug/kg					
2-Hexanone		U	ND	ug/kg					
4-Methyl-2-pentanone		U	ND	ug/kg					
Acetone		U	ND	ug/kg					
Benzene		U	ND	ug/kg					
Bromodichloromethane		U	ND	ug/kg					
Bromoform		U	ND	ug/kg					
Bromomethane		U	ND	ug/kg					

QC Summary

Workorder: 67794

Page 2 of 5

Parameter	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anst	Date	Time
Volatile-GCMS Federal											
Batch 204483											
Carbon disulfide			U	ND	ug/kg						
Carbon tetrachloride			U	ND	ug/kg						
Chlorobenzene			U	ND	ug/kg						
Chloroethane			U	ND	ug/kg						
Chloroform			U	ND	ug/kg						
Chloromethane			U	ND	ug/kg						
Dibromochloromethane			U	ND	ug/kg						
Ethylbenzene			U	ND	ug/kg						
Methylene chloride			U	ND	ug/kg						
Styrene			U	ND	ug/kg						
Tetrachloroethylene			U	ND	ug/kg						
Toluene			U	ND	ug/kg						
Trichloroethylene			U	ND	ug/kg						
Vinyl acetate			U	ND	ug/kg						
Vinyl chloride			U	ND	ug/kg						
Xylenes (total)			U	ND	ug/kg						
cis-1,2-Dichloroethylene			U	ND	ug/kg						
cis-1,3-Dichloropropylene			U	ND	ug/kg						
trans-1,2-Dichloroethylene			U	ND	ug/kg						
trans-1,3-Dichloropropylene			U	ND	ug/kg						
**Bromofluorobenzene	50.0			62.3	ug/kg		125	(69%-138%)			
**Dibromofluoromethane	50.0			48.0	ug/kg		96	(67%-137%)			
**Toluene-d8	50.0			47.1	ug/kg		94	(67%-139%)			
QC1200307823 MB											
1,1,1-Trichloroethane			U	ND	ug/kg						09/27/02 22:00
1,1,2,2-Tetrachloroethane			U	ND	ug/kg						
1,1,2-Trichloroethane			U	ND	ug/kg						
1,1-Dichloroethane			U	ND	ug/kg						
1,1-Dichloroethylene			U	ND	ug/kg						
1,2-Dichloroethane			U	ND	ug/kg						
1,2-Dichloropropane			U	ND	ug/kg						
2-Butanone			U	ND	ug/kg						
2-Hexanone			U	ND	ug/kg						
4-Methyl-2-pentanone			U	ND	ug/kg						
Acetone			U	ND	ug/kg						
Benzene			U	ND	ug/kg						
Bromodichloromethane			U	ND	ug/kg						
Bromoform			U	ND	ug/kg						
Bromomethane			U	ND	ug/kg						
Carbon disulfide			U	ND	ug/kg						
Carbon tetrachloride			U	ND	ug/kg						
Chlorobenzene			U	ND	ug/kg						
Chloroethane			U	ND	ug/kg						
Chloroform			U	ND	ug/kg						
Chloromethane			U	ND	ug/kg						
Dibromochloromethane			U	ND	ug/kg						
Ethylbenzene			U	ND	ug/kg						
Methylene chloride			U	ND	ug/kg						

QC Summary

Workorder: 67794

Page 3 of 5

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Volatile-GCMS Federal											
Batch 204483											
Styrene			U	ND	ug/kg						
Tetrachloroethylene			U	ND	ug/kg						
Toluene			U	ND	ug/kg						
Trichloroethylene			U	ND	ug/kg						
Vinyl acetate			U	ND	ug/kg						
Vinyl chloride			U	ND	ug/kg						
Xylenes (total)			U	ND	ug/kg						
cis-1,2-Dichloroethylene			U	ND	ug/kg						
cis-1,3-Dichloropropylene			U	ND	ug/kg						
trans-1,2-Dichloroethylene			U	ND	ug/kg						
trans-1,3-Dichloropropylene			U	ND	ug/kg						
**Bromofluorobenzene	50.0			60.0	ug/kg		120	(69%-138%)			
**Dibromofluoromethane	50.0			49.3	ug/kg		99	(67%-137%)			
**Toluene-d8	50.0			46.8	ug/kg		94	(67%-139%)			
QC1200308512 MB											
1,1,1-Trichloroethane			U	ND	ug/kg					09/30/02	09:41
1,1,2,2-Tetrachloroethane			U	ND	ug/kg						
1,1,2-Trichloroethane			U	ND	ug/kg						
1,1-Dichloroethane			U	ND	ug/kg						
1,1-Dichloroethylene			U	ND	ug/kg						
1,2-Dichloroethane			U	ND	ug/kg						
1,2-Dichloropropane			U	ND	ug/kg						
2-Butanone			U	ND	ug/kg						
2-Hexanone			U	ND	ug/kg						
4-Methyl-2-pentanone			U	ND	ug/kg						
Acetone			U	ND	ug/kg						
Benzene			U	ND	ug/kg						
Bromodichloromethane			U	ND	ug/kg						
Bromoform			U	ND	ug/kg						
Bromomethane			U	ND	ug/kg						
Carbon disulfide			U	ND	ug/kg						
Carbon tetrachloride			U	ND	ug/kg						
Chlorobenzene			U	ND	ug/kg						
Chloroethane			U	ND	ug/kg						
Chloroform			U	ND	ug/kg						
Chloromethane			U	ND	ug/kg						
Dibromochloromethane			U	ND	ug/kg						
Ethylbenzene			U	ND	ug/kg						
Methylene chloride			U	ND	ug/kg						
Styrene			U	ND	ug/kg						
Tetrachloroethylene			U	ND	ug/kg						
Toluene			U	ND	ug/kg						
Trichloroethylene			U	ND	ug/kg						
Vinyl acetate			U	ND	ug/kg						
Vinyl chloride			U	ND	ug/kg						
Xylenes (total)			U	ND	ug/kg						
cis-1,2-Dichloroethylene			U	ND	ug/kg						
cis-1,3-Dichloropropylene			U	ND	ug/kg						

QC Summary

Workorder: 67794

Page 4 of 5

Parma name	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Asst	Date	Time
Volatile-GC/MS Federal											
Batch 204483											
trans-1,2-Dichloroethylene			U	ND	ug/kg						
trans-1,3-Dichloropropylene			U	ND	ug/kg						
**Bromofluorobenzene	50.0			62.7	ug/kg		125	(69%-138%)			
**Dibromofluoromethane	50.0			47.7	ug/kg		96	(67%-137%)			
**Toluene-d8	50.0			47.0	ug/kg		94	(67%-139%)			
QC1200307825 67794001 PS											
1,1-Dichloroethylene	50.0	U	ND	38.9	ug/L		78	(55%-128%)		09/28/02	03:39
Benzene	50.0	U	ND	41.9	ug/L		84	(53%-118%)			
Chlorobenzene	50.0	U	ND	37.1	ug/L		74	(53%-116%)			
Toluene	50.0	U	ND	38.5	ug/L		77	(56%-113%)			
Trichloroethylene	50.0	U	ND	39.7	ug/L		79	(54%-119%)			
**Bromofluorobenzene	50.0		60.7	50.5	ug/L		101	(69%-138%)			
**Dibromofluoromethane	50.0		49.0	50.0	ug/L		100	(67%-137%)			
**Toluene-d8	50.0		46.6	46.0	ug/L		92	(67%-139%)			
QC1200307827 67794001 PSD											
1,1-Dichloroethylene	50.0	U	ND	38.7	ug/L	0	78	(0%-21%)		09/28/02	04:05
Benzene	50.0	U	ND	41.5	ug/L	1	83	(0%-17%)			
Chlorobenzene	50.0	U	ND	35.8	ug/L	4	72	(0%-21%)			
Toluene	50.0	U	ND	37.2	ug/L	3	75	(0%-25%)			
Trichloroethylene	50.0	U	ND	38.9	ug/L	2	78	(0%-25%)			
**Bromofluorobenzene	50.0		60.7	49.3	ug/L		99	(69%-138%)			
**Dibromofluoromethane	50.0		49.0	49.9	ug/L		100	(67%-137%)			
**Toluene-d8	50.0		46.6	45.6	ug/L		91	(67%-139%)			

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where f
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL.]
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

QC Summary

Workorder: 67794

Page 5 of 5

Paramname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
-----------	-----	--------	------	----	-------	------	------	-------	-------	------	------

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

QC Summary

Report Date: October 18, 2002
Page 1 of 2

Client : Sandia National Laboratories
MS-0756
P.O. Box 5800
Albuquerque, New Mexico
Contact: Pamela M. Pulsant
Workorder: 67798

Paramname	NOM	Sample Qual	QC	Units	RPD%	REC%	Range	Anlst	Date Time
Volatile-GC/MS Federal									
Batch 204910									
QC1200308691 LCS									
1,1-Dichloroethylene	50.0		43.0	ug/L		86	(78%-140%)	RMB	09/30/02 19:13
Benzene	50.0		47.5	ug/L		95	(78%-119%)		
Chlorobenzene	50.0		50.0	ug/L		100	(82%-120%)		
Toluene	50.0		49.4	ug/L		99	(68%-133%)		
Trichloroethylene	50.0		47.5	ug/L		95	(80%-123%)		
**Bromofluorobenzene	50.0		47.9	ug/L		96	(67%-136%)		
**Dibromofluoromethane	50.0		49.7	ug/L		99	(62%-148%)		
**Toluene-d8	50.0		46.2	ug/L		93	(58%-139%)		
QC1200308692 LCSD									
1,1-Dichloroethylene	50.0		42.4	ug/L	1	85	(0%-30%)		09/30/02 19:39
Benzene	50.0		47.7	ug/L	0	95	(0%-30%)		
Chlorobenzene	50.0		49.5	ug/L	1	99	(0%-30%)		
Toluene	50.0		49.1	ug/L	1	98	(0%-30%)		
Trichloroethylene	50.0		47.1	ug/L	1	94	(0%-30%)		
**Bromofluorobenzene	50.0		49.4	ug/L		99	(67%-136%)		
**Dibromofluoromethane	50.0		49.7	ug/L		99	(62%-148%)		
**Toluene-d8	50.0		46.3	ug/L		93	(58%-139%)		
QC1200308688 MB									
1,1,1-Trichloroethane		U	ND	ug/L					09/30/02 21:23
1,1,2,2-Tetrachloroethane		U	ND	ug/L					
1,1,2-Trichloroethane		U	ND	ug/L					
1,1-Dichloroethane		U	ND	ug/L					
1,1-Dichloroethylene		U	ND	ug/L					
1,2-Dichloroethane		U	ND	ug/L					
1,2-Dichloropropane		U	ND	ug/L					
2-Butanone		U	ND	ug/L					
2-Hexanone		U	ND	ug/L					
4-Methyl-2-pentanone		U	ND	ug/L					
Acetone		U	ND	ug/L					
Benzene		U	ND	ug/L					
Bromodichloromethane		U	ND	ug/L					
Bromoforn		U	ND	ug/L					
Bromomethane		U	ND	ug/L					
Carbon disulfide		U	ND	ug/L					
Carbon tetrachloride		U	ND	ug/L					
Chlorobenzene		U	ND	ug/L					
Chloroethane		U	ND	ug/L					
Chloroform		U	ND	ug/L					
Chloromethane		U	ND	ug/L					
Dibromochloromethane		U	ND	ug/L					
Ethylbenzene		U	ND	ug/L					
Methylene chloride		U	ND	ug/L					

QC Summary

Workorder: 67798

Page 2 of 2

Paramname	NOM	Sample Qual	QC	Units	RPD%	REC%	Range	Anlst	Date Time
Volatile-GC/MS Federal									
Batch 204910									
Styrene		U	ND	ug/L					
Tetrachloroethylene		U	ND	ug/L					
Toluene		U	ND	ug/L					
Trichloroethylene		U	ND	ug/L					
Vinyl chloride		U	ND	ug/L					
Xylenes (total)		U	ND	ug/L					
cis-1,2-Dichloroethylene		U	ND	ug/L					
cis-1,3-Dichloropropylene		U	ND	ug/L					
trans-1,2-Dichloroethylene		U	ND	ug/L					
trans-1,3-Dichloropropylene		U	ND	ug/L					
**Bromofluorobenzene	50.0		66.5	ug/L		133	(67%-136%)		
**Dibromofluoromethane	50.0		48.2	ug/L		96	(62%-148%)		
**Toluene-d8	50.0		47.3	ug/L		95	(58%-139%)		

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where it
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded.
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL.
- P The response between the confirmation column and the primary column is >40%.
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

GC/MS
SEMIVOLATILE
ANALYSIS

Semi-Volatile Case Narrative
Sandia National Labs (SNLS)
SDG 67794

Method/Analysis Information

Procedure: Semivolatile Analysis by Gas Chromatograph/Mass Spectrometer
Analytical Method: SW846 8270C
Prep Method: SW846 3550B
Analytical Batch Number: 204423
Prep Batch Number: 204422

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 8270C:

Sample ID	Client ID
67794012	059903-002
67794013	059904-002
67794014	059905-002
67794015	059906-002
67794016	059907-002
67794017	059908-002
67794018	059910-001
67794019	059912-002
67794020	059913-002
67794021	059914-002
67794022	059915-002
1200307670	SBLK01 (Blank)
1200307671	SBLK01LCS (Laboratory Control Sample)

1200307672

059903-002MS (Matrix Spike)

1200307673

059903-002MSD (Matrix Spike Duplicate)

Preparation/Analytical Method Verification

Procedures for preparation, analysis, and reporting of analytical data are documented by General Engineering Laboratories, Inc. (GEL) as Standard Operating Procedures (SOP).

Calibration Information

Due to the limited capacity of software we do not display all of the current initial calibration files here. If necessary, a calibration history will be inserted in the package prior to the appropriate Form 6.

Diphenylamine has now superseded N-Nitroso-diphenylamine as a CCC on Quantitation Reports, Initial Calibration Reports, Calibration Check Standard Reports, etc. Previous versions of EPA Method 8270 (prior to 8270C) listed N-Nitroso-diphenylamine as a CCC. However, as stated in EPA Method 8270C, Revision 3, December, 1996, Section 1.4.5, "N-Nitroso-diphenylamine decomposes in the gas chromatographic inlet and cannot be separated from Diphenylamine." Studies of these two compounds at GEL, both independent of each other and together, show that they not only coelute, but also have similar mass spectra. N-Nitroso-diphenylamine and Diphenylamine will be reported as Diphenylamine on all reports and forms.

When calibrations are performed for Appendix IX compounds some of the compounds may not be calibrated exactly according to the criteria in Method 8270C. If the %RSD is greater than 15% or the correlation coefficient is less than 0.99 then the analyte is quantitated using the response factor. If the analyte is detected then the sample is reanalyzed for that analyte on an instrument that is compliant with the criteria in the method.

Initial Calibration

All initial calibration requirements have been met for this SDG.

CCV Requirements

All calibration verification standard (CVS, ICV or CCV) requirements have been met for this SDG.

Quality Control (QC) Information

Surrogate Recoveries

All the surrogate recoveries were within the established acceptance criteria for this SDG.

Blank Acceptance

The blank contained hits of target analytes below the reporting limit; however, there were no hits in the associated samples. The data will be reported as is.

1200307670

LCS Recovery Statement

The laboratory control sample (LCS) spike recoveries for this SDG were within the established acceptance limits.

QC Sample Designation

The following sample analyzed with this SDG was chosen for matrix spike analysis:

67794012 059903-002

MS Recovery Statement

The matrix spike recoveries for this SDG were within the established acceptance limits.

MSD Recovery Statement

The matrix spike duplicate (MSD) recoveries for this SDG were within the established acceptance limits.

MS/MSD RPD Statement

The relative percent differences (RPD) between each MS and MSD were within the required acceptance limits.

Internal Standard (ISTD) Acceptance

The internal standard responses were within the required acceptance criteria for all samples and QC.

Technical Information:**Holding Time Specifications**

All samples in this SDG met the specified holding time requirements. GEL assigns holding times based on the associated methodology that assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

None of the samples analyzed in this SDG required dilution.

Miscellaneous Information:**Nonconformance (NCR) Documentation**

No nonconformance report (NCR) was generated for this SDG.

Manual Integrations

No manual integrations were required for any data file in this SDG.

System Configuration

The laboratory utilizes a HP 6890 Series gas chromatograph and a HP 5973 Mass Selective Detector. The configuration is equipped with the electronic pressure control. All MS interfaces are capillary direct.

Chromatographic Columns

Chromatographic separation of semivolatile components is accomplished through analysis on one or more of the following columns (all with dimensions of 30 meters x 0.25 millimeters ID and 0.25 micron film except J&W DB-5MS2 which is 25 meters x 0.20 mm ID and 0.33 micron film):

Column ID	Column Description
J&W	DB-5.625(5% Phenyl)-methylpolysiloxane (identified by a DB-5.625 designation on quantitation reports and reconstructed ion chromatograms)
J&W DB-5MS	Similar to the J&W DB-5.625 with low bleed characteristics (identified by a DB-5MS designation)
Alltech	EC-5 (SE-54) 5% Phenyl, 95% Methylpolysiloxane

	(identified by a HP-SMS designation)
HP	HP-SMS 5% Phenylmethylsiloxane (identified by a HP-SMS designation)
Phenomenex	ZB-5 5% Phenyl Polysiloxane (identified by a ZB-5 designation)
J&W DB-5MS2	Similar to the J&W DB-5.625 with low bleed characteristics (identified by a DB-5MS2 designation)

Instrument Configuration

The samples reported in this SDG were analyzed on one or more of the following instrument systems. Instrument systems are referenced in the raw data and individual form headers by the Instrument ID designations listed below:

Instrument ID	System Configuration	Chromatographic Column
MSD2	HP6890/HP5973	DB-5MS2
MSD4	HP6890/HP5973	DB-5MS2
MSD5	HP6890/HP5973	DB-5MS2
MSD7	HP6890/HP5973	DB-5MS2
MSD8	HP6890/HP5973	DB-5MS2

Certification Statement

* Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

Reviewer: Erin Harbert Date: 10/22/02

Semi-Volatile Case Narrative
Sandia National Labs (SNLS)
SDG 67794-1

Method/Analysis Information

Procedure: Semivolatile Analysis by Gas Chromatograph/Mass Spectrometer
Analytical Method: SW846 8270C
Prep Method: SW846 3510C
Analytical Batch Number: 204661
Prep Batch Number: 204660

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 8270C:

Sample ID	Client ID
67798005	059926-002
1200308140	SBLK01 (Blank)
1200308141	SBLK01LCS (Laboratory Control Sample)
1200308146	059926-002MS (Matrix Spike)
1200308147	059926-002MSD (Matrix Spike Duplicate)

Preparation/Analytical Method Verification

Procedures for preparation, analysis, and reporting of analytical data are documented by General Engineering Laboratories, Inc. (GEL) as Standard Operating Procedures (SOP).

Calibration Information

Due to the limited capacity of software we do not display all of the current initial calibration files here. If necessary, a calibration history will be inserted in the package prior to the appropriate Form 6.

Diphenylamine has now superseded N-Nitroso-diphenylamine as a CCC on Quantitation Reports, Initial Calibration Reports, Calibration Check Standard Reports, etc. Previous versions of EPA Method 8270 (prior to 8270C) listed N-Nitroso-diphenylamine as a CCC. However, as stated in EPA Method 8270C, Revision 3, December, 1996, Section 1.4.5, "N-Nitroso-diphenylamine decomposes in the gas chromatographic inlet and cannot be separated from

Diphenylamine." Studies of these two compounds at GEL, both independent of each other and together, show that they not only coelute, but also have similar mass spectra. N-Nitroso-diphenylamine and Diphenylamine will be reported as Diphenylamine on all reports and forms.

When calibrations are performed for Appendix IX compounds some of the compounds may not be calibrated exactly according to the criteria in Method 8270C. If the %RSD is greater than 15% or the correlation coefficient is less than 0.99 then the analyte is quantitated using the response factor. If the analyte is detected then the sample is reanalyzed for that analyte on an instrument that is compliant with the criteria in the method.

Initial Calibration

All initial calibration requirements have been met for this SDG.

CCV Requirements

All calibration verification standard (CVS, ICV or CCV) requirements have been met for this SDG.

Quality Control (QC) Information

Surrogate Recoveries

All the surrogate recoveries were within the established acceptance criteria for this SDG.

Blank Acceptance

The blank(s) analyzed with this SDG met the established acceptance criteria.

LCS Recovery Statement

The laboratory control sample (LCS) spike recoveries for this SDG were within the established acceptance limits.

QC Sample Designation

The following sample analyzed with this SDG was chosen for matrix spike analysis:
67798005 059926-002

MS Recovery Statement

The matrix spike recoveries for this SDG were within the established acceptance limits.

MSD Recovery Statement

The matrix spike duplicate (MSD) recoveries for this SDG were within the established acceptance limits.

MS/MSD RPD Statement

The relative percent differences (RPD) between each MS and MSD were within the required acceptance limits.

Internal Standard (ISTD) Acceptance

The internal standard responses were within the required acceptance criteria for all samples and QC.

Technical Information:

Holding Time Specifications

All samples in this SDG met the specified holding time requirements. GEL assigns holding times based on the associated methodology that assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

None of the samples analyzed in this SDG required dilution.

Miscellaneous Information:**Nonconformance (NCR) Documentation**

No nonconformance report (NCR) was generated for this SDG.

Manual Integrations

No manual integrations were required for any data file in this SDG.

System Configuration

The laboratory utilizes a HP 6890 Series gas chromatograph and a HP 5973 Mass Selective Detector. The configuration is equipped with the electronic pressure control. All MS interfaces are capillary direct.

Chromatographic Columns

Chromatographic separation of semivolatile components is accomplished through analysis on one or more of the following columns (all with dimensions of 30 meters x 0.25 millimeters ID and 0.25 micron film except J&W DB-5MS2 which is 25 meters x 0.20 mm ID and 0.33 micron film):

Column ID	Column Description
J&W	DB-5.625(5% Phenyl)-methylpolysiloxane (identified by a DB-5.625 designation on quantitation reports and reconstructed ion chromatograms)
J&W DB-5MS	Similar to the J&W DB-5.625 with low bleed characteristics (identified by a DB-5MS designation)
Alltech	EC-5 (SE-54) 5% Phenyl, 95% Methylpolysiloxane (identified by a HP-5MS designation)
HP	HP-5MS 5% Phenylmethylsiloxane (identified by a HP-5MS designation)
Phenomenex	ZB-5 5% Phenyl Polysiloxane (identified by a ZB-5 designation)
J&W DB-5MS2	Similar to the J&W DB-5.625 with low bleed characteristics (identified by a DB-5MS2 designation)

Instrument Configuration

The samples reported in this SDG were analyzed on one or more of the following instrument systems. Instrument systems are referenced in the raw data and individual form headers by the Instrument ID designations listed below:

Instrument ID	System Configuration	Chromatographic Column
MSD2	HP6890/HP5973	DB-5MS2

MSD4	HP6890/HP5973	DB-5MS2
MSD5	HP6890/HP5973	DB-5MS2
MSD7	HP6890/HP5973	DB-5MS2
MSD8	HP6890/HP5973	DB-5MS2

Certification Statement

* Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

Reviewer: Erin Hanbert Date: 10/22/02

RECORDS CENTER/
ORIGINAL COPY

CASE NARRATIVE
for
Sandia National Laboratories
ARCOC-605728
SDG#67794A
ARCOC-605729
SDG#67794B
Case No. 7223.02.03.02



October 22, 2002

Laboratory Identification:

General Engineering Laboratories, Inc.

Mailing Address:

P.O. Box 30712
Charleston, South Carolina 29417

Express Mail Delivery and Shipping Address:

2040 Savage Road
Charleston, South Carolina 29407

Telephone Number:

(843) 556-8171

Summary:

Sample receipt

Sandia collected twenty-two soil samples and eleven aqueous samples on September 19, 24, and 25, 2002. The samples arrived at General Engineering Laboratories, Inc., (GEL) Charleston, South Carolina on September 26, 2002, for environmental analyses. Cooler clearance (screening, temperature check, etc.) was done upon login. The coolers arrived without any visible signs of tampering and with custody seals intact. The samples were delivered with chain of custody documentation and signatures. The temperature of the samples was 4.0 and 5.0°C, as measured from the temperature control bottles.

Soil sample ID 059906-002 from ARCO-605728 was received broken inside the ziploc bag. Client was notified and instructed GEL to proceed with analysis. Sample ID 059926-006 from ARCO-605728 was received out of holding for Hexavalent

GENERAL ENGINEERING LABORATORIES
P O Box 30712 • Charleston, SC 29417 • 2040 Savage Road • 29407
(843) 556-8171 • Fax (843) 766-1178

Chromium analysis. This was the aqueous equipment blank for Hexavalent Chromium. Client was contacted regarding the issue, and an NCR was generated.

The samples were screened according to GEL Standard Operating Procedures (SOP) EPI SOP S-007 rev. 2 "The Receiving of Radioactive Samples." The samples were stored properly according to SW-846 procedures and GEL SOP.

The samples were received and collected as listed in the table below:

ARCOC	SDG#	#of samples	Collection Date	Date Rec'd by Lab
605728	67794A	24	09/19/02,09/24/02, 09/25/02	09/26/02
605729	67794B	9	09/24/02	09/26/02

The laboratory received the following samples:

<u>Laboratory ID</u>	<u>Description</u>
ARCOC-605728:	
67794001	059903-001
67794002	059904-001
67794003	059905-001
67794004	059906-001
67794005	059907-001
67794006	059908-001
67794007	059909-001
67794012	059903-002
67794013	059904-002
67794014	059905-002
67794015	059906-002
67794016	059907-002
67794017	059908-002
67798001	059911-001
67798002	059926-001
67798003	059927-001
67798005	059926-002
67798006	059926-003
67798007	059926-004
67798008	059926-005
67798009	059926-006
67798010	059926-007
67798011	059926-008

GENERAL ENGINEERING LABORATORIES

P O Box 30712 • Charleston, SC 29417 • 2040 Savage Road • 29407

(843) 556-8171 • Fax (843) 766-1178

ARCOC-605729:

67794008	059912-001
67794009	059913-001
67794010	059914-001
67794011	059915-001
67794019	059912-002
67794020	059913-002
67794021	059914-002
67794022	059915-002
67798004	059916-001

Case Narrative

Sample analyses were conducted using methodology as outlined in General Engineering Laboratories (GEL) Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are contained in the analytical case narratives in the enclosed data package.

Internal Chain of Custody:


Custody was maintained for the samples.

Data Package:

The enclosed data package contains the following sections: Case Narrative, Chain of Custody, Cooler Receipt Checklist, Qualifier Flag and Data Package Definitions, Laboratory Certifications, Volatiles Data, Volatiles QC Summary, Semivolatiles Data, Semivolatiles QC Summary, PCB Data, PCB QC Summary, Explosives Data, Explosives QC Summary, Metals Data, Metals QC Summary, General Chemistry Data, General Chemistry QC Summary, Radiochemistry Data, Radiochemistry QC Summary, and Level C Data Package.

This data package, to the best of my knowledge, is in compliance with technical and administrative requirements.

Edith M. Kent



Project Manager

GENERAL ENGINEERING LABORATORIES
P O Box 30712 • Charleston, SC 29417 • 2040 Savage Road • 29407
(843) 556-8171 • Fax (843) 766-1178

**GC/MS VOLATILES
SAMPLE
DATA**

GC/MS Volatile Organics
Sandia National Labs (SNLS)
SDG# 67794

Method/Analysis Information

Procedure: Volatile Organic Compounds (VOC) by Gas Chromatograph/Mass Spectrometer
Analytical Method: SW846 8260A
Prep Method: SW846 5030A
Analytical Batch Number: 204483
Prep Batch Number: 204482

Sample Analysis

The following client and quality control samples were analyzed to complete this sample delivery group/work order using the methods referenced in the Analysis Information section:

Sample ID	Client ID
67794001	059903-001
67794002	059904-001
67794003	059905-001
67794004	059906-001
67794005	059907-001
67794006	059908-001
67794007	059909-001
67794008	059912-001
67794009	059913-001
67794010	059914-001
67794011	059915-001
1200307822	VBLK01 (Blank)

SDG# 67794 -VOA

Page 1 of 4

1200307828	VBLK01LCS (Laboratory Control Sample)
1200307823	VBLK02 (Blank)
1200307829	VBLK02LCS (Laboratory Control Sample)
1200308582	VBLK03 (Blank)
1200308583	VBLK03LCS (Laboratory Control Sample)
1200307825	059903-001MS (Matrix Spike)
1200307827	059903-001MSD (Matrix Spike Duplicate)

Preparation/Analytical Method Verification

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-OA-E-026 REV.8.

Calibration Information

Due to software limitations, all the data files comprising the initial calibration curve may not be listed on the initial calibration summary form. All calibration files are listed in the calibration history report in the "Standard Data" section.

Initial Calibration

All the initial calibration requirements were met.

CCV Requirements

All the continuing calibration verification (CCV) requirements were met.

Quality Control (QC) Information

Surrogate Recoveries

Surrogate recoveries, in all samples and quality control samples, were within the acceptance limits.

Blank Acceptance

Target analytes were not detected above the reporting limit in the blanks.

LCS Recovery Statement

All the required analyte recoveries in the laboratory control samples were within the acceptance limits.

QC Sample Designation

The following sample was designated for matrix spike analysis:

67794001 059903-001

MS Recovery Statement

All the required matrix spike recoveries were within the acceptance limits.

MSD Recovery Statement

All the required matrix spike duplicate recoveries were within the acceptance limits.

SDG# 67794 -VOA

Page 2 of 4

MS/MSD RPD Statement

The relative percent differences (RPD) between the matrix spike and matrix spike duplicate recoveries were within the acceptance limits.

Internal Standard (ISTD) Acceptance

The internal standard responses, in all samples and quality control samples, met the required acceptance criteria.

Technical Information**Holding Time Specifications**

All the samples were prepared and/or analyzed within the required holding time period.

Sample Preservation and Integrity

All samples met the sample preservation and integrity requirements.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

The samples in this sample delivery group/work order did not require dilutions.

Sample Re-prep/Re-analysis

Re-analyses were not required for samples in this sample group/work order.

Miscellaneous Information**Nonconformance (NCR) Documentation**

A nonconformance report was not required for this sample delivery group/work order.

Manual Integrations

Data files associated with the initial calibration, continuing calibration check, and samples did not require manual integrations.

Additional Comments

The following package was generated using an electronic data processing program referred to as "virtual packaging". In an effort to increase quality and efficiency, the laboratory is developing systems to eventually generate all data packages electronically. The following change from "traditional" packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are on the original raw data. These hard copies are temporarily stored in the laboratory. An electronic signature page inserted after the case narrative of each electronic package will indicate the analyst, reviewer, and report specialist names associated with the generation of the data package. The data validator will always sign and date the case narrative. Data that are not generated electronically, and such as hand written pages, will be scanned and inserted into the electronic package.

System Configuration

The laboratory utilizes the following GC/MS configurations:

Chromatographic Columns

Chromatographic separation of volatile components is accomplished through analysis on one of the following columns:

SDG# 67794 -VOA

Page 3 of 4

Column ID	Column Description
J&W1	DB-624, 60m x 0.25mm, 1.4um
J&W2	DB-624, 75m x 0.53mm, 3.0um

Instrument Configuration

Instrument systems are reference in the raw data and individual form headers by the Instrument ID designations below:

Instrument ID	System Configuration	Chromatographic Column	P & T Trap
VOA1	HP6890/HP5973	J&W1	Trap C
VOA2	HP6890/HP5973	J&W1	Trap C
VOA4	HP5890/HP5972	J&W1	Trap K
VOA5	HP5890/HP5972	J&W1	Trap C
VOA7	HP5890/HP5972	J&W2	Trap K
VOA8	HP6890/HP5973	J&W1	Trap K
VOA9	HP6890/HP5973	J&W1	Trap C

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer: Charles Wilson Date: 10-21-02

Organics Package Creation

This package has been originally reviewed by Richard Bomar (9/30/2002 12:13)
 This package has been peer reviewed by Crystal Stacey (10/11/2002 15:48)
 This package has been packaged by LySandra Gathers (10/21/2002 10:00)
 This roadmap has been edited by
Package Requirements

Raw Data	TICS	Standards Traceability
N	N	

Samples

exclude	datafile	sampleno	client-id	injdate	injtime	sublist	comments
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c508.d	67794001	059903-001	27-SEP-2002	11:50	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c516.d	67794009	059913-001	27-SEP-2002	15:32	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c517.d	67794010	059914-001	27-SEP-2002	16:22	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c518.d	67794011	059915-001	27-SEP-2002	16:52	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c509.d	67794002	059904-001	27-SEP-2002	12:19	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c510.d	67794003	059905-001	27-SEP-2002	12:50	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c511.d	67794004	059906-001	27-SEP-2002	13:20	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c512.d	67794005	059907-001	27-SEP-2002	13:51	67794.sub	
<input checked="" type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c513.d	67794006	059908-001	27-SEP-2002	14:21	67794.sub	not used
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d106.d	67794006	059908-001	30-SEP-2002	10:12	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c514.d	67794007	059909-001	27-SEP-2002	14:52	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c515.d	67794008	059912-001	27-SEP-2002	15:22	67794.sub	

QC Samples

exclude	datafile	sampleno	client-id	injdate	injtime	sublist	comments
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c542.d	1200307825	059903-001MS	28-SEP-2002	03:39	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c543.d	1200307827	059903-001MSD	28-SEP-2002	04:05	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c502lcsB.d	1200307828	VBLK01LCS	27-SEP-2002	08:11	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c525lcsB.d	1200307829	VBLK02LCS	27-SEP-2002	20:15	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d102lcsB.d	1200308583	VBLK03LCS	30-SEP-2002	08:08	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c505B.d	1200307822	VBLK01	27-SEP-2002	09:45	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/092702v1.b/1c529B.d	1200307823	VBLK02	27-SEP-2002	22:00	67794.sub	
<input type="checkbox"/>	/chem/VOA1.i/093002v1.b/1d105B.d	1200308582	VBLK03	30-SEP-2002	09:41	67794.sub	

REVISED

GC/MS Volatile Organics
Sandia National Labs (SNLS)
SDG# 67794-1

Method/Analysis Information

Procedure: Volatile Organic Compounds (VOC) by Gas Chromatograph/Mass Spectrometer
Analytical Method: SW846 8260B
Prep Method: SW846 5030B
Analytical Batch Number: 204910

Sample Analysis

The following client and quality control samples were analyzed to complete this sample delivery group/work order using the methods referenced in the Analysis Information section:

Sample ID	Client ID
67798001	059911-001
67798002	059926-001
67798003	059927-001
67798004	059916-001
1200308688	VBLK01 (Blank)
1200308691	VBLK01LCS (Laboratory Control Sample)
1200308692	VBLK01LCSD (Laboratory Control Sample Duplicate)

Preparation/Analytical Method Verification

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-OA-E-038 REV.6.

Calibration Information

Due to software limitations, all the data files comprising the initial calibration curve may not be listed on the initial calibration summary form. All calibration files are listed in the calibration history report in the "Standard Data" section.

SDG#67794-1 -VOA

Page 1 of 4

Initial Calibration

All the initial calibration requirements were met.

CCV Requirements

All the continuing calibration verification (CCV) requirements were met.

Quality Control (QC) Information**Surrogate Recoveries**

Surrogate recoveries, in all samples and quality control samples, were within the acceptance limits.

Blank Acceptance

Target analytes were not detected above the reporting limit in the blank.

QC Sample Designation

Since the samples in this sample delivery group/work order were field QC samples (i.e.: trip blank, equipment blank, etc.), the analysis of a matrix spike (MS) and a matrix spike duplicate (MSD) was not required. Instead, a laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) were analyzed for QC purposes.

LCS Recovery Statement

All the required analyte recoveries in the laboratory control sample were within the acceptance limits.

LCSD Recovery Statement

All the required analyte recoveries in the laboratory control sample duplicate were within the acceptance limits.

LCS/LCSD RPD Statement

The relative percent differences (RPD) between the laboratory control sample and laboratory control sample duplicate recoveries were within the acceptance limits.

Internal Standard (ISTD) Acceptance

The internal standard responses, in all samples and quality control samples, met the required acceptance criteria.

Technical Information**Holding Time Specifications**

All the samples were prepared and/or analyzed within the required holding time period.

Sample Preservation and Integrity

All samples met the sample preservation and integrity requirements.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

The samples in this sample delivery group/work order did not require dilutions.

Sample Re-prep/Re-analysis

Re-analyses were not required for samples in this sample group/work order.

Miscellaneous Information

SDG#67794-1 -VOA

Page 2 of 4

**GC/MS
SEMI-VOLATILES
QUALITY CONTROL
SUMMARY**

QC Summary

Report Date: October 21, 2002
Page 1 of 4

Client: Sandia National Laboratories
MS-0756
P.O. Box 5800
Albuquerque, New Mexico
Contact: Pamela M. Puissant
Workorder: 67794

Partname	NOM	Sample Qual	QC	Units	RPD%	REC%	Range	Anlst	Date Time
Semi-Volatiles-GC/MS Federal									
Batch: 204423									
QC1200307671 LCS									
1,2,4-Trichlorobenzene	1670		1190	ug/kg		72	(27%-91%)	KGB1	10/02/02 21:20
1,4-Dichlorobenzene	1670		1080	ug/kg		65	(25%-85%)		
2,4,5-Trichlorophenol	3330		2790	ug/kg		84	(42%-96%)		
2,4,6-Trichlorophenol	3330		2570	ug/kg		77	(32%-91%)		
2,4-Dinitrotoluene	1670		1370	ug/kg		82	(50%-109%)		
2-Chlorophenol	3330		2470	ug/kg		74	(31%-85%)		
4-Chloro-3-methylphenol	3330		2880	ug/kg		86	(34%-97%)		
4-Nitrophenol	3330		2190	ug/kg		66	(22%-128%)		
Acenaphthene	1670		1290	ug/kg		78	(39%-98%)		
Hexachlorobenzene	1670		1420	ug/kg		85	(41%-105%)		
Hexachlorobutadiene	1670		1190	ug/kg		72	(21%-94%)		
Hexachloroethane	1670		1190	ug/kg		72	(25%-86%)		
N-Nitrosodipropylamine	1670		1200	ug/kg		72	(34%-90%)		
Nitrobenzene	1670		1150	ug/kg		69	(30%-84%)		
Pentachlorophenol	3330		1970	ug/kg		59	(27%-109%)		
Phenol	3330		2290	ug/kg		69	(31%-83%)		
Pyrene	1670		1130	ug/kg		68	(37%-110%)		
m,p-Cresols	3330		2460	ug/kg		74	(40%-83%)		
o-Cresol	3330		2240	ug/kg		67	(34%-86%)		
**2,4,6-Tribromophenol	3330		2750	ug/kg		83	(23%-111%)		
**2-Fluorobiphenyl	1670		1100	ug/kg		66	(21%-104%)		
**2-Fluorophenol	3330		2420	ug/kg		73	(22%-93%)		
**Nitrobenzene-d5	1670		1090	ug/kg		66	(24%-97%)		
**Phenol-d5	3330		2370	ug/kg		71	(22%-99%)		
**p-Terphenyl-d14	1670		1160	ug/kg		70	(30%-133%)		
QC1200307670 MB									
1,2,4-Trichlorobenzene		U	ND	ug/kg					10/02/02 20:59
1,2-Dichlorobenzene		U	ND	ug/kg					
1,3-Dichlorobenzene		U	ND	ug/kg					
1,4-Dichlorobenzene		U	ND	ug/kg					
2,4,5-Trichlorophenol		U	ND	ug/kg					
2,4,6-Trichlorophenol		U	ND	ug/kg					
2,4-Dichlorophenol		U	ND	ug/kg					
2,4-Dimethylphenol		U	ND	ug/kg					
2,4-Dinitrophenol		U	ND	ug/kg					
2,4-Dinitrotoluene		U	ND	ug/kg					
2,6-Dinitrotoluene		U	ND	ug/kg					
2-Chloronaphthalene		U	ND	ug/kg					
2-Chlorophenol		U	ND	ug/kg					
2-Methyl-4,6-dinitrophenol		U	ND	ug/kg					
2-Methylnaphthalene		U	ND	ug/kg					
2-Nitrophenol		U	ND	ug/kg					

QC Summary

Workorder: 67794

Page 2 of 4

Parname	NOM	Sample Qual	QC	Units	RPD%	REC%	Range	Anst	Date	Time
Semi-Volatiles-GC/MS Federal										
Batch 204423										
3,3'-Dichlorobenzidine		U	ND	ug/kg						
4-Bromophenylphenylether		U	ND	ug/kg						
4-Chloro-3-methylphenol		U	ND	ug/kg						
4-Chloroaniline		U	ND	ug/kg						
4-Chlorophenylphenylether		U	ND	ug/kg						
4-Nitrophenol		U	ND	ug/kg						
Acenaphthene		U	ND	ug/kg						
Acenaphthylene		U	ND	ug/kg						
Anthracene		U	ND	ug/kg						
Benzo(a)anthracene		U	ND	ug/kg						
Benzo(a)pyrene		U	ND	ug/kg						
Benzo(b)fluoranthene		U	ND	ug/kg						
Benzo(ghi)perylene		U	ND	ug/kg						
Benzo(k)fluoranthene		U	ND	ug/kg						
Butylbenzylphthalate		U	ND	ug/kg						
Carbazole		U	ND	ug/kg						
Chrysene		U	ND	ug/kg						
Di-n-butylphthalate		U	ND	ug/kg						
Di-n-octylphthalate		U	ND	ug/kg						
Dibenzo(a,h)anthracene		U	ND	ug/kg						
Dibenzofuran		U	ND	ug/kg						
Diethylphthalate		U	ND	ug/kg						
Dimethylphthalate		U	ND	ug/kg						
Diphenylamine		U	ND	ug/kg						
Fluoranthene		U	ND	ug/kg						
Fluorene		U	ND	ug/kg						
Hexachlorobenzene		U	ND	ug/kg						
Hexachlorobutadiene		U	ND	ug/kg						
Hexachlorocyclopentadiene		U	ND	ug/kg						
Hexachloroethane		U	ND	ug/kg						
Indeno(1,2,3-cd)pyrene		U	ND	ug/kg						
Isophorone		U	ND	ug/kg						
N-Nitrosodipropylamine		U	ND	ug/kg						
Naphthalene		U	ND	ug/kg						
Nitrobenzene		U	ND	ug/kg						
Pentachlorophenol		U	ND	ug/kg						
Phenanthrene		U	ND	ug/kg						
Phenol		U	ND	ug/kg						
Pyrene		U	ND	ug/kg						
bis(2-Chloroethoxy)methane		U	ND	ug/kg						
bis(2-Chloroethyl) ether		U	ND	ug/kg						
bis(2-Chloroisopropyl) ether		U	ND	ug/kg						
bis(2-Ethylhexyl)phthalate		J	84.1	ug/kg						
m,p-Cresols		U	ND	ug/kg						
m-Nitroaniline		U	ND	ug/kg						
o-Cresol		U	ND	ug/kg						
o-Nitroaniline		U	ND	ug/kg						
p-Nitroaniline		U	ND	ug/kg						

QC Summary

Workorder: 67794

Page 3 of 4

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Semi-Volatiles-GC/MS Federal											
Buch 204423											
**2,4,6-Tribromophenol	3330			2010	ug/kg		60	(23%-111%)			
**2-Fluorobiphenyl	1670			1140	ug/kg		69	(21%-104%)			
**2-Fluorophenol	3330			2520	ug/kg		76	(22%-93%)			
**Nitrobenzene-d5	1670			1180	ug/kg		71	(24%-97%)			
**Phenol-d5	3330			2310	ug/kg		69	(22%-99%)			
**p-Terphenyl-d14	1670			1210	ug/kg		73	(30%-133%)			
QC1200307672 67794012 MS											
1,2,4-Trichlorobenzene	1670	U	ND	1220	ug/kg		73	(15%-112%)		10/02/02	22:02
1,4-Dichlorobenzene	1670	U	ND	1180	ug/kg		71	(19%-89%)			
2,4,5-Trichlorophenol	3330	U	ND	2730	ug/kg		82				
2,4,6-Trichlorophenol	3330	U	ND	2440	ug/kg		73				
2,4-Dinitrotoluene	1670	U	ND	1270	ug/kg		76	(32%-117%)			
2-Chlorophenol	3330	U	ND	2590	ug/kg		78	(13%-101%)			
4-Chloro-3-methylphenol	3330	U	ND	2790	ug/kg		84	(23%-114%)			
4-Nitrophenol	3330	U	ND	2260	ug/kg		68	(20%-126%)			
Acenaphthene	1670	U	ND	1240	ug/kg		74	(15%-114%)			
Hexachlorobenzene	1670	U	ND	1310	ug/kg		78				
Hexachlorobutadiene	1670	U	ND	1180	ug/kg		71				
Hexachloroethane	1670	U	ND	1220	ug/kg		74				
N-Nitrosodipropylamine	1670	U	ND	1250	ug/kg		75	(18%-106%)			
Nitrobenzene	1670	U	ND	1190	ug/kg		71				
Pentachlorophenol	3330	U	ND	1600	ug/kg		48	(34%-110%)			
Phenol	3330	U	ND	2340	ug/kg		70	(17%-104%)			
Pyrene	1670		132	973	ug/kg		50	(26%-130%)			
m,p-Cresols	3330	U	ND	2570	ug/kg		77				
o-Cresol	3330	U	ND	2330	ug/kg		70				
**2,4,6-Tribromophenol	3330			2720	ug/kg		82	(23%-111%)			
**2-Fluorobiphenyl	1670			1140	ug/kg		69	(21%-104%)			
**2-Fluorophenol	3330			2650	ug/kg		79	(22%-93%)			
**Nitrobenzene-d5	1670			1160	ug/kg		70	(24%-97%)			
**Phenol-d5	3330			2540	ug/kg		76	(22%-99%)			
**p-Terphenyl-d14	1670			1010	ug/kg		61	(30%-133%)			
QC1200307673 67794012 MSD											
1,2,4-Trichlorobenzene	1670	U	ND	1240	ug/kg	1	74	(0%-31%)		10/02/02	22:23
1,4-Dichlorobenzene	1670	U	ND	1170	ug/kg	1	70	(0%-36%)			
2,4,5-Trichlorophenol	3330	U	ND	2970	ug/kg	9	89				
2,4,6-Trichlorophenol	3330	U	ND	2620	ug/kg	7	79				
2,4-Dinitrotoluene	1670	U	ND	1380	ug/kg	9	83	(0%-37%)			
2-Chlorophenol	3330	U	ND	2540	ug/kg	2	76	(0%-34%)			
4-Chloro-3-methylphenol	3330	U	ND	3130	ug/kg	11	94	(0%-34%)			
4-Nitrophenol	3330	U	ND	2060	ug/kg	10	62	(0%-35%)			
Acenaphthene	1670	U	ND	1320	ug/kg	7	79	(0%-33%)			
Hexachlorobenzene	1670	U	ND	1490	ug/kg	13	89				
Hexachlorobutadiene	1670	U	ND	1230	ug/kg	4	74				
Hexachloroethane	1670	U	ND	1170	ug/kg	5	70				
N-Nitrosodipropylamine	1670	U	ND	1270	ug/kg	1	76	(0%-29%)			
Nitrobenzene	1670	U	ND	1220	ug/kg	3	73				
Pentachlorophenol	3330	U	ND	1750	ug/kg	9	52	(0%-40%)			

QC Summary

Workorder: 67794

Page 4 of 4

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Semi-Volatiles-GC/MS Federal											
Batch 204423											
Phenol	3330	U	ND	2400	ug/kg	3	72	(0%-37%)			
Pyrene	1670		132	1140	ug/kg	18	61	(0%-39%)			
m,p-Cresols	3330	U	ND	2580	ug/kg	1	77				
o-Cresol	3330	U	ND	2410	ug/kg	4	72				
**2,4,6-Tribromophenol	3330			2590	ug/kg		78	(23%-111%)			
**2-Fluorobiphenyl	1670			1160	ug/kg		70	(21%-104%)			
**2-Fluorophenol	3330			2460	ug/kg		74	(22%-93%)			
**Nitrobenzene-d5	1670			1150	ug/kg		69	(24%-97%)			
**Phenol-d5	3330			2440	ug/kg		73	(22%-99%)			
**p-Terphenyl-d14	1670			1150	ug/kg		69	(30%-133%)			

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where t
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL.]
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

QC Summary

Report Date: October 21, 2002
Page 1 of 4

Client : Sandia National Laboratories
MS-0756
P.O. Box 5800
Albuquerque, New Mexico
Contact: Pamela M. Prissant
Workorder: 67798

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Semi-Volatiles-GC/MS Federal											
Batch 204661											
QC1200308141 LCS											
Pyridine	50.0			19.4	ug/L		39		KGB1	10/01/02	22:14
1,2,4-Trichlorobenzene	50.0			36.3	ug/L		73	(53%-104%)			
1,4-Dichlorobenzene	50.0			35.4	ug/L		71	(47%-102%)			
2,4,5-Trichlorophenol	100			95.3	ug/L		95	(67%-106%)			
2,4,6-Trichlorophenol	100			92.8	ug/L		93	(45%-111%)			
2,4-Dinitrotoluene	50.0			42.7	ug/L		86	(55%-121%)			
2-Chlorophenol	100			71.7	ug/L		72	(47%-87%)			
4-Chloro-3-methylphenol	100			88.6	ug/L		89	(51%-100%)			
4-Nitrophenol	100			23.4	ug/L		23	(10%-55%)			
Acenaphthene	50.0			44.2	ug/L		88	(63%-111%)			
Hexachlorobenzene	50.0			47.1	ug/L		94	(67%-114%)			
Hexachlorobutadiene	50.0			35.1	ug/L		70	(44%-106%)			
Hexachloroethane	50.0			35.6	ug/L		71	(47%-97%)			
N-Nitrosodipropylamine	50.0			41.2	ug/L		83	(52%-118%)			
Nitrobenzene	50.0			35.1	ug/L		70	(49%-110%)			
Pentachlorophenol	100			62.2	ug/L		62	(31%-110%)			
Phenol	100			25.0	ug/L		25	(16%-44%)			
Pyrene	50.0			36.4	ug/L		73	(68%-117%)			
m,p-Cresols	100			57.8	ug/L		58	(43%-100%)			
o-Cresol	100			60.9	ug/L		61	(47%-87%)			
**2,4,6-Tribromophenol	100			95.5	ug/L		96	(27%-126%)			
**2-Fluorobiphenyl	50.0			40.3	ug/L		81	(32%-109%)			
**2-Fluorophenol	100			40.3	ug/L		40	(13%-73%)			
**Nitrobenzene-d5	50.0			34.3	ug/L		69	(33%-107%)			
**Phenol-d5	100			26.5	ug/L		27	(14%-66%)			
**p-Terphenyl-d14	50.0			37.9	ug/L		76	(36%-130%)			
QC1200308140 MB											
1,2,4-Trichlorobenzene			U	ND	ug/L					10/01/02	14:57
1,2-Dichlorobenzene			U	ND	ug/L						
1,3-Dichlorobenzene			U	ND	ug/L						
1,4-Dichlorobenzene			U	ND	ug/L						
2,4,5-Trichlorophenol			U	ND	ug/L						
2,4,6-Trichlorophenol			U	ND	ug/L						
2,4-Dichlorophenol			U	ND	ug/L						
2,4-Dimethylphenol			U	ND	ug/L						
2,4-Dinitrophenol			U	ND	ug/L						
2,4-Dinitrotoluene			U	ND	ug/L						
2,6-Dinitrotoluene			U	ND	ug/L						
2-Chloronaphthalene			U	ND	ug/L						
2-Chlorophenol			U	ND	ug/L						
2-Methyl-4,6-dinitrophenol			U	ND	ug/L						
2-Methylnaphthalene			U	ND	ug/L						

QC Summary

Workorder: 67798

Page 2 of 4

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Semi-Volatiles-GC/MS Federal											
Batch 204661											
2-Nitrophenol			U	ND	ug/L						
3,3'-Dichlorobenzidine			U	ND	ug/L						
4-Bromophenylphenylether			U	ND	ug/L						
4-Chloro-3-methylphenol			U	ND	ug/L						
4-Chloroaniline			U	ND	ug/L						
4-Chlorophenylphenylether			U	ND	ug/L						
4-Nitrophenol			U	ND	ug/L						
Acenaphthene			U	ND	ug/L						
Acenaphthylene			U	ND	ug/L						
Anthracene			U	ND	ug/L						
Benzo(a)anthracene			U	ND	ug/L						
Benzo(a)pyrene			U	ND	ug/L						
Benzo(b)fluoranthene			U	ND	ug/L						
Benzo(ghi)perylene			U	ND	ug/L						
Benzo(k)fluoranthene			U	ND	ug/L						
Butylbenzylphthalate			U	ND	ug/L						
Carbazole			U	ND	ug/L						
Chrysene			U	ND	ug/L						
Di-n-butylphthalate			U	ND	ug/L						
Di-n-octylphthalate			U	ND	ug/L						
Dibenzo(a,h)anthracene			U	ND	ug/L						
Dibenzofuran			U	ND	ug/L						
Diethylphthalate			U	ND	ug/L						
Dimethylphthalate			U	ND	ug/L						
Diphenylamine			U	ND	ug/L						
Fluoranthene			U	ND	ug/L						
Fluorene			U	ND	ug/L						
Hexachlorobenzene			U	ND	ug/L						
Hexachlorobutadiene			U	ND	ug/L						
Hexachlorocyclopentadiene			U	ND	ug/L						
Hexachloroethane			U	ND	ug/L						
Indeno(1,2,3-cd)pyrene			U	ND	ug/L						
Isophorone			U	ND	ug/L						
N-Nitrosodipropylamine			U	ND	ug/L						
Naphthalene			U	ND	ug/L						
Nitrobenzene			U	ND	ug/L						
Pentachlorophenol			U	ND	ug/L						
Phenanthrene			U	ND	ug/L						
Phenol			U	ND	ug/L						
Pyrene			U	ND	ug/L						
bis(2-Chloroethoxy)methane			U	ND	ug/L						
bis(2-Chloroethyl) ether			U	ND	ug/L						
bis(2-Chloroisopropyl)ether			U	ND	ug/L						
bis(2-Ethylhexyl)phthalate			U	ND	ug/L						
m,p-Cresols			U	ND	ug/L						
m-Nitroaniline			U	ND	ug/L						
o-Cresol			U	ND	ug/L						
o-Nitroaniline			U	ND	ug/L						

QC Summary

Workorder: 67798

Page 3 of 4

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anst	Date	Time
Semi-Volatiles-GC/MS Federal											
Batch 204661											
p-Nitroaniline			U	ND	ug/L						
**2,4,6-Tribromophenol	100			54.8	ug/L		55	(27%-126%)			
**2-Fluorobiphenyl	50.0			34.3	ug/L		69	(32%-109%)			
**2-Fluorophenol	100			36.3	ug/L		36	(13%-73%)			
**Nitrobenzene-d5	50.0			32.9	ug/L		66	(33%-107%)			
**Phenol-d5	100			21.1	ug/L		21	(14%-66%)			
**p-Terphenyl-d14	50.0			33.7	ug/L		67	(36%-130%)			
QC1200308146 67798005 MS											
Pyridine	100			0.00	ug/L					10/01/02	17:02
1,2,4-Trichlorobenzene	100	U	ND	73.9	ug/L		74	(44%-102%)			
1,4-Dichlorobenzene	100	U	ND	68.1	ug/L		68	(48%-95%)			
2,4,5-Trichlorophenol	200	U	ND	177	ug/L		88				
2,4,6-Trichlorophenol	200	U	ND	174	ug/L		87				
2,4-Dinitrotoluene	100	U	ND	77.3	ug/L		77	(48%-120%)			
2-Chlorophenol	200	U	ND	145	ug/L		72	(32%-98%)			
4-Chloro-3-methylphenol	200	U	ND	167	ug/L		84	(40%-107%)			
4-Nitrophenol	200	U	ND	63.5	ug/L		32	(16%-78%)			
Acenaphthene	100	U	ND	84.3	ug/L		84	(32%-127%)			
Hexachlorobenzene	100	U	ND	103	ug/L		103				
Hexachlorobutadiene	100	U	ND	70.3	ug/L		70				
Hexachloroethane	100	U	ND	72.4	ug/L		72				
N-Nitrosodipropylamine	100	U	ND	77.6	ug/L		78	(44%-119%)			
Nitrobenzene	100	U	ND	68.7	ug/L		69				
Pentachlorophenol	200	U	ND	124	ug/L		62	(44%-104%)			
Phenol	200	U	ND	77.6	ug/L		39	(15%-70%)			
Pyrene	100	U	ND	81.0	ug/L		81	(29%-142%)			
m,p-Cresols	200	U	ND	127	ug/L		64				
o-Cresol	200	U	ND	129	ug/L		65				
**2,4,6-Tribromophenol	200		55.6	162	ug/L		81	(27%-126%)			
**2-Fluorobiphenyl	100		29.6	76.8	ug/L		77	(32%-109%)			
**2-Fluorophenol	200		28.7	107	ug/L		53	(13%-73%)			
**Nitrobenzene-d5	100		28.6	64.5	ug/L		65	(33%-107%)			
**Phenol-d5	200		16.9	80.9	ug/L		40	(14%-66%)			
**p-Terphenyl-d14	100		36.0	80.4	ug/L		80	(36%-130%)			
QC1200308147 67798005 MSD											
Pyridine	100			0.00	ug/L					10/01/02	17:22
1,2,4-Trichlorobenzene	100	U	ND	78.8	ug/L	6	79	(0%-20%)			
1,4-Dichlorobenzene	100	U	ND	73.3	ug/L	7	73	(0%-20%)			
2,4,5-Trichlorophenol	200	U	ND	204	ug/L	15	102				
2,4,6-Trichlorophenol	200	U	ND	189	ug/L	8	94				
2,4-Dinitrotoluene	100	U	ND	84.2	ug/L	9	84	(0%-16%)			
2-Chlorophenol	200	U	ND	153	ug/L	6	76	(0%-25%)			
4-Chloro-3-methylphenol	200	U	ND	181	ug/L	8	90	(0%-25%)			
4-Nitrophenol	200	U	ND	79.1	ug/L	22	40	(0%-25%)			
Acenaphthene	100	U	ND	93.5	ug/L	10	94	(0%-24%)			
Hexachlorobenzene	100	U	ND	102	ug/L	1	102				
Hexachlorobutadiene	100	U	ND	75.9	ug/L	8	76				
Hexachloroethane	100	U	ND	76.6	ug/L	6	77				

QC Summary

Workorder: 67796

Page 4 of 4

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Semi-Volatiles-GC/MS Federal											
Batch 204661											
N-Nitrosodipropylamine	100	U	ND	85.5	ug/L	10	86	(0%-20%)			
Nitrobenzene	100	U	ND	75.8	ug/L	10	76				
Pentachlorophenol	200	U	ND	132	ug/L	6	66	(0%-17%)			
Phenol	200	U	ND	82.9	ug/L	7	42	(0%-29%)			
Pyrene	100	U	ND	70.9	ug/L	13	71	(0%-30%)			
m,p-Cresols	200	U	ND	145	ug/L	13	72				
o-Cresol	200	U	ND	140	ug/L	8	70				
**2,4,6-Tribromophenol	200		55.6	174	ug/L		87	(27%-126%)			
**2-Fluorobiphenyl	100		29.6	83.0	ug/L		83	(32%-109%)			
**2-Fluorophenol	200		28.7	107	ug/L		54	(13%-73%)			
**Nitrobenzene-d5	100		28.6	68.6	ug/L		69	(33%-107%)			
**Phenol-d5	200		16.9	84.5	ug/L		42	(14%-66%)			
**p-Terphenyl-d14	100		36.0	70.5	ug/L		71	(36%-130%)			

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where it
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL.)
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

HPLC EXPLOSIVES ANALYSIS

HPLC Narrative
Sandia National Labs (SNLS)
SDG 67794

Method/Analysis Information

Procedure: Nitroaromatics and Nitramines by High Performance Liquid Chromatography (HPLC)
Analytical Method: SW846 8330
Prep Method: SW846 8330 PREP
Analytical Batch Number: 204696
Prep Batch Number: 204695

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 8330:

Sample ID	Client ID
67794012	059903-002
67794013	059904-002
67794014	059905-002
67794015	059906-002
67794016	059907-002
67794017	059908-002
67794018	059910-001
67794019	059912-002
67794020	059913-002
67794021	059914-002

67794022	059915-002
1200308210	XBLK01 (Blank)
1200308211	XBLK01LCS (Laboratory Control Sample)
1200308212	059903-002MS (Matrix Spike)
1200308213	059903-002MSD (Matrix Spike Duplicate)

System Configuration

The laboratory utilizes a high performance liquid chromatography (HPLC) instrument configuration for explosives analyses. The chromatographic hardware system consists of an HP Model 1050 HPLC or HP Model 1100 HPLC with programmable gradient pumping and a 100 ul loop injector for the primary system and a 100 ul loop injector for the confirmation system. The HPLC 1050 is coupled to a HP Model G1306A Diode Array UV detector, and the HPLC 1100 is coupled to a HP Model G1315A Diode Array UV detector which monitor absorbance at the following five wavelengths: 1) 214 nm; 2) 224 nm; 3) 235 nm; 4) 254 nm; 5) 264 nm.

The primary HPLC system is usually identified with either a designation of HPLC #2, or hplcb in the raw data printouts. The confirmation HPLC system is usually identified with a designation of HPLC #1, or hplca in the raw data printouts. The HP 1100 HPLC system is identified as HPLC #3, or hplcc in the raw data printouts. The HP 1100 HPLC has a Column Switching Valve which enables this system to be used for primary analysis or confirmation analysis.

Chromatographic Columns

Chromatographic separation of nitroaromatic and nitramine components is accomplished through analysis on the following reversed phase columns:

HP: Hypersil BDS-C18, 250 mm x 4 mm O.D. containing 5 um particle size.

Confirmation of nitroaromatic and nitramine components, initially identified on one of the above columns, is accomplished through analysis on the following column:

PH: Develosil CN-UG5-5, 250 mm x 4.6 mm I.D.

The primary column is used for quantitation while the confirmation column is for qualitative purposes only.

Preparation/Analytical Method Verification

Procedures for preparation, analysis, and reporting of analytical data are documented by General Engineering Laboratories, Inc. (GEL) as Standard Operating Procedures (SOP).

Calibration Information

Initial Calibration

All initial calibration requirements have been met for this SDG.

CCV Requirements

All calibration verification standard(s) (CVS, ICV or CCV) requirements have been met for this SDG.

Quality Control (QC) Information

Surrogate Recoveries

All the surrogate recoveries were within the established acceptance criteria for this SDG.

Blank Acceptance

The blank(s) analyzed with this SDG met the established acceptance criteria.

LCS Recovery Statement

All the LCS spike recoveries for this SDG were within the established acceptance limits.

QC Sample Designation

The following sample was used for matrix spike analysis:
059903-002 (059903-002).

MS Recovery Statement

All the matrix spike recoveries were within the established acceptance limits.

MSD Recovery Statement

The matrix spike duplicate recoveries were within the established acceptance limits.

MS/MSD RPD Statement

The relative percent differences (RPD) between the MS and MSD were within the required acceptance limits.

Technical Information

Holding Time Specifications

All samples in this SDG met the specified holding time requirements. GEL assigns holding times based on the associated methodology that assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system.

Those holding times expressed as days expire at midnight on the day of expiration.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

None of the samples in this SDG required dilutions.

Miscellaneous Information

Nonconformance (NCR) Documentation

No nonconformance report (NCR) has been generated for this SDG.

Manual Integrations

Some initial calibration standards, continuing calibration standards, and/or samples required manual integrations due to software limitations.

Additional Comments

The Form 8 uses the retention time of the surrogate as a measure of how close the retention time of the samples and QC are to a standard component. The Instrument Blank does not contain the surrogate.

Confirmation analysis was performed on some of the samples in this batch. The values reported are from the primary analysis. The confirmation analysis is used for qualitative purposes only.

The samples were concentrated prior to analysis to achieve the required detection limit.

The following analytes coelute on the cyano column: a.) 2,4,6-Trinitrotoluene, 2,4-Dinitrotoluene, and 2,6-Dinitrotoluene b.) 1,3,5-Trinitrotoluene and 1,3-Dinitrobenzene c.) m-Nitrotoluene, p-Nitrotoluene and o-Nitrotoluene. As a result some of these analytes may be flagged with a P qualifier. The coelution from the cyano column should be considered and the values as suspect to the sample.

Certification Statement

* Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

Reviewer: Hebert K. Moore Date: 10/21/02

**HPLC Narrative
Sandia National Labs (SNLS)
SDG 67794-1**

Method/Analysis Information

Procedure: Nitroaromatics and Nitramines by High Performance Liquid Chromatography (HPLC)

Analytical Method: SW846 8330

Prep Method: SW846 8330 PREP

Analytical Batch Number: 205512

Prep Batch Number: 205511

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 8330:

Sample ID	Client ID
67798007	059926-004
1200310005	XBLK01 (Blank) 205511
1200310006	XBLK01LCS (Laboratory Control Sample)
1200310007	059926-004MS (Matrix Spike)

System Configuration

The laboratory utilizes a high performance liquid chromatography (HPLC) instrument configuration for explosives analyses. The chromatographic hardware system consists of an HP Model 1050 HPLC or HP Model 1100 HPLC with programmable gradient pumping and a 100 ul loop injector for the primary system and a 100 ul loop injector for the confirmation system. The HPLC 1050 is coupled to a HP Model G1306A Diode Array UV detector, and the HPLC 1100 is coupled to a HP Model G1315A Diode Array UV detector which monitor absorbance at the following five wavelengths: 1) 214 nm; 2) 224 nm; 3) 235 nm; 4) 254 nm; 5) 264 nm.

The primary HPLC system is usually identified with either a designation of HPLC #2, or hplcb in the raw data printouts. The confirmation HPLC system is usually identified with a designation of HPLC #1, or hplca in the raw data printouts. The HP 1100 HPLC system is identified as HPLC #3, or hplcc in the raw data printouts. The HP 1100 HPLC has a Column Switching Valve which enables this system to be used for primary analysis or confirmation analysis.

Chromatographic Columns

Chromatographic separation of nitroaromatic and nitramine components is accomplished through analysis on the following reversed phase columns:

HP: Hypersil BDS-C18, 250 mm x 4 mm O.D. containing 5 um particle size.

Confirmation of nitroaromatic and nitramine components, initially identified on one of the above columns, is accomplished through analysis on the following column:

PH: Develosil CN-UG5-5, 250 mm x 4.6 mm I.D.

The primary column is used for quantitation while the confirmation column is for qualitative purposes only.

Preparation/Analytical Method Verification

Procedures for preparation, analysis, and reporting of analytical data are documented by General Engineering Laboratories, Inc. (GEL) as Standard Operating Procedures (SOP).

Calibration Information

Initial Calibration

All initial calibration requirements have been met for this SDG.

CCV Requirements

All calibration verification standard(s) (CVS, ICV or CCV) requirements have been met for this SDG.

Quality Control (QC) Information

Surrogate Recoveries

All the surrogate recoveries were within the established acceptance criteria for this SDG.

Blank Acceptance

The blank(s) analyzed with this SDG met the established acceptance criteria.

LCS Recovery Statement

Not all the required spiking analytes were within the acceptance limits in the laboratory control sample (LCS). Several spiking compounds were not within the acceptance limits. Please see nonconformance report 6088.

QC Sample Designation

The following sample analyzed with this SDG was chosen for matrix spike analysis: 67798007 (059926-004).

MS Recovery Statement

All the matrix spike recoveries were within the established acceptance limits.

MSD Recovery Statement

There was only enough sample provided for one matrix spike.

Technical Information**Holding Time Specifications**

All samples in this SDG met the specified holding time requirements. GEL assigns holding times based on the associated methodology that assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration. GEL assigns holding times based on the associated methodology that assigns the date and time from sample collection or sample receipt.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

None of the samples in this SDG required dilutions.

Miscellaneous Information**Nonconformance (NCR) Documentation**

Nonconformance report 6088 was generated for this SDG.

Not all the required spiking analytes were within the acceptance limits in the laboratory control sample (LCS). Several spiking compounds were not within the acceptance limits. Please see nonconformance report 6088.

Manual Integrations

Some initial calibration standards, continuing calibration standards, and/or samples required manual integrations due to software limitations.

Additional Comments

The samples were concentrated prior to analysis to achieve the required detection limit.

Sample 67798007 (059926-004) had a response for some target analytes whose concentration greatly differed between the primary and confirmation analysis (greater than 40% difference). Because both columns or detectors indicated an acceptable peak in the appropriate retention time window for these analytes, the analytes are reported as positive results. Due to the high percent difference between the two columns, it is indicated as such on the appropriate Form I with a P qualifier. Those analytes reported with a percent difference greater than 40% but less than 70% are qualified as presumptive evidence of the presence of the material. Analytes reported with a percent difference greater than 70% should be considered undetected.

The Form 8 uses the retention time of the surrogate as a measure of how close the retention time of the samples and QC are to a standard component. The Instrument Blank does not contain the surrogate.

Confirmation analysis was performed on some of the samples in this batch. The values reported are from the primary analysis. The confirmation analysis is used for qualitative purposes only.

The following analytes coelute on the cyano column: a.) 2,4,6-Trinitrotoluene, 2,4-Dinitrotoluene, and 2,6-Dinitrotoluene b.) 1,3,5-Trinitrotoluene and 1,3-Dinitrobenzene c.) m-Nitrotoluene, p-Nitrotoluene and o-Nitrotoluene. As a result some of these analytes may be flagged with a P qualifier. The coelution from the cyano column should be considered and the values as suspect to the sample.

Certification Statement

* Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

Reviewer: Heather Mauer

Date: 10/21/02

HPLC
QUALITY
CONTROL
SUMMARY

QC Summary

Report Date: October 21, 2002
Page 1 of 2

Client : Sandia National Laboratories
MS-0756
P.O. Box 5800
Albuquerque, New Mexico
Contact: Pamela M. Puissant
Workorder: 67794

Param Name	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
HPLC Explosives Federal											
Batch	204696										
QC1200308211 LCS											
1,3,5-Trinitrobenzene	800			790	ug/kg		99	(77%-124%)	JLW	10/07/02	11:14
2,4,6-Trinitrotoluene	800			818	ug/kg		102	(80%-120%)			
2,4-Dinitrotoluene	800			756	ug/kg		95	(77%-122%)			
2,6-Dinitrotoluene	800			786	ug/kg		98	(74%-121%)			
2-Amino-4,6-dinitrotoluene	800			832	ug/kg		104	(81%-125%)			
4-Amino-2,6-dinitrotoluene	800			781	ug/kg		98	(79%-123%)			
HMX	800			843	ug/kg		105	(84%-131%)			
Nitrobenzene	800			725	ug/kg		91	(75%-125%)			
RDX	800			830	ug/kg		104	(80%-123%)			
Tetryl	800			544	ug/kg		68	(65%-124%)			
m-Dinitrobenzene	800			778	ug/kg		97	(77%-124%)			
m-Nitrotoluene	800			731	ug/kg		91	(77%-117%)			
o-Nitrotoluene	800			723	ug/kg		90	(75%-119%)			
p-Nitrotoluene	800			731	ug/kg		91	(76%-121%)			
**1,2-dinitrobenzene	400			384	ug/kg		96	(71%-118%)			
QC1200308210 MB											
1,3,5-Trinitrobenzene			U	ND	ug/kg					10/07/02	10:32
2,4,6-Trinitrotoluene			U	ND	ug/kg						
2,4-Dinitrotoluene			U	ND	ug/kg						
2,6-Dinitrotoluene			U	ND	ug/kg						
2-Amino-4,6-dinitrotoluene			U	ND	ug/kg						
4-Amino-2,6-dinitrotoluene			U	ND	ug/kg						
HMX			U	ND	ug/kg						
Nitrobenzene			U	ND	ug/kg						
RDX			U	ND	ug/kg						
Tetryl			U	ND	ug/kg						
m-Dinitrobenzene			U	ND	ug/kg						
m-Nitrotoluene			U	ND	ug/kg						
o-Nitrotoluene			U	ND	ug/kg						
p-Nitrotoluene			U	ND	ug/kg						
**1,2-dinitrobenzene	400			373	ug/kg		93	(71%-118%)			
QC1200308212 67794012 MS											
1,3,5-Trinitrobenzene	800	U	ND	836	ug/kg		104	(66%-133%)		10/07/02	11:56
2,4,6-Trinitrotoluene	800	U	ND	842	ug/kg		105	(77%-132%)			
2,4-Dinitrotoluene	800	U	ND	825	ug/kg		103	(61%-134%)			
2,6-Dinitrotoluene	800	U	ND	872	ug/kg		109	(70%-121%)			
2-Amino-4,6-dinitrotoluene	800	U	ND	865	ug/kg		108	(79%-124%)			
4-Amino-2,6-dinitrotoluene	800	U	ND	818	ug/kg		102	(71%-120%)			
HMX	800	U	ND	840	ug/kg		105	(75%-138%)			
Nitrobenzene	800	U	ND	788	ug/kg		99	(72%-120%)			
RDX	800	U	ND	839	ug/kg		105	(61%-136%)			
Tetryl	800	U	ND	656	ug/kg		82	(65%-135%)			

QC Summary

Workorder: 67794

Page 2 of 2

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
HPLC Explosives Federal											
Batch 204696											
m-Dinitrobenzene	800	U	ND	848	ug/kg		106	(75%-125%)			
m-Nitrotoluene	800	U	ND	796	ug/kg		99	(73%-116%)			
o-Nitrotoluene	800	U	ND	790	ug/kg		99	(68%-122%)			
p-Nitrotoluene	800	U	ND	799	ug/kg		100	(67%-125%)			
**1,2-dinitrobenzene	400		389	404	ug/kg		101	(71%-118%)			
QC1200308213 67794012 MSD											
1,3,5-Trinitrobenzene	800	U	ND	865	ug/kg	3	108	(0%-20%)		10/07/02	12:38
2,4,6-Trinitrotoluene	800	U	ND	894	ug/kg	6	112	(0%-20%)			
2,4-Dinitrotoluene	800	U	ND	866	ug/kg	5	108	(0%-24%)			
2,6-Dinitrotoluene	800	U	ND	936	ug/kg	7	117	(0%-21%)			
2-Amino-4,6-dinitrotoluene	800	U	ND	901	ug/kg	4	113	(0%-20%)			
4-Amino-2,6-dinitrotoluene	800	U	ND	838	ug/kg	2	105	(0%-20%)			
HMX	800	U	ND	868	ug/kg	3	109	(0%-38%)			
Nitrobenzene	800	U	ND	834	ug/kg	6	104	(0%-21%)			
RDX	800	U	ND	871	ug/kg	4	109	(0%-35%)			
Tetryl	800	U	ND	580	ug/kg	12	73	(0%-30%)			
m-Dinitrobenzene	800	U	ND	890	ug/kg	5	111	(0%-23%)			
m-Nitrotoluene	800	U	ND	845	ug/kg	6	106	(0%-20%)			
o-Nitrotoluene	800	U	ND	830	ug/kg	5	104	(0%-23%)			
p-Nitrotoluene	800	U	ND	840	ug/kg	5	105	(0%-22%)			
**1,2-dinitrobenzene	400		389	413	ug/kg		103	(71%-118%)			

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where it
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL.]
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

QC Summary

Report Date: October 21, 2002

Page 1 of 2

Client: Sandia National Laboratories
 MS-0756
 P.O. Box 5800
 Albuquerque, New Mexico
 Contact: Pamela M. Puissant
 Workorder: 67798

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
HPLC Explosives Federal											
Batch 205512											
QC1200310006 LCS											
1,3,5-Trinitrobenzene	1.04			0.997	ug/L		96	(84%-110%)	JLW	10/04/02	22:13
2,4,6-Trinitrotoluene	1.04			1.01	ug/L		97	(85%-110%)			
2,4-Dinitrotoluene	1.04			0.815	ug/L		79	(78%-110%)			
2,6-Dinitrotoluene	1.04			0.855	ug/L		82	(79%-110%)			
2-Amino-4,6-dinitrotoluene	1.04			1.02	ug/L		99	(77%-110%)			
4-Amino-2,6-dinitrotoluene	1.04			0.799	ug/L		77	(59%-110%)			
HMX	1.04			1.01	ug/L		97	(86%-110%)			
Nitrobenzene	1.04			0.710	ug/L		68	(68%-110%)			
RDX	1.04			0.997	ug/L		96	(76%-110%)			
Tetryl	1.04			0.910	ug/L		88	(73%-110%)			
m-Dinitrobenzene	1.04			0.789	ug/L		76	(76%-110%)			
m-Nitrotoluene	1.04			0.740	ug/L		71*	(73%-110%)			
o-Nitrotoluene	1.04			0.746	ug/L		72	(69%-110%)			
p-Nitrotoluene	1.04			0.749	ug/L		72*	(73%-110%)			
**1,2-dinitrobenzene	0.519			0.399	ug/L		77	(59%-118%)			
QC1200310005 MB											
1,3,5-Trinitrobenzene			U	ND	ug/L					10/04/02	21:31
2,4,6-Trinitrotoluene			U	ND	ug/L						
2,4-Dinitrotoluene			U	ND	ug/L						
2,6-Dinitrotoluene			U	ND	ug/L						
2-Amino-4,6-dinitrotoluene			U	ND	ug/L						
4-Amino-2,6-dinitrotoluene			U	ND	ug/L						
HMX			U	ND	ug/L						
Nitrobenzene			U	ND	ug/L						
RDX			U	ND	ug/L						
Tetryl			U	ND	ug/L						
m-Dinitrobenzene			U	ND	ug/L						
m-Nitrotoluene			U	ND	ug/L						
o-Nitrotoluene			U	ND	ug/L						
p-Nitrotoluene			U	ND	ug/L						
**1,2-dinitrobenzene	0.519			0.448	ug/L		86	(59%-118%)			
QC1200310007 67798007 MS											
1,3,5-Trinitrobenzene	1.04	U	ND	1.05	ug/L		101	(62%-121%)		10/04/02	22:56
2,4,6-Trinitrotoluene	1.04	U	ND	1.07	ug/L		103	(56%-137%)			
2,4-Dinitrotoluene	1.04	U	ND	1.03	ug/L		100	(69%-118%)			
2,6-Dinitrotoluene	1.04	U	ND	1.06	ug/L		102	(63%-123%)			
2-Amino-4,6-dinitrotoluene	1.04	U	ND	1.08	ug/L		104	(60%-133%)			
4-Amino-2,6-dinitrotoluene	1.04	U	ND	1.01	ug/L		97	(50%-121%)			
HMX	1.04	U	ND	1.05	ug/L		101	(66%-131%)			
Nitrobenzene	1.04	U	ND	0.945	ug/L		91	(61%-106%)			
RDX	1.04	U	ND	1.06	ug/L		102	(52%-135%)			
Tetryl	1.04	JP	0.042	0.860	ug/L		79	(52%-124%)			

QC Summary

Workorder: 67798

Page 2 of 2

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
HPLC Explosives Federal											
Batch 205512											
m-Dinitrobenzene	1.04	U	ND	1.03	ug/L		99	(64%-117%)			
m-Nitrotoluene	1.04	U	ND	0.983	ug/L		95	(56%-129%)			
o-Nitrotoluene	1.04	U	ND	0.988	ug/L		95	(58%-122%)			
p-Nitrotoluene	1.04	U	ND	0.986	ug/L		95	(65%-116%)			
**1,2-dinitrobenzene	0.519		0.485	0.505	ug/L		97	(59%-118%)			

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where d
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL. I
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

GC
SEMIVOLATILE
PCB
ANALYSIS

PCB Case Narrative
Sandia National Labs (SNLS)
SDG# 67794

Method/Analysis Information

Procedure: Polychlorinated Biphenyls by Method 8082
Analytical Method: SW846 8082
Prep Method: SW846 3550B
Analytical Batch Number: 204381
Prep Batch Number: 204380

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 8082:

Sample ID	Client ID
67794012	059903-002
67794013	059904-002
67794014	059905-002
67794015	059906-002
67794016	059907-002
67794017	059908-002
67794018	059910-001
67794019	059912-002
67794020	059913-002
67794021	059914-002
67794022	059915-002
1200307556	PBLK01(Method Blank)
1200307557	PBLK01LCS(Laboratory Control Sample)
1200307560	059903-002MS(Matrix Spike)
1200307561	059903-002MSD(matrix Spike Duplicate)

SNLS SDG#67794 - PCB

System Configuration

Chromatographic Columns

Column ID	Column Description
J&W1	DB-5(5%-Phenyl)-methylsiloxane 30m x 0.53mm x 1.5um DB-608 Durabond stationary phase* 30m x 0.53mm x 0.5um
J&W2	DB-5(5%-Phenyl)-methylsiloxane 30m x 0.32mm x 1.0um DB-1701 Durabond stationary phase* 30m x 0.32mm x 0.5um
J&W3	DB-5(5%-Phenyl)-methylsiloxane 30m x 0.53mm x 1.5um DB-1701(14% Cyanopropylphenyl)-methylsiloxane 30m x 0.53mm x 0.5um
J&W4	DB-608 Durabond stationary phase* 30m x 0.53mm x .83um DB-XLB* 30m x 0.53mm x 1.5um
J&W5	DB-XLB* 30m x 0.25mm x 0.25um DB-17MS(50%-Phenyl)-methylsiloxane 30m x 0.25mm x 0.25um
J&W6	DB-5(5%-Phenyl)-methylsiloxane 30m x 0.25mm x 0.25um DB-17MS(50%-Phenyl)-methylsiloxane 30m x 0.25mm x 0.25um
RESTEK	Rtx-CLPesticides 30m x 0.25mm x 0.25um Rtx-CLPesticides II 30m x 0.25mm x 0.20um

* Durabond and DB-XLB are trademarks of J & W.

Instrument Configuration

The samples reported in this SDG were analyzed on one or more of the following instrument systems. Instrument systems are referenced in the raw data and individual form headers by the Instrument ID designations listed below.

Instrument ID	System Configuration	Chromatographic Column
ECD1	HP 6890 Series GC ECD/ECD	RESTEK
ECD2	HP 6890 Series GC ECD/ECD	RESTEK
ECD3	HP 6890 Series GC ECD/ECD	RESTEK
ECD4	HP 5890 Series II Plus GC ECD/ECD	J&W5
ECD5	HP 6890 Series GC ECD/ECD	J&W5
ECD7	HP 6890 Series GC ECD/ECD	J&W5
ECD8	HP 6890 Series GC ECD/ECD	RESTEK

SNLS SDG#67794 - PCB

Preparation/Analytical Method Verification

Procedures for preparation, analysis, and reporting of analytical data are documented by General Engineering Laboratories, Inc. (GEL) as Standard Operating Procedures (SOP).

Calibration Information

Initial Calibration

All initial calibration requirements have been met for this SDG.

CVS Requirements

All calibration verification standard(s) (CVS, ICV or CCV) requirements have been met for this SDG.

Quality Control (QC) Information

Surrogate Recoveries

All the surrogate recoveries were within the established acceptance criteria for this SDG.

Blank Acceptance

The blank(s) analyzed with this SDG met the established acceptance criteria.

LCS Recovery Statement

The Laboratory Control Sample (LCS) spike recoveries for this SDG were within the established acceptance limits.

QC Sample Designation

The following sample was selected for the PCB method QC:

<u>Client Sample ID#</u>	<u>Laboratory Sample ID#</u>
059903-002	67794012

The method QC included a Matrix Spike (MS) and Matrix Spike Duplicate (MSD).

MS Recovery Statement

The matrix spike recoveries for this SDG were within the established acceptance limits.

MSD Recovery Statement

The matrix spike duplicate recoveries for this SDG were within the established acceptance limits.

MS/MSD RPD Statement

The relative percent differences (RPD) between each MS and MSD were within the required acceptance limits.

Technical Information

Holding Time Specifications

GEL assigns holding times based on the associated methodology, which assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration. All samples in this SDG met the specified holding time requirements.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP. All samples underwent sulfur cleanup procedure.

Sample Dilutions

None of the samples in this SDG was required dilution.

Sample Re-prep/Re-analysis

None of the samples in this sample group were re-prepped or reanalyzed.

Miscellaneous Information

Nonconformance (NCR) Documentation

No nonconformance reports (NCRs) have been generated for this SDG.

Manual Integrations

Certain standards and samples required manual integrations to correctly position the baseline as set in the calibration standard injections. If manual integrations are performed, copies of all manual integration peak profiles will be included in the raw data section of this package.

Additional Comments

The additional comments field is used to address special issues associated with each analysis, clarify method/contractual issues pertaining to the analysis and to list any report documents generated as a result of sample analysis or review. The following additional comments were required for this sample set:

Aroclors quantitated on the raw data report by the Target data system do not necessarily represent positive aroclor identification. In order for positive identification to be made, the aroclor must match in pattern and retention time; as well as quantitate relatively close between the primary and confirmation columns, as specified in SW846 method 8000. When these conditions are not met, the aroclor is reported as a non-detect on the data report. These situations will be noted on the raw data as DMP, representing "does not match pattern", or DNC "does not confirm". Sample 67794018 contained more than one PCB. The quantitation of PCB may be elevated due to overlapping PCB patterns.

Certification Statement

* Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer: Jimi Cao Date: 10/18/02

**PCB Case Narrative
Sandia National Labs (SNLS)
SDG# 67794-1**

Method/Analysis Information

Procedure: Polychlorinated Biphenyls by Method 8082
Analytical Method: SW846 8082
Prep Method: SW846 3510C
Analytical Batch Number: 204654
Prep Batch Number: 204653

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 8082:

Sample ID	Client ID
67798006	059926-003
1200308119	PBLK01 (Method Blank)
1200308120	PBLK01LCS (Laboratory Control Sample)

System Configuration

Chromatographic Columns

Column ID	Column Description
J&W1	DB-5(5%-Phenyl)-methylsiloxane 30m x 0.53mm x 1.5um DB-608 Durabond stationary phase* 30m x 0.53mm x 0.5um
J&W2	DB-5(5%-Phenyl)-methylsiloxane 30m x 0.32mm x 1.0um DB-1701 Durabond stationary phase* 30m x 0.32mm x 0.5um
J&W3	DB-5(5%-Phenyl)-methylsiloxane 30m x 0.53mm x 1.5um DB-1701(14% Cyanopropylphenyl)-methylsiloxane 30m x 0.53mm x 0.5um
J&W4	DB-608 Durabond stationary phase* 30m x 0.53mm x .83um DB-XLB* 30m x 0.53mm x 1.5um
J&W5	DB-XLB* 30m x 0.25mm x 0.25um DB-17MS(50%-Phenyl)-methylsiloxane 30m x 0.25mm x

SNLS SDG#67794-1 - PCB

0.25um

J&W6 DB-5(5%-Phenyl)-methylsiloxane 30m x 0.25mm x 0.25um
DB-17MS(50%-Phenyl)-methylsiloxane 30m x 0.25mm x 0.25um

* Durabond and DB-XLB are trademarks of J & W.

Instrument Configuration

The samples reported in this SDG were analyzed on one or more of the following instrument systems. Instrument systems are referenced in the raw data and individual form headers by the Instrument ID designations listed below.

Instrument ID	System Configuration	Chromatographic Column
ECD1	HP 6890 Series GC ECD/ECD	RESTEK*
ECD2	HP 6890 Series GC ECD/ECD	RESTEK*
ECD3	HP 6890 Series GC ECD/ECD	RESTEK*
ECD4	HP 5890 Series II Plus GC ECD/ECD	J&W5
ECD5	HP 6890 Series GC ECD/ECD	J&W5
ECD7	HP 6890 Series GC ECD/ECD	J&W5
ECD8	HP 6890 Series GC ECD/ECD	RESTEK*

*The columns were changed to RTX-CLPEST1 and RTX-CLPEST2.

Preparation/Analytical Method Verification

Procedures for preparation, analysis, and reporting of analytical data are documented by General Engineering Laboratories, Inc. (GEL) as Standard Operating Procedures (SOP).

Calibration Information

Initial Calibration

All initial calibration requirements have been met for this SDG.

CCV Requirements

All calibration verification standard(s) (CVS, ICV or CCV) requirements have been met for this SDG.

Quality Control (QC) Information

Surrogate Recoveries

All the surrogate recoveries were within the established acceptance criteria for this SDG.

Blank Acceptance

The blank(s) analyzed with this SDG met the established acceptance criteria.

LCS Recovery Statement

The Laboratory Control Sample (LCS) spike recoveries for this SDG were within the established acceptance limits.

QC Sample Designation

The MS and MSD were analyzed on a sample contained in another SNLS SDG (67821).

MS Recovery Statement

The matrix spike recoveries for this SDG were within the established acceptance limits.

MSD Recovery Statement

The matrix spike duplicate recoveries for this SDG were within the established acceptance limits.

MS/MSD RPD Statement

The relative percent differences (RPD) between each MS and MSD were within the required acceptance limits.

Technical Information**Holding Time Specifications**

GEL assigns holding times based on the associated methodology which assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration. All samples in this SDG met the specified holding time requirements.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

None of the samples in this SDG required any dilutions.

Sample Re-prep/Re-analysis

None of the samples in this sample group were re-prepped or reanalyzed.

Miscellaneous Information**Nonconformance (NCR) Documentation**

No nonconformance reports (NCRs) have been generated for this SDG.

Manual Integrations

No manual integrations were required for any data file in this SDG. Certain standards and QC samples may have required manual integrations to correctly position the baseline as set in the calibration standard injections. If manual integrations were performed, copies of all manual integration peak profiles are included in the raw data section of this PCB fraction.

Additional Comments

The additional comments field is used to address special issues associated with each analysis, clarify method/contractual issues pertaining to the analysis and to list any report documents generated as a result of sample analysis or review. The following additional comments were required for this sample set:

Aroclors quantitated on the raw data report by the Target data system do not necessarily represent a positive aroclor identification. In order for positive identification to be made, the aroclor must match in pattern and retention time; as well as quantitate relatively close between the primary and confirmation columns, as specified in SW846 method 8000. When these conditions are not met, the aroclor is reported as a non-detect on the data report. These situations will be noted on the raw data as DMP, representing "does not match pattern", or DNC "does not confirm".

Certification Statement

* Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer: Jinji Cao Date: 10/13/02

**GC/ECD
PCB
QUALITY CONTROL
SUMMARY**

QC Summary

Report Date: October 18, 2002

Page 1 of 2

Client : Sandia National Laboratories
 MS-0756
 P.O. Box 5800
 Albuquerque, New Mexico
 Contact: Pamela M. Puissant
 Workorder: 67794

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date Time
Semi-Volatiles-PCB Federal Batch 204381										
QC1200307557	LCS									
Aroclor-1260	33.3			29.7	ug/kg		89	(48%-116%)	GH1	10/01/02 10:49
**4cmx	6.67			5.06	ug/kg		76	(31%-120%)		
**Decachlorobiphenyl	6.67			5.52	ug/kg		83	(34%-115%)		
QC1200307556	MB									
Aroclor-1016			U	ND	ug/kg					10/01/02 10:37
Aroclor-1221			U	ND	ug/kg					
Aroclor-1232			U	ND	ug/kg					
Aroclor-1242			U	ND	ug/kg					
Aroclor-1248			U	ND	ug/kg					
Aroclor-1254			U	ND	ug/kg					
Aroclor-1260			U	ND	ug/kg					
**4cmx	6.67			5.16	ug/kg		77	(31%-120%)		
**Decachlorobiphenyl	6.67			5.43	ug/kg		82	(34%-115%)		
QC1200307560	67794012 MS									
Aroclor-1260	33.3	U	ND	14.8	ug/kg		44	(36%-134%)		10/01/02 14:03
**4cmx	6.67		4.81	2.39	ug/kg		36	(31%-120%)		
**Decachlorobiphenyl	6.67		5.27	2.72	ug/kg		41	(34%-115%)		
QC1200307561	67794012 MSD									
Aroclor-1260	33.3	U	ND	15.6	ug/kg	5	47	(0%-30%)		10/01/02 14:16
**4cmx	6.67		4.81	2.53	ug/kg		38	(31%-120%)		
**Decachlorobiphenyl	6.67		5.27	2.86	ug/kg		43	(34%-115%)		

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where it
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL. I
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

QC Summary

Workorder: 67794

Page 2 of 2

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
---------	-----	--------	------	----	-------	------	------	-------	-------	------	------

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spiko conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

QC Summary

Report Date: October 17, 2002

Page 1 of 2

Client : Sandia National Laboratories
 MS-0756
 P.O. Box 5800
 Albuquerque, New Mexico

Contact: Pamela M. Paissant

Workorder: 67798

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Semi-Volatiles-PCB Federal											
Batch	204654										
QC1200308120	LCS										
Aroclor-1260	1.00			0.770	ug/L		77	(47%-131%)	MM	10/01/02	13:03
**4cmx	0.200			0.148	ug/L		74	(34%-116%)			
**Decachlorobiphenyl	0.200			0.126	ug/L		63	(21%-122%)			
QC1200308119	MB										
Aroclor-1016			U	ND	ug/L					10/01/02	12:52
Aroclor-1221			U	ND	ug/L						
Aroclor-1232			U	ND	ug/L						
Aroclor-1242			U	ND	ug/L						
Aroclor-1248			U	ND	ug/L						
Aroclor-1254			U	ND	ug/L						
Aroclor-1260			U	ND	ug/L						
**4cmx	0.200			0.145	ug/L		72	(34%-116%)			
**Decachlorobiphenyl	0.200			0.140	ug/L		70	(21%-122%)			
QC1200308125	67821005	MS									
Aroclor-1260	1.00	U	ND	0.560	ug/L		56	(21%-113%)		10/01/02	12:18
**4cmx	0.200		0.132	0.130	ug/L		65	(34%-116%)			
**Decachlorobiphenyl	0.200		0.0574	0.0692	ug/L		35	(21%-122%)			
QC1200308126	67821005	MSD									
Aroclor-1260	1.00	U	ND	0.600	ug/L	7	60	(0%-30%)		10/01/02	12:29
**4cmx	0.200		0.132	0.133	ug/L		66	(34%-116%)			
**Decachlorobiphenyl	0.200		0.0574	0.0771	ug/L		39	(21%-122%)			

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where t
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL. J
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

QC Summary

Workorder: 67798

Page 2 of 2

Paramname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
-----------	-----	--------	------	----	-------	------	------	-------	-------	------	------

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

INORGANIC ANALYSIS

**Inorganic Case Narrative for
Sandia National Laboratory
SDG# 67794**

Sample Analysis:

The following samples were prepared and analyzed using the methods referenced in the "Method/Analysis Information" section of this narrative:

Sample ID	Client ID
67794012	059903-002
67794013	059904-002
67794014	059905-002
67794015	059906-002
67794016	059907-002
67794017	059908-002
67794018	059910-001
67794019	059912-002
67794020	059913-002
67794021	059914-002
67794022	059915-002
1200307723	Method Blank (MB) ICP
1200307727	Laboratory Control Sample (LCS)
1200307725	059903-002L (67794012) Serial Dilution (SD)
1200307724	059903-002D (67794012) Sample Duplicate (DUP)
1200307726	059903-002S (67794012) Matrix Spike (MS)
1200307714	Method Blank (MB) CVAA
1200307717	Laboratory Control Sample (LCS)
1200307715	059903-002D (67794012) Sample Duplicate (DUP)
1200307716	059903-002S (67794012) Matrix Spike (MS)

Method/Analysis Information:

Analytical Batch: 204440, 204452
Prep Batch : 204439, 204451
Standard Operating Procedures: GL-MA-E-013 REV.6, GL-MA-E-010 REV.10
Analytical Method: SW846 6010B, SW846 7471A
Prep Method : SW846 3050B, SW846 7471A Prep

System Configuration

The ICP analysis was performed on a Thermo Jarrell Ash 61E Trace axial-viewing inductively coupled plasma atomic emission spectrometer. The instrument is equipped with a Meinhardt nebulizer, cyclonic spray chamber, and yttrium internal standard. Operating conditions for the Trace ICP are set at a power level of 950 watts. The instrument has a peristaltic pump flow rate of 140 RPM (2.0 mL/min sample uptake rate), argon gas flows of 15 L/min and 0.5 L/min for the torch and auxiliary gases, and a pressure setting of 26 PSI for the nebulizer.

Mercury analysis was performed on a Perkin-Elmer Flow Injection Mercury System (FIMS-400) automated mercury analyzer. The instrument consists of a cold vapor atomic absorption spectrometer set to detect mercury at a wavelength of 254 nm. Sample introduction through the flow injection system is performed via a peristaltic pump at 9 mL/min and nitrogen carrier gas rate of 5 L/min.

Sample Preparation

All samples were prepared in accordance with the referenced SW-846 procedures.

Calibration Information:

Initial Calibration

Instrument calibrations are conducted using method and instrument manufacturer's specifications. All initial calibration requirements have been met for this analysis.

CRDL Requirements

All CRDL standards met the referenced advisory control limits.

Continuing Calibration (CCV) Requirements

All CCV standards bracketing this SDG met the established recovery acceptance criteria.

Continuing Calibration Blanks (CCB) Requirements

All continuing calibration blanks (CCB) bracketing this SDG met the established acceptance criteria.

ICSA/ICSAB Requirements

All interference check standard (ICSA and ICSAB) elements associated with this SDG met the established acceptance criteria.

Quality Control (QC) Information:

Method Blank Acceptance

The preparation blanks analyzed with this SDG did not contain analytes of interest at concentrations greater than the required detection limits (RDL).

LCS Recovery Statement

All LCS spike recoveries for this SDG were within the established acceptance limits.

QC Sample Designation

Sample 67794012 was designated as the quality control sample for the ICP and CVAA batches. Each batch included a sample duplicate (DUP) and a matrix spike (MS). The ICP batch included a serial dilution (SD).

MS Recovery Statement

The percent recoveries (%R) obtained from the MS analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. All qualifying elements met the established acceptance limits for percent recovery.

RPD Statement

The relative percent difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria of 20% when the sample is greater than five times (5X) the contract required detection limit (RDL). In cases where either the sample or duplicate value is less than 5X the RDL, a control limit of +/- the RDL is used to evaluate the DUP results. All applicable elements met the DUP acceptance criteria, with the exceptions of arsenic, chromium, and lead, as indicated by the "*" qualifiers.

Serial Dilution % Difference Statement

The serial dilution is used to assess interference caused by matrix suppression or enhancement. Raw element concentrations that are at least 50X the MDL for ICP analyses are applicable for serial dilution assessment. All applicable analytes met the acceptance criteria.

Technical Information:

Holding Time Specifications

All samples were analyzed within the specified holding times.

Sample Dilutions

Dilutions are performed to minimize matrix interference resulting from elevated mineral element concentrations and/or to bring over range target analyte concentrations into the linear calibration range of the instruments. The samples were diluted the standard 2x for soils on the ICP. No dilutions were required for the CVAA analysis.

Miscellaneous Information:

NCR Documentation

Nonconformance reports are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. No NCR's were issued for this SDG.

Additional Comments

The additional comments field is used to address special issues associated with each analysis, clarify method/contractual issues pertaining to the analysis and to list any report documents generated as a result of sample analysis or review. Additional comments were not required for this SDG.

Review/Validation:

GEL requires all analytical data to be verified by a qualified data validator.

The following data validator verified the data presented in this SDG:

Reviewer: *alis mll*

Date: 10/17/12

**Metals Case Narrative for
Sandia National Labs (SNLS)
SDG# 67794-1**

Sample Analysis:

The following samples first extracted by SW 846 method 1311, then prepared and analyzed using the methods referenced in the "Method/Analysis Information" section of this narrative:

Sample ID	Client ID
67798010	059926-007
1200307728	Methods Blank (MB) ICP-204455/204453
1200307729	LCS for batch 204453
1200307666	Methods Blank (MB) CVAA-204420/204419
1200307669	Laboratory Control Sample (LCS)

Method/Analysis Information:

Analytical Batch #:	204455, 204420
Prep Batch #:	204453, 204419
Analytical Method:	SW846 6010B, SW846 7470A
Prep Method:	SW846 3010, SW846 7470A
Standard Operating Procedure:	GL-MA-E-013 REV.6, GL-MA-E-010 REV.10

System Configuration

The ICP analysis was performed on a Thermo Jarrell Ash 61E Trace axial-viewing inductively coupled plasma atomic emission spectrometer. The instrument is equipped with a Meinhardt nebulizer, cyclonic spray chamber, and yttrium internal standard. Operating conditions for the Trace ICP are set at a power level of 950 watts. The instrument has a peristaltic pump flow rate of 140 RPM (2.0 mL/min sample uptake rate), argon gas flows of 15 L/min and 0.5 L/min for the torch and auxiliary gases, and a pressure setting of 26 PSI for the nebulizer.

Mercury analysis was performed on a Perkin-Elmer Flow Injection Mercury System (FIMS-400) automated mercury analyzer. The instrument consists of a cold vapor atomic absorption spectrometer set to detect mercury at a wavelength of 254 nm. Sample introduction through the flow injection system is performed via a peristaltic pump at 9 mL/min and nitrogen carrier gas rate of 5 L/min.

Sample Preparation

All samples were prepared in accordance with the referenced SW-846 procedures.

Calibration Information:

Initial Calibration

Instrument calibrations are conducted using method and instrument manufacturer's specifications. All initial calibration requirements have been met for the analyses.

CRDL Requirements

All element recoveries in the CRDL standards met the advisory control limits (70% - 130).

ICSA/ICSAB Requirements

All interference check standard (ICSA and ICSAB) elements associated with this SDG met the established acceptance criteria.

Continuing Calibration (CCV) Requirements

All CCV standards bracketing samples from this SDG met the established recovery acceptance criteria.

Continuing Calibration Blanks (CCB) Requirements

All continuing calibration blanks (CCB) bracketing samples from this SDG met the established acceptance criteria.

Quality Control (QC) Information:**Method Blank Acceptance**

The preparation blanks analyzed with this SDG did not contain analytes of interest at concentrations greater than the client required detection limits (CRDL).

LCS Recovery Statement

All LCS spike recoveries for this SDG were within the required acceptance limits.

QC Sample Statement

Sample 060043-003 (67821004) from SNLS SDG 67821 was designated as the quality control sample for the ICP batch. Sample 059582-007 (67354008) from SNLS SDG 67354 was designated as the quality control sample for the CVAA batch. A matrix spike (MS) and a sample duplicate (DUP) were analyzed in each batch. A serial dilution (SD) was analyzed in the ICP batch.

MS Recovery Statement

The percent recoveries (%R) obtained from the MS analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. The MS analyses met the recommended quality control acceptance criteria for percent recovery (75%-125%) for all applicable analytes.

DUP RPD Statement

The relative percent difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria of 20% when the sample is greater than five times (5X) the contract required detection limit (RDL). In cases where either the sample or duplicate value is less than 5X the RDL, a control limit of +/- the RDL is used to evaluate the DUP results. All applicable elements met the DUP acceptance criteria.

Serial Dilution % Difference Statement

The serial dilution is used to assess interference caused by matrix suppression or enhancement. Raw element concentrations that are at least 50X the MDL for ICP analyses are applicable for serial dilution assessment. All applicable analytes met the acceptance criteria.

Technical Information:**Holding Time Specifications**

All samples in this SDG met the specified holding time requirements.

Sample Dilutions

Dilutions are performed to minimize matrix interferences (e.g., those resulting from elevated mineral element concentrations) present in the sample and/or to bring over range target analyte concentrations into the linear calibration range of the instruments. No dilution was required.

Miscellaneous Information:

NCR Documentation

Nonconformance reports (NCR) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. No NCR was generated with this SDG.

Additional Comments

The additional comments field is used to address special issues associated with each analysis, clarify method/contractual issues pertaining to the analysis and to list any report documents generated as a result of sample analysis or review. Additional comments were not required for this SDG.

Review/Validation:

GEL requires all analytical data to be verified by a qualified data validator.

The following data validator verified the data presented in this SDG:

Reviewer: ADDISON

Date: 10/31/02

**INORGANICS
QUALITY
CONTROL
SUMMARY**

QC Summary

Report Date: October 17, 2002

Page 1 of 2

Client : Sandia National Laboratories
 MS-0756
 P.O. Box 5800
 Albuquerque, New Mexico
 Contact: Pamela M. Puissant
 Workorder: 67794

Paramname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Metals Analysis-ICP Federal											
Bach 204452											
QC1200307724 67794012 DUP											
Arsenic				1.87	1.35	mg/kg	32* ^	(+/-0.481)	HSC	10/15/02	02:49
Barium				44.2	50.4	mg/kg	13	(0%-20%)			
Cadmium	J		J	0.196	0.126	mg/kg	N/A ^	(+/-0.481)			
Chromium				6.62	4.39	mg/kg	40*	(0%-20%)			
Lead				4.44	2.81	mg/kg	45*	(0%-20%)			
Selenium	U		U	ND	ND	mg/kg	N/A	(+/-0.481)			
Silver	J		J	0.323	0.333	mg/kg	N/A ^	(+/-0.481)			
QC1200307727 LCS											
Arsenic	192				214	mg/kg		112 (79%-121%)		10/15/02	02:32
Barium	417				484	mg/kg		116 (80%-120%)			
Cadmium	125				139	mg/kg		111 (81%-119%)			
Chromium	133				152	mg/kg		114 (77%-123%)			
Lead	160				181	mg/kg		113 (78%-123%)			
Selenium	97.0				105	mg/kg		108 (72%-128%)			
Silver	115				135	mg/kg		118 (55%-145%)			
QC1200307723 MB											
Arsenic			U	ND	ND	mg/kg				10/15/02	02:26
Barium			U	ND	ND	mg/kg					
Cadmium			U	ND	ND	mg/kg					
Chromium			U	ND	ND	mg/kg					
Lead			U	ND	ND	mg/kg					
Selenium			U	ND	ND	mg/kg					
Silver			U	ND	ND	mg/kg					
QC1200307726 67794012 MS											
Arsenic	24.3			1.87	25.5	mg/kg		97 (75%-125%)		10/15/02	02:55
Barium	24.3			44.2	68.2	mg/kg		99 (75%-125%)			
Cadmium	24.3	J		0.196	23.3	mg/kg		95 (75%-125%)			
Chromium	24.3			6.62	30.5	mg/kg		98 (75%-125%)			
Lead	24.3			4.44	27.7	mg/kg		96 (75%-125%)			
Selenium	24.3	U		ND	22.3	mg/kg		92 (75%-125%)			
Silver	24.3	J		0.323	26.5	mg/kg		108 (75%-125%)			
QC1200307725 67794012 SDILT											
Arsenic			U	19.1	ND	ug/L	N/A			10/15/02	02:43
Barium				451	91.4	ug/L	1.41				
Cadmium	J		U	1.99	ND	ug/L	N/A				
Chromium				67.5	14.0	ug/L	3.63				
Lead				45.3	9.16	ug/L	1.13				
Selenium	U		U	ND	ND	ug/L	N/A				
Silver	J		U	3.29	ND	ug/L	N/A				
Metals Analysis-Mercury Federal											
Bach 204440											
QC1200307715 67794012 DUP											

QC Summary

Workorder: 67794

Page 2 of 2

Parameter	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Metals Analysis-Mercury Federal											
Batch	204440										
Mercury		J	0.00179	J	0.00147	mg/kg	N/A	(+/-0.00979)	NORJ	10/15/02	11:15
QC1200307717	LCS										
Mercury	24.0				21.1	mg/kg	88	(66%-134%)		10/15/02	11:07
QC1200307714	MB										
Mercury				U	ND	mg/kg				10/15/02	11:05
QC1200307716	67794012 MS										
Mercury	0.093	J	0.00179		0.0954	mg/kg	101	(75%-125%)		10/15/02	11:17

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where d
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL. J
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

QC Summary

Client : Sandia National Laboratories
 MS-0756
 P.O. Box 5800
 Albuquerque, New Mexico
 Contact: Pamela M. Puissant
 Workorder: 67798

Report Date: October 3, 2002
 Page 1 of 2

Parameter	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Axst	Date	Time
Metals Analysis-ICP Federal											
Batch 204455											
QC1200307730 67821004 DUP											
Arsenic		U	ND	U	ND	mg/L	N/A	(+/-0.005)	HSC	10/01/02	23:30
Barium				J	0.00381	mg/L	N/A	(+/-0.005)			
Cadmium		J	0.00473	J	0.00469	mg/L	N/A	(+/-0.005)			
Chromium		BJ	0.00101	BJ	0.000999	mg/L	N/A	(+/-0.005)			
Lead		J	0.00387	J	0.00421	mg/L	N/A	(+/-0.005)			
Selenium		U	ND	U	ND	mg/L	N/A	(+/-0.005)			
Silver		U	ND	U	ND	mg/L	N/A	(+/-0.005)			
QC1200307729 LCS											
Arsenic	0.500				0.504	mg/L	101	(80%-120%)		10/01/02	22:54
Barium	0.500				0.516	mg/L	103	(80%-120%)			
Cadmium	0.500				0.510	mg/L	102	(80%-120%)			
Chromium	0.500			B	0.513	mg/L	103	(80%-120%)			
Lead	0.500				0.520	mg/L	104	(80%-120%)			
Selenium	0.500				0.495	mg/L	99	(80%-120%)			
Silver	0.500				0.491	mg/L	98	(80%-120%)			
QC1200307728 MB											
Arsenic				U	ND	mg/L				10/01/02	22:48
Barium				U	ND	mg/L					
Cadmium				U	ND	mg/L					
Chromium				J	0.000567	mg/L					
Lead				U	ND	mg/L					
Selenium				U	ND	mg/L					
Silver				U	ND	mg/L					
QC1200207731 67821004 MS											
Arsenic	0.500	U	ND		0.504	mg/L	101	(75%-125%)		10/01/02	23:36
Barium	0.500				0.523	mg/L	104	(75%-125%)			
Cadmium	0.500	J	0.00473		0.514	mg/L	102	(75%-125%)			
Chromium	0.500	BJ	0.00101	B	0.518	mg/L	103	(75%-125%)			
Lead	0.500	J	0.00387		0.525	mg/L	104	(75%-125%)			
Selenium	0.500	U	ND		0.503	mg/L	101	(75%-125%)			
Silver	0.500	U	ND		0.491	mg/L	98	(75%-125%)			
QC1200307732 67821004 SDILT											
Arsenic		U	ND	J	2.65	ug/L	N/A			10/01/02	23:24
Barium				J	0.888	ug/L	N/A				
Cadmium		J	4.73	J	0.787	ug/L	16.8				
Chromium		BJ	1.01	BJ	0.917	ug/L	352				
Lead		J	3.87	J	1.91	ug/L	145				
Selenium		U	ND	U	ND	ug/L	N/A				
Silver		U	ND	U	ND	ug/L	N/A				
Metals Analysis-Mercury Federal											
Batch 204420											
QC1200307667 67354008 DUP											

QC Summary

Workorder: 67798

Page 2 of 2

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anst	Date	Time
Metals Analysis-Mercury Federal											
Batch 204420											
Mercury		U	ND	U	ND	mg/L	N/A	(+/-0.0002)	NOR1	10/01/02	11:27
QC1200307669	LCS										
Mercury	0.002				0.00213	mg/L	106	(80%-120%)		10/01/02	11:17
QC1200307666	MB										
Mercury				U	ND	mg/L				10/01/02	11:15
QC1200307668	67354008 MS										
Mercury	0.002	U	ND		0.0021	mg/L	104	(75%-125%)		10/01/02	11:29

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where t
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL.)
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

GENERAL
CHEMISTRY
ANALYSIS

General Chemistry Narrative
Sandia National Labs (SNLS)
SDG 67794

Method/Analysis Information

Procedure: Total Cyanide
Analytical Method: SW846 9012A
Prep Method: SW846 9010B Prep
Analytical Batch Number: 205123
Prep Batch Number: 205122

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 9012A:

Sample ID	Client ID
67794012	059903-002
67794013	059904-002
67794014	059905-002
67794015	059906-002
67794016	059907-002
67794017	059908-002
67794018	059910-001
67794019	059912-002
67794020	059913-002
67794021	059914-002
1200309255	MB
1200309256	DUP of 67601015

1200309257	DUP of 67601016
1200309258	MS of 67601015
1200309259	MS of 67601016
1200309261	LCS

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-095 Rev. 1.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by General Engineering Laboratories, Inc. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information:

The instrument used in this analysis was the following: Lachat QuickChem FIA+

Initial Calibration

The instrument was properly calibrated.

Calibration Verification Information

All calibration verification standards were within the required limits.

Quality Control (QC) Information:

Blank Acceptance

The method and calibration blanks associated with this data were within the required acceptance limits.

Laboratory Control Sample Recovery

The recovery for the laboratory control sample was within the required acceptance limits.

Quality Control

The following SNLS samples were designated for Quality Control: 67601015 and 67601016

Sample Spike Recovery

The spike recoveries for this sample set were within the required acceptance limits.

Sample Duplicate Acceptance

The Relative Percent Differences between the samples and duplicates for this SDG were within the required acceptance limits.

Technical Information:

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples from this sample group were analyzed within the required holding time for this method.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

The following QC sample in this sample group was diluted 1:50 due to high concentration for this analysis: 1200309261.

Sample Reanalysis

The method blank (1200309255) was reanalyzed because there was no sample in the autosampler cup during the original analysis.

Miscellaneous Information:**Nonconformance Reports**

No Nonconformance Reports (NCR) were required for any of the samples in this sample group for this analysis.

Method/Analysis Information

Procedure: Total Cyanide
Analytical Method: SW846 9012A
Prep Method: SW846 9010B Prep
Analytical Batch Number: 206136
Prep Batch Number: 206135

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 9012A:

Sample ID	Client ID
67794022	059915-002
1200311349	MB
1200311351	DUP of 67794022
1200311352	MS of 67794022
1200311367	LCS

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-095 Rev. 1.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by General Engineering Laboratories, Inc. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information:

The instrument used in this analysis was the following: Lachat QuickChem FIA+

Initial Calibration

The instrument was properly calibrated.

Calibration Verification Information

All calibration verification standards were within the required limits.

Quality Control (QC) Information:**Blank Acceptance**

The method and calibration blanks associated with this data were within the required acceptance limits.

Laboratory Control Sample Recovery

The recovery for the laboratory control sample was within the required acceptance limits.

Quality Control

The following sample was designated for Quality Control: 67794022.

Sample Spike Recovery

The spike recovery for this sample set was within the required acceptance limits.

Sample Duplicate Acceptance

The values for the sample and duplicate for this sample group are less than the Practical Quantitation Limit (PQL); therefore, the RPD is not applicable.

Technical Information:

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples from this sample group were analyzed within the required holding time for this method.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.


Sample Dilutions

The following QC sample in this sample group was diluted 1:50 due to high concentration for this analysis: 1200311367.

Miscellaneous Information:

Nonconformance Reports

No Nonconformance Reports (NCR) were required for any of the samples in this sample group for this analysis.



Method/Analysis Information

Procedure: Hexavalent Chromium
Analytical Method: SW846 7196A
Prep Method: SW846 3060A
Analytical Batch Number: 205618
Prep Batch Number: 205617

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 7196A:

Sample ID	Client ID
67794012	059903-002
1200310247	MB
1200310248	DUP of 67601013
1200310249	DUP of 67601023
1200310250	MS of 67601013
1200310251	MS of 67601023
1200310252	LCS

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-044 REV.4.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by General Engineering Laboratories, Inc. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information:

The instrument used in this analysis was the following: Milton Roy Spectrophotometer 200

Initial Calibration

The instrument was properly calibrated.

Calibration Verification Information

All calibration verification standards were within the required limits.

Quality Control (QC) Information:

Blank Acceptance

The method and calibration blanks associated with this data were within the required acceptance limits.

Laboratory Control Sample Recovery

The recovery for the laboratory control sample was within the required acceptance limits.

Quality Control

The following SNLS samples were designated for Quality Control: 67601013 and 67601023.

Sample Spike Recovery

The spike recoveries for this sample set were within the GEL SPC limits, but were outside of the client's required acceptance limits of 75%-125%. See NCR# 6532.

Sample Duplicate Acceptance

The Relative Percent Differences between the samples and duplicates for this SDG were within the required acceptance limits.

Technical Information:

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples from this sample group were analyzed within the required holding time for this method.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

No samples in this sample group required dilutions.

Miscellaneous Information:

Nonconformance Reports

NCR# 6532 was written for this sample batch.

Method/Analysis Information

Procedure: Hexavalent Chromium
Analytical Method: SW846 7196A
Prep Method: SW846 3060A
Analytical Batch Number: 205620
Prep Batch Number: 205619

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 7196A:

Sample ID	Client ID
67794013	059904-002
67794014	059905-002
67794015	059906-002
67794016	059907-002
67794017	059908-002
67794018	059910-001
67794019	059912-002
67794020	059913-002
67794021	059914-002
67794022	059915-002
1200310253	MB
1200310254	DUP of 67794013
1200310255	MS of 67794013
1200310256	LCS

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-044 REV.4.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by General Engineering Laboratories, Inc. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information:

The instrument used in this analysis was the following: Milton Roy Spectrophotometer 200

Initial Calibration

The instrument was properly calibrated.

Calibration Verification Information

All calibration verification standards were within the required limits.

Quality Control (QC) Information:

Blank Acceptance

The method and calibration blanks associated with this data were within the required acceptance limits.

Laboratory Control Sample Recovery

The recovery for the laboratory control sample was within the required acceptance limits.

Quality Control

The following sample was designated for Quality Control: 67794013.

Sample Spike Recovery

The spike recovery for this sample set was within the required acceptance limits.

Sample Duplicate Acceptance

The values for the sample and duplicate for this sample group are less than the Practical Quantitation Limit (PQL); therefore, the RPD is not applicable.

Technical Information:

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples from this sample group were analyzed within the required holding time for this method.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

No samples in this sample group required dilutions.

Miscellaneous Information:

Nonconformance Reports

No Nonconformance Reports (NCR) were required for any of the samples in this sample group for this analysis.


Certification Statement

* Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer:  Date: 10/24/02

**General Chemistry Narrative
Sandia National Labs (SNLS)
SDG 67794-1**

Method/Analysis Information

Procedure: Hexavalent Chromium
Analytical Method: SW846 7196A
Analytical Batch Number: 204193

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 7196A:

Sample ID	Client ID
67798009	059926-006
1200307123	MB for batch 204193
1200307124	DUP of 67608009
1200307125	PS of 67608009
1200307126	LCS for batch 204193

SOP Reference

Procedure(s) for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure(s) (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-044 REV.4.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by General Engineering Laboratories, Inc. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information:

The instrument used in this analysis was the following: Milton Roy Spectrophotometer 200

Initial Calibration

The instrument was properly calibrated.

Calibration Verification Information

All calibration verification standards were within the required limits.

Quality Control (QC) Information:

Blank Acceptance

The method and calibration blanks associated with this data were within the required acceptance limits.

Laboratory Control Sample Recovery

The recovery for the laboratory control sample was within the required acceptance limits.

Quality Control

SNLS sample 67608009 was designated for Quality Control.

Sample Spike Recovery

The spike recovery for this sample set was within the required acceptance limits.

Sample Duplicate Acceptance

The Relative Percent Difference between the sample and duplicate for this SDG was within the required acceptance limits.

Technical Information:

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

The samples from this sample group were received by the lab outside of the method specified holding time. The samples were analyzed on the day they were received.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

No samples in this sample group required dilutions.

Miscellaneous Information:

Nonconformance Reports

Nonconformance report (NCR) 5078 was submitted by the project manager for sample 67798009 because the sample was received out of holding for hexavalent chromium analysis.

Additional Comments

Sample 67798009 was analyzed before being logged in to LIMS. Therefore, the sample could not be scanned to custody prior to analysis.

Method/Analysis Information

Procedure: Total Cyanide
Analytical Method: SW846 9012A
Prep Method: SW846 9010B Prep
Analytical Batch Number: 205981
Prep Batch Number: 205980

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 335.3:

Sample ID	Client ID
67798008	059926-005
1200311080	MB for batch 205981
1200311081	LCS for batch 205981
1200311082	DUP of 67798008
1200311083	MS of 67798008
1200311474	LCSD for batch 205980

SOP Reference

Procedure(s) for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure(s) (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-095 Rev. 1.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by General Engineering Laboratories, Inc. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information:

The instrument used in this analysis was the following: Lachat QuickChem FIA+

Initial Calibration

The instrument was properly calibrated.

Calibration Verification Information

All calibration verification standards were within the required limits.

Quality Control (QC) Information:**Blank Acceptance**

The method and calibration blanks associated with this data were within the required acceptance limits.

Laboratory Control Sample Recovery

The recovery for the laboratory control sample was within the required acceptance limits.

LCS Duplicate Recovery

The LCS Duplicate recovery was within the required acceptance limits.

LCS Duplicate RPD

The Relative Percent Difference between the LCS and LCS Duplicate was within the required acceptance limits.

Quality Control

Samples 67798008 was designated for Quality Control.

Sample Spike Recovery

The spike recovery for this sample set was within the required acceptance limits.

Sample Duplicate Acceptance

The values for the sample and duplicate for this sample group are less than the Practical Quantitation Limit (PQL); therefore, the RPD is not applicable.

Technical Information:

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples from this sample group were analyzed within the required holding time for this method.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

No samples in this sample group required dilutions.

Miscellaneous Information:

Nonconformance Reports

No Nonconformance Reports (NCR) were required for any of the samples in this sample group for this analysis.

Certification Statement

* Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer:  Date: 10/10/02

**GENERAL CHEMISTRY
QUALITY
CONTROL
SUMMARY**

QC Summary

Report Date: October 18, 2002
Page 1 of 2

Client : Sandia National Laboratories
MS-0756
P.O. Box 5800
Albuquerque, New Mexico
Contact: Pamela M. Puissant
Workorder: 67794

Parname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anst	Date	Time
Rapid Flow Analysis Federal											
Batch	205123										
QC1200309256	67601015	DUP									
Cyanide, Total		U	ND	U	ND	mg/kg	N/A	(+/-0.250)	ADF	10/02/02	12:36
QC1200309257	67601016	DUP									
Cyanide, Total		U	ND	U	ND	mg/kg	N/A	(+/-0.250)		10/02/02	12:38
QC1200309261	LCS										
Cyanide, Total	277				252	mg/kg	91	(62%-138%)		10/02/02	12:34
QC1200309255	MB										
Cyanide, Total				U	ND	mg/kg				10/02/02	13:51
QC1200309258	67601015	MS									
Cyanide, Total	5.00	U	ND		5.26	mg/kg	105	(55%-145%)		10/02/02	12:36
QC1200309259	67601016	MS									
Cyanide, Total	4.55	U	ND		4.49	mg/kg	98	(55%-145%)		10/02/02	12:39
Batch	206136										
QC1200311351	67794022	DUP									
Cyanide, Total		BU	ND	BU	ND	mg/kg	N/A	(+/-0.227)	ADF	10/08/02	10:39
QC1200311367	LCS										
Cyanide, Total	277			B	264	mg/kg	96	(62%-138%)		10/08/02	10:35
QC1200311349	MB										
Cyanide, Total				J	0.0883	mg/kg				10/08/02	10:31
QC1200311352	67794022	MS									
Cyanide, Total	5.00	BU	ND	B	4.60	mg/kg	92	(55%-145%)		10/08/02	10:40
Spectrometric Analysis Federal											
Batch	205618										
QC1200310248	67601013	DUP									
Hexavalent Chromium		U	ND	U	ND	mg/kg	N/A	(+/-0.0995)	BEP2	10/11/02	09:00
QC1200310249	67601023	DUP									
Hexavalent Chromium		U	ND	U	ND	mg/kg	N/A	(+/-0.0985)			
QC1200310252	LCS										
Hexavalent Chromium	0.985				0.956	mg/kg	97	(72%-121%)			
QC1200310247	MB										
Hexavalent Chromium				U	ND	mg/kg					
QC1200310250	67601013	MS									
Hexavalent Chromium	0.993	U	ND		0.665	mg/kg	63	(49%-130%)			
QC1200310251	67601023	MS									
Hexavalent Chromium	0.993	U	ND		0.715	mg/kg	71	(49%-130%)			
Batch	205620										
QC1200310254	67794013	DUP									
Hexavalent Chromium		U	ND	U	ND	mg/kg	N/A	(+/-0.0993)	BEP2	10/11/02	09:30
QC1200310256	LCS										
Hexavalent Chromium	0.998				1.00	mg/kg	100	(72%-121%)			
QC1200310253	MB										
Hexavalent Chromium				U	ND	mg/kg					
QC1200310255	67794013	MS									
Hexavalent Chromium	0.985	U	ND		0.936	mg/kg	95	(49%-130%)			

QC Summary

Workorder: 67794

Page 2 of 2

Parname	NOM	Sample Qual	QC	Units	RPD%	REC%	Range	Anlst	Date Time
---------	-----	-------------	----	-------	------	------	-------	-------	-----------

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where t
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40%D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL. 1
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDLT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

QC Summary

Report Date: October 9, 2002
Page 1 of 2

Client : Sandia National Laboratories
MS-0736
P.O. Box 5800
Albuquerque, New Mexico
Contact: Pamela M. Puissant
Workorder: 67798

Paramname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Analst	Date	Time
Rapid Flow Analysis Federal											
Batch 205981											
QC1200311082	67798008	DUP									
Cyanide, Total		U	ND	U	ND	mg/L	N/A	(+/-0.005)	ADF	10/04/02	10:52
QC1200311081	LCS										
Cyanide, Total	0.050				0.0483	mg/L	97			10/04/02	10:48
QC1200311474	LCS	D									
Cyanide, Total	0.050				0.0506	mg/L	5	101		10/04/02	10:49
QC1200311080	MB										
Cyanide, Total				U	ND	mg/L				10/04/02	10:47
QC1200311083	67798008	MS									
Cyanide, Total	0.100	U	ND		0.100	mg/L		100		10/04/02	10:56
Spectrometric Analysis Federal											
Batch 204193											
QC1200307124	67608009	DUP									
Hexavalent Chromium		HU	ND	HU	ND	mg/L	N/A	(+/-0.010)	VH1	09/26/02	14:20
QC1200307126	LCS										
Hexavalent Chromium	0.100				0.099	mg/L	99				
QC1200307123	MB										
Hexavalent Chromium				U	ND	mg/L					
QC1200307125	67608009	PS									
Hexavalent Chromium	0.100	HU	ND	H	0.093	mg/L		93			

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where d
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40% D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL. I
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

QC Summary

Workorder: 67798

Page 2 of 2

Parameter	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
-----------	-----	--------	------	----	-------	------	------	-------	-------	------	------

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

RADIOLOGICAL ANALYSIS

REVISED

**Radiochemistry Case Narrative
Sandia National Labs (SNLS)
Workorder 67794**

Method/Analysis Information

Batch Number: 205013
Procedure: Determination of Gross Alpha And Gross Non-Volatile Beta in Water
Analytical Method: EPA 900.0

Sample ID	Client ID
67794012	059903-002
67794013	059904-002
67794014	059905-002
67794015	059906-002
67794016	059907-002
67794017	059908-002
67794018	059910-001
67794019	059912-002
67794020	059913-002
67794021	059914-002
67794022	059915-002
1200308987	MB for batch 205013
1200308988	059915-002(67794022DUP)
1200308989	059915-002(67794022MS)
1200308990	059915-002(67794022MSD)
1200308991	LCS for batch 205013

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-001 REV.6.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met. The initial calibration was performed on June 12, 2002.

Standards Information

Standard solution(s) for these analyses are NIST traceable and used before the expiration date(s).

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

The blank volume is representative of the sample volume(s) in this batch.

Designated QC

The following sample was used for QC: 67794022.

QC Information

All of the QC samples met the required acceptance limits.

Technical Information:**Holding Time**

All sample procedures for this sample set were performed within the required holding time.

Preparation Information

All preparation criteria have been met for these analyses.

Sample Re-prep/Re-analysis

None of the samples in this sample set required reprep or reanalysis.

Gross Alpha/Beta Preparation Information

High hygroscopic salt content in evaporated samples can cause the sample mass to fluctuate due to moisture absorption. To minimize this interference, the salts are converted to oxides by heating the sample under a flame until a dull red color is obtained. The conversion to oxides stabilizes the sample weight and ensures that proper alpha/beta efficiencies are assigned for each sample. Volatile radioisotopes of carbon, hydrogen, technetium, polonium and cesium may be lost during sample heating, especially to a dull red heat. For this sample set, the prepared planchet was counted for beta activity before being flamed. After flaming, the planchet was counted for alpha activity. This sequence causes the alpha count run data to record over the beta count run data in AlphaLims, therefore only the alpha count data will appear on the instrument runlog.

Miscellaneous Information:**NCR Documentation**

No NCR were generated for the preparation or analysis of this sample set.

Qualifier Information

Manual qualifiers were not required.

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer: Valerie Drum

Date: 10/18/02

**Radiochemistry Case Narrative
Sandia National Labs (SNLS)
SDG 67794-1**

Method/Analysis Information

Batch Number: 204950
Procedure: Determination of Gross Alpha And Gross Non-Volatile Beta in Water
Analytical Method: EPA 900.0

Sample ID	Client ID
67798011	059926-008
1200308804	MB for batch 204950
1200308805	059826-008(67169011DUP)
1200308806	059826-008(67169011MS)
1200308807	059826-008(67169011MSD)
1200308808	LCS for batch 204950

SOP Reference

Procedure(s) for preparation, analysis and reporting of analytical data are controlled by General Engineering Laboratories, Inc. as Standard Operating Procedure(s) (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-001 REV.6.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met. The initial calibration was performed on June 12, 2002.

Standards Information

Standard solution(s) for these analyses are NIST traceable and used before the expiration date(s).

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

The blank volume is representative of the sample volume(s) in this batch.

Designated QC

The following sample was used for QC: 67169011. The QC sample is from SNLS work order 67169.

QC Information

All of the QC samples met the required acceptance limits.

Technical Information:

Holding Time

All sample procedures for this sample set were performed within the required holding time.


Preparation Information

All preparation criteria have been met for these analyses.

Sample Re-prep/Re-analysis

None of the samples in this sample set required reprep or reanalysis.

**RADIOCHEMISTRY
QUALITY
CONTROL
SUMMARY**



GENERAL ENGINEERING LABORATORIES

Meeting today's needs with a vision for tomorrow.

QC Summary

Report Date: October 18, 2002
Page 1 of 2


Client: Sandia National Laboratories
MS-8756
P.O. Box 5840
Albuquerque, New Mexico
Contact: Pamela M. Puissant
Workorder: 67794

Paramname	NOM	Sample Qual	QC	Units	RER	REC%	Range	Analst	Date	Time
Gravimetric Solids										
Batch	204314									
QC1200307411	67794012	DUP								
Moisture		5.17	3.30	percent	.39*		(0%-24%)	AWB	09/27/02	11:42
Rad Gas Flow										
Batch	205013									
QC1200308988	67794012	DUP								
Alpha		12.3	11.1	pCi/g	0.190		(0%-20%)	JSI	10/16/02	01:36
		Uncert: +/-3.06	+/-2.71							
		TPU: 3.30	2.80							
Beta		18.0	18.6	pCi/g	0.243		(0%-20%)			
		Uncert: +/-1.38	+/-1.40							
		TPU: 1.40	1.45							
QC1200308991	LCS									
Alpha		9.89	11.2	pCi/g		113	(75%-125%)		10/16/02	19:13
		Uncert: +/-1.77								
		TPU: 2.04								
Beta		39.7	46.2	pCi/g		117	(75%-125%)			
		Uncert: +/-2.55	+/-2.55							
		TPU: 2.69								
QC1200308987	MB									
Alpha		U	0.0348	pCi/g					10/16/02	01:36
		Uncert: +/-0.0096								
		TPU: 0.0997								
Beta		U	0.126	pCi/g						
		Uncert: +/-0.0876								
		TPU: 0.0876								
QC1200308989	67794022	MS								
Alpha		84.5	12.3	pCi/g		84	(75%-125%)		10/16/02	18:33
		Uncert: +/-3.06	+/-17.8							
		TPU: 3.30	19.4							
Beta		339	18.0	pCi/g		91	(75%-125%)			
		Uncert: +/-1.38	+/-19.3							
		TPU: 1.40	20.0							
QC1200308990	67794022	MSD								
Alpha		97.9	12.3	pCi/g		94				
		Uncert: +/-3.06	+/-22.5							
		TPU: 3.30	26.1							
Beta		393	18.0	pCi/g		92				
		Uncert: +/-1.38	+/-22.3							
		TPU: 1.40	23.2							

P O Box 30712 • Charleston, SC 29417 • 2040 Savage Road • 29407

(843) 556-8171 • Fax (843) 766-1178

Printed on Recycled Paper.



GENERAL ENGINEERING LABORATORIES

Meeting today's needs with a vision for tomorrow.

QC Summary

Workorder: 67794

Page 2 of 2

Parma name	NOM	Sample Qual	QC	Units	RER	REC%	Range	Anlst	Date	Time
------------	-----	-------------	----	-------	-----	------	-------	-------	------	------

Notes:

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spike amount not compatible with the sample or the duplicate RPD's are not applicable where the concentration falls below the effective PQL.
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.
- H Holding time was exceeded
- J Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL
- P The response between the confirmation column and the primary column is >40% D
- U The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL. For radiochemical analytes the result is less than the Decision Level
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Presumptive evidence that the analyte is not present. Please see narrative for further information.
- X Uncertain identification for gamma spectroscopy.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDLT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

P O Box 30712 • Charleston, SC 29417 • 2040 Savage Road • 29407

(843) 556-8171 • Fax (843) 766-1178

Printed on Recycled Paper.



GENERAL ENGINEERING LABORATORIES

Meeting today's needs with a vision for tomorrow.

QC Summary

Report Date: October 12, 2002
Page 1 of 2

Client: Sandia National Laboratories
MS-0756
P.O. Box 5808
Albuquerque, New Mexico
Contact: Pamela M. Puisseant
Workorder: 67798

Paramname	NOM	Sample Qual	QC	Units	RER	REC%	Range	Anlst	Date Time
Rad Gas Flow									
Batch	204950								
QC1200308805 67169011 DUP									
Alpha		U	-0.293	U	-0.582	pCi/L	0.389 ^	(+/-1.00)HOB1	10/08/02 05:44
		Uncert:	+/-0.333		+/-0.403				
		TPU:	0.334		0.408				
Beta		U	-0.0536	U	0.077	pCi/L	0.188 ^	(+/-1.00)	
		Uncert:	+/-0.341		+/-0.354				
		TPU:	0.341		0.354				
QC1200308808 LCS									
Alpha	9.89				10.9	pCi/L		110 (75%-125%)	10/07/02 21:03
		Uncert:			+/-1.84				
		TPU:			2.18				
Beta	39.7				44.1	pCi/L		111 (75%-125%)	
		Uncert:			+/-2.45				
		TPU:			2.52				
QC1200308804 MB									
Alpha				U	0.0431	pCi/L			10/08/02 05:44
		Uncert:			+/-0.0745				
		TPU:			0.0746				
Beta				U	0.126	pCi/L			
		Uncert:			+/-0.162				
		TPU:			0.162				
QC1200308806 67169011 MS									
Alpha	49.4	U	-0.293		56.9	pCi/L		116 (75%-125%)	10/07/02 21:03
		Uncert:	+/-0.333		+/-9.21				
		TPU:	0.334		12.7				
Beta	199	U	-0.0536		227	pCi/L		114 (75%-125%)	
		Uncert:	+/-0.341		+/-12.3				
		TPU:	0.341		12.4				
QC1200308807 67169011 MSD									
Alpha	49.4	U	-0.293		55.3	pCi/L		113 (75%-125%)	
		Uncert:	+/-0.333		+/-9.67				
		TPU:	0.334		11.9				
Beta	199	U	-0.0536		214	pCi/L		108 (75%-125%)	
		Uncert:	+/-0.341		+/-12.3				
		TPU:	0.341		12.9				

Notes:

The Qualifiers in this report are defined as follows:

- * Recovery or %RPD not within acceptance limits and/or spikes amount not compatible with the sample or the duplicate RPD's are not applicable where the concentration falls below the effective PQL.
- ** Indicates analyte is a surrogate compound.
- B The analyte was found in the blank above the effective MDL.

P O Box 30712 • Charleston, SC 29417 • 2040 Savage Road • 29407

(843) 556-8171 • Fax (843) 766-1178

Printed on Recycled Paper.



GENERAL ENGINEERING LABORATORIES

Meeting today's needs with a vision for tomorrow.

QC Summary

Workorder: 67798

Page 2 of 2

Paramname	NOM	Sample Qual	QC	Units	RER	REC%	Range	Anlst	Date	Time
H	Holding time was exceeded									
J	Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL									
P	The response between the confirmation column and the primary column is >40%D									
U	The analyte was analyzed for but not detected below this concentration. For Organic and Inorganic analytes the result is less than the effective MDL. For radiochemical analytes the result is less than the Decision Level									
X	Presumptive evidence that the analyte is not present. Please see narrative for further information.									
X	Presumptive evidence that the analyte is not present. Please see narrative for further information.									
X	Uncertain identification for gamma spectroscopy.									

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SBLT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

P O Box 30712 • Charleston, SC 29417 • 2040 Savage Road • 29407

(843) 556-8171 • Fax (843) 766-1178

Printed on Recycled Paper.



COC# 605731



 Sandia National Laboratories *
 Radiation Protection Sample Diagnostics Program *
 9/26/02 9:57:52 AM *

Analyzed by: *lu 9/26/02* Reviewed by: *[Signature] 9/30/02*

Customer : SANDERS M (6135)
 Customer Sample ID : 059903-003
 Lab Sample ID : 20134201

Sample Description : 6710/1034-SP1-BH1-14-S
 Sample Quantity : 884.000 gram
 Sample Date/Time : 9/19/02 11:25:00 AM
 Acquire Start Date/Time : 9/26/02 8:17:38 AM
 Detector Name : LAB01
 Elapsed Live/Real Time : 6000 / 6002 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	4.26E-001
RA-226	1.17E+000	4.46E-001	6.32E-001
FR-214	5.20E-001	8.08E-002	4.61E-002
FR-214	4.78E-001	8.29E-002	4.95E-002
FR-210	Not Detected	-----	7.12E+000
TH-232	3.22E-001	1.85E-001	1.82E-001
RA-228	3.44E-001	1.36E-001	1.82E-001
AC-228	4.99E-001	1.16E-001	1.05E-001
TH-228	5.89E-001	1.91E-001	3.60E-001
RA-224	5.17E-001	1.38E-001	6.63E-002
PB-212	4.98E-001	7.60E-002	3.33E-002
BI-212	1.87E-001	2.17E-001	3.48E-001
TL-208	4.36E-001	8.56E-002	7.12E-002
U-235	Not Detected	-----	1.74E-001
TH-231	Not Detected	-----	5.72E+000
PA-231	Not Detected	-----	1.22E+000
TH-227	Not Detected	-----	2.67E-001
RA-223	Not Detected	-----	1.42E-001
RN-219	Not Detected	-----	3.20E-001
PB-211	Not Detected	-----	7.30E-001
TL-207	Not Detected	-----	1.32E+001
AM-241	Not Detected	-----	1.47E-001
PU-239	Not Detected	-----	3.00E+002
NP-237	Not Detected	-----	1.63E+000
FR-233	Not Detected	-----	4.79E-002
FR-229	Not Detected	-----	1.70E-001



[Summary Report] - Sample ID: : 20134201

Slide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.67E-002
AG-110m	Not Detected	-----	2.91E-002
BA-133	Not Detected	-----	3.64E-002
BE-7	Not Detected	-----	2.33E-001
CD-115	Not Detected	-----	4.73E-001
CE-139	Not Detected	-----	2.19E-002
CE-141	Not Detected	-----	4.41E-002
CE-144	Not Detected	-----	1.67E-001
CM-243	Not Detected	-----	1.49E-001
CO-56	Not Detected	-----	3.08E-002
CO-57	Not Detected	-----	2.12E-002
CO-58	Not Detected	-----	3.21E-002
CO-60	Not Detected	-----	3.86E-002
CR-51	Not Detected	-----	2.38E-001
CS-134	Not Detected	-----	3.84E-002
CS-137	1.16E-002	1.16E-002	1.83E-002
EU-152	Not Detected	-----	6.28E-002
EU-154	Not Detected	-----	1.70E-001
EU-155	Not Detected	-----	9.47E-002
FE-59	Not Detected	-----	7.98E-002
GD-153	Not Detected	-----	5.63E-002
HG-203	Not Detected	-----	2.99E-002
IN-131	Not Detected	-----	4.39E-002
IN-192	Not Detected	-----	2.44E-002
K-40	1.83E+001	2.49E+000	2.82E-001
MN-52	Not Detected	-----	7.84E-002
MN-54	Not Detected	-----	3.29E-002
MO-99	Not Detected	-----	1.27E+000
NA-22	Not Detected	-----	4.58E-002
NA-24	Not Detected	-----	6.53E+001
ND-147	Not Detected	-----	2.97E-001
NI-57	Not Detected	-----	1.24E+000
RU-103	Not Detected	-----	2.66E-002
RU-106	Not Detected	-----	2.51E-001
SB-122	Not Detected	-----	1.98E-001
SB-124	Not Detected	-----	2.66E-002
SB-125	Not Detected	-----	7.32E-002
SN-113	Not Detected	-----	3.37E-002
SR-85	Not Detected	-----	3.34E-002
TA-182	Not Detected	-----	1.52E-001
TA-183	Not Detected	-----	3.21E-001
TL-201	Not Detected	-----	3.28E-001
Y-88	Not Detected	-----	2.45E-002
ZN-65	Not Detected	-----	1.03E-001
ZR-95	Not Detected	-----	5.72E-002

 * Sandia National Laboratories *
 * Radiation Protection Sample Diagnostics Program *
 * 9/26/02 1:19:59 PM *

* Analyzed by: *SA 9/26/02* Reviewed by: *[Signature]*

Customer : SANDERS M (6135)
 Customer Sample ID : 059904-003
 Lab Sample ID : 20134202

 Sample Description : 6710/1034-SP1-BH1-19-S
 Sample Quantity : 871.000 gram
 Sample Date/Time : 9/19/02 12:00:00 PM
 Acquire Start Date/Time : 9/26/02 9:59:58 AM
 Detector Name : LAB01
 Elapsed Live/Real Time : 6000 / 6002 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	4.28E-001
RA-226	1.24E+000	4.20E-001	5.72E-001
PB-214	6.17E-001	9.42E-002	5.35E-002
BI-214	5.60E-001	9.33E-002	4.77E-002
PB-210	Not Detected	-----	7.57E+000
TH-232	4.43E-001	2.33E-001	1.93E-001
RA-228	5.17E-001	1.21E-001	1.44E-001
AC-228	Not Detected	-----	1.77E-001
TH-228	3.90E-001	1.71E-001	3.87E-001
RA-224	7.30E-001	1.81E-001	8.77E-002
PB-212	5.24E-001	7.95E-002	3.43E-002
BI-212	6.08E-001	2.44E-001	3.21E-001
TL-208	4.48E-001	9.21E-002	8.53E-002
U-235	Not Detected	-----	1.74E-001
TH-231	Not Detected	-----	5.84E+000
PA-231	Not Detected	-----	1.24E+000
TH-227	Not Detected	-----	2.70E-001
RA-223	Not Detected	-----	1.48E-001
RN-219	Not Detected	-----	3.11E-001
PB-211	Not Detected	-----	7.08E-001
TL-207	Not Detected	-----	1.35E+001
AM-241	Not Detected	-----	1.49E-001
PU-239	Not Detected	-----	3.12E+002
NP-237	Not Detected	-----	1.64E+000
PA-233	Not Detected	-----	5.17E-002
TH-229	Not Detected	-----	1.69E-001

[Summary Report] - Sample ID: : 20134202

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.62E-002
AG-110m	Not Detected	-----	2.63E-002
BA-133	Not Detected	-----	3.72E-002
BE-7	Not Detected	-----	2.48E-001
CD-115	Not Detected	-----	4.86E-001
CE-139	Not Detected	-----	2.28E-002
CE-141	Not Detected	-----	4.36E-002
CE-144	Not Detected	-----	1.73E-001
CM-243	Not Detected	-----	1.48E-001
CO-56	Not Detected	-----	3.26E-002
CO-57	Not Detected	-----	2.20E-002
CO-58	Not Detected	-----	3.13E-002
CO-60	Not Detected	-----	3.80E-002
CR-51	Not Detected	-----	2.38E-001
CS-134	Not Detected	-----	3.96E-002
CS-137	Not Detected	-----	2.85E-002
EU-152	Not Detected	-----	6.52E-002
EU-154	Not Detected	-----	1.69E-001
EU-155	Not Detected	-----	9.76E-002
FE-59	Not Detected	-----	8.06E-002
GD-153	Not Detected	-----	5.76E-002
HG-203	Not Detected	-----	2.93E-002
I-131	Not Detected	-----	4.41E-002
IR-192	Not Detected	-----	2.53E-002
K-40	1.46E+001	2.01E+000	2.85E-001
MN-52	Not Detected	-----	6.89E-002
MN-54	Not Detected	-----	3.21E-002
MO-99	Not Detected	-----	1.28E+000
NA-22	Not Detected	-----	4.46E-002
NA-24	Not Detected	-----	7.20E+001
ND-147	Not Detected	-----	2.87E-001
NI-57	Not Detected	-----	1.33E+000
RU-103	Not Detected	-----	2.77E-002
RU-106	Not Detected	-----	2.52E-001
SB-122	Not Detected	-----	2.17E-001
SB-124	Not Detected	-----	2.71E-002
SB-125	Not Detected	-----	7.52E-002
SN-113	Not Detected	-----	3.45E-002
SR-85	Not Detected	-----	3.23E-002
TA-182	Not Detected	-----	1.59E-001
TA-183	Not Detected	-----	3.24E-001
TL-201	Not Detected	-----	3.40E-001
Y-88	Not Detected	-----	2.70E-002
ZN-65	Not Detected	-----	1.04E-001
ZR-95	Not Detected	-----	5.58E-002

 * Sandia National Laboratories *
 * Radiation Protection Sample Diagnostics Program *
 * 9/26/02 1:22:31 PM *

* Analyzed by: *Beverly Key 9/27/02* Reviewed by: *[Signature] 9/30/02* *

Customer : SANDERS M (6135)
 Customer Sample ID : 059905-003
 Lab Sample ID : 20134203

 Sample Description : 803/1052-SP1-BH1-22-S
 Sample Quantity : 932.000 gram
 Sample Date/Time : 9/19/02 3:05:00 PM
 Acquire Start Date/Time : 9/26/02 11:42:16 AM
 Detector Name : LAB01
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	4.60E-001
RA-226	1.00E+000	4.36E-001	6.37E-001
PB-214	6.18E-001	9.56E-002	6.08E-002
BI-214	5.58E-001	9.38E-002	5.44E-002
PB-210	Not Detected	-----	7.96E+000
TH-232	7.42E-001	3.66E-001	2.49E-001
RA-228	7.16E-001	1.46E-001	1.51E-001
AC-228	6.74E-001	1.37E-001	1.02E-001
TH-228	6.35E-001	1.96E-001	4.01E-001
RA-224	7.86E-001	1.86E-001	6.64E-002
PB-212	7.57E-001	1.11E-001	3.30E-002
BI-212	7.95E-001	2.92E-001	3.83E-001
TL-208	6.43E-001	1.15E-001	8.87E-002
U-235	2.38E-001	1.60E-001	1.87E-001
TH-231	Not Detected	-----	6.29E+000
PA-231	Not Detected	-----	1.28E+000
TH-227	Not Detected	-----	3.03E-001
RA-223	Not Detected	-----	1.55E-001
RN-219	Not Detected	-----	3.42E-001
PB-211	Not Detected	-----	7.76E-001
TL-207	Not Detected	-----	1.46E+001
AM-241	Not Detected	-----	1.55E-001
PU-239	Not Detected	-----	3.32E+002
NP-237	Not Detected	-----	1.80E+000
PA-233	Not Detected	-----	5.09E-002
TH-229	Not Detected	-----	1.79E-001

[Summary Report] - Sample ID: : 20134203

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.87E-002
AG-110m	Not Detected	-----	2.90E-002
BA-133	Not Detected	-----	3.84E-002
BE-7	Not Detected	-----	2.51E-001
CD-115	Not Detected	-----	5.13E-001
CE-139	Not Detected	-----	2.35E-002
CE-141	Not Detected	-----	4.71E-002
CE-144	Not Detected	-----	1.85E-001
CM-243	Not Detected	-----	1.56E-001
CO-56	Not Detected	-----	3.33E-002
CO-57	Not Detected	-----	2.31E-002
CO-58	Not Detected	-----	3.38E-002
CO-60	Not Detected	-----	3.84E-002
CR-51	Not Detected	-----	2.47E-001
CS-134	Not Detected	-----	4.10E-002
CS-137	Not Detected	-----	3.03E-002
EU-152	Not Detected	-----	6.86E-002
EU-154	Not Detected	-----	1.81E-001
EU-155	Not Detected	-----	1.05E-001
FE-59	Not Detected	-----	8.90E-002
GD-153	Not Detected	-----	6.13E-002
HG-203	Not Detected	-----	3.09E-002
I-131	Not Detected	-----	4.39E-002
IR-192	Not Detected	-----	2.61E-002
K-40	2.16E+001	2.91E+000	3.30E-001
MN-52	Not Detected	-----	6.91E-002
MN-54	Not Detected	-----	3.44E-002
MO-99	Not Detected	-----	1.32E+000
NA-22	Not Detected	-----	4.59E-002
NA-24	Not Detected	-----	7.22E+001
ND-147	Not Detected	-----	2.97E-001
NI-57	Not Detected	-----	1.23E+000
RU-103	Not Detected	-----	2.88E-002
RU-106	Not Detected	-----	2.66E-001
SB-122	Not Detected	-----	2.29E-001
SB-124	Not Detected	-----	2.95E-002
SB-125	Not Detected	-----	7.98E-002
SN-113	Not Detected	-----	3.63E-002
SR-85	Not Detected	-----	3.55E-002
TA-182	Not Detected	-----	1.72E-001
TA-183	Not Detected	-----	3.37E-001
TL-201	Not Detected	-----	3.58E-001
Y-88	Not Detected	-----	3.18E-002
ZN-65	Not Detected	-----	1.17E-001
ZR-95	Not Detected	-----	6.50E-002

 * Sandia National Laboratories *
 * Radiation Protection Sample Diagnostics Program *
 * 9/26/02 3:41:01 PM *

* Analyzed by: *Beverly Key 9/27/02* Reviewed by: *[Signature] 9/20/02*

Customer : SANDERS M (6135)
 Customer Sample ID : 059906-003
 Lab Sample ID : 20134204
 Sample Description : 803/1052-SP1-BH1-27-S
 Sample Quantity : 812.000 gram
 Sample Date/Time : 9/19/02 3:45:00 PM
 Acquire Start Date/Time : 9/26/02 1:24:37 PM
 Detector Name : LAB01
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated. ✓

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	4.93E-001
RA-226	1.34E+000	5.34E-001	7.68E-001
PB-214	6.78E-001	1.04E-001	6.09E-002
BI-214	5.68E-001	9.71E-002	5.67E-002
PB-210	Not Detected	-----	8.55E+000
TH-232	7.37E-001	3.58E-001	2.23E-001
RA-228	7.66E-001	1.57E-001	1.56E-001
AC-228	7.32E-001	1.51E-001	1.14E-001
TH-228	7.71E-001	2.30E-001	4.35E-001
RA-224	8.85E-001	2.10E-001	7.56E-002
PB-212	7.88E-001	1.16E-001	3.70E-002
BI-212	8.03E-001	3.03E-001	3.98E-001
TL-208	6.01E-001	1.10E-001	8.36E-002
U-235	1.25E-001	1.72E-001	2.01E-001
TH-231	Not Detected	-----	6.33E+000
PA-231	Not Detected	-----	1.36E+000
TH-227	Not Detected	-----	3.26E-001
RA-223	Not Detected	-----	1.60E-001
RN-219	Not Detected	-----	3.60E-001
PB-211	Not Detected	-----	8.28E-001
TL-207	Not Detected	-----	1.41E+001
AM-241	Not Detected	-----	1.68E-001
PU-239	Not Detected	-----	3.57E+002
NP-237	Not Detected	-----	1.84E+000
PA-233	Not Detected	-----	5.48E-002
TH-229	Not Detected	-----	1.84E-001

[Summary Report] - Sample ID: : 20134204

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	4.35E-002
AG-110m	Not Detected	-----	3.19E-002
BA-133	Not Detected	-----	4.33E-002
BE-7	Not Detected	-----	2.60E-001
CD-115	Not Detected	-----	5.58E-001
CE-139	Not Detected	-----	2.51E-002
CE-141	Not Detected	-----	5.12E-002
CE-144	Not Detected	-----	1.94E-001
CM-243	Not Detected	-----	1.71E-001
CO-56	Not Detected	-----	3.56E-002
CO-57	Not Detected	-----	2.43E-002
CO-58	Not Detected	-----	3.55E-002
CO-60	Not Detected	-----	4.02E-002
CR-51	Not Detected	-----	2.61E-001
CS-134	Not Detected	-----	4.26E-002
CS-137	Not Detected	-----	3.36E-002
EU-152	Not Detected	-----	7.21E-002
EU-154	Not Detected	-----	2.02E-001
EU-155	Not Detected	-----	1.11E-001
FE-59	Not Detected	-----	9.05E-002
GD-153	Not Detected	-----	6.39E-002
HG-203	Not Detected	-----	3.40E-002
I-131	Not Detected	-----	4.96E-002
IR-192	Not Detected	-----	2.74E-002
K-40	1.74E+001	2.39E+000	3.53E-001
MN-52	Not Detected	-----	8.11E-002
MN-54	Not Detected	-----	3.57E-002
MO-99	Not Detected	-----	1.40E+000
NA-22	Not Detected	-----	4.91E-002
NA-24	Not Detected	-----	7.67E+001
ND-147	Not Detected	-----	3.24E-001
NI-57	Not Detected	-----	1.38E+000
RU-103	Not Detected	-----	3.10E-002
RU-106	Not Detected	-----	2.81E-001
SB-122	Not Detected	-----	2.49E-001
SB-124	Not Detected	-----	3.09E-002
SB-125	Not Detected	-----	8.71E-002
SN-113	Not Detected	-----	3.80E-002
SR-85	Not Detected	-----	3.78E-002
TA-182	Not Detected	-----	1.79E-001
TA-183	Not Detected	-----	3.65E-001
TL-201	Not Detected	-----	3.81E-001
Y-88	Not Detected	-----	2.81E-002
ZN-65	Not Detected	-----	1.16E-001
ZR-95	Not Detected	-----	6.60E-002

 * Sandia National Laboratories *
 * Radiation Protection Sample Diagnostics Program *
 * 9/26/02 5:22:25 PM *

* Analyzed by: *Bevaly Kay 9/27/02* Reviewed by: *[Signature] 9/20/02*

Customer : SANDERS (6135)
 Customer Sample ID : 059907-003
 Lab Sample ID : 20134205
 Sample Description : 829/276-SP1-BH1-8-S
 Sample Quantity : 730.000 gram
 Sample Date/Time : 9/24/02 2:05:00 PM
 Acquire Start Date/Time : 9/26/02 3:42:11 PM
 Detector Name : LAB01
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	5.54E-001
RA-226	1.79E+000	6.26E-001	8.72E-001
PB-214	9.41E-001	1.38E-001	6.98E-002
BI-214	7.43E-001	1.23E-001	6.53E-002
PB-210	Not Detected	-----	9.33E+000
TH-232	9.08E-001	4.31E-001	2.32E-001
RA-228	8.82E-001	1.77E-001	1.65E-001
AC-228	8.67E-001	1.72E-001	1.16E-001
TH-228	9.76E-001	2.76E-001	5.02E-001
RA-224	1.11E+000	2.58E-001	9.44E-002
PB-212	9.41E-001	1.38E-001	4.13E-002
BI-212	8.97E-001	3.62E-001	4.91E-001
TL-208	8.04E-001	1.38E-001	9.03E-002
U-235	9.46E-002	1.86E-001	2.17E-001
TH-231	Not Detected	-----	7.20E+000
PA-231	Not Detected	-----	1.57E+000
TH-227	Not Detected	-----	3.67E-001
RA-223	Not Detected	-----	1.38E-001
RN-219	Not Detected	-----	4.18E-001
PB-211	Not Detected	-----	9.28E-001
TL-207	Not Detected	-----	1.56E+001
AM-241	Not Detected	-----	1.93E-001
PU-239	Not Detected	-----	3.89E+002
NP-237	Not Detected	-----	2.07E+000
PA-233	Not Detected	-----	6.18E-002
TH-229	Not Detected	-----	2.11E-001

[Summary Report] - Sample ID: : 20134205

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	4.74E-002
AG-110m	Not Detected	-----	3.45E-002
BA-133	Not Detected	-----	4.92E-002
BE-7	Not Detected	-----	2.72E-001
CD-115	Not Detected	-----	1.48E-001
CE-139	Not Detected	-----	2.72E-002
CE-141	Not Detected	-----	4.89E-002
CE-144	Not Detected	-----	2.16E-001
CM-243	Not Detected	-----	1.94E-001
CO-56	Not Detected	-----	3.69E-002
CO-57	Not Detected	-----	2.71E-002
CO-58	Not Detected	-----	3.70E-002
CO-60	Not Detected	-----	4.39E-002
CR-51	Not Detected	-----	2.53E-001
CS-134	Not Detected	-----	5.09E-002
CS-137	Not Detected	-----	3.86E-002
EU-152	Not Detected	-----	8.11E-002
EU-154	Not Detected	-----	2.21E-001
EU-155	1.71E-001	8.59E-002	1.27E-001
FE-59	Not Detected	-----	9.06E-002
GD-153	Not Detected	-----	7.04E-002
HG-203	Not Detected	-----	3.53E-002
I-131	Not Detected	-----	3.61E-002
IR-192	Not Detected	-----	2.93E-002
K-40	1.66E+001	2.30E+000	3.12E-001
MN-52	Not Detected	-----	5.10E-002
MN-54	Not Detected	-----	4.01E-002
MO-99	Not Detected	-----	4.78E-001
NA-22	Not Detected	-----	5.21E-002
NA-24	Not Detected	-----	3.83E-001
ND-147	Not Detected	-----	2.45E-001
NI-57	Not Detected	-----	1.55E-001
RU-103	Not Detected	-----	3.31E-002
RU-106	Not Detected	-----	3.24E-001
SB-122	Not Detected	-----	7.48E-002
SB-124	Not Detected	-----	3.26E-002
SB-125	Not Detected	-----	9.58E-002
SN-113	Not Detected	-----	4.30E-002
SR-85	Not Detected	-----	4.03E-002
TA-182	Not Detected	-----	1.92E-001
TA-183	Not Detected	-----	2.16E-001
TL-201	Not Detected	-----	1.42E-001
Y-88	Not Detected	-----	3.45E-002
ZN-65	Not Detected	-----	1.32E-001
ZR-95	Not Detected	-----	6.46E-002

Not Detected

 * Sandia National Laboratories *
 * Radiation Protection Sample Diagnostics Program *
 * 9/26/02 9:34:00 AM *

* Analyzed by: *lu 9/26/02* Reviewed by: *[Signature]* *

Customer : SANDERS M (6135)
 Customer Sample ID : 059908-003
 Lab Sample ID : 20134206

Sample Description : 829/276-SP1-BH1-13-S
 Sample Quantity : 743.000 gram
 Sample Date/Time : 9/24/02 2:20:00 PM
 Acquire Start Date/Time : 9/26/02 7:53:41 AM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	7.14E-001
RA-226	1.59E+000	5.45E-001	7.58E-001
PB-214	8.54E-001	1.23E-001	6.15E-002
BI-214	7.11E-001	1.13E-001	5.58E-002
PB-210	Not Detected	-----	2.81E+001
TH-232	7.55E-001	3.62E-001	2.12E-001
RA-228	9.43E-001	1.65E-001	1.21E-001
AC-228	8.11E-001	1.56E-001	1.11E-001
TH-228	1.30E+000	4.65E-001	6.35E-001
RA-224	1.05E+000	2.24E-001	6.88E-002
PB-212	8.87E-001	1.28E-001	3.87E-002
BI-212	7.76E-001	2.69E-001	3.48E-001
TL-208	7.25E-001	1.38E-001	1.33E-001
U-235	9.72E-002	1.82E-001	2.30E-001
TH-231	Not Detected	-----	1.13E+001
PA-231	Not Detected	-----	1.42E+000
TH-227	Not Detected	-----	3.56E-001
RA-223	Not Detected	-----	1.95E-001
RN-219	Not Detected	-----	3.69E-001
PB-211	Not Detected	-----	8.28E-001
TL-207	Not Detected	-----	1.31E+001
AM-241	Not Detected	-----	4.25E-001
PU-239	Not Detected	-----	4.19E+002
NP-237	Not Detected	-----	2.28E+000
PA-233	Not Detected	-----	5.57E-002
TH-229	Not Detected	-----	2.42E-001

[Summary Report] - Sample ID: : 20134206

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.41E-002
AG-110m	Not Detected	-----	2.75E-002
BA-133	Not Detected	-----	4.85E-002
BE-7	Not Detected	-----	2.38E-001
CD-115	Not Detected	-----	1.11E-001
CE-139	Not Detected	-----	2.88E-002
CE-141	Not Detected	-----	5.18E-002
CE-144	Not Detected	-----	2.32E-001
CM-243	Not Detected	-----	1.72E-001
CO-56	Not Detected	-----	3.19E-002
CO-57	Not Detected	-----	3.04E-002
CO-58	Not Detected	-----	3.07E-002
CO-60	Not Detected	-----	3.47E-002
CR-51	Not Detected	-----	2.31E-001
CS-134	Not Detected	-----	3.97E-002
CS-137	Not Detected	-----	2.90E-002
EU-152	Not Detected	-----	9.13E-002
EU-154	Not Detected	-----	1.57E-001
EU-155	Not Detected	-----	1.32E-001
FE-59	Not Detected	-----	7.06E-002
GD-153	Not Detected	-----	9.62E-002
HG-203	Not Detected	-----	3.16E-002
I-131	Not Detected	-----	3.14E-002
IR-192	Not Detected	-----	2.68E-002
K-40	2.41E+001	3.20E+000	3.14E-001
MN-52	Not Detected	-----	3.58E-002
MN-54	Not Detected	-----	3.32E-002
MO-99	Not Detected	-----	3.28E-001
NA-22	Not Detected	-----	3.99E-002
NA-24	Not Detected	-----	2.17E-001
ND-147	Not Detected	-----	1.98E-001
NI-57	1.54E-001	5.11E-002	5.75E-002
RU-103	Not Detected	-----	2.68E-002
RU-106	Not Detected	-----	2.41E-001
SB-122	Not Detected	-----	5.73E-002
SB-124	Not Detected	-----	2.65E-002
SB-125	Not Detected	-----	7.95E-002
SN-113	Not Detected	-----	3.51E-002
SR-85	Not Detected	-----	3.40E-002
TA-182	Not Detected	-----	1.55E-001
TA-183	Not Detected	-----	4.62E-001
TL-201	Not Detected	-----	2.31E-001
Y-88	Not Detected	-----	2.42E-002
ZN-65	Not Detected	-----	9.91E-002
ZR-95	Not Detected	-----	5.15E-002

Not Detected
was
9/26/02

 * Sandia National Laboratories *
 * Radiation Protection Sample Diagnostics Program *
 * 9/26/02 12:58:06 PM *

* Analyzed by: *me* 9/26/02 Reviewed by: *[Signature]*

Customer : SANDERS M (6135)
 Customer Sample ID : 059912-003
 Lab Sample ID : 20134208

 Sample Description : 915-922/1003-SP1-BH1-27-S
 Sample Quantity : 881.000 gram
 Sample Date/Time : 9/24/02 8:45:00 AM
 Acquire Start Date/Time : 9/26/02 11:17:42 AM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6004 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	6.58E-001
RA-226	1.39E+000	4.83E-001	6.76E-001
PB-214	7.10E-001	1.04E-001	5.86E-002
BI-214	6.43E-001	1.02E-001	5.06E-002
PB-210	Not Detected	-----	2.56E+001
TH-232	9.28E-001	4.27E-001	1.84E-001
RA-228	8.53E-001	1.49E-001	1.16E-001
AC-228	8.86E-001	1.55E-001	7.75E-002
TH-228	8.57E-001	4.08E-001	5.99E-001
RA-224	9.75E-001	2.05E-001	5.81E-002
PB-212	8.55E-001	1.23E-001	3.60E-002
BI-212	1.08E+000	2.81E-001	3.18E-001
TL-208	7.57E-001	1.19E-001	6.79E-002
U-235	Not Detected	-----	2.04E-001
TH-231	Not Detected	-----	1.03E+001
PA-231	Not Detected	-----	1.24E+000
TH-227	Not Detected	-----	3.21E-001
RA-223	Not Detected	-----	1.82E-001
RN-219	1.64E-001	2.75E-001	3.16E-001
PB-211	Not Detected	-----	6.87E-001
TL-207	Not Detected	-----	1.15E+001
AM-241	Not Detected	-----	3.74E-001
PU-239	Not Detected	-----	3.78E+002
NP-237	Not Detected	-----	2.03E+000
PA-233	Not Detected	-----	4.85E-002
TH-229	Not Detected	-----	2.19E-001

*Not Detected
 1225
 9-26-02*

[Summary Report] - Sample ID: : 20134208

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	2.98E-002
AG-110m	Not Detected	-----	2.45E-002
BA-133	Not Detected	-----	4.21E-002
BE-7	Not Detected	-----	2.05E-001
CD-115	Not Detected	-----	1.12E-001
CE-139	Not Detected	-----	2.48E-002
CE-141	Not Detected	-----	4.59E-002
CE-144	Not Detected	-----	2.03E-001
CM-243	Not Detected	-----	1.53E-001
CO-56	Not Detected	-----	2.74E-002
CO-57	Not Detected	-----	2.66E-002
CO-58	Not Detected	-----	2.67E-002
CO-60	Not Detected	-----	3.14E-002
CR-51	Not Detected	-----	2.04E-001
CS-134	Not Detected	-----	3.50E-002
CS-137	Not Detected	-----	2.56E-002
EU-152	Not Detected	-----	7.96E-002
EU-154	Not Detected	-----	1.37E-001
EU-155	Not Detected	-----	1.21E-001
FE-59	Not Detected	-----	6.26E-002
GD-153	Not Detected	-----	8.93E-002
HG-203	Not Detected	-----	2.87E-002
I-131	Not Detected	-----	2.86E-002
IR-192	Not Detected	-----	2.32E-002
K-40	2.35E+001	3.11E+000	2.25E-001
MN-52	Not Detected	-----	3.25E-002
MN-54	Not Detected	-----	2.88E-002
MO-99	Not Detected	-----	3.28E-001
NA-22	Not Detected	-----	3.56E-002
NA-24	Not Detected	-----	2.77E-001
ND-147	Not Detected	-----	1.85E-001
NI-57	Not Detected	-----	6.93E-002
RU-103	Not Detected	-----	2.41E-002
RU-106	Not Detected	-----	2.32E-001
SB-122	Not Detected	-----	5.73E-002
SB-124	Not Detected	-----	2.48E-002
SB-125	Not Detected	-----	7.09E-002
SN-113	Not Detected	-----	3.07E-002
SR-85	Not Detected	-----	3.06E-002
TA-182	Not Detected	-----	1.27E-001
TA-183	Not Detected	-----	4.28E-001
TL-201	Not Detected	-----	2.30E-001
Y-88	Not Detected	-----	2.14E-002
ZN-65	Not Detected	-----	8.24E-002
ZR-95	Not Detected	-----	4.74E-002

 * Sandia National Laboratories
 * Radiation Protection Sample Diagnostics Program
 * 9/26/02 4:58:56 PM

* Analyzed by: *pe* 9/26/02 Reviewed by: *10/1/02*

Customer : SANDERS M (6135)
 Customer Sample ID : 059913-003
 Lab Sample ID : 20134209
 Sample Description : 915-922/1003-SP1-BH1-33-S
 Sample Quantity : 846.000 gram
 Sample Date/Time : 9/24/02 9:35:00 AM
 Acquire Start Date/Time : 9/26/02 12:59:51 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	6.43E-001
RA-226	1.70E+000	4.88E-001	6.40E-001
PB-214	6.63E-001	9.88E-002	5.92E-002
BI-214	6.56E-001	1.04E-001	4.99E-002
PB-210	Not Detected	-----	2.48E+001
TH-232	8.00E-001	3.74E-001	1.84E-001
RA-228	7.84E-001	1.41E-001	1.19E-001
AC-228	7.79E-001	1.46E-001	9.82E-002
TH-228	9.10E-001	3.36E-001	4.57E-001
RA-224	9.45E-001	2.00E-001	5.01E-002
PB-212	7.88E-001	1.14E-001	3.47E-002
BI-212	8.00E-001	2.56E-001	3.22E-001
TL-208	7.09E-001	1.14E-001	6.78E-002
U-235	8.15E-002	1.61E-001	2.04E-001
TH-231	Not Detected	-----	1.03E+001
PA-231	Not Detected	-----	1.23E+000
TH-227	Not Detected	-----	3.18E-001
RA-223	Not Detected	-----	1.80E-001
RN-219	Not Detected	-----	3.11E-001
PB-211	Not Detected	-----	7.12E-001
TL-207	Not Detected	-----	1.12E+001
AM-241	Not Detected	-----	3.83E-001
PU-239	Not Detected	-----	3.81E+002
NP-237	Not Detected	-----	2.02E+000
PA-233	Not Detected	-----	4.90E-002
TH-229	Not Detected	-----	2.17E-001

[Summary Report] - Sample ID: : 20134209

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.02E-002
AG-110m	Not Detected	-----	2.51E-002
BA-133	Not Detected	-----	4.23E-002
BE-7	Not Detected	-----	2.10E-001
CD-115	Not Detected	-----	1.10E-001
CE-139	Not Detected	-----	2.60E-002
CE-141	Not Detected	-----	4.57E-002
CE-144	Not Detected	-----	2.08E-001
CM-243	Not Detected	-----	1.49E-001
CO-56	Not Detected	-----	2.89E-002
CO-57	Not Detected	-----	2.75E-002
CO-58	Not Detected	-----	2.66E-002
CO-60	Not Detected	-----	3.03E-002
CR-51	Not Detected	-----	2.10E-001
CS-134	Not Detected	-----	3.53E-002
CS-137	Not Detected	-----	2.66E-002
EU-152	Not Detected	-----	8.23E-002
EU-154	Not Detected	-----	1.39E-001
EU-155	Not Detected	-----	1.20E-001
FE-59	Not Detected	-----	6.01E-002
GD-153	Not Detected	-----	8.88E-002
HG-203	Not Detected	-----	2.78E-002
I-131	Not Detected	-----	2.80E-002
IR-192	Not Detected	-----	2.40E-002
K-40	2.12E+001	2.83E+000	2.43E-001
MN-52	Not Detected	-----	3.31E-002
MN-54	Not Detected	-----	1.83E-002
MO-99	Not Detected	-----	3.15E-001
NA-22	Not Detected	-----	3.53E-002
NA-24	Not Detected	-----	2.82E-001
ND-147	Not Detected	-----	1.88E-001
NI-57	Not Detected	-----	6.72E-002
RU-103	Not Detected	-----	2.43E-002
RU-106	Not Detected	-----	2.31E-001
SB-122	Not Detected	-----	5.62E-002
SB-124	Not Detected	-----	2.44E-002
SB-125	Not Detected	-----	6.79E-002
SN-113	Not Detected	-----	3.17E-002
SR-85	Not Detected	-----	2.89E-002
TA-182	Not Detected	-----	1.35E-001
TA-183	Not Detected	-----	4.40E-001
TL-201	Not Detected	-----	2.30E-001
Y-88	Not Detected	-----	2.02E-002
ZN-65	Not Detected	-----	8.60E-002
ZR-95	Not Detected	-----	4.63E-002

 * Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/26/02 4:22:12 PM

* Analyzed by: *Bevaly Key 9/27/02* Reviewed by: *[Signature]*

Customer : SANDERS M (6135)
 Customer Sample ID : 059914-003
 Lab Sample ID : 20134210

Sample Description : 915-922/1003-SP2-BH1-26-S
 Sample Quantity : 767.000 gram *8/27/02*
 Sample Date/Time : 9/24/02 11:10:00 AM
 Acquire Start Date/Time : 9/26/02 2:41:52 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	7.24E-001
RA-226	1.80E+000	5.48E-001	7.36E-001
PB-214	8.05E-001	1.18E-001	6.45E-002
BI-214	6.89E-001	1.10E-001	5.74E-002
PB-210	Not Detected	-----	2.78E+001
TH-232	9.31E-001	4.32E-001	2.01E-001
RA-228	7.92E-001	1.47E-001	1.38E-001
AC-228	9.11E-001	1.68E-001	1.10E-001
TH-228	8.37E-001	3.96E-001	5.77E-001
RA-224	1.03E+000	2.21E-001	8.12E-002
PB-212	9.87E-001	1.42E-001	3.85E-002
BI-212	1.08E+000	2.89E-001	3.24E-001
TL-208	8.14E-001	1.31E-001	8.09E-002
U-235	Not Detected	-----	2.28E-001
TH-231	Not Detected	-----	1.12E+001
PA-231	Not Detected	-----	1.38E+000
TH-227	Not Detected	-----	3.64E-001
RA-223	Not Detected	-----	2.04E-001
RN-219	Not Detected	-----	3.51E-001
PB-211	Not Detected	-----	8.11E-001
TL-207	Not Detected	-----	1.25E+001
AM-241	Not Detected	-----	4.10E-001
PU-239	Not Detected	-----	4.16E+002
NP-237	Not Detected	-----	2.21E+000
PA-233	Not Detected	-----	5.39E-002
TH-229	Not Detected	-----	2.35E-001

[Summary Report] - Sample ID: : 20134210

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.53E-002
AG-110m	Not Detected	-----	2.69E-002
BA-133	Not Detected	-----	4.68E-002
BE-7	Not Detected	-----	2.27E-001
CD-115	Not Detected	-----	1.22E-001
CE-139	Not Detected	-----	2.85E-002
CE-141	Not Detected	-----	5.12E-002
CE-144	Not Detected	-----	2.25E-001
CM-243	Not Detected	-----	1.68E-001
CO-56	Not Detected	-----	3.00E-002
CO-57	Not Detected	-----	2.95E-002
CO-58	Not Detected	-----	2.93E-002
CO-60	Not Detected	-----	3.35E-002
CR-51	Not Detected	-----	2.23E-001
CS-134	Not Detected	-----	3.92E-002
CS-137	Not Detected	-----	2.94E-002
EU-152	Not Detected	-----	8.79E-002
EU-154	Not Detected	-----	1.62E-001
EU-155	Not Detected	-----	1.32E-001
FE-59	Not Detected	-----	6.83E-002
GD-153	Not Detected	-----	9.66E-002
HG-203	Not Detected	-----	3.10E-002
I-131	Not Detected	-----	3.17E-002
IR-192	Not Detected	-----	2.58E-002
K-40	2.26E+001	3.01E+000	3.04E-001
MN-52	Not Detected	-----	3.31E-002
MN-54	Not Detected	-----	3.16E-002
MO-99	Not Detected	-----	3.86E-001
NA-22	Not Detected	-----	3.89E-002
NA-24	Not Detected	-----	3.26E-001
ND-147	Not Detected	-----	2.06E-001
NI-57	Not Detected	-----	7.68E-002
RU-103	Not Detected	-----	2.53E-002
RU-106	Not Detected	-----	2.65E-001
SB-122	Not Detected	-----	6.10E-002
SB-124	Not Detected	-----	2.67E-002
SB-125	Not Detected	-----	7.73E-002
SN-113	Not Detected	-----	3.40E-002
SR-85	Not Detected	-----	3.37E-002
TA-182	Not Detected	-----	1.46E-001
TA-183	Not Detected	-----	4.72E-001
TL-201	Not Detected	-----	2.52E-001
Y-88	Not Detected	-----	2.40E-002
ZN-65	Not Detected	-----	9.94E-002
ZR-95	Not Detected	-----	4.95E-002

 * Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/26/02 8:26:56 AM

* Analyzed by:

h 9/26/02 Reviewed by: *R* 10/1/02

 * Customer : SANDERS, M (6135)
 * Customer Sample ID : 059915-003
 * Lab Sample ID : 20134211
 *
 * Sample Description : 915-922/1003-SP2-BH1-31-S
 * Sample Quantity : 859.000 gram
 * Sample Date/Time : 9/24/02 11:40:00 AM
 * Acquire Start Date/Time : 9/25/02 10:50:23 AM
 * Detector Name : LAB02
 * Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:

U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	6.23E-001
RA-226	1.63E+000	4.77E-001	6.30E-001
PB-214	6.47E-001	1.04E-001	8.34E-002
BI-214	6.05E-001	9.61E-002	4.62E-002
PB-210	Not Detected	-----	2.44E+001
TH-232	7.09E-001	3.37E-001	1.90E-001
RA-228	7.26E-001	1.32E-001	1.12E-001
AC-228	7.58E-001	1.39E-001	8.39E-002
TH-228	8.12E-001	3.48E-001	4.96E-001
RA-224	9.13E-001	1.96E-001	7.09E-002
PB-212	7.58E-001	1.09E-001	3.12E-002
BI-212	7.85E-001	2.84E-001	3.82E-001
TL-208	6.10E-001	1.00E-001	6.35E-002
U-235	Not Detected	-----	2.01E-001
TH-231	Not Detected	-----	9.60E+000
PA-231	Not Detected	-----	1.18E+000
TH-227	Not Detected	-----	3.02E-001
RA-223	Not Detected	-----	1.62E-001
RN-219	Not Detected	-----	3.00E-001
PB-211	Not Detected	-----	6.78E-001
TL-207	Not Detected	-----	1.15E+001
AM-241	Not Detected	-----	3.73E-001
PU-239	Not Detected	-----	3.73E+002
NP-237	Not Detected	-----	1.92E+000
PA-233	Not Detected	-----	4.86E-002
TH-229	Not Detected	-----	2.09E-001

[Summary Report] - Sample ID: : 20134211

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.02E-002
AG-110m	Not Detected	-----	2.38E-002
BA-133	Not Detected	-----	4.17E-002
BE-7	Not Detected	-----	2.01E-001
CD-115	Not Detected	-----	7.50E-002
CE-139	Not Detected	-----	2.47E-002
CE-141	Not Detected	-----	4.42E-002
CE-144	Not Detected	-----	1.99E-001
CM-243	Not Detected	-----	1.43E-001
CO-56	Not Detected	-----	2.68E-002
CO-57	Not Detected	-----	2.62E-002
CO-58	Not Detected	-----	2.55E-002
CO-60	Not Detected	-----	2.96E-002
CR-51	Not Detected	-----	1.94E-001
CS-134	Not Detected	-----	3.30E-002
CS-137	Not Detected	-----	2.63E-002
EU-152	Not Detected	-----	7.90E-002
EU-154	Not Detected	-----	1.39E-001
EU-155	Not Detected	-----	1.18E-001
FE-59	Not Detected	-----	6.10E-002
GD-153	Not Detected	-----	8.66E-002
HG-203	Not Detected	-----	2.64E-002
I-131	Not Detected	-----	2.61E-002
IR-192	Not Detected	-----	2.28E-002
K-40	2.31E+001	3.06E+000	2.25E-001
MN-52	Not Detected	-----	2.92E-002
MN-54	Not Detected	-----	2.79E-002
MO-99	Not Detected	-----	2.34E-001
NA-22	Not Detected	-----	3.55E-002
NA-24	Not Detected	-----	7.81E-002
ND-147	Not Detected	-----	1.67E-001
NI-57	Not Detected	-----	3.37E-002
RU-103	Not Detected	-----	2.23E-002
RU-106	Not Detected	-----	2.20E-001
SB-122	Not Detected	-----	4.04E-002
SB-124	Not Detected	-----	2.32E-002
SB-125	Not Detected	-----	6.82E-002
SN-113	Not Detected	-----	3.08E-002
SR-85	Not Detected	-----	2.92E-002
TA-182	Not Detected	-----	1.28E-001
TA-183	Not Detected	-----	3.66E-001
TL-201	Not Detected	-----	1.75E-001
Y-88	Not Detected	-----	2.20E-002
ZN-65	Not Detected	-----	8.44E-002
ZR-95	Not Detected	-----	4.62E-002

 * Sandia National Laboratories
 * Radiation Protection Sample Diagnostics Program
 * 9/25/02 2:12:55 PM

* Analyzed by: *h* 9/26/02 Reviewed by: *[Signature]* 10/1/02

Customer : SANDERS, M (6135)
 Customer Sample ID : 059917-003
 Lab Sample ID : 20134212

 Sample Description : 6969/1004-DF1-BH1-8-S
 Sample Quantity : 675.000 gram
 Sample Date/Time : 9/20/02 9:20:00 AM
 Acquire Start Date/Time : 9/25/02 12:32:34 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	7.98E-001
RA-226	1.93E+000	5.82E-001	7.74E-001
PB-214	7.89E-001	1.17E-001	6.80E-002
BI-214	6.99E-001	1.13E-001	5.82E-002
PB-210	Not Detected	-----	2.99E+001
TH-232	9.56E-001	4.45E-001	2.11E-001
RA-228	1.17E+000	1.97E-001	1.20E-001
AC-228	9.86E-001	1.84E-001	1.24E-001
TH-228	1.10E+000	4.57E-001	6.48E-001
RA-224	1.21E+000	2.56E-001	7.02E-002
PB-212	1.04E+000	1.50E-001	3.92E-002
BI-212	1.14E+000	3.32E-001	3.99E-001
TL-208	9.46E-001	1.48E-001	7.89E-002
U-235	Not Detected	-----	2.35E-001
TH-231	Not Detected	-----	1.19E+001
PA-231	Not Detected	-----	1.38E+000
TH-227	Not Detected	-----	3.89E-001
RA-223	Not Detected	-----	2.61E-001
RN-219	Not Detected	-----	3.74E-001
PB-211	Not Detected	-----	8.40E-001
TL-207	Not Detected	-----	1.17E+001
AM-241	Not Detected	-----	4.56E-001
PU-239	Not Detected	-----	4.39E+002
NP-237	Not Detected	-----	2.34E+000
PA-233	Not Detected	-----	5.73E-002
TH-229	Not Detected	-----	2.47E-001

[Summary Report] - Sample ID: : 20134212

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.66E-002
AG-110m	Not Detected	-----	2.87E-002
BA-133	Not Detected	-----	5.04E-002
BE-7	Not Detected	-----	2.45E-001
CD-115	Not Detected	-----	3.44E-001
CE-139	Not Detected	-----	2.98E-002
CE-141	Not Detected	-----	5.83E-002
CE-144	Not Detected	-----	2.42E-001
CM-243	Not Detected	-----	1.77E-001
CO-56	Not Detected	-----	3.31E-002
CO-57	Not Detected	-----	3.10E-002
CO-58	Not Detected	-----	3.14E-002
CO-60	Not Detected	-----	3.48E-002
CR-51	Not Detected	-----	2.61E-001
CS-134	Not Detected	-----	4.11E-002
CS-137	Not Detected	-----	3.02E-002
EU-152	Not Detected	-----	9.18E-002
EU-154	Not Detected	-----	1.68E-001
EU-155	Not Detected	-----	1.40E-001
FE-59	Not Detected	-----	6.84E-002
GD-153	Not Detected	-----	1.01E-001
HG-203	Not Detected	-----	3.38E-002
I-131	Not Detected	-----	4.26E-002
IR-192	Not Detected	-----	2.83E-002
K-40	1.84E+001	2.48E+000	3.02E-001
MN-52	Not Detected	-----	5.45E-002
MN-54	Not Detected	-----	3.42E-002
MO-99	Not Detected	-----	8.01E-001
NA-22	Not Detected	-----	4.03E-002
NA-24	Not Detected	-----	9.80E+000
ND-147	Not Detected	-----	2.58E-001
NI-57	Not Detected	-----	5.29E-001
RU-103	Not Detected	-----	3.01E-002
RU-106	Not Detected	-----	2.73E-001
SB-122	Not Detected	-----	1.48E-001
SB-124	Not Detected	-----	2.88E-002
SB-125	Not Detected	-----	7.97E-002
SN-113	Not Detected	-----	3.78E-002
SR-85	Not Detected	-----	3.71E-002
TA-182	Not Detected	-----	1.52E-001
TA-183	Not Detected	-----	7.87E-001
TL-201	Not Detected	-----	5.33E-001
Y-88	Not Detected	-----	2.59E-002
ZN-65	Not Detected	-----	9.97E-002
ZR-95	Not Detected	-----	5.35E-002

Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/25/02 3:55:00 PM

* Analyzed by: *sc 9/26/02* Reviewed by: *[Signature] 10/1/02*

Customer : SANDERS, M (6135)
 Customer Sample ID : 059918-003
 Lab Sample ID : 20134213

 Sample Description : 6969/1004-DF1-BH1-13-S
 Sample Quantity : 770.000 gram
 Sample Date/Time : 9/20/02 9:35:00 AM
 Acquire Start Date/Time : 9/25/02 2:14:41 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	7.02E-001
RA-226	2.17E+000	5.71E-001	7.20E-001
PB-214	7.90E-001	1.15E-001	6.04E-002
BI-214	7.36E-001	1.15E-001	5.15E-002
PB-210	Not Detected	-----	2.78E+001
TH-232	1.00E+000	4.74E-001	2.63E-001
RA-228	9.73E-001	1.70E-001	1.32E-001
AC-228	9.77E-001	1.75E-001	9.94E-002
TH-228	9.36E-001	4.35E-001	6.35E-001
RA-224	1.26E+000	2.62E-001	7.86E-002
PB-212	1.06E+000	1.51E-001	3.58E-002
BI-212	1.08E+000	3.14E-001	3.81E-001
TL-208	9.21E-001	1.44E-001	7.91E-002
U-235	Not Detected	-----	2.31E-001
TH-231	Not Detected	-----	1.13E+001
PA-231	Not Detected	-----	1.33E+000
TH-227	Not Detected	-----	3.67E-001
RA-223	Not Detected	-----	2.41E-001
RN-219	2.31E-001	3.11E-001	3.60E-001
PB-211	Not Detected	-----	7.91E-001
TL-207	Not Detected	-----	1.19E+001
AM-241	Not Detected	-----	4.13E-001
PU-239	Not Detected	-----	4.17E+002
NP-237	Not Detected	-----	2.19E+000
PA-233	Not Detected	-----	5.40E-002
TH-229	Not Detected	-----	2.37E-001

*NOT
 Detected
 KRS
 9-26-02*

[Summary Report] - Sample ID: : 20134213

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.45E-002
AG-110m	Not Detected	-----	2.59E-002
BA-133	Not Detected	-----	4.69E-002
BE-7	Not Detected	-----	2.23E-001
CD-115	Not Detected	-----	3.30E-001
CE-139	Not Detected	-----	2.79E-002
CE-141	Not Detected	-----	5.55E-002
CE-144	Not Detected	-----	2.29E-001
CM-243	Not Detected	-----	1.68E-001
CO-56	Not Detected	-----	3.03E-002
CO-57	Not Detected	-----	2.97E-002
CO-58	Not Detected	-----	2.81E-002
CO-60	Not Detected	-----	3.24E-002
CR-51	Not Detected	-----	2.43E-001
CS-134	Not Detected	-----	3.76E-002
CS-137	Not Detected	-----	2.85E-002
EU-152	Not Detected	-----	8.82E-002
EU-154	Not Detected	-----	1.59E-001
EU-155	Not Detected	-----	1.33E-001
FE-59	Not Detected	-----	6.51E-002
GD-153	Not Detected	-----	9.82E-002
HG-203	Not Detected	-----	3.30E-002
I-131	Not Detected	-----	4.01E-002
IR-192	Not Detected	-----	2.66E-002
K-40	1.82E+001	2.44E+000	2.60E-001
MN-52	Not Detected	-----	4.79E-002
MN-54	Not Detected	-----	2.92E-002
MO-99	Not Detected	-----	7.54E-001
NA-22	Not Detected	-----	3.65E-002
NA-24	Not Detected	-----	8.75E+000
ND-147	Not Detected	-----	2.43E-001
NI-57	Not Detected	-----	3.31E-001
RU-103	Not Detected	-----	2.75E-002
RU-106	Not Detected	-----	2.50E-001
SB-122	Not Detected	-----	1.33E-001
SB-124	Not Detected	-----	2.59E-002
SB-125	Not Detected	-----	7.72E-002
SN-113	Not Detected	-----	3.53E-002
SR-85	Not Detected	-----	3.40E-002
TA-182	Not Detected	-----	1.38E-001
TA-183	Not Detected	-----	7.19E-001
TL-201	Not Detected	-----	5.11E-001
Y-88	Not Detected	-----	2.43E-002
ZN-65	Not Detected	-----	9.09E-002
ZR-95	Not Detected	-----	4.94E-002

 * Sandia National Laboratories
 * Radiation Protection Sample Diagnostics Program
 * 9/25/02 5:37:06 PM

* Analyzed by: *h 9/26/02* Reviewed by: *[Signature]*

Customer : SANDERS, M (6135)
 Customer Sample ID : 059919-003
 Lab Sample ID : 20134214

 Sample Description : 6969/1004-DF1-BH2-8-S
 Sample Quantity : 762.000 gram
 Sample Date/Time : 9/20/02 10:35:00 AM
 Acquire Start Date/Time : 9/25/02 3:56:45 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	7.44E-001
RA-226	2.37E+000	5.86E-001	7.16E-001
PB-214	8.97E-001	1.28E-001	6.35E-002
BI-214	8.14E-001	1.35E-001	9.40E-002
PB-210	Not Detected	-----	2.81E+001
TH-232	8.82E-001	4.11E-001	1.95E-001
RA-228	9.36E-001	1.63E-001	1.18E-001
AC-228	1.02E+000	1.81E-001	9.97E-002
TH-228	9.84E-001	3.80E-001	5.24E-001
RA-224	1.05E+000	2.25E-001	7.81E-002
PB-212	9.73E-001	1.40E-001	3.73E-002
BI-212	1.16E+000	2.99E-001	3.28E-001
TL-208	8.87E-001	1.39E-001	7.47E-002
U-235	1.66E-001	1.81E-001	2.30E-001
TH-231	Not Detected	-----	1.11E+001
PA-231	Not Detected	-----	1.31E+000
TH-227	Not Detected	-----	3.55E-001
RA-223	Not Detected	-----	2.40E-001
RN-219	Not Detected	-----	3.33E-001
PB-211	Not Detected	-----	7.46E-001
TL-207	Not Detected	-----	1.18E+001
AM-241	Not Detected	-----	4.16E-001
PU-239	Not Detected	-----	4.09E+002
NP-237	Not Detected	-----	2.25E+000
PA-233	Not Detected	-----	5.17E-002
TH-229	Not Detected	-----	2.31E-001

[Summary Report] - Sample ID: : 20134214

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.38E-002
AG-110m	Not Detected	-----	2.67E-002
BA-133	Not Detected	-----	5.00E-002
BE-7	Not Detected	-----	2.28E-001
CD-115	Not Detected	-----	3.22E-001
CE-139	Not Detected	-----	2.87E-002
CE-141	Not Detected	-----	5.50E-002
CE-144	Not Detected	-----	2.27E-001
CM-243	Not Detected	-----	1.68E-001
CO-56	Not Detected	-----	2.91E-002
CO-57	Not Detected	-----	2.93E-002
CO-58	Not Detected	-----	2.92E-002
CO-60	Not Detected	-----	3.10E-002
CR-51	Not Detected	-----	2.46E-001
CS-134	Not Detected	-----	4.01E-002
CS-137	Not Detected	-----	2.85E-002
EU-152	Not Detected	-----	8.71E-002
EU-154	Not Detected	-----	1.56E-001
EU-155	Not Detected	-----	1.37E-001
FE-59	Not Detected	-----	6.35E-002
GD-153	Not Detected	-----	9.58E-002
HG-203	Not Detected	-----	3.28E-002
I-131	Not Detected	-----	4.07E-002
IR-192	Not Detected	-----	2.63E-002
K-40	1.67E+001	2.25E+000	2.74E-001
MN-52	Not Detected	-----	5.11E-002
MN-54	Not Detected	-----	2.99E-002
MO-99	Not Detected	-----	7.38E-001
NA-22	Not Detected	-----	3.56E-002
NA-24	Not Detected	-----	9.45E+000
ND-147	Not Detected	-----	2.49E-001
NI-57	Not Detected	-----	2.66E-001
RU-103	Not Detected	-----	2.55E-002
RU-106	Not Detected	-----	2.55E-001
SB-122	Not Detected	-----	1.37E-001
SB-124	Not Detected	-----	2.79E-002
SB-125	Not Detected	-----	7.63E-002
SN-113	Not Detected	-----	3.57E-002
SR-85	Not Detected	-----	3.46E-002
TA-182	Not Detected	-----	1.47E-001
TA-183	Not Detected	-----	7.28E-001
TL-201	Not Detected	-----	5.00E-001
Y-88	Not Detected	-----	2.37E-002
ZN-65	Not Detected	-----	9.62E-002
ZR-95	Not Detected	-----	4.97E-002

Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/25/02 7:19:08 PM

* Analyzed by: *for 9/26/02* Reviewed by: *[Signature] 10/1/02*

Customer : SANDERS, M (6135)
 Customer Sample ID : 059920-003
 Lab Sample ID : 20134215

 Sample Description : 6969/1004-DF1-BH2-13-S
 Sample Quantity : 765.000 gram
 Sample Date/Time : 9/20/02 10:55:00 AM
 Acquire Start Date/Time : 9/25/02 5:38:51 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	6.98E-001
RA-226	2.10E+000	5.51E-001	6.92E-001
PB-214	7.90E-001	1.14E-001	5.88E-002
BI-214	6.62E-001	1.06E-001	5.45E-002
PB-210	Not Detected	-----	2.65E+001
TH-232	9.66E-001	4.45E-001	1.93E-001
RA-228	9.35E-001	1.64E-001	1.27E-001
AC-228	8.67E-001	1.58E-001	9.12E-002
TH-228	8.49E-001	3.71E-001	5.29E-001
RA-224	1.10E+000	2.32E-001	6.64E-002
PB-212	9.54E-001	1.37E-001	3.59E-002
BI-212	1.40E+000	3.28E-001	3.35E-001
TL-208	8.63E-001	1.35E-001	7.31E-002
U-235	2.03E-001	1.75E-001	2.23E-001
TH-231	Not Detected	-----	1.06E+001
PA-231	Not Detected	-----	1.31E+000
TH-227	Not Detected	-----	3.49E-001
RA-223	Not Detected	-----	2.26E-001
RN-219	Not Detected	-----	3.42E-001
PB-211	Not Detected	-----	7.56E-001
TL-207	Not Detected	-----	1.15E+001
AM-241	Not Detected	-----	4.33E-001
PU-239	Not Detected	-----	4.09E+002
NP-237	Not Detected	-----	2.16E+000
PA-233	Not Detected	-----	5.15E-002
TH-229	Not Detected	-----	2.31E-001

[Summary Report] - Sample ID: : 20134215

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.46E-002
AG-110m	Not Detected	-----	2.61E-002
BA-133	Not Detected	-----	4.65E-002
BE-7	Not Detected	-----	2.23E-001
CD-115	Not Detected	-----	3.23E-001
CE-139	Not Detected	-----	2.78E-002
CE-141	Not Detected	-----	5.33E-002
CE-144	Not Detected	-----	2.26E-001
CM-243	Not Detected	-----	1.62E-001
CO-56	Not Detected	-----	2.91E-002
CO-57	Not Detected	-----	2.92E-002
CO-58	Not Detected	-----	2.88E-002
CO-60	Not Detected	-----	3.02E-002
CR-51	Not Detected	-----	2.40E-001
CS-134	Not Detected	-----	3.77E-002
CS-137	Not Detected	-----	2.81E-002
EU-152	Not Detected	-----	8.70E-002
EU-154	Not Detected	-----	1.59E-001
EU-155	Not Detected	-----	1.32E-001
FE-59	Not Detected	-----	6.81E-002
GD-153	Not Detected	-----	9.79E-002
HG-203	Not Detected	-----	3.14E-002
I-131	Not Detected	-----	3.96E-002
IR-192	Not Detected	-----	2.60E-002
K-40	1.72E+001	2.32E+000	2.58E-001
MN-52	Not Detected	-----	5.08E-002
MN-54	Not Detected	-----	3.23E-002
MO-99	Not Detected	-----	7.14E-001
NA-22	Not Detected	-----	3.56E-002
NA-24	Not Detected	-----	9.53E+000
ND-147	Not Detected	-----	2.30E-001
NI-57	Not Detected	-----	3.31E-001
RU-103	Not Detected	-----	2.69E-002
RU-106	Not Detected	-----	2.47E-001
SB-122	Not Detected	-----	1.34E-001
SB-124	Not Detected	-----	2.64E-002
SB-125	Not Detected	-----	7.72E-002
SN-113	Not Detected	-----	3.31E-002
SR-85	Not Detected	-----	3.31E-002
TA-182	Not Detected	-----	1.34E-001
TA-183	Not Detected	-----	7.63E-001
TL-201	Not Detected	-----	5.09E-001
Y-88	Not Detected	-----	2.47E-002
ZN-65	Not Detected	-----	8.64E-002
ZR-95	Not Detected	-----	4.99E-002

 * Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/25/02 9:01:10 PM

* Analyzed by:

Reviewed by:

9/26/02 *10/1/02*

Customer : SANDERS, M (6135)
 Customer Sample ID : 059921-003
 Lab Sample ID : 20134216 ✓

Sample Description : 6969/1004-DF1-BH3-8-S
 Sample Quantity : 873.000 gram
 Sample Date/Time : 9/20/02 11:30:00 AM
 Acquire Start Date/Time : 9/25/02 7:20:52 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:

U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	6.21E-001
RA-226	1.35E+000	4.62E-001	6.43E-001
PB-214	6.43E-001	9.51E-002	5.43E-002
BI-214	5.98E-001	9.55E-002	4.86E-002
PB-210	Not Detected	-----	2.45E+001
TH-232	6.67E-001	3.21E-001	1.94E-001
RA-228	7.40E-001	1.35E-001	1.17E-001
AC-228	6.86E-001	1.34E-001	1.02E-001
TH-228	7.95E-001	3.99E-001	5.91E-001
RA-224	8.03E-001	1.75E-001	5.90E-002
PB-212	7.78E-001	1.12E-001	3.35E-002
BI-212	1.05E+000	2.67E-001	2.93E-001
TL-208	7.10E-001	1.13E-001	6.58E-002
U-235	Not Detected	-----	2.02E-001
TH-231	Not Detected	-----	1.01E+001
PA-231	Not Detected	-----	1.21E+000
TH-227	Not Detected	-----	3.08E-001
RA-223	Not Detected	-----	2.15E-001
RN-219	Not Detected	-----	3.06E-001
PB-211	Not Detected	-----	6.84E-001
TL-207	Not Detected	-----	1.17E+001
AM-241	Not Detected	-----	3.78E-001
PU-239	Not Detected	-----	3.66E+002
NP-237	Not Detected	-----	2.00E+000
PA-233	Not Detected	-----	4.75E-002
TH-229	Not Detected	-----	2.12E-001

[Summary Report] - Sample ID: : 20134216

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	2.99E-002
AG-110m	Not Detected	-----	2.40E-002
BA-133	Not Detected	-----	4.19E-002
BE-7	Not Detected	-----	2.19E-001
CD-115	Not Detected	-----	2.90E-001
CE-139	Not Detected	-----	2.55E-002
CE-141	Not Detected	-----	4.82E-002
CE-144	Not Detected	-----	2.07E-001
CM-243	Not Detected	-----	1.51E-001
CO-56	Not Detected	-----	2.88E-002
CO-57	Not Detected	-----	2.70E-002
CO-58	Not Detected	-----	2.72E-002
CO-60	Not Detected	-----	3.25E-002
CR-51	Not Detected	-----	2.19E-001
CS-134	Not Detected	-----	3.47E-002
CS-137	Not Detected	-----	2.58E-002
EU-152	Not Detected	-----	8.00E-002
EU-154	Not Detected	-----	1.38E-001
EU-155	Not Detected	-----	1.17E-001
FE-59	Not Detected	-----	6.83E-002
GD-153	Not Detected	-----	8.85E-002
HG-203	Not Detected	-----	2.97E-002
I-131	Not Detected	-----	3.67E-002
IR-192	Not Detected	-----	2.33E-002
K-40	2.53E+001	3.35E+000	2.35E-001
MN-52	Not Detected	-----	4.40E-002
MN-54	Not Detected	-----	2.92E-002
MO-99	Not Detected	-----	7.23E-001
NA-22	Not Detected	-----	3.70E-002
NA-24	Not Detected	-----	1.03E+001
ND-147	Not Detected	-----	2.24E-001
NI-57	Not Detected	-----	2.52E-001
RU-103	Not Detected	-----	2.53E-002
RU-106	Not Detected	-----	2.24E-001
SB-122	Not Detected	-----	1.30E-001
SB-124	Not Detected	-----	2.49E-002
SB-125	Not Detected	-----	7.15E-002
SN-113	Not Detected	-----	3.23E-002
SR-85	Not Detected	-----	3.05E-002
TA-182	Not Detected	-----	1.29E-001
TA-183	Not Detected	-----	6.71E-001
TL-201	Not Detected	-----	4.57E-001
Y-88	Not Detected	-----	1.98E-002
ZN-65	Not Detected	-----	8.64E-002
ZR-95	Not Detected	-----	4.68E-002

Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/25/02 10:43:10 PM

* Analyzed by: *h* 9/26/02

Reviewed by: *[Signature]* 10/1/02

Customer : SANDERS, M (6135)
 Customer Sample ID : 059922-003
 Lab Sample ID : 20134217

Sample Description : 6969/1004-DF1-BH3-13-S
 Sample Quantity : 779.000 gram
 Sample Date/Time : 9/20/02 11:50:00 AM
 Acquire Start Date/Time : 9/25/02 9:02:55 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:

U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	7.01E-001
RA-226	1.94E+000	5.38E-001	6.94E-001
PB-214	7.27E-001	1.06E-001	5.71E-002
BI-214	6.68E-001	1.06E-001	5.06E-002
PB-210	Not Detected	-----	2.67E+001
TH-232	9.21E-001	4.26E-001	1.89E-001
RA-228	8.98E-001	1.57E-001	1.08E-001
AC-228	8.46E-001	1.56E-001	9.69E-002
TH-228	9.37E-001	4.16E-001	5.99E-001
RA-224	9.66E-001	2.08E-001	6.58E-002
PB-212	9.26E-001	1.33E-001	3.65E-002
BI-212	8.84E-001	3.01E-001	3.94E-001
TL-208	7.70E-001	1.24E-001	7.71E-002
U-235	Not Detected	-----	2.19E-001
TH-231	Not Detected	-----	1.06E+001
PA-231	Not Detected	-----	1.26E+000
TH-227	Not Detected	-----	3.43E-001
RA-223	Not Detected	-----	2.36E-001
RN-219	Not Detected	-----	3.27E-001
PB-211	Not Detected	-----	7.46E-001
TL-207	Not Detected	-----	1.17E+001
AM-241	Not Detected	-----	4.13E-001
PU-239	Not Detected	-----	4.05E+002
NP-237	Not Detected	-----	2.09E+000
PA-233	Not Detected	-----	5.13E-002
TH-229	Not Detected	-----	2.30E-001

[Summary Report] - Sample ID: : 20134217

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.09E-002
AG-110m	Not Detected	-----	2.59E-002
BA-133	Not Detected	-----	4.34E-002
BE-7	Not Detected	-----	2.22E-001
CD-115	Not Detected	-----	3.31E-001
CE-139	Not Detected	-----	2.69E-002
CE-141	Not Detected	-----	5.40E-002
CE-144	Not Detected	-----	2.20E-001
CM-243	Not Detected	-----	1.55E-001
CO-56	Not Detected	-----	2.94E-002
CO-57	Not Detected	-----	2.84E-002
CO-58	Not Detected	-----	2.93E-002
CO-60	Not Detected	-----	3.12E-002
CR-51	Not Detected	-----	2.38E-001
CS-134	Not Detected	-----	3.65E-002
CS-137	Not Detected	-----	2.78E-002
EU-152	Not Detected	-----	8.43E-002
EU-154	Not Detected	-----	1.42E-001
EU-155	Not Detected	-----	1.27E-001
FE-59	Not Detected	-----	6.75E-002
GD-153	Not Detected	-----	9.43E-002
HG-203	Not Detected	-----	3.07E-002
I-131	Not Detected	-----	3.90E-002
IR-192	Not Detected	-----	2.58E-002
K-40	1.81E+001	2.43E+000	2.74E-001
MN-52	Not Detected	-----	5.08E-002
MN-54	Not Detected	-----	3.02E-002
MO-99	Not Detected	-----	7.68E-001
NA-22	Not Detected	-----	3.50E-002
NA-24	Not Detected	-----	1.08E+001
ND-147	Not Detected	-----	2.35E-001
NI-57	Not Detected	-----	5.19E-001
RU-103	Not Detected	-----	2.54E-002
RU-106	7.35E-002	7.05E-002	1.10E-001
SB-122	Not Detected	-----	1.36E-001
SB-124	Not Detected	-----	2.50E-002
SB-125	Not Detected	-----	7.27E-002
SN-113	Not Detected	-----	3.36E-002
SR-85	Not Detected	-----	3.34E-002
TA-182	Not Detected	-----	1.39E-001
TA-183	Not Detected	-----	7.39E-001
TL-201	Not Detected	-----	5.11E-001
Y-88	Not Detected	-----	2.06E-002
ZN-65	Not Detected	-----	8.56E-002
ZR-95	Not Detected	-----	5.11E-002

NOT
detected
KAS
9-26-02

Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/26/02 12:25:14 AM

* Analyzed by: *me 9/26/02* Reviewed by: *[Signature]*

Customer : SANDERS, M (6135)
 Customer Sample ID : 059923-003
 Lab Sample ID : 20134218

Sample Description : 9978/1114-DW1-BH1-6-S
 Sample Quantity : 711.000 gram
 Sample Date/Time : 9/23/02 8:45:00 AM
 Acquire Start Date/Time : 9/25/02 10:44:54 PM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6002 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	6.46E-001
RA-226	1.83E+000	4.84E-001	5.99E-001
PB-214	6.57E-001	1.00E-001	6.21E-002
BI-214	5.48E-001	9.14E-002	5.25E-002
PB-210	Not Detected	-----	2.64E+001
TH-232	6.04E-001	2.95E-001	1.89E-001
RA-228	7.15E-001	1.36E-001	1.12E-001
AC-228	5.75E-001	1.21E-001	9.73E-002
TH-228	6.60E-001	4.00E-001	6.07E-001
RA-224	6.85E-001	1.65E-001	9.51E-002
PB-212	6.50E-001	9.59E-002	3.36E-002
BI-212	8.65E-001	2.76E-001	3.41E-001
TL-208	5.67E-001	9.98E-002	7.22E-002
U-235	Not Detected	-----	2.10E-001
TH-231	Not Detected	-----	1.03E+001
PA-231	Not Detected	-----	1.22E+000
TH-227	Not Detected	-----	3.16E-001
RA-223	Not Detected	-----	1.85E-001
RN-219	Not Detected	-----	3.30E-001
PB-211	Not Detected	-----	7.39E-001
TL-207	Not Detected	-----	1.12E+001
AM-241	Not Detected	-----	3.92E-001
PU-239	Not Detected	-----	3.69E+002
NP-237	Not Detected	-----	2.00E+000
PA-233	Not Detected	-----	5.12E-002
TH-229	Not Detected	-----	2.06E-001

[Summary Report] - Sample ID: : 20134218

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.04E-002
AG-110m	Not Detected	-----	2.53E-002
BA-133	Not Detected	-----	4.51E-002
BE-7	Not Detected	-----	2.07E-001
CD-115	Not Detected	-----	1.28E-001
CE-139	Not Detected	-----	2.60E-002
CE-141	Not Detected	-----	4.76E-002
CE-144	Not Detected	-----	2.02E-001
CM-243	Not Detected	-----	1.49E-001
CO-56	Not Detected	-----	2.70E-002
CO-57	Not Detected	-----	2.59E-002
CO-58	Not Detected	-----	2.53E-002
CO-60	Not Detected	-----	2.98E-002
CR-51	Not Detected	-----	2.05E-001
CS-134	Not Detected	-----	3.64E-002
CS-137	Not Detected	-----	2.75E-002
EU-152	Not Detected	-----	7.79E-002
EU-154	Not Detected	-----	1.40E-001
EU-155	Not Detected	-----	1.18E-001
FE-59	Not Detected	-----	5.86E-002
GD-153	Not Detected	-----	8.38E-002
HG-203	Not Detected	-----	2.78E-002
I-131	Not Detected	-----	3.01E-002
IR-192	Not Detected	-----	2.38E-002
K-40	1.48E+001	2.02E+000	2.50E-001
MN-52	Not Detected	-----	3.64E-002
MN-54	Not Detected	-----	2.92E-002
MO-99	Not Detected	-----	3.54E-001
NA-22	Not Detected	-----	3.34E-002
NA-24	Not Detected	-----	4.89E-001
ND-147	Not Detected	-----	1.94E-001
NI-57	2.17E-001	0.31E-002	1.04E-001
RU-103	Not Detected	-----	2.37E-002
RU-106	Not Detected	-----	2.33E-001
SB-122	Not Detected	-----	6.11E-002
SB-124	Not Detected	-----	2.50E-002
SB-125	Not Detected	-----	6.80E-002
SN-113	Not Detected	-----	3.13E-002
SR-85	Not Detected	-----	3.10E-002
TA-182	Not Detected	-----	1.29E-001
TA-183	Not Detected	-----	4.79E-001
TL-201	Not Detected	-----	2.52E-001
Y-88	Not Detected	-----	2.36E-002
ZN-65	Not Detected	-----	8.63E-002
ZR-95	Not Detected	-----	4.67E-002

NOT DETECTED
ICRS 9-16-02

Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/26/02 2:07:15 AM

* Analyzed by: *me 9/26/02* Reviewed by: *[Signature]*

Customer : SANDERS, M (6135)
 Customer Sample ID : 059924-003
 Lab Sample ID : 20134219

Sample Description : 9978/1114-DW1-BH1-11-S
 Sample Quantity : 906.000 gram
 Sample Date/Time : 9/23/02 9:10:00 AM
 Acquire Start Date/Time : 9/26/02 12:26:59 AM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:
 U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	5.82E-001
RA-226	1.33E+000	4.34E-001	5.95E-001
PB-214	4.86E-001	7.74E-002	5.65E-002
BI-214	5.03E-001	8.23E-002	4.65E-002
PB-210	Not Detected	-----	2.30E+001
TH-232	6.51E-001	3.10E-001	1.75E-001
RA-228	6.45E-001	1.22E-001	1.17E-001
AC-228	5.80E-001	1.45E-001	1.64E-001
TH-228	9.08E-001	3.71E-001	5.25E-001
RA-224	7.33E-001	1.62E-001	5.94E-002
PB-212	6.32E-001	9.21E-002	3.15E-002
BI-212	8.13E-001	2.61E-001	3.34E-001
TL-208	5.67E-001	9.57E-002	6.68E-002
U-235	Not Detected	-----	1.92E-001
TH-231	Not Detected	-----	9.16E+000
PA-231	Not Detected	-----	1.12E+000
TH-227	Not Detected	-----	2.76E-001
RA-223	Not Detected	-----	1.70E-001
RN-219	Not Detected	-----	2.92E-001
PB-211	Not Detected	-----	6.57E-001
TL-207	Not Detected	-----	1.05E+001
AM-241	Not Detected	-----	3.40E-001
PU-239	Not Detected	-----	3.44E+002
NP-237	Not Detected	-----	1.85E+000
PA-233	Not Detected	-----	4.66E-002
TH-229	Not Detected	-----	1.97E-001

[Summary Report] - Sample ID: : 20134219

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	2.84E-002
AG-110m	Not Detected	-----	2.26E-002
BA-133	Not Detected	-----	3.77E-002
BE-7	Not Detected	-----	1.94E-001
CD-115	Not Detected	-----	1.17E-001
CE-139	Not Detected	-----	2.39E-002
CE-141	Not Detected	-----	4.45E-002
CE-144	Not Detected	-----	1.89E-001
CM-243	Not Detected	-----	1.35E-001
CO-56	Not Detected	-----	2.83E-002
CO-57	Not Detected	-----	2.54E-002
CO-58	Not Detected	-----	2.45E-002
CO-60	Not Detected	-----	3.00E-002
CR-51	Not Detected	-----	1.90E-001
CS-134	Not Detected	-----	3.15E-002
CS-137	Not Detected	-----	2.42E-002
EU-152	Not Detected	-----	7.63E-002
EU-154	Not Detected	-----	1.31E-001
EU-155	Not Detected	-----	1.10E-001
FE-59	Not Detected	-----	5.72E-002
GD-153	Not Detected	-----	8.03E-002
HG-203	Not Detected	-----	2.55E-002
I-131	Not Detected	-----	2.78E-002
IR-192	Not Detected	-----	2.23E-002
K-40	2.31E+001	3.06E+000	2.44E-001
MN-52	Not Detected	-----	2.92E-002
MN-54	Not Detected	-----	2.59E-002
MO-99	Not Detected	-----	3.35E-001
NA-22	Not Detected	-----	3.57E-002
NA-24	Not Detected	-----	4.82E-001
ND-147	Not Detected	-----	1.74E-001
NI-57	Not Detected	-----	6.76E-002
RU-103	Not Detected	-----	2.25E-002
RU-106	Not Detected	-----	2.17E-001
SB-122	Not Detected	-----	5.99E-002
SB-124	Not Detected	-----	2.34E-002
SB-125	Not Detected	-----	6.49E-002
SN-113	Not Detected	-----	2.95E-002
SR-85	Not Detected	-----	2.77E-002
TA-182	Not Detected	-----	1.23E-001
TA-183	Not Detected	-----	4.18E-001
TL-201	Not Detected	-----	2.37E-001
Y-88	Not Detected	-----	1.65E-002
ZN-65	Not Detected	-----	8.13E-002
ZR-95	Not Detected	-----	4.11E-002

Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/26/02 11:15:58 AM

* Analyzed by:

Reviewed by: *[Signature]*
 10/1/02

Customer : SANDERS M (6135)
 Customer Sample ID : 059931-001
 Lab Sample ID : 20134207

Sample Description : 829/276-SP1-BH1-8-DU
 Sample Quantity : 735.000 gram
 Sample Date/Time : 9/24/02 2:00:00 PM
 Acquire Start Date/Time : 9/26/02 9:35:43 AM
 Detector Name : LAB02
 Elapsed Live/Real Time : 6000 / 6003 seconds

Comments:

U-235/Ra-226 peaks not resolved. Either isotope may be overestimated.

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
U-238	Not Detected	-----	7.37E-001
RA-226	2.02E+000	5.63E-001	7.28E-001
PB-214	9.18E-001	1.30E-001	6.03E-002
BI-214	7.84E-001	1.21E-001	4.84E-002
PB-210	Not Detected	-----	2.80E+001
TH-232	1.00E+000	4.61E-001	1.90E-001
RA-228	9.91E-001	1.72E-001	1.23E-001
AC-228	9.13E-001	1.66E-001	9.81E-002
TH-228	1.21E+000	4.61E-001	6.42E-001
RA-224	1.05E+000	2.27E-001	8.66E-002
PB-212	1.04E+000	1.49E-001	3.75E-002
BI-212	1.15E+000	3.15E-001	3.65E-001
TL-208	8.85E-001	1.40E-001	8.07E-002
U-235	Not Detected	-----	2.31E-001
TH-231	Not Detected	-----	1.16E+001
PA-231	Not Detected	-----	1.34E+000
TH-227	Not Detected	-----	3.75E-001
RA-223	Not Detected	-----	2.03E-001
RN-219	Not Detected	-----	3.68E-001
PB-211	Not Detected	-----	8.25E-001
TL-207	Not Detected	-----	1.16E+001
AM-241	Not Detected	-----	4.27E-001
PU-239	Not Detected	-----	4.13E+002
NP-237	Not Detected	-----	2.22E+000
PA-233	Not Detected	-----	5.35E-002
TH-229	Not Detected	-----	2.35E-001

[Summary Report] - Sample ID: : 20134207

Nuclide Name	Activity (pCi/gram)	2-sigma Error	MDA (pCi/gram)
AG-108m	Not Detected	-----	3.57E-002
AG-110m	Not Detected	-----	2.75E-002
BA-133	Not Detected	-----	4.90E-002
BE-7	Not Detected	-----	2.29E-001
CD-115	Not Detected	-----	1.14E-001
CE-139	Not Detected	-----	2.89E-002
CE-141	Not Detected	-----	5.23E-002
CE-144	Not Detected	-----	2.25E-001
CM-243	Not Detected	-----	1.62E-001
CO-56	Not Detected	-----	3.01E-002
CO-57	Not Detected	-----	2.98E-002
CO-58	Not Detected	-----	2.85E-002
CO-60	Not Detected	-----	3.38E-002
CR-51	Not Detected	-----	2.22E-001
CS-134	Not Detected	-----	3.96E-002
CS-137	Not Detected	-----	2.96E-002
EU-152	Not Detected	-----	8.96E-002
EU-154	Not Detected	-----	1.64E-001
EU-155	Not Detected	-----	1.34E-001
FE-59	Not Detected	-----	6.20E-002
GD-153	Not Detected	-----	9.58E-002
HG-203	Not Detected	-----	2.95E-002
I-131	Not Detected	-----	3.19E-002
IR-192	Not Detected	-----	2.62E-002
K-40	1.71E+001	2.30E+000	2.65E-001
MN-52	Not Detected	-----	3.49E-002
MN-54	Not Detected	-----	3.09E-002
MO-99	Not Detected	-----	3.32E-001
NA-22	Not Detected	-----	3.61E-002
NA-24	Not Detected	-----	2.28E-001
ND-147	Not Detected	-----	1.95E-001
NI-57	Not Detected	-----	7.28E-002
RU-103	Not Detected	-----	2.55E-002
RU-106	Not Detected	-----	2.39E-001
SB-122	Not Detected	-----	5.81E-002
SB-124	Not Detected	-----	2.49E-002
SB-125	Not Detected	-----	7.27E-002
SN-113	Not Detected	-----	3.49E-002
SR-85	Not Detected	-----	3.38E-002
TA-182	Not Detected	-----	1.43E-001
TA-183	Not Detected	-----	4.70E-001
TL-201	Not Detected	-----	2.38E-001
Y-88	Not Detected	-----	2.49E-002
ZN-65	Not Detected	-----	9.51E-002
ZR-95	Not Detected	-----	4.93E-002

 * Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/26/02 7:40:07 AM

* Analyzed by: *A. gregor* 9/26/02 Reviewed by: *[Signature]* 10/1/02

Customer : SANDERS M (6135)
 Customer Sample ID : LAB_CONTROL_SAMPLE_USING_CG-134
 Lab Sample ID : 20134220

Sample Description : MIXED_GAMMA_STANDARD_CG-134
 Sample Quantity : 1.000 Each
 Sample Date/Time : 11/1/90 12:00:00 PM
 Acquire Start Date/Time : 9/26/02 7:29:51 AM
 Detector Name : LAB01
 Elapsed Live/Real Time : 600 / 604 seconds

Comments:

Nuclide Name	Activity (pCi/Each)	2-sigma Error	MDA (pCi/Each)
BE-7	Not Detected	-----	1.00E+026
NA-22	Not Detected	-----	4.50E+003
NA-24	Not Detected	-----	1.00E+026
K-40	Not Detected	-----	1.34E+003
CR-51	Not Detected	-----	1.00E+026
MN-52	Not Detected	-----	1.00E+026
MN-54	Not Detected	-----	5.15E+006
CO-56	Not Detected	-----	2.96E+019
CO-57	Not Detected	-----	1.11E+007
NI-57	Not Detected	-----	1.00E+026
CO-58	Not Detected	-----	8.61E+020
FE-59	Not Detected	-----	1.00E+026
CO-60	7.93E+004	1.05E+004	9.20E+002
ZN-65	Not Detected	-----	1.90E+008
SR-85	Not Detected	-----	1.00E+026
Y-88	Not Detected	-----	2.94E+014
ZR-95	Not Detected	-----	1.00E+026
MO-99	Not Detected	-----	1.00E+026
RU-103	Not Detected	-----	1.00E+026
RU-106	Not Detected	-----	9.72E+006
AG-108m	Not Detected	-----	3.24E+002
AG-110m	Not Detected	-----	2.87E+008
SN-113	Not Detected	-----	1.01E+014
CD-115	Not Detected	-----	1.00E+026
SB-122	Not Detected	-----	1.00E+026
SB-124	Not Detected	-----	1.00E+026
SB-125	Not Detected	-----	2.38E+004
I-131	Not Detected	-----	1.00E+026
BA-133	Not Detected	-----	9.09E+002

Nuclide Name	Activity (pCi/Each)	2-sigma Error	MDA (pCi/Each)
CS-134	Not Detected	-----	1.51E+004
CS-137	6.80E+004	8.63E+003	3.65E+002
CE-139	Not Detected	-----	5.72E+011
CE-141	Not Detected	-----	1.00E+026
CE-144	Not Detected	-----	5.17E+007
ND-147	Not Detected	-----	1.00E+026
EU-152	Not Detected	-----	9.43E+002
GD-153	Not Detected	-----	1.11E+008
EU-154	Not Detected	-----	3.66E+003
EU-155	Not Detected	-----	4.26E+003
TA-182	Not Detected	-----	2.50E+014
TA-183	Not Detected	-----	1.00E+026
IR-192	Not Detected	-----	1.48E+020
TL-201	Not Detected	-----	1.00E+026
HG-203	Not Detected	-----	1.00E+026
TL-207	Not Detected	-----	2.34E+005
TL-208	Not Detected	-----	6.32E+004
PB-210	Not Detected	-----	9.80E+004
PB-211	Not Detected	-----	1.51E+004
BI-212	Not Detected	-----	2.99E+005
PB-212	Not Detected	-----	3.36E+004
BI-214	Not Detected	-----	5.79E+002
PB-214	Not Detected	-----	6.74E+002
RN-219	Not Detected	-----	6.71E+003
RA-223	Not Detected	-----	1.00E+026
RA-224	Not Detected	-----	1.86E+004
RA-226	Not Detected	-----	5.65E+003
TH-227	Not Detected	-----	2.57E+003
AC-228	Not Detected	-----	1.45E+003
RA-228	Not Detected	-----	2.46E+003
TH-228	Not Detected	-----	4.75E+005
TH-229	Not Detected	-----	1.26E+003
PA-231	Not Detected	-----	1.39E+004
TH-231	Not Detected	-----	4.04E+004
TH-232	Not Detected	-----	2.05E+003
PA-233	Not Detected	-----	5.84E+002
U-235	Not Detected	-----	1.38E+003
NP-237	Not Detected	-----	1.23E+004
U-238	Not Detected	-----	2.59E+003
PU-239	Not Detected	-----	2.32E+006
AM-241	8.91E+004	1.29E+004	1.91E+003
CM-243	Not Detected	-----	2.16E+003

 Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 Quality Assurance Report

Report Date : 9/26/02 7:40:12 AM
 QA File : C:\GENIE2K\CAMFILES\LCS1.QAF
 Analyst : KICHAVE
 Sample ID : 20134220
 Sample Quantity : 1.00 Each
 Sample Date : 11/1/90 12:00:00 PM
 Measurement Date : 9/26/02 7:29:51 AM
 Elapsed Live Time : 600 seconds
 Elapsed Real Time : 604 seconds

Parameter	Mean	1S Error	New Value	< LU	: SD	: UD	BS >
AM-241 ACTIVITY	8.574E-002	3.464E-003	8.909E-002	<	:	:	>
CS-137 Activity	6.836E-002	1.361E-003	6.799E-002	<	:	:	>
CO-60 Activity	7.658E-002	3.463E-003	7.716E-002	<	:	:	>

Flags Key: LU = Boundary Test (Ab = Above, Be = Below)
 SD = Sample Driven N-Sigma Test (In = Investigate, Ac = Action)
 UD = User Driven N-Sigma Test (In = Investigate, Ac = Action)
 BS = Measurement Bias Test (In = Investigate, Ac = Action)

Reviewed by: _____

[Signature]
 10/1/02

Sandia National Laboratories
 Radiation Protection Sample Diagnostics Program
 9/26/02 7:36:45 AM

* Analyzed by: *h* *9/26/02*

Reviewed by: *[Signature]* *10/1/02*

Customer : SANDERS M (6135)
 Customer Sample ID : LAB CONTROL_SAMPLE_USING_CG-134
 Lab Sample ID : 20134221

Sample Description : MIXED_GAMMA_STANDARD_CG-134
 Sample Quantity : 1.000 Each
 Sample Date/Time : 11/01/90 12:00:00 PM
 Acquire Start Date/Time : 9/26/02 7:26:30 AM
 Detector Name : LAB02
 Elapsed Live/Real Time : 600 / 604 seconds

Comments:

Nuclide Name	Activity (pCi/Each)	2-sigma Error	MDA (pCi/Each)
U-238	Not Detected	-----	3.94E+003
RA-226	Not Detected	-----	5.61E+003
PB-214	Not Detected	-----	5.75E+002
BI-214	Not Detected	-----	4.66E+002
PB-210	Not Detected	-----	2.67E+005
TH-232	Not Detected	-----	1.77E+003
RA-228	Not Detected	-----	1.77E+003
AC-228	Not Detected	-----	1.05E+003
TH-228	Not Detected	-----	4.27E+005
RA-224	Not Detected	-----	1.90E+004
PB-212	Not Detected	-----	3.36E+004
BI-212	Not Detected	-----	2.08E+005
TL-208	Not Detected	-----	5.50E+004
U-235	Not Detected	-----	1.55E+003
TH-231	Not Detected	-----	6.77E+004
PA-231	Not Detected	-----	1.22E+004
TH-227	Not Detected	-----	2.58E+003
RA-223	Not Detected	-----	1.00E+026
RN-219	Not Detected	-----	5.66E+003
PB-211	Not Detected	-----	1.26E+004
TL-207	Not Detected	-----	1.74E+005
AM-241	8.21E+004	1.22E+004	3.94E+003
PU-239	Not Detected	-----	2.60E+006
NP-237	Not Detected	-----	1.41E+004
PA-233	Not Detected	-----	5.09E+002
TH-229	Not Detected	-----	1.49E+003

[Summary Report] - Sample ID: : 20134221

Nuclide Name	Activity (pCi/Each)	2-sigma Error	MDA (pCi/Each)
AG-108m	Not Detected	-----	2.21E+002
AG-110m	Not Detected	-----	2.27E+008
BA-133	Not Detected	-----	7.80E+002
BE-7	Not Detected	-----	1.00E+026
CD-115	Not Detected	-----	1.00E+026
CE-139	Not Detected	-----	6.26E+011
CE-141	Not Detected	-----	1.00E+026
CE-144	Not Detected	-----	5.81E+007
CM-243	Not Detected	-----	1.88E+003
CO-56	Not Detected	-----	2.28E+019
CO-57	Not Detected	-----	1.28E+007
CO-58	Not Detected	-----	6.47E+020
CO-60	8.15E+004	1.06E+004	7.25E+002
CR-51	Not Detected	-----	1.00E+026
CS-134	Not Detected	-----	1.22E+004
CS-137	7.02E+004	8.88E+003	3.35E+002
EU-152	Not Detected	-----	1.09E+003
EU-154	Not Detected	-----	2.49E+003
EU-155	Not Detected	-----	4.92E+003
FE-59	Not Detected	-----	1.00E+026
GD-153	Not Detected	-----	1.61E+008
HG-203	Not Detected	-----	1.00E+026
I-131	Not Detected	-----	1.00E+026
IR-192	Not Detected	-----	1.28E+020
K-40	Not Detected	-----	1.06E+003
MN-52	Not Detected	-----	1.00E+026
MN-54	Not Detected	-----	3.76E+006
MO-99	Not Detected	-----	1.00E+026
NA-22	Not Detected	-----	3.47E+003
NA-24	Not Detected	-----	1.00E+026
ND-147	Not Detected	-----	1.00E+026
NI-57	Not Detected	-----	1.00E+026
RU-103	Not Detected	-----	1.00E+026
RU-106	Not Detected	-----	8.00E+006
SB-122	Not Detected	-----	1.00E+026
SB-124	Not Detected	-----	1.00E+026
SB-125	Not Detected	-----	1.98E+004
SN-113	Not Detected	-----	8.64E+013
SR-85	Not Detected	-----	1.00E+026
TA-182	Not Detected	-----	1.84E+014
TA-183	Not Detected	-----	1.00E+026
TL-201	Not Detected	-----	1.00E+026
Y-88	Not Detected	-----	2.73E+014
ZN-65	Not Detected	-----	1.38E+008
ZR-95	Not Detected	-----	1.00E+026

