9-24-2010

Mammalogy Class 2010 Catalog

Sara Pesko

S. Pcsko
2010

Catalogue

California, San Luis Obispo Co,
4.8 km ESE of Creston; 3655
Linguist lane. 35°30' 29" N
120° 28' 11" W

1 ♂ Spermophilus beecheyi 361-148-51-20
≡ 345

NK 196156 skeleton, tissue

New Mexico: Hidalgo Co. Peloncillo Mountains.
31.51615°N 108.78645°W elev 1650m

2 ♀ Neotoma albigula 372-35-31-26≡164
NK 195401 Skeleton, tissue

Rio de los Piños, 3km west of San
Miguel 35.9576°N, 106.17701°W
elev: 2251m

3 ♀ Tamias quadrivittatus 235-100-33-22
≡64

NK ~~197~~ 195853 - skeleton, tissue

USA: N/M Rio Arriba Co. Carson Nat
Forest. Rio de los Piños 3km W of
San Miguel 36.9576°N, 106.1770°W

4 ♂ Neotoma mexicana 211-90-29-28≡58g
NK 195769 skeleton, tissue

USA: Alaska, Alpine SE

5 ♂ Sorex multicolorus 126-53-14xy=8.0g
NK 196869 skeleton/tissue

USA: NM San Mateo Mountains
4miles Forest Rd 225.

6. Neotoma albigula
NK 1959 Skeleton/tissue

USA: NM San Mateo Mountains 4miles
South Forest Rd 225.

7 ♂ S Dipodomys spectabilus 329-190-53-19=RO
NK 195959 skeleton/tissue

USA: Washington, Ferry Co.

8) ♂ Mustela erminea 270-67-44-6=68g
NK T37772 skeleton/tissue

San Mateo Moutains Forest 225
elevation 1895 33.754N 107.20.066W

9) ♂ Neotoma albigula 327-138-32-31=165g
NK 195982 skeleton/tissue

USA: Rio Abriba Co. Carson Nat'l Forest
Rio de los Piños 3km W San Miquel 36.957°N 106.177°W

10 ♂ Neotoma albigula skeleton/tissue
NK 195980 295-151-33-29=11.8g

Carson National Forest Rio de los Piños
3km W San Miquel 36.957°N 106.177°W

11 ♀ Neotoma albigula 231-96-26-21=6g
NK 13782 skeleton/tissue

Nevada Test Site Nye

12 Ammospermophilus leucurus 202-59-37-10=8g
♀ NK 197363 skeleton/tissue

TRAPLINE DATA SHEET

Locality: NM: Hidalgo Co. Peloncillo Mountains Biome: Riparian

Lat: 31.51629° Long: 108.78695° Elev: 1650m

Date: 9/24/10 Project/Collectors: Mammalogy 2010 Fall.

Notes (Moon; weather; temp.): Just past full, sunny with clouds

Trapline No. SMP/MNW-1

	Cover Class	Height/units	Dominant Plant Species
Overstory:	0 1 2 (3) 4 5 6 7 8 9		Rhus trilobata
Understory:	0 1 2 3 4 5 6 (7) 8 9		Bouteloua gracilis
Herbaceous:	0 1 2 3 4 (5) 6 7 8 9		Prosopis glandulosa
Bare soil/rock:	0 1 2 3 4 (5) 6 7 8 9		
Litter layer:	0 1 2 3 4 5 6 7 8 9		
Slope:	_____%		

Captures:

Trap #:	NK Number	Species	Ecological Data
		Neotoma albigula	N 31 51629° W 108 98670° ALT 1665
		Cheatodipus penicillatus	N31 51598° W108 98813 ALT 1664

Trapline No. SMP/MNW-2

	Cover Class	Height/units	Dominant Plant Species
Overstory:	0 (1) 2 3 4 5 6 7 8 9		Bouteloua eriopoda
Understory:	0 1 (2) 3 4 5 6 7 8 9		Bouteloua gracilis
Herbaceous:	0 1 2 3 (4) 5 6 7 8 9		Prosopis glandulosa
Bare soil/rock:	0 1 (2) 3 4 5 6 7 8 9		Larrea tridentata
Litter layer depth:	0 (1) 2 3 4 5 6 7 8 9		
Slope:	_____%		

Captures:

Trap #:	NK Number	Species	Ecological Data

Cover Classes

0 = 0-9%; 1 = 10-19%; 2 = 20-29%; 3 = 30-39%; 4 = 40-49%; 5 = 50-59%; 6 = 60-69%; 7 = 70-79%; 8 = 80-89%; 9 = 90-100%

TRAPLINE DATA SHEET

Locality: San Mateo Mountains 225 Forest Rd Biome: desert
Lat: 33.754N Long: 107.20W Elev: ____
Date: 29-30 October 2010 Project/Collectors: Mammalogy 2010
Notes (Moon; weather; temp.): clear, sunny

Trapline No. SMP/SW

	Cover Class	Height/units	Dominant Plant Species
Overstory:	(0) 1 2 3 4 5 6 7 8 9	_____	Oak, Arctostaphylos
Understory:	0 (1) 2 3 4 5 6 7 8 9	_____	montaraensis,
Herbaceous:	0 1 (2) 3 4 5 6 7 8 9	_____	Larrea tridentata
Bare soil/rock:	0 1 2 3 4 5 (6) 7 8 9	_____	Bouteloa gracilis
Litter layer:	0 (1) 2 3 4 5 6 7 8 9	_____	
Slope:	_____%		

Captures:

Trap #:	NK Number	Species	Ecological Data
		4 Neotoma albigula	
		3 Peromyscus boylii	

Trapline No. _____

	Cover Class	Height/units	Dominant Plant Species
Overstory:	0 1 2 3 4 5 6 7 8 9	_____	_____
Understory:	0 1 2 3 4 5 6 7 8 9	_____	_____
Herbaceous:	0 1 2 3 4 5 6 7 8 9	_____	_____
Bare soil/rock:	0 1 2 3 4 5 6 7 8 9	_____	_____
Litter layer depth:	0 1 2 3 4 5 6 7 8 9	_____	
Slope:	_____%		

Captures:

Trap #:	NK Number	Species	Ecological Data

Cover Classes

0 = 0-9%; 1 = 10-19%; 2 = 20-29%; 3 = 30-39%; 4 = 40-49%; 5 = 50-59%; 6 = 60-69%; 7 = 70-79%; 8 = 80-89%; 9 = 90-100%

TRAPLINE DATA SHEET

Locality:_____ Biome: _____

Lat:_____ Long:_____ Elev:_____

Date:_____ Project/Collectors:_____

Notes (Moon; weather; temp.):

Trapline No. _____

	Cover Class	Height/units	Dominant Plant Species
Overstory:	0 1 2 3 4 5 6 7 8 9	_____	_____
Understory:	0 1 2 3 4 5 6 7 8 9	_____	_____
Herbaceous:	0 1 2 3 4 5 6 7 8 9	_____	_____
Bare soil/rock:	0 1 2 3 4 5 6 7 8 9	_____	_____
Litter layer:	0 1 2 3 4 5 6 7 8 9	_____	
Slope:	_____%		

Captures:

Trap #:	NK Number	Species	Ecological Data

Trapline No. _____

	Cover Class	Height/units	Dominant Plant Species
Overstory:	0 1 2 3 4 5 6 7 8 9	_____	_____
Understory:	0 1 2 3 4 5 6 7 8 9	_____	_____
Herbaceous:	0 1 2 3 4 5 6 7 8 9	_____	_____
Bare soil/rock:	0 1 2 3 4 5 6 7 8 9	_____	_____
Litter layer depth:	0 1 2 3 4 5 6 7 8 9	_____	
Slope:	_____%		

Captures:

Trap #:	NK Number	Species	Ecological Data

Cover Classes

0 = 0-9%; 1 = 10-19%; 2 = 20-29%; 3 = 30-39%; 4 = 40-49%; 5 = 50-59%; 6 = 60-69%; 7 = 70-79%; 8 = 80-89%; 9 = 90-100%