

1-6-2021

Answer Note “A novel method for solving the fully neutrosophic linear programming problems: Suggested modifications”

Ranjan Kumar

Seyyed Ahmad Edalatpanah

Sudipta Gayen

Said Broum

Follow this and additional works at: https://digitalrepository.unm.edu/nss_journal

Recommended Citation

Kumar, Ranjan; Seyyed Ahmad Edalatpanah; Sudipta Gayen; and Said Broum. "Answer Note “A novel method for solving the fully neutrosophic linear programming problems: Suggested modifications”." *Neutrosophic Sets and Systems* 39, 1 (). https://digitalrepository.unm.edu/nss_journal/vol39/iss1/12

This Article is brought to you for free and open access by UNM Digital Repository. It has been accepted for inclusion in *Neutrosophic Sets and Systems* by an authorized editor of UNM Digital Repository. For more information, please contact amywinter@unm.edu, lsloane@salud.unm.edu, sarahrk@unm.edu.



Answer Note “A novel method for solving the fully neutrosophic linear programming problems: Suggested modifications”

Ranjan Kumar^{1,*}, Seyyed Ahmad Edalatpanah², Sudipta Gayen³, and Said Broumi⁴

¹ Jain Deemed to be University, Jayanagar, Bengaluru, India; ranjank.nit52@gmail.com

² Department of Industrial Engineering, Ayandegan Institute of Higher Education, Iran

³ National Institute of Technology Jamshedpur, India; sudi23dipta@gmail.com

⁴ Faculty of Science Ben M'Sik, University Hassan II, Morocco

* Correspondence: ranjank.nit52@gmail.com

Abstract. Singh et al. [1], for solving the fully neutrosophic linear programming problems stated that the method of Abdel-Basset et al. [2] is scientifically incorrect and suggested a modified version for it. They have constructed their modifications based on different model assumptions which have been discussed in detail in the answer note. The purpose of this answer note is to inform that the justifications and clarifications given by Singh et al. [1] are not appropriate. We show that the outcome obtained by Abdel-Basset et al. [2] is correct and the method holds all conditions of the problem under neutrosophic environment. This answer note has also discussed some additional narrative which was not discussed in Abdel-Basset et al. [3] comment paper. Finally, we aim to bring back the faith in readers on the proposed method by Abdel-Basset et al. [2].

Keywords: Linear Programming Problem; Neutrosophic Linear Programming Problem; Note; reply

1. Introduction

Fuzzy or neutrosophic or uncertain information are generally processed by transforming into an accurate number. This transformation can happen at the beginning of the decision process, or in the middle or final stage. Very recently, two articles [1,2] considered the solution of fully neutrosophic linear programming problems. However, the research by Singh et al. [1], and the research by Abdel-Basset et al. [2] are different due to the transformation of uncertain information into accurate numbers at different stages. Therefore, both the proposed methods hold good in their respective model and this implies that the modification suggested by Singh et al. [1] are not required being the conditions and provisions of these two models are itself different.

In this paper, the models considered by Abdel-Basset et al. [2] (Model 1, in Definition 1.1) and Singh et al. [1] (Model 2, in Definition 1.2) have been discussed in detail to understand the difference between the two proposed methods and therefore to justify our objective.

1.1. Discussion on different models to handle LPP under neutrosophic environment

Definition 1.1. (Section 3.1, Step 1, pp. 886-887) [1]: Abdel-Basset et al. [2] proposed Model 1 is as follows:

$$\begin{aligned} & \text{Maximize/Minimize} \left[\sum_{j=1}^n R(\tilde{C}_j) x_j \right] \\ & \text{Subject to (P2)} \end{aligned}$$

Definition 1.2. (Section 4.1, Step 1, pp. 887): Singh et al. [1] consider the different model such as:

$$\begin{aligned} & \text{Maximize/Minimize} \left[R \left(\sum_{j=1}^n \tilde{C}_j x_j \right) \right] \\ & \text{Subject to constraints.} \end{aligned}$$

where,

\tilde{C}_j = Neutrosophic cost value, and
 x_{ij} = the neutrosophic variable.
 R : rank function.

1.2. Comparison of any two random neutrosophic numbers

Definition 1.3. [2, 3]: Where $\hat{r}^N = \langle [\hat{r}_T, \hat{r}_I, \hat{r}_M, \hat{r}_E], (T_{\hat{r}}, I_{\hat{r}}, F_{\hat{r}}) \rangle$ and $\hat{s}^N = \langle [\hat{s}_T, \hat{s}_I, \hat{s}_M, \hat{s}_E], (T_{\hat{s}}, I_{\hat{s}}, F_{\hat{s}}) \rangle$ are two Trapezoidal neutrosophic numbers:

- (a) $\hat{r}^N > \hat{s}^N$ iff $R(\hat{r}^N) > R(\hat{s}^N)$
- (b) $\hat{r}^N < \hat{s}^N$ iff $R(\hat{r}^N) < R(\hat{s}^N)$
- (c) $\hat{r}^N = \hat{s}^N$ iff $R(\hat{r}^N) = R(\hat{s}^N)$

Where $R(\hat{r}^N)$ is ranking function for \hat{r}^N neutrosophic number.

1.3. Discussion on arithmetic operation to handle LPP under neutrosophic environment

To solve Model 1, Abdel-Basset et al. [2] use the following Definition 1.4.

Definition 1.4. [2]: Neutrosophic multiplication property with β ; where β is constant parameter;

$$\beta \tilde{m} = \left\langle [\beta \tilde{m}^a, \beta \tilde{m}^s, \beta \tilde{m}^h, \beta \tilde{m}^o], (T_{\tilde{m}}, I_{\tilde{m}}, F_{\tilde{m}}) \right\rangle \text{ if } (\beta > 0)$$

Whereas, Singh et al. [1] use the below Definition 1.5 to solve Model 2.

Definition 1.5. [2]: Neutrosophic multiplication property with two neutrosophic numbers \hat{r}^N and \hat{s}^N

$$\hat{r}^N \otimes \hat{s}^N = \begin{cases} \langle [\hat{r}_T \cdot \hat{s}_T, \hat{r}_I \cdot \hat{s}_I, \hat{r}_M \cdot \hat{s}_M, \hat{r}_E \cdot \hat{s}_E], (T_{\hat{r}} \wedge T_{\hat{s}}, I_{\hat{r}} \vee I_{\hat{s}}, F_{\hat{r}} \vee F_{\hat{s}}) \rangle & \text{if } (\hat{r}_E > 0, \hat{s}_E > 0) \\ \langle [\hat{r}_T \cdot \hat{s}_E, \hat{r}_I \cdot \hat{s}_E, \hat{r}_M \cdot \hat{s}_I, \hat{r}_E \cdot \hat{s}_T], (T_{\hat{r}} \wedge T_{\hat{s}}, I_{\hat{r}} \vee I_{\hat{s}}, F_{\hat{r}} \vee F_{\hat{s}}) \rangle & \text{if } (\hat{r}_E < 0, \hat{s}_E > 0) \\ \langle [\hat{r}_E \cdot \hat{s}_E, \hat{r}_M \cdot \hat{s}_M, \hat{r}_I \cdot \hat{s}_I, \hat{r}_T \cdot \hat{s}_T], (T_{\hat{r}} \wedge T_{\hat{s}}, I_{\hat{r}} \vee I_{\hat{s}}, F_{\hat{r}} \vee F_{\hat{s}}) \rangle & \text{if } (\hat{r}_E < 0, \hat{s}_E < 0) \end{cases}$$

Where $\hat{r}^N = \langle [\hat{r}_T, \hat{r}_I, \hat{r}_M, \hat{r}_E], (T_{\hat{r}}, I_{\hat{r}}, F_{\hat{r}}) \rangle$ and $\hat{s}^N = \langle [\hat{s}_T, \hat{s}_I, \hat{s}_M, \hat{s}_E], (T_{\hat{s}}, I_{\hat{s}}, F_{\hat{s}}) \rangle$ are two Trapezoidal neutrosophic numbers.

2. Reply to suggested modification in the existing solution in Singh et al. [1]

When we consider the Model 1 (Definition 1.1) as suggested by the Abdel-Basset et al. [2], we need to follow the arithmetic property as mentioned in Definition 1.4. and when we consider the model 2 (Definition 1.2) as suggested by Singh et al. [1] we need to follow the Definition 1.5.

In this answer note, it is clear that Singh et al. [1], have suggested the modifications in Abdel-Basset et al. [2] which are not required. The authors have considered a different model (model 2) to modify the technique of Abdel-Basset et al. [2]. The conditions and provisions of these two methods are entirely different as the transformation of uncertainty information has taken place at different stages. So, based on above justification, we can say that Abdel-Basset et al. [2] method still holds all the required conditions necessary to solve all types of LPP problem under neutrosophic environment and do not needs any further modification.

2.1. Second Irrelevant Condition of linearity of Singh et al. [1]

Singh et al. [1] claims that the Abdel-Basset et.al. [2] proposed technique doesn't hold the linear property which is shown in Section 5, point i-ii, pp.888

We observe that Abdel-Basset et al. [2] already considered the above-mentioned demerit while drafting the manuscript. To justify our claim, we share a short observation below:

Observation: Abdel-Basset et al. [2] first found the score of each neutrosophic cost as shown in Definition 1.1, and then multiplied with neutrosophic number using the Definition 1.4. This helped in avoiding the above-discussed demerit of scoring property of neutrosophic set. Additionally, Singh et al. [1] has considered a different model (Definition 1.2) to justify

their claim. The used model is wrong and nowhere used in the method proposed by Abdel-Basset et al. [2]. Hence, the model proposed by Singh et al. [1] doesn't prove any limitation of the technique proposed by Abdel-Basset et al. [2].

Conclusion

The method proposed by Abdel-Basset et al. [2] satisfy all the fundamental requirements for solving the problem under neutrosophic environment. Singh et al. [1] suggested some unnecessary changes ($P1 - P29$) with a different model for solving LPs where the transformation of uncertain information has taken place at different stage. So, the results mentioned in Abdel-Basset et al. [2] are still logical and legitimate. Hence, the model proposed by Singh et al. [1] doesn't prove any limitation of the technique proposed by Abdel-Basset et al. [2]. To motivate the readers, few relevant research articles [4-17] have been suggested to provide more insight on neutrosophic environment.

Acknowledgment

I would like to give my sincere gratitude to The Editor in chief, Associate Editor and the Reviewers for critically reviewing our answer note. Their timely suggestions and minute observations have created my answer note more fruitful. Thank you very much for your kind appreciation about our answer note. We are very grateful for the time and energy you spent for us.

References

- [1] Singh, A and Kumar, A and Appadoo, S. S. A novel method for solving the fully neutrosophic linear programming problems: Suggested modifications. *Journal of Intelligent & Fuzzy Systems* **37** (2019), 885-895.
- [2] Abdel-Basset, M and Gunasekaran, M. and Mohamed, M and Smarandache, F A novel method for solving the fully neutrosophic linear programming problems. *Neural Computing and Applications* **31**, (2019), 1595-1605
- [3] M. Abdel-Basset and M. Mohamed and F. Smarandache Comment on "a novel method for solving the fully neutrosophic linear programming problems: suggested modifications". *Neutrosophic Sets and Systems* **31** (2020), 305-309.
- [4] M. Akram and S. Shahzadi. Neutrosophic soft graphs with application. *Journal of Intelligent & Fuzzy Systems* **32** (2017), 841-858.
- [5] J-Q. Wang and X. Zhang and H-Y. Zhang Hotel recommendation approach based on the online consumer reviews using interval neutrosophic linguistic numbers. *Journal of Intelligent & Fuzzy Systems* **34** (2018), 381-394.
- [6] B. A. Ozkok Finding fuzzy optimal and approximate fuzzy optimal solution of fully fuzzy linear programming problems with trapezoidal fuzzy numbers. *Journal of Intelligent & Fuzzy Systems* **36** (2019), 1389-1400.
- [7] M. Luo and L. Wu and K. Zhou and H. Zhang. Multi-criteria decision making method based on the single valued neutrosophic sets. *Journal of Intelligent & Fuzzy Systems* **37** (2019), 2403-2417.

- [8] P. Liu and Q. Khan and T. Mahmood Some single-valued neutrosophic power muirhead mean operators and their application to group decision making. *Journal of Intelligent & Fuzzy Systems* **37** (2019), 2515-2537.
- [9] M Enayattabr, A Ebrahimnejad, H Motameni, H Garg, A novel approach for solving all-pairs shortest path problem in an interval-valued fuzzy network. *Journal of Intelligent & Fuzzy Systems*, **37** (2019), 6865-6877.
- [10] S. Karadayi-Usta and C.E. Bozdog Some single-valued neutrosophic power muirhead mean operators and their application to group decision making. *Journal of Intelligent & Fuzzy Systems*, (2020) <https://doi.org/10.3233/JIFS-189111>
- [11] J. Zhan, M. Akram, M. Sitara Novel decision-making method based on bipolar neutrosophic information. *Soft Computing* **23** (2019), 9955-9977.
- [12] A. Singh and A. Kumar and S.S. Appadoo Modified approach for optimization of real life transportation problem in neutrosophic environment. *Mathematical Problems in Engineering* (2017), <https://doi.org/10.1155/2017/2139791>.
- [13] Vasantha W.B. and I. Kandasamy and F. Smarandache Algebraic structure of neutrosophic duplets in neutrosophic rings. *Neutrosophic Sets and Systems* **23** (2018), 85-95.
- [14] D. Preethi, S. Rajareega, J. Vimala, G. Selvachandran, and F. Smarandache. Single-valued neutrosophic hyperrings and single-valued neutrosophic hyperideals. *Neutrosophic Sets and Systems*, 29:121–128, 2019.
- [15] P. Muralikrishna and D. S. Kumar. Neutrosophic approach on normed linear space. *Neutrosophic Sets and Systems*, 30:225–240, 2019.
- [16] S. S. Biswas. Neutrosophic shortest path problem (NSPP) in a directed multigraph. *Neutrosophic Sets and Systems*, 29:174–185, 2019.
- [17] D. Nagarajan, M. Lathamahaswari, S. Broumi, and J. Kavikumar. Blockchain single and interval valued neutrosophic graphs. *Neutrosophic Sets and Systems*, 24:23–35, 2019.

Received: Sep 5, 2020. Accepted: Jan 6, 2021