

# new mexico architecture

September-October 1977


\$1.00

Fine Arts  
NA  
1  
N4 ✓  
V.19  
no5

SERIALS DEPT.

OCT 11 1977


ZIMMERMAN LIBRARY





# CUSTOMIZED CONCRETE MASONRY

Architect John Arrison has this to say about customized concrete masonry: "When I chose customized concrete masonry for the John F. Simms, Jr., Building, my requirements were for a material that would provide a maintenance-free exterior finish, offered cost advantages, and was aesthetically pleasing!"



The above photo of the main entrance shows how the light and shadow affect the unique combination of split flute and split rock face block which enhances the building's striking lines; this gives an ever-changing facade as the light changes direction across the walls.


- Project name: John F. Simms, Jr., Building, Santa Fe, New Mexico
- Owner: State of New Mexico,  
Division of Automated Data Processing  
Santa Fe, New Mexico
- Masonry Contractor: Bob Davis Masonry, Inc.  
Albuquerque, New Mexico
- Architect: John B. Arrison  
Santa Fe, New Mexico
- General Contractor: Lembke Construction Company, Inc.  
Albuquerque, New Mexico



**CREGO BLOCK COMPANY**  
**(505) 344-3475**  
**6026 SECOND STREET, N.W.**  
**ALBUQUERQUE,**  
**NEW MEXICO 87107**







vol. 19 no. 5

#### IN THIS ISSUE

are two important discussions concerning the subject of historic preservation. One treats adobe and its protection. Adobe is, perhaps, the most prevalent of New Mexico's building materials; it is, also, the most difficult to preserve against the ravages of the winds, rain and time. Originally mud plastered by Indian and Spanish builders, it has since been stuccoed, mixed with asphalt, sprayed with silicone and, most recently, coated with Pencapsula. But no miracle panacea exists; constant maintenance is necessary.

Beginning on page 11 Van Dorn Hooker, AIA, details the story of Saint Francis of Assisi Church in Ranchos de Taos. To stucco or not to stucco—that was the question!

James Marston Fitch, author, historian, teacher, has given us permission to publish a chapter from his forthcoming book, *The Past in the Future: Retrieval and Recycling of the Historical Environment*, which is being published by Oxford University Press. (See page 9.) Mr. Fitch is concerned with how we preservationists preserve and then present to the public historic buildings. This chapter, entitled "Cosmetic Aspects of Historic Preservation," was presented as one of the many scholarly papers at the Association For Preservation Technology conference last fall in Hamilton, Ontario. Space would not permit publication of the entire chapter in this issue. However, the final part concerning the "polychromatic consequences of structural intervention" will appear in the November/December issue of NMA.

James Marston Fitch, the former director of the Division of Historic Preservation, Graduate School of Architecture and Planning at Columbia University, is the author of *American Building; the Forces That Shape It and Architecture and the Aesthetics of Plenty*. JPC

# nma

sept-oct 1977 • new mexico architecture

#### NMA News 7

C. S. I. to hold meeting—  
New NMSA Executive Secretary—  
Architecture for Fun and Profit—  
AIA Form Service moves to new office—  
University of Oregon seeks Dept. Head—

#### Cosmetic Aspects of Historic Preservation 9

—by James Marston Fitch

#### To Hard Plaster or Not 11

—by Van Dorn Hooker, AIA

#### Index to Advertisers 22

(Cover — St. Francis of Assisi — from a painting by Joseph Imof now in the Maxwell Museum, UNM)

—Official Publication of the New Mexico Society of Architects, A. I. A.—

#### Society Officers

President—George C. Owen  
Vice President—Kern Smith  
Secretary-Treasurer—John C. Bland  
Director—Earl P. Wood  
Director—Donna Quasthoff  
Director—Randall L. Kilmer  
Director—Ron Hutchinson  
Director—William Buckley  
Director—Wilbur T. Harris  
Director—Channell Graham  
Director—Edwin C. French  
Director—Robert J. Strader  
Director—Robert C. Campbell

#### Commission for NMA

John P. Conron, FAIA/FASID—Editor  
Ronald K. Hill—Associate Editor  
Bainbridge Bunting—Editorial Consultant  
Mildred Brittelle—Accounting and Circulation  
John W. McHugh  
Sam Pool



# The paints and coatings Southwestern professionals use.

Easy-on interior paints, climate-designed exterior paints, color-coordinated wall-coverings, industrial-technical coatings, and a complete selection of professional supplies and accessories. Since 1936.

## Hanley Paint

Manufacturing Co.

Albuquerque, N.M.: 1214 San Pedro N.E.  
El Paso, Texas: 1531 Magoffin, 9054 Dyer,  
7636 Gateway East, 5937 N. Mesa



## TALavera TILE

Handmade in Mexico, Talavera tiles are available in dozens of designs, or in solid colors. They're perfect for countertops, bathrooms, sunken tubs, arches, accent panels, or any use your imagination can devise. There are also Talavera house number tiles, tiles with fruit and vegetable patterns, Talavera washbasins and accessory tiles, and terra cotta pavers and roofing tiles available. They are uniquely attractive . . . and truly reflect the beauty of New Mexico architecture. Write or come by for our Talavera brochure.



### Artesanos Imports Co.

222 Galisteo Street • (505) 983-5563  
Santa Fe, New Mexico 87501



## A. B. C. —

the only pre-engineered metal building manufactured in New Mexico.



A.B.C. makes not only standard size buildings, small or large, but also a lot of special designs such as an octagon shape.

If your next project calls for a pre-engineered metal building, please call on A.B.C. for any special assistance you may need.


## *american building components, inc.*

P. O. BOX 25427 • ALBUQUERQUE, NEW MEXICO 87125 • (505) 243-7718  
MANUFACTURERS OF THE ABC STEEL BUILDING SYSTEMS AND COMPONENTS



# A commitment to quality.

## TOTAL VERSATILITY IN PRECAST CONCRETE



(Photos taken during construction)

Los Altos Towers Apartments - a twin seven story structure.

Kenneth C. Maetzold - Denver, *Architect*

Wilbur D. Stites - *Engineer*

Robert E. Davis Construction Co. - *Contractor*

Cauwels - Davis Associates - *Owner*

2 story totally precast concrete office - lab - classroom.

John Reed - *Architect*

N.M. Institute of Mining & Technology

Stanley Structures produces and erects a full range of precast products for apartments, offices, warehouses, commercial and industrial buildings, including walls, floors and roofs. These products include twin tees, flat slabs, girders, beams, columns, stairs and wall panels.



**Stanley Structures**



1304 Menaul, N. E.

P.O. Box 3855

Albuquerque, New Mexico 87110

(505) 345-5671



# ZIP-RIB® ALUMINUM ROOFING & SIDING



**KAISER  
ALUMINUM**

See it on  
Albuquerque Garden Center  
Felecia Sisters Convent  
Los Lunas High School  
Red River Municipal Bldg.

## locks together like one piece of metal!

In rich architectural colors or heat reflective stucco-embossed natural aluminum, these foot-wide panels zip together electrically, like one piece of metal.

Bold 2½-inch standing seam give bold contour, weathertightness, and rugged strength over longer spans. Concealed floating anchors eliminate thru fasteners and permit thermal movement. You can design for full ridge-to-eave or eave-to-sill lengths (80 feet and more) without end laps.

More and more architects, builders, and engineers are picking Zip-Rib for beauty, performance, durability.

**Let's talk about this exclusive Kaiser Aluminum roofing & siding system for your next project.**

**Learn why it installs at less cost per square than other premium metal systems!**

**ALUMINUM SALES CORP.**

P.O. Box 6407 Albuquerque, NM 87107

**505/247-2214**



## Another building, another boost for the Trus Joist system.

Baker Construction Co. of Albuquerque is no stranger to Trus Joist. When architect John Reed called on us to supply a system for the Geology/Engineering Bldg. for Ranchers Exploration and Development Corp. Les Baker was pleased. Upon completion of the Trus Joist installation he told us:

**"... we found the use of TJI units as efficient and economical as ever. As one of the first users of Trus Joist units in this area, we have been, and will continue to be one of their boosters."**

If you want to see how easy and economical joist application can be, see us soon. We've got exactly what you're looking for.

**In Albuquerque,** call  
McGill Stephens, Inc.,  
Suite LL6, Citizens Bank  
Bldg., 2500 Louisiana Blvd.,  
N.E., Albuquerque 87110,  
Phone 505/292-3366

**In El Paso,** call  
McGill Stephens, Inc.,  
4100 Rio Bravo St.,  
Suite 320, El Paso 79902,  
Phone 915/544-4505

**Trus Joist structural roof and floor systems distributed by McGill Stephens, Inc., Albuquerque and El Paso.**



## C. S. I. TO HOLD OPEN MEETING

The Construction Specifications Institute, C.S.I., is the one professional organization in which architects, engineers, contractors, manufacturers, suppliers and students work together for improvement in the construction industry. The Albuquerque Chapter of this national organization is holding an open meeting in October.

C.S.I. publishes numerous documents including the "Manual of Practice," a how-to-book for the preparation of specifications; over 130 "Specification Guides" ranging from termite control to telephones; and the new "Technical Aid Series," research information summaries on various building materials and components. Many of these documents will be on display at the open meeting.

Anyone involved in construction and wishing to learn more about C.S.I. is invited to attend a dinner meeting on October 11 at the Sheraton Old Town Inn in Albuquerque. Cost of the dinner is \$7.00 with a social hour preceding from 6:00 to 7:00 p.m. For further information or to make reservations, write: Ken Guthrie, 302 8th Street, N.W., Albuquerque, New Mexico 87102, or telephone: 247-0294.



**PORTIA JENNINGS IS NMSA EXEC. SEC.**

At its July meeting in Albuquerque, the Board of Directors of the New Mexico Society of Architects appointed Portia Jennings to the newly established post of Executive Secretary. The NMSA Executive Office is located at 3313 Girard, N.E., Albuquerque, New Mexico 87107. The new headquarters, under Ms. Jennings' direction, will be the central correspondence office for the Society. The AIA Form Service has been moved into the new headquarters. Please direct all your inquiries to Ms. Jennings at the Girard Boulevard address. The telephone number is (505) 345-5886.

## ARCHITECTURE FOR FUN AND PROFIT

"Architecture for Fun and Profit", theme of the 1977 Convention of the New Mexico Society of Architects, is to be hosted October 14 and 15 at the Albuquerque Convention Center by the Albuquerque Chapter, American Institute of Architects. A seminar on "Project Feasibility Studies" will be conducted at the Convention Center on Friday, October 14, by architect/economist Thomas E. Selck of Pittsburgh, followed in the evening by a hosted cocktail party and the opening of the Honor Awards Exhibit and Art by Architects Show in the Galeria of nearby First Plaza.

The beautiful mass ascension of balloons concluding Albuquerque's celebrated Hot Air Balloon Festival will be the setting of Saturday morning's champagne breakfast and balloon rides. Society Luncheon and business meeting on Saturday will also hear the report of the architects/engineers laws study committee. Mini-seminars on brochure design, solar products, etc., will continue until 4:00 p.m., followed by the cocktail party hosted by the New Mexico Producers' Council. The Producers' Council display, which will be set

Continued on page 20


**FIREPLACES** *in any style,  
by design or fuel-*  
**Majestic**

**BUILDERS-MATERIALS, Inc.**

1707 COMMERCIAL, NE — P.O. BOX 6361 STA. B


ALBUQUERQUE, NEW MEXICO 87107

PHONE 247-4294





# After you've saved 10% putting it up, you'll save another 10% keeping it up.



**Build with loadbearing masonry and you'll get a jump on those who don't.**

**You'll cut an average of 10% off your two biggest construction costs. Time and money.**

**But that's just the beginning. After it's up, a masonry building goes right on saving. By costing less to heat, cool and maintain.**

**One reason: masonry insulates better than just about any other exterior material commonly used in commercial and institutional building. And when you have better insulation, you consume less energy. And you're helping to ease the energy crisis.**

**What's more, masonry won't rust, shatter, warp, dent, bend, buckle or rot. So you can keep serious maintenance to a minimum.**

**For example, glass buildings need washing twice a year. Most metal buildings need cleaning once a year. But masonry buildings need cleaning and tuckpointing only once every 35 years. If at all.**

**We'd like to tell you the complete story. Just mail the coupon.**

**We'll show you how to save money with masonry.**

**In more ways than one.**



**International Masonry Institute  
Suite 1001 823 15th Street, N. W.  
Washington, D. C. 20005**

**I want to save on building and  
maintenance costs. Show me how.**

Name _____		
Title _____		
Company _____		
Address _____		
City _____	State _____	Zip _____
Nature of Business _____		

## MASON CONTRACTORS ASSOCIATION of NEW MEXICO



# Cosmetic Aspects of Historic Preservation

— by James Marston Fitch

Although it may indeed be only skin deep, the cosmetic condition of a building has a profound effect upon our reaction to and judgement of it. The visual information conveyed by its appearance forms an important part of our experience as a whole. (Sound, odors, temperature and touch are also important sensory inputs but many of them are subsumed by vision; and in any case, visual perception is overwhelmingly the most powerful. A blind person might be moved by the incense and sound of a high mass in Chartres but, lacking sight, his experience of it will be tragically reduced.) Thus it is vision which enables us to say of a building that it is dark and gloomy or bright and airy; to decide whether it is new or old, loved or neglected; ultimately, whether it is beautiful or ugly. But from information derived from visual scanning, we also fabricate another set of judgements as to its physical condition or structural stability. Such judgements are necessarily valid. The stained, cracked and spalling discolored stucco of Seventeenth Century buildings in Mexico might lead to a totally unwarranted conclusion of structural weakness while a new coat of white paint on a New England farm house might conceal evidence of imminent collapse. In short, the cosmetic appearance of architectural surfaces forms the basis for two quite different levels of response: associative and diagnostic.

Under such circumstances, the visual appearance of many old buildings in Central Europe might suggest structures weakened by decades of decay and neglect; yet that very building might have been carefully restored only a few years before. This is typically the case in cities like Prague or Cracow, where the burning of brown coal for heating produces smoke that quickly discolors stuccoed surfaces. For all its unhappy visual consequences, such processes might continue for decades without serious damage to the stucco. On the other hand, the same combination of gases would set into motion a complex chemico-physical process in marble and limestone which would lead to serious decay which would be concealed by a surface coat of grime. This is typically the case in many Gothic structures in northern Europe. While surface cleaning might be the first stage in therapy in both cases, for esthetic reasons in the first case and diagnostic in the latter, the removal of the surface crust on fine-scale limestone or marble sculpture might result in the loss forever of irreplaceable detail.

On the other hand, serious structural defects may display very few cosmetic consequences. Wooden beams may be riddled with termites or dry rot without any external evidence. The White House, whose outdoor and indoor surfaces had always been carefully maintained, turned out to be on the verge of actual collapse when its structure was carefully examined

in 1948. Similarly, cracks in the walls of the cathedrals at Norwich and York Cathedrals were alarming only to specialists who, by their location and direction, could interpret them as warnings of grave structural weaknesses requiring immediate attention. (Subsequent work revealed that the rubble interiors of the masonry were riddled by voids caused by dessication and migration of the Norman cement: thousands of gallons of cement grout had to be injected into them to consolidate them.)

Entirely aside from the physical condition of the exposed surface (or of the structural member behind it), the philosophical aspects of its preservation are thorny and complex. These deserve far more attention than they have received up-to-date. One pivotal question takes this form: when our intervention (whether preservation, restoration, consolidation, reconstruction, etc.) is complete, should the building "look old" or "look new"? Should replaced elements be left to "weather naturally" or should they be "antiqued" to meld into the older tissue around them? There are competent experts on both sides of this argument. (Karol Estreicher has restored the Collegium Maius in Cracow so that all new material is antiqued to match the original. The curators of the Folk-museum in Copenhagen, when they must repair one of their old wooden farm houses, use new unpainted wood just as the peasant would have done).

The same problem is raised to even more critical levels in such activities as the cleaning of entire historic districts such as the Marais district of Paris, or the restoration of the polychromy in many English churches. The results of such interventions are often startling, compelling many people radically to re-adjust their ideas of how Paris "ought" to look (blue-gray, the way the Impressionists saw it) or Westminster "the way it always was" (i.e., before it was cleansed of centuries of soot, smoke and dust.)

While the individual, layman or expert, is entitled to his own preferences in such matters, the preservationist must develop broader, more objective and more comprehensive criteria for evaluating such decisions. Certain parameters can be established. For example, the preservationist should consider the following factors:

1. The esthetic ambitions of the original designers/owners of the artifact must be taken into account. Most monumental architecture is urbane and upper class, the expression of a life style which developed very precise standards of display, etiquette and propriety. They were implemented by very definite re-



Continued on page 17

---

A chapter from a forthcoming book, *The Past in the Future: Retrieval and Recycling of the Historical Environment*, by James Marston Fitch. The book, published by Oxford University Press, is due in the spring.



Nothing we say about our tile  
can tell you as much as this photo.



#### THE TEST OF FIRE

San Vallé clay tile is fired at approximately 1900°F, is non-flammable providing protection against fire storms, burning brands and direct flame.

Untreated wood shingles have an ignition point of less than 400°F\*.

\*Source:  
National Fire Protection Association.

Take another photo in 10 years  
and it'll be even more beautiful.

We could describe what goes into San Vallé genuine clay tile—the ingredients and the process—and explain how well it insulates and protects.

But you choose a roofing material primarily on the basis of aesthetics. And that's where San Vallé tile's permanent beauty becomes a deciding factor.

You wouldn't settle for a poor substitute. Would you?

If it isn't clay...it isn't tile.


**San Vallé** TILE KILNS  
Since 1898

Photo: Residence, Los Angeles, California  
Designer: Del Dideriksen

1717 No. Highland Avenue, Los Angeles, California 90028 ■ (213) 464-7289

THE NATION'S LARGEST PRODUCER OF GENUINE CLAY ROOFING PRODUCTS.  
DISTRIBUTORS THROUGHOUT THE SOUTHWEST FOR GLADDING, McBEAN  
GENUINE CLAY BARREL TILE AND INTERLOCKING SHINGLES.





*A photograph c. 1910 of Saint Francis of Assisi Church, Ranchos de Taos.*

## To Hand Plaster or Not ??

*By Van Dorn Hooker, A.I.A.*

There is no agreement among architectural historians as to when Saint Francis of Assisi Church at Ranchos de Taos was built. George Kubler states in "Religious Architecture of New Mexico" that there is no reliable evidence of date of construction. Tree ring studies indicated 1816 plus or minus 10 years. He quotes Stallings as saying circa 1780. Kubler says there was a settlement on the site in 1744 and the actual town was established in 1779.<sup>1</sup>

L. B. Prince in "Spanish Mission Churches of N. M." gives the date of construction as 1772.<sup>2</sup>

Bainbridge Bunting says the settlement, originally called Las Trampas de Taos, had 36 families numbering 160 persons in 1765. It was deserted during the 1770 Indian raids. In 1779, a wall was built around the village to protect it from the Comanches.<sup>3</sup>

In a pamphlet sold to visitors at the church, it is asserted that the plans for the church were drawn in Spain and that construction began in 1710 and lasted for 45 years.<sup>4</sup>

Laura Gilpin states in "The Rio Grande, River of Destiny" that the church was built in 1772. She also says that the walls are 5 feet thick and the buttresses

are extra thick because it is so far north where there is more snow and greater danger of erosion.<sup>5</sup>

Kubler described the church as follows:

*"Since the American occupation of the territory, the churches still in use have suffered great changes in the number, size and location of openings. The custom of remodelers has been to increase by 2 or 3 times the size of already existing openings, usually bringing their sills closer to the ground. Complementary openings are often pierced through the opposite nave wall. The openings have often been recut, in pointed neo-Gothic shapes as at Ranchos de Taos.*

*"The numerous heavy wall buttresses which surround the flanks of many of the churches undoubtedly answer certain structural needs. On the other hand, the number and size of the buttresses of Ranchos de Taos, for instance, soften and amplify the silhouette of the building. The function of the buttressing could be satisfied with less material in more commonplace shapes; actually, the buttressing seems to satisfy certain formal rather than structural needs.*

*"At Ranchos de Taos, the transepts constitute a separate church at right angles to the nave. The north*



arm contains an altar in a kind of sanctuary formed with steps and other furniture. The south arm is deep enough to serve as a nave for this church within a church."<sup>1</sup>


Kubler questions the irregularities of construction found in many churches, including Ranchos de Taos, such as the convergence of the nave walls toward the sanctuary, and the slope of roof in the same direction. The old wood floor sloped 7½" from entrance to sanctuary in the 78' length of the nave and the roof sloped 5". Was this intentionally done in order to create an optical illusion?<sup>1</sup>

Earle R. Forrest wrote in 1929, "*The altar of French design is the only modern thing about the church, but the reredos has been unchanged by time. The furnishings include several old paintings on canvas and wood, the latter by native artists; and a large statue of Christ, very old, stands in the chancel.*"<sup>6</sup>

In the September-October issue, 1963 of NEW MEXICO ARCHITECTURE there was an article about the poor condition of the mud plaster on the exterior of the Church of St. Francis of Assisi, or Assi, as you prefer. The article states that "the parishioners, faced with the perpetual maintenance problems inherent in adobe construction, have decided to protect the church with a coating of stucco." The article decries this decision and appeals to architects and readers to send money to the editor to pay for replastering with local mud. I presume there was no great outpouring of funds because I heard nothing about this until several years later.<sup>7</sup> (No funds were received. Ed.)

My involvement in the "hard plaster" case began in August 1966 when Msgr. Francis Reinberg, of the Archdiocese of Santa Fe, called me and said that there was an "engineering" problem at Ranchos de Taos and asked me whom I would recommend to do the work. He said that it appeared there were some problems with the roof. I pointed out the historical significance of the church and suggested that an architect knowledgeable about preservation be employed to look into the problem. At his request, I named several firms that I thought would be competent. The Archdiocese chose George Wright and Associates of Albuquerque for the work.

On September 9, 1966, Msgr. Reinberg, George Wright and I went to Ranchos de Taos to examine the church. We met with Fr. Manuel Alvares, the pastor, and Gustaud Fernandez, the president of the Saint Francis of Assisi Parish Council. We found that indeed there was a problem with the roof but also the exterior walls were deteriorating badly. In the past, the parishioners had replastered the walls of the church with mud every two years, but this had stopped a few years previously. The plastering was time-consuming and since most of the men and many of the women worked, they did not wish to continue this procedure. In fact, it was stated that the church was too small, and maybe a new building should be considered. In any case, the church was desperately in need of repairs, so an inspection was made.



*Saint Francis of Assisi in September, 1966 showing the need for repairs and protection.*



John Gianardi, a contractor from Santa Fe, had been employed to reroof the church. When he removed the existing roofing, which was in very poor condition, he found that there was as much as 8 inches of dirt in some places on top of the roof deck. Upon removing some of the dirt, he found that about one half the thickness of the deck boards was rotten and some of the vigas were disintegrated to one half the original thickness. Where the vigas went through the walls, less than half the timber remained.

Wright ordered shoring to be placed under the first five vegas in the nave adjacent to the transept, to prevent collapse of the roof, the removal of the dirt on the roof and the examination of all vigas in the church.<sup>8</sup>

During the inspection of the interior of the church, I noted some very interesting decorative woodwork on the right wall of the transept. It was almost entirely covered by wood panelling. On the left side were some confessionals which did not appear to be too old. I asked if there had not been painted woodwork on both sides of the church and was told that in the late nineteen thirties when the confessionals were built, the painted woodwork had been removed and thrown away. What remained of the early woodwork has been uncovered, cleaned, and can now be seen on the right side of the transept.

After a brief inspection of the church, it was decided that George Wright should prepare a report on the condition of the building and recommend the necessary steps to be taken to repair the building.

A few days later, the report was presented to the Archbishop with four basic proposals concerning the future of the church: 1. Abandon the church, do nothing to maintain it. 2. Partially restore the church and get by with piecemeal repairs. 3. Turn the building over to the National Park Service for designation as a national monument, or 4. Start a full-fledged program of restoration and maintenance.

The report contained specific recommendations if the fourth proposal was accepted, such as: replacing badly rotted vigas and roof deck; removing earth fill on the roof and replacing it with lightweight insulation and improving the roof drainage pattern; either stuccoing the exterior or treating mud plaster with a chemical weather-proofing agent; rebuilding the bell towers; recessing all exposed electrical wiring into the walls; protecting the buttresses at the back of the sacristy; replacing the confessionals; and the installation of a new heating system.<sup>9</sup>

It was decided to begin the program of restoration and maintenance; John Gianardi, who was rebuilding the roof, was employed to do the rest of the work.

It was quite apparent that all the vigas would have to be replaced. Since it was quite late in the year, there weren't vigas of the diameter and length required to be had on the local market, nor could they be cut and hauled out of the forests. Gianardi found some logs which had been cut for utility poles at a mill near Eagle Nest which would meet the specifications, but they had already been creosoted. It

was imperative to finish the roof before the winter set in, so the creosoted timbers were purchased and installed. Some of the corbels also were replaced.


In a report made on January 29, 1967, Kent Stout, as associate of George Wright, noted that upon entering the church, there was a strong odor of creosote. The odor persisted for a long time and several recommendations were made to counteract it, none of which were done. Eventually it disappeared and is not now noticeable.

On February 2, 1967, the TAOS NEWS ran a masthead story with the headline: "Church Restoration Stirs Passions" and a sub-heading: "Controversy Swarms Over Hardplastering." The article by Leslie Bottorff said the decision to "hard plaster" had "drawn fire from E. Boyd, curator of the Spanish Colonial Society." She said that hard plastering was no more permanent than mud plaster, citing a wall at the Palace of Governors which did not last a year after hard plastering before collapsing.

The article quoted Fr. Alvarez on the work to be done to the church. He said that the church would be left as it is except for the "hard-plastering" of the exterior.

The article quoted J. A. Maes, a member of the parish, as saying that the parishioners agreed with Fr. Alvarez. He said, "In the good old days, people

*Some of the vigas were disintegrated to one half their original thickness.*





were more willing to work together and do the plastering. Today, it is hard to get people to do it. We don't want to be selfish, but we do have a problem."

Maes pointed out that when the building is soft plastered, the plastering job had to be done every two years. He said with the hard plaster, this chore will be eliminated, but the total effect of the church will remain the same.

The NEWS also printed a photograph showing most of the mud plaster removed and a very distressed building exposed.<sup>10</sup>

After word had gotten about that the church was to be "hard plastered," a group known as "The Friends of Taos Valley" chaired by Genevieve Janssen, wrote a letter dated February 3, 1967, to Archbishop Davis requesting a meeting to discuss the problem. The Archbishop asked the architect to reply to the letter.<sup>11</sup>


A letter was sent to the Archbishop on the 6th by Mrs. Sammy Heaston, concerning the establishment of a "Perpetual Maintenance Fund" for the church in the amount of \$55,000 to \$65,000 from which the interest accrued would be used "in perpetuity for maintenance of this important historical landmark." She enclosed a list of pledges totalling \$6,856.

In reply to an inquiry from Ms. Janssen, John Gaw Meem, Architect, in a letter dated February 8, told her about a chemical weather-proofing material he had used on his adobe stables with some success. He estimated the cost at fifty cents per square foot and expressed the hope that this material which "will not discolor the adobe (except for 2 or 3 weeks while it is drying), and will last a long time (possibly the life of the building)" could be used.<sup>12</sup>

On Thursday, the 9th, an article appeared in the TAOS NEWS which said that \$6,800 had been pledged to the maintenance trust fund, but the final decision concerning the establishment of the fund lay with Archbishop Davis. It also stated that "an interested individual," Frederick Kackley, a student at the Wurlitzer Foundation, had contacted about 25 people in the area who indicated that they would help with the "mud work." According to Kackley, the controversy over the church had spread to neighboring states and the faculty and students of the University of Colorado would be interested in assisting with the work. He also sent a letter to Archbishop Davis as did several concerned organizations listed in the article.<sup>13</sup>


Mr. Wright replied to Ms. Janssen's earlier letter stating that any "soft plastering" that might be done would be contingent on making it as weather-proofed as possible. He said that samples of a proposed coating would be applied to the building in the near future.<sup>14</sup>

On February 13, Gus Fernandez, president of the parish council, wrote Archbishop Davis reiterating the council's decision at the meeting on the 10th, to proceed with the stucco work based on the architect's report in which he "advises that a coat of hard plaster over a well-secured mesh of wire would in effect lend the necessary protection and reinforce-



*New pumice-concrete block replaces adobe bricks for parapets. A new canal is in place. A 1967 photograph.*

*A tower being stripped of old mud plaster. A 1967 photograph.*





ment that would be found wanting should soft mud plaster be applied." The report doesn't state this exactly, but does say that a carefully applied stucco coating could be applied at no great loss to the overall form and appearance. Mr. Fernandez' letter says further that the council is "determined to proceed with the application of permanent hard plaster oblivious to the din and clamor (sic) raised by otherwise well-thinking persons."<sup>15</sup>

In the meantime, Kent Stout, an associate of George Wright, established contact with Orvil Johnson of Sacramento, California, formerly with the Division of Public Works, who then was president of an organization called "Our Heritage Restoration." Mr. Johnson recommended the use of "Acryl 60" or other similar acrylic material mixed with the adobe soil to create a stabilized adobe mix which could be used as plaster. The formula called for 1 part cement to 8 to 10 parts of soil containing about 20% sand by volume, 1 part of Acryl-60 to 3 parts water, with mineral oxide for color and straw binder added as desired. Water with Acryl-60 should be added to the dry mix until the mud will "just-ball" in the hand, according to him. He was of the opinion that this plaster should last from 50 to 100 years.<sup>16</sup> Because of the time pressure and our inability to confirm the successful use of this mixture, the recommendation could not be given the consideration it probably deserved.

The news about this controversy finally filtered down to Albuquerque and on February 23rd, the ALBUQUERQUE TRIBUNE carried a brief story under the headline: "Stucco on Taos Church? 'It's Sacrilegious'". They quoted the Friends of Taos Valley as saying, "It should be hand coated with soft adobe mud as it has been for centuries—anything else would be sacrilegious." They were also quoted as saying that replacing the vigas and parapet was sacrilegious.<sup>17</sup>

The TAOS NEWS also carried a story on February 23rd which stated that Nathaniel Owings, Architect, had pledged \$1,000 to "soft plaster" the church "possibly using Pencapsula," a chemical stabilizer developed by Texas Refinery Corporation and used by the National Park Service.<sup>18</sup>

In the meantime, work on the interior of the church was proceeding. The new heating system was being installed. Electric wiring was being recessed in the walls. The walls were being plastered, and *canales* and splash blocks were installed on the roof. A very attractive wood moulding was uncovered on the right side of the nave when the old plaster was removed. It was left exposed when the new plaster was applied. Another interesting find was the skeletal remains of infants who had been buried in the walls of the north belfry. The remains were buried in the church yard.

Meem met with Archbishop Davis about this time,



*Saint Francis of Assisi in a recent photograph. Cracks are appearing again. On close examination of the church patches seem as adobe-colored band-aids against the constant attacks of weather and time.*



early March, and as a result, the Archbishop agreed that if a Society for the Preservation of New Mexico Mission Churches (similar to the organization of the 1920's) were established, he would welcome its help. He also said he would consider "Pencapsula" if recommended by the project architect and contractor. Almost everyone involved with the church stopped by to see the Meem stables where "Pencapsula" had been used, including Fr. Alvarez, Msgr. Reinberg, Gianardi, Wright and me.<sup>19</sup>

On March 13, John Meem wrote a letter to George Wright giving him corrected specifications for "Pencapsula" and a revised cost per square foot. In the letter he offered to send Fr. Alvarez \$1,000 to help meet the cost because he felt its use would set a precedent for the survival of adobe construction.<sup>19</sup>

In March, it was decided to go ahead with the hard plaster despite the request of the architects to give the preservative a trial. Meem, who was visiting in California, sent a telegram to the Archbishop requesting that a final decision be delayed until his return to New Mexico. However, according to Msgr. Reinberg, the wire arrived too late. The Archbishop had decided to proceed with the hard plaster primarily because the use of "Pencapsula" was still experimental and might not solve the problem.<sup>20</sup>

After that, everything was rather anticlimatic. Work proceeded to completion and nothing much more was said by anyone until August 13, 1967, when an article by Vee Busch appeared in the EL PASO TIMES "SUNDIAL", headlined "Hard Plastering Marks End of Era in Traditional Adobe Architecture." It told the story accurately and summarized: "The essential lines of the architecture have been preserved and the church has been saved from total decay. But to the adobe *afficianado*, it will never be the same."<sup>20</sup>

And it isn't the same. On one of my trips to Taos a year or so later, I stopped by the church and examined the "hard plaster." There were cracks all over the building and the walls of the *camposanto*. In 1974, I noted that the "hard plaster" had been patched and covered with a coating, probably acrylic. It would be interesting to compare the cost of applying the "hard plaster" and then later repairing it with the application of mud plaster every two years. But this cannot be done accurately. One can only surmise.

In the meantime, the National Park Service has recommended against the use of chemical stabilizers because of some deleterious action observed at some of their projects.

In a letter written to me August, 1974, George Wright, now Dean of the School of Architecture at the University of Texas, Arlington, made the following comments: "Looking back on the project, I must say that it was interesting, but I regret that it wasn't handled in a more sympathetic manner. Granted an emergency existed, the roof was in danger of collapsing, still, more time should have been taken to bring in archaeologists to survey the building, weigh the

proposals for restoration and consider the offers to raise money from private sources."<sup>21</sup>

Many other repairs were made to the church which were not so controversial as the plastering. Besides the new roof structure already mentioned, new entrance doors were built to resemble the old doors as much as possible; new confessionals, a complete heating system, and a lighting system were installed. The electrical wiring was almost completely redone and was recessed in the walls. A new balcony floor and stair were built. The entire inside of the building was replastered and painted.

In preparing this article I have assembled much material on the church, including drawings, photographs, and written material. This will all be placed in the John Meem Room in the main library at the University of New Mexico for future use by architects and historians. It would be a good thing if all architects who work on historical buildings would place their documents in a library so that the records will be preserved.

VDH

#### REFERENCES - BIBLIOGRAPHY

1. Kubler, George, **The Religious Architecture of New Mexico**, Colorado Springs, 1940.
2. Prince, L. B., **Spanish Mission Churches of New Mexico**, Cedar Rapids, 1915.
3. Bunting, Bainbridge, **Taos Adobes**, Santa Fe, 1964.
4. **The Old Mission St. Francis of Assisi**, Amarillo. No date.
5. Gilpin, Laura, **The Rio Grande**, New York, 1949.
6. Forrest, Earle R., **Missions and Pueblos of the Old Southwest**, Cleveland, 1929.
7. **New Mexico Architecture**, Vol 5, No. 9-10, pp. 21, Sept.-Oct. 1963.
8. Wright, George, **Notes**, September 9, 1966.
9. Wright, George, **Taos Notes**, Handwritten, Appendix I.
10. Wright, George, **Report on Existing Conditions and Recommendations for Remedial Action**, Ranchos de Taos Church, October 21, 1966. Appendix II.
11. Work to be performed, letter from George Wright to John Gianardi, Dec. 8, 1966.
12. **The Taos News**, Taos, New Mexico, February 2, 1967.
13. Letter from Genevieve Janssen to Archbishop Davis, Taos, February 3, 1967.
14. Letter from John Gaw Meem to Genevieve Janssen, February 8, 1967.
15. **The Taos News**, Taos, New Mexico, February 9, 1967.
16. Letter from George Wright to Genevieve Janssen, February 13, 1967, Appendix III.
17. Letter from Gus Fernandez, President, St. Francis of Assisi Parish Council (sic) to Archbishop Davis, Appendix IV.
18. Letter from Orvil B. Johnson, President, "Our Heritage Restorations", Sacramento, February 27, 1967, Appendix V.
19. **Albuquerque Tribune**, Albuquerque, New Mexico, February 23, 1967.
20. **Taos News**, Taos, New Mexico, February 23, 1967.
21. Letter from John Gaw Meem to Genevieve Janssen, Santa Fe, April 12, 1967.
22. **El Paso Times "Sundial"**, El Paso, Texas, August 13, 1967.
23. Letter from George Wright to Van Dorn Hooker, Arlington, Texas, August 1, 1974.

#### Kubler References:

- Hackett: 1937, **Historical Documents Relating to New Mexico**, Volume III, Washington.
- Morfi: A Geographic Description of New Mexico, 1782, **Forgotten Frontiers**, A. B. Thomas, Norman, Oklahoma, 1932.
- Prince: **Spanish Mission Churches of New Mexico**, Cedar Rapids, 1915. **Spanish Mission Churches of New Mexico Journal of American History**, Volume IX, pp. 487-561, 1915.

#### Additional References:

- Vierra: 1918, **Art and Archaeology**, Vol. VII, p. 37.
- Wood & Jackson: **Ancient Missions and Churches of America**, Chicago, 1894.



## James Marston Fitch -

cont. from page 9

gimes of maintenance, house-keeping and repair. In the western world, at least, a cosmetic effect of wealth, affluence, good repair if not shiny newness would have been the criterion of the owners. And, however fond one may have been of the Louvre when it was still a sooty blue-gray in color, one can rest assured that neither Francis I nor his architect Pierre Lescot visualized the Pavillon de l'horloge as looking that way. Not only was the Louvre largely built out of a tawny pink stone. Much of its architectural ornamentation was conceived of in that value and chroma, as is apparent today, now that the stone has been cleaned. Thus, we might say that when monumental, upper class architecture must be restored, the cosmetic criteria should be those of the creators—i.e., newness, brightness (of polychromy and gilt) and good housekeeping.

2. The reverse probably applies to most vernacular, peasant or primitive construction. Although all buildings were at one time new and bright, and the builders probably proud of them in that state, it is doubtful that there was any conscious standards of keeping them that way. (Painted woodwork for example, would have been an unheard-of luxury for even prosperous farmers until the last century or so.) Weathered shingles, mossy stones, patched fences and sagging gates would have been standard cosmetic conditions; only the village church might have been periodically painted or whitewashed, its cross or weathervane gilded. In the landscape there would have been no concept of the barbered lawns, clipped hedges, and pleached alleys of urbane upper class architecture and townscapes. The esthetic criteria of the restorationist of folk and vernacular buildings should reflect this condition. (Contrast, for example, the new maintenance standards adopted at Plimoth Plantation with those in force at Colonial Williamsburg.)

3. For ruins, e.g., abandoned forts, castles, prehistoric sites, etc.) entirely different esthetic criteria would apply. The stabilization of above-grade remnants and their maintenance across time would determine basic policy. In cold/wet climates, protective measures against moisture, freeze-thaw cycles would be mandatory (e.g., Fountains Abbey in England.) In hot, humid climates, radical control of vegetation would be mandatory, irrespective of what the original landscape designs might have been (e.g., Mayan ruins in Yucatan and Guatemala.)

### *Reconstruction and Replication: Uses and Mis-uses*

Replicas and reproductions have always been troublesome for archaeologists, curators and collectors: and for obvious reasons, since even the well-intentioned replica (i.e., one not intended to be sold as an original) has a disconcerting tendency of turning up sooner or later, on the antiquities market. Deliberate fakes such as the "Etruscan" warrior, which bedevilled the curators of the Metropolitan Museum

of Arts for decades before it was finally exposed as fraudulent, can cause no end of worry and expense. Hence most museums and galleries do their best to weed out copies and replicas (unless of course the replica is itself an antique, as in the case of Roman copies of Greek sculptures). Thanks to the growth of international expertise and scholarship in works of art, the circulation of fakes is increasingly restricted.

Of course there are broad cultural reasons why museums do not want to exhibit copies and replicas alongside of originals. One of the museum's function is didactic—i.e., to teach us how to discriminate between the real and the fake, how to appreciate the unique and ultimately irreproducible qualities of the original. This education takes place at two levels, reflecting the way in which our value judgements are developed. One level is subjective, the sheer sensual stimulation we get from seeing and feeling the artifact: the other is more objective, reflecting our knowledge of how our culture evaluates the beauty, uniqueness and monetary value of that artifact. The two are umbilically connected and interact to determine our final esthetic estimate of the object. (Thus if we *know* that the painting is a Rembrandt our judgement will be high: if we are told by an authority that it is a fake, our judgement drops precipitously.)

The same value-making process applies to larger artifacts like towns and buildings. The past century has taught us that reconstructions and reproductions of vanished buildings are culturally hazardous. There is a growing recognition of the fact that, in the last analysis, it is all but impossible to produce permanently convincing fakes. Time has its own merciless way of exposing them. Viollet-le-Duc was the best educated and most talented restorationist of the Nineteenth Century. The architectural "in-fill" he inserted into the semi-ruined fabrics of Carcassonne and the Chateau of Pierrefonds must have seemed to him and his contemporaries as thoroughly convincing. Yet today they appear almost comically Victorian. Each epoch leaves its own imprint upon everything it makes, including its version of its own past.

Nevertheless, there are today many situations in which the reconstruction or replica can be used as a surrogate for the missing original. These situations can be described as lying along a sort of scale of descending urgency.

1. A reconstruction of a vanished building may be justified for urbanistic or ambiental reasons, as where it played a vital role in some monumental composition. This was the justification for the reconstruction of the long-vanished Governor's Palace and Capitol in Williamsburg. These two monumental structures were conceived of as termini for two of the three main axes of the town: the surviving building for William and Mary College being the third. In formulating policies for the restoration of Colonial Williamsburg, it was agreed that the *raison d'être* of the



town plan would be unintelligible to the visitor unless these two buildings were reconstructed. (Unfortunately, the validity of this argument has been somewhat weakened by the reconstruction of other buildings which played no such decisive role in the townscape). In the case of both Palace and Capitol one dealt with lost structures of which only one item of pictorial evidence was ever found — the so-called *Bodleian Plate* which showed, in naive perspective, the exteriors of all three buildings. There were voluminous documentary materials; and very complete archaeological examination of both sites were carried out. On the basis of such evidence, reconstruction drawings were prepared. This inevitably meant that the architects had to make highly conjectural reconstructions, especially for the interiors for which no visual documentation existed.

A similar case can be made for the recently completed reconstruction of the Royal Palace at Warsaw. Forming one entire side of an important square in the Stare Miasto, the palace had been almost completely leveled by the Nazis in World War II. Whether or not to reconstruct it had been debated for years, largely on ideological grounds. (This despite the fact that dozens of other palaces elsewhere had been completely restored.) Finally it was decided that reconstruction was desirable. Unlike Williamsburg, the Poles dealt with a monument which most Warsawians over forty would have known and one for which elaborate documentation—literary, photographs and measured drawings—existed. The reconstruction thus required a minimum of conjectural restoration.

2. There are historical personages and events which might be so important to their nation as to justify the reconstruction of buildings in which they took place, even though the building itself might long ago have disappeared. Three characteristic examples would be the Church of Jan Huss in Prague, and the Benjamin Franklin Homesite in Philadelphia. In the case of the Prague church, in which Huss had preached some of his most important sermons, it was decided to reconstruct completely the two-aisled Gothic chapel in which they occurred. Extensive historical and pictorial documentation existed. The site was cleared of later buildings, archaeology completed and the reconstruction drawings prepared. The reconstructed church now serves as a museum.

Originally, the same process had been contemplated for the Franklin Homesite. Fortunately, this approach was abandoned, largely because the most intensive research had failed to turn up any visual materials showing how the building might have looked in Franklin's day. It was decided after a complete archaeological investigation of the site, that the sub-surface cellars would be consolidated and roofed over to serve as a subterranean exhibit space. Above grade, and based on the foundations, would be erected a three-dimensional metal skeleton which would trace out the conjectural outlines of the roof, chimneys and walls of the original building.

This same technique had been employed by the

Italians some years previously at an archaeological site at Piazza Armerina in Sicily. Here the super-structure, an aluminum skeleton sheathed with transparent plastic, replicated the conjectural masses of a great Roman villa. The main purpose of the shelter was to protect a series of extremely important mosaic floors. Unfortunately, two unexpected problems have somewhat reduced its effectiveness: the soft plastic, easily abraded by blowing sand, is becoming increasingly opaque; and the greenhouse effect of the translucent roofs produces uncomfortably high temperatures inside the enclosure.

3. At a smaller scale, it may often be necessary to reproduce missing elements *within* a given building which has been mutilated by fire, neglect or remodelling. This is especially the case in buildings with formal pretensions whose serial patterns (windows, dormers, chimneys, colonnades) are so disrupted as to make comprehension difficult or impossible. This type of replication of parts has been employed in two American projects: the restoration of the Greek Revival commercial blocks on either side of Boston's Quincy Market; and the adaptive use of a comparable commercial block, Schermerhorn Row in New York. Both are rare examples of Nineteenth Century large-scale developments and their uniqueness as historical examples of this period outweighs the esthetic value of subsequent alterations. The decision to restore their original visual unity must be accepted as correct.

At a still smaller scale, there is the problem of missing elements in a decorative feature (column missing from a portico, bracket or coffer lost from a cornice). Such voids must be in-filled with replicas. For future curators, such replicas ought to be marked in a permanent way — e.g., by punched or branded dates or even by being executed in new material such as molded fiberglass.

4. Replicas of still-extant artifacts are being used in another set of circumstances—i.e., where the original is too valuable or too fragile to be allowed to remain *in situ*, either because of environmental attrition or the wear and tear of public exposure. Such measures have already been taken in Florence, where Michaelangelo's *David* has been moved from its original position in front of Palazzo Vecchio to the controlled environment of the Academia dell'Arte. It has been replaced in the Piazza with an exact replica in the same marble. Similar steps had to be taken with the rapidly deteriorating sculptures on the Baptistery at Pisa: the originals have been moved into the local museum and replicas now act as surrogates around the cornice of the Baptistery.

5. In institutions where the emphasis is upon process, working models and demonstration (as opposed to static display), replicas of original mills, machinery, tools and equipment are increasingly employed. We have already seen, for example, that Plimoth Plantation is wholly a replica, a conjectural reconstruction of a vanished community not even located on its original site. But replicas are also exclusive-



ly employed *inside* Plimoth buildings. These are all as close an approximation of the prototypes as modern research and scholarship can make them. They are all new: what is more important, they all *look* new. The importance of this aspect of verisimilitude is just beginning to be appreciated in American open air museums and historic houses. Conventionally, their grocery stores, apothecaries, warehouses and workshops are all carefully furnished or equipped with authentic antiques. The wide range of artifacts so displayed have been collected at great effort and expense. They are interesting historically, they are often handsome and in today's inflationary market they are extremely valuable. In short, authentic museum-quality materials. But it is just beginning to be realized that no 1875 general store stocked century old containers of salt or tea; no apothecary stocked century old bottles of patent medicine; no warehouse was full of antique casks, barrels and hampers of material.

In recognition of this obvious fact, some institutions are now furnishing their shops and stores with brand new, bright and shiny replicas of such old merchandise. This policy has been followed in a recently restored general store in Sturbridge Village; and restored customs houses in Salem, Mass. and Monterey, Calif., are similarly stocked with the sort of new freight which one would have seen when clipper ships were still plying the seas. Among other unexpected advantages of such a policy are greatly simplified security and housekeeping problems. Plimoth Plantation has found very low rates of theft of replicas whereas traditional exhibits report high and rising thefts of antiques. Moreover, the use of replicas permits visitors to touch and handle them. (At Plimoth Plantation, for example, the visitor who has never had the experience can lie down on the rope-strung beds with their corn husk mattresses and homespun sheets "to feel what it was like.")

Finally, in instances where it is desired to demonstrate crafts and manufacturing processes of unique interest, it might be advisable to build a full-scale model. This has been done in Saugus, Mass., at the 17th century water-powered iron works, the nation's earliest mill of its type.

6. Where the use of reconstructions or replicas seems least justified is in situations in which they are not really essential to the esthetic enjoyment or intellectual comprehension of the architectural complex to which they belong. Four projects of this type—all of them American—can be cited as examples of this type of misdirected expertise: the reconstructed Stoa of Attalus in Athens; the full-scale replica of the Parthenon in Nashville, Tenn.; the Electra Havemeyer Webb Memorial Building at Shelburne Village, Vermont; and the J. Paul Getty Museum of Art in Malibu, California. All four must be reckoned as culturally counter-productive.

The Stoa, for all its immaculate research and execution in white marble, makes the excavated ruins of the Athenian Agora look shabby, neglected and

second-hand. The magnificent collection housed in the new Stoa would have been better housed in a more discreet and frankly contemporary museum building. Such a new building should not be visually obtrusive in the Agora—it could be further back from the site or screened with heavy planting or, even better, be located under ground.

The "world's only full-scale, full-colored replica of the Parthenon" was built in Nashville as part of the 1895 Centennial Exposition. Originally fabricated of plaster and lath on a light metal armature, it was completely reconstituted as a reinforced concrete structure in the early 1930's. The initial motivation was literary and associative, not historical: with its many colleges and universities, Nashville called itself "the Athens of the South." Today, this preposterous old fake has acquired a certain historicity of its own but it is hard to imagine a situation in which such a transplanted replica would be built again.

The Webb Memorial Building is a yet more exotic concoction. Externally, it is designed to resemble a handsome Greek Revival country house of which Ms. Webb had been very fond but which she had never been able to buy for her outdoor museum. It looks like its wooden prototype; but for fireproofness, it is built of reinforced concrete. In plan, it bears no relation to the original house, being instead compartmentalized into rooms sized and proportioned to accept a series of fine French *boiserie* from the Webb's New York town house. (The panelling had, in turn, been earlier stripped from 18th century houses in France). In these rooms are displayed a fine group of French paintings collected by Ms. Webb during her long and remarkable life as a collector and connoisseur. Although such a collection certainly merits its own museum, it is impossible to conceive of a container less suited stylistically or a context less appropriate than Shelburne Village itself, which houses one of the country's greatest collections of American folk art, handicraft, and vernacular architecture. If the function of a museum is to raise the level of taste and comprehension of its visitors, the Webb Memorial must be rated as a failed tour de force. The most recent American replica of an architectural monument from the long ago and far away is the recent building for the Getty Museum in Malibu. A costly and carefully researched replica of the Herculaneum place, *Villa Suburbana dei Papiri*.





# NMA NEWS

## FUN AND PROFIT

—continued from page 7

up both days, is to be the biggest and best ever assembled in New Mexico.

The Annual Awards Banquet will be the concluding event, with presentation of the NMSA Honor Awards, New Mexico Arts Commission Awards, Art by Architects prizes, Recognition of the Construction Industry, and the Medallion d'Oro of the NMSA. In accordance with this year's theme of public outreach and community contact, the three-member jury for the Honor Awards, Arts Commission Awards, and Art by Architects will include two distinguished members from other fields: Mrs. Clara Apodaca, wife of New Mexico Governor Jerry Apodaca and well known for her interest in the arts; and Albuquerque educator and businessman Dr. Joseph Zanetti. The third juror will be Otto Poticha, AIA, of Unthank Seder Poticha Architects of Eugene, Oregon, and president-elect

of the Oregon Council of Architects. Entry forms for the Art by Architects and N.M.S.A. Honor Awards have been printed in the August issue of the Society Newsletter.

The newly-instituted Medallion d'Oro of the NMSA, which is to be given only in years when nominees are judged to be of sufficient stature, will recognize persons who have made a significant contribution to the physical environment of the state of New Mexico over a period of years. The jury for this award is made up of the presidents of the three New Mexico Chapters AIA, and the president of the State Society.

The theme of public awareness of and contact with the profession will be continued during New Mexico Architecture Week, October 16-24, opening with public tours of architects' homes on the 16th. During the entire week, architects throughout the state will host open-houses in their offices.

Under the leadership of Lenore

Mastin (Mrs. Loren), wives of New Mexico architects are organizing as the Women's Architectural League, and will be the hostesses for the home tours planned for October 16. Other wives' activities are also planned for the convention. Wives of architects should contact Lenore Mastin at 881-7958 or 6500 Ponderosa, N.E., Albuquerque 87110.

For further information contact:

Edna Heatherington Bergman,  
Publicity  
324 Hermosa Dr., S.E.,  
Albuquerque, N. M. 87108  
505 268-7911

## AIA FORM SERVICE MOVES TO NEW OFFICE

The Form Service has moved into the new NMSA Executive Office at 3313 Girard, N.E., Albuquerque, N.M. 87107. New hours for the Form Service are from 8:30 a.m. to 5:00 p.m., Monday through Friday. Telephone (505) 345-5886.

**abi** american business interiors

612 CENTRAL S.W.  
ALBUQUERQUE, NEW MEXICO 87102

PROFESSIONAL  
DESIGN SERVICE  
COMMERCIAL  
FURNISHINGS  
LANDSCAPE  
SYSTEMS  
LIGHTING  
ACCESSORIES  
CARPETING

# interiors

TODAY'S TOP PRIORITY. . . .  
**energy saving!**

**TWO** OF THE OLDEST  
AND MOST RESPECTED NAMES IN  
INSULATION HELP YOU REACH  
TODAY'S ENERGY SAVING GOALS.

## Permalite®

PERLITE CONCRETE AGGREGATE AND  
MASONRY FILL INSULATION.

AND  
**Celotex®**  
BUILDING PRODUCTS

TECHNIFOAM®  
POLYURETHANE

Sheet insulation for frame, masonry or metal building application.

Ask us for performance details on these fine products.

**ALBUQUERQUE SPECIALTY PRODUCTS, INC.**  
4402 2nd St., NW, Albuquerque, NM 87125  
P. O. Box 25844 — (505) 345-8401





# BUILDERS BLOCK

Members:  
New Mexico Concrete  
Masonry Association  
National Concrete  
Masonry Association

**Quality Concrete Masonry Products  
and many allied building materials.  
Serving New Mexico and West Texas  
for over a quarter of a century.**

P.O. Box 1633  
Roswell, NM 88201  
505/622-1321

P.O. Drawer FF  
Las Cruces, NM 88001  
505/524-3633

Telephone  
El Paso  
915/532-9695

## QUALITY... ...SERVICE

Call us for building products made by people you know. We distribute: steel doors & frames made by Republic Steel; finish hardware made by **STANLEY**, **SARGENT** and other quality manufacturers - and we give **SERVICE**.

*Grant's*

STEEL SASH, DOOR & HARDWARE, INC.  
2529 & 2530 FIRST ST. NW - 505/247-8460  
ALBUQUERQUE, N.M. 87102

## PROVEN CEMENTITIOUS COATINGS

- MODIFIED COATINGS
- CONVENTIONAL STUCCO
- MASONRY PAINTS

MANUFACTURED IN ALBUQUERQUE, N.M.



**SUPER-FLEX I**, an acrylic base modified cementitious coating that may be trowel applied and textured as with stucco.

**SUPER-FLEX II**, a superior thin coat finish developed as a spray material for a flexible finish for masonry, metal, and other non-porous surfaces. Ideal for coating asbestos board, foam board, woodrock and as a bed coat for marble crete.

**BRAVO MASONRY PAINT**, a waterproof filler and color coat for concrete block, slump block, precast concrete or any masonry cement substrate. Just add water - six standard plus custom colors.

FOR BROCHURES AND INFORMATION - CALL OR WRITE



STUCCO CO., INC.

4100½ BROADWAY, S.E.  
ALBUQUERQUE, N. M. 87102  
(505) 873-1180



## ALBUQUERQUE TESTING LABORATORY.... TO BE SURE!



SUBSOIL INVESTIGATIONS  
PHYSICAL TESTING  
INSPECTION  
RESEARCH  
WELDING CERTIFICATION  
NUCLEAR DENSITY  
LABORATORY ANALYSIS AND  
EVALUATION OF CONSTRUCTION  
MATERIALS

ALL WORK DONE UNDER SUPERVISION OF REGISTERED  
PROFESSIONAL ENGINEERS

532 JEFFERSON, N. E.  
ALBUQUERQUE, NM  
P. O. BOX 4101

PHONE 255-8916 or 255-1322



## new mexico architecture

nma

Published bi-monthly by New Mexico Society of Architects,  
American Institute of Architects, a non-profit organization.

Editorial Correspondence should be addressed to John P.  
Conron, Box 935, Santa Fe, N. M. 87501. 505 983-6948.

**Editorial Policy:** Opinions expressed in all signed articles  
are those of the author and do not necessarily represent  
the official position of the publishing organization.

No responsibility will be assumed by the editor or pub-  
lishing organization for unsolicited contributions. Return  
postage should accompany all unsolicited manuscripts.

**Subscriptions:** Write Circulation, New Mexico Architec-  
ture, Box 7415, Albuquerque, N. M. 87104. Single copy  
\$1.00. Yearly subscription \$5.00.

**Change of address:** Notifications should be sent to New  
Mexico Architecture, Box 7415, Albuquerque, N. M. 87104  
at least 45 days prior to effective date. Please send both  
old and new addresses.

**Advertising:** Send requests for rates and information to  
New Mexico Architecture, Prince Advertising Agency,  
P. O. Box 11309, Albuquerque, NM 87112.

Additional copies of NMA available from John P. Conron  
FAIA/FASID, P. O. Box 935, Santa Fe, N.M. 87501.

Printed By

Hall-Poorbaugh Press, Inc., Roswell, N. M.

## YOU SAVE WITH NEW

# Spectra-Glaze II

## GLAZED BLOCK WALLS


**CONSTRUCTION** — Build and finish in one operation  
... walls go up faster — one trade, large units lay  
up fast ... thru-wall load bearing units eliminate  
expense of back up wall.

**MAINTENANCE** — No refurbishing ever. Permanent,  
sanitary, factory finish — cannot peel or blister ...  
easy to clean and keep clean.

**ENERGY** — Excellent U-factors with lightweight block  
and insulating granular fill.

**INSURANCE** — Maximum security and protection at  
lowest cost, with fire-rated walls.

**GOV'T REQUIREMENTS** — Meet USDA and OSHA  
specifications for health, sanitation and safety.



© U.S. Pat. Off., Can. & other countries by THE BURNS & RUSSELL CO.

FEATHERLITE BLOCK CO., Box 489, Lubbock, Tex. 79408, 806/763-8202  
FEATHERLITE BUILDING PRODUCTS CO., Box 9977, El Paso, Tex. 79990  
CREGO BLOCK COMPANY, INC., 6026 Second St. N.W., Albuquerque, N.M.  
505/344-3475

**YOU SAVE TIME/YOU SAVE MONEY**  
WITH THE ECONOMY OF BLOCK & THE PERFORMANCE OF GLAZE

**INDEX OF FIRMS** who make possible the  
publication of NMA and the page upon  
which their message may be found:

Albuquerque Specialty Products, Inc.	20
Albuquerque Testing Laboratory	22
Aluminum Sales Corp.	6
American Building Components, Inc.	4
American Interiors	20
Artesanos Imports Co.	4
Builders Block & Stone Co., Inc.	21
Builders-Materials, Inc.	7
Crego Block Company	2
El Rey Stucco Co., Inc.	21
Grant's Steel Sash, Door & Hardware, Inc.	21
Hanley Paint Mfg. Co., Inc.	4
Hydro Conduit Corporation	24
Lath Plaster Supply Co., Inc.	23
Mason Contractors Assn. of N.M.	8
McGill Trus-Joist	6
Overhead Door Co.	23
San Valle Tile Kilns	10
Spectra-Glaze	22
Stanley Structures	5
Stryco Sales, Inc.	23



Three great names in the  
construction industry

**GLASWELD®**  
**MIRAWAL®**  
**QASAL®**

New Mexico's exclusive hard materials  
and related specialties distributor.

NOW REPRESENTED BY

**Lath  
& plaster**  
supply co., inc.

116 INDUSTRIAL NE

P. O. BOX 6247

ALBUQUERQUE, N.M. 87107

(505) 344-2303

**Congoleum®**  
**FLOR-EVER®**

COMMERCIAL VINYL FLOORING



**TRAVERTINE**

Travertine is commercial flooring at its best...designed like no other floor to meet the changing commercial needs and demands, including virtually seamless installations in most applications. Here is a beautiful and delicate reproduction of a natural material...reproduced as never before. Travertine has a subdued background and a seamless tile effect that sets it apart from traditional commercial flooring. Available in 9' and 12' widths and 12 color choices.



125 DALE, S. E.

P. O. BOX 2511, ALBUQUERQUE, NM 87125


PHONE 877-5340



**Ever-Straight Door Systems**

EVERY FEATURE A RESIDENTIAL OR COMMERCIAL  
ENTRY DOOR SHOULD HAVE

(Storm doors not recommended by manufacturer)



FOR COMPLETE SPECIFICATION INFORMATION CALL

THE  
**OVERHEAD DOOR**  
TRADE MARK  
INSULATED ENTRY  
SYSTEMS, INC.

2840 LOS ARBOLES AVE., N. E.  
ALBUQUERQUE, NEW MEXICO  
PHONE 344-4156



Library  
University of New Mexico  
Albuquerque, N. M. 87106

Bulk Rate  
U. S. Postage  
**PAID**  
Roswell, N. M.  
Permit No. 47

Vol. 19, No. 5

# EYE-APPEALING DURABILITY...



A combination made possible by precast concrete.

The new Clark Truck Equipment facility in Albuquerque is a totally concrete structure. Two hundred twenty-seven pieces of wall panels, roof tees, columns and beams went together to shape an attractive, functional and durable facility.



ARCHITECT - Holmes & Gianinni  
ENGINEERS - Krouse Engineering  
CONTRACTOR - The Jaynes Corporation



**HYDRO CONDUIT CORPORATION**

2800 SECOND STREET, SW

PHONE 247-3726

ALBUQUERQUE, NEW MEXICO 87103