

ne Arts
4
19
4

SERIALS

AUG 15 1977

ZIMMERMAN LIBRARY


new mexico architecture

July-August 1977

\$1.00

Another way of increasing the versatility and quality of concrete masonry construction . . .

In our continuing effort to provide you with improved products, Crego Block Company is now the first in New Mexico to announce an innovative concept in the manufacture of concrete masonry units.



Fly ash is an abundantly available flue dust residue from powdered coal burned in steam power plants.

For years the materials and construction industries have recognized the exceptional properties and benefits of pozzolans (fly ash) in concrete; however, only recently has research confirmed the following physical advantages when fly ash is used as an ingredient in low slump (concrete block) mixes.

- Increased strength
- Lower linear shrinkage
- Significant reduction of efflorescence
- Improved resistance in severe freeze-thaw conditions
- Appearance improvement
- Resistance to sulphate attack
- More impervious to air flow
- Improved watertightness

Fly ash not only improves the physical properties of our new concrete masonry units by replacing portland cement with fly ash, but, equally important, it provides a **MORE COST EFFECTIVE** building material.



CREGO BLOCK COMPANY

Post Office Box 6025 • 6026 Second Street Northwest
Albuquerque, New Mexico 87107 • Telephone (505) 344-3475





vol. 19 no. 4

IN THIS ISSUE:

Vivian Grelick Milford, art historian and educator in Albuquerque, brings us an article describing the imaginative Play Towers of Julie Graham. Ms. Milford's articles have appeared in the *New Mexico Quarterly*, the *Teacher's College Record*, and the *Brooklyn Museum Bulletin*. She has worked with children as an art educator, a classroom teacher, and an administrator of a program to actively involve children with the arts as members of a big city museum. As an artist in her own right, Ms. Milford's works have appeared in Albuquerque in recent years at A Woman's Gallery.

□ □ □ □

An apology to the SAH. The article on the Montezuma Hotel by Louise Harris Ivers which appeared in the last issue of *New Mexico Architecture* was printed without giving credit to the *Journal of the Society of Architectural Historians*. Although slightly revised by Mrs. Harris for *NMA*, the article first appeared in that most prestigious *Journal* in October of 1974. While proper credit lines were set in the galley stage, they somehow got lost in the paste-up stage of magazine production.

nma

july-august 1977 • new mexico architecture

NMA News 9

J. B. Jackson Receives Honorary Degree—
Letter to Editor—
Las Trampas Honored

New Play Environments 10

by Vivian Grelick Milford

Index to Advertisers 18

(Cover — *The Play Tower at the Pueblo of San Felipe*)

—Official Publication of the New Mexico Society of Architects, A. I. A.—

Society Officers

President—George C. Owen
Vice President—Kern Smith
Secretary-Treasurer—John C. Bland
Director—Earl P. Wood
Director—Donna Quasthoff
Director—Randall L. Kilmer
Director—Ron Hutchinson
Director—William Buckley
Director—Wilbur T. Harris
Director—Channell Graham
Director—Edwin C. French
Director—Robert J. Strader
Director—Robert C. Campbell

Commission for NMA

John P. Conron, FAIA/FASID—Editor
Ronald K. Hill—Associate Editor
Bainbridge Bunting—Editorial Consultant
Mildred Brittelle—Accounting
and Circulation
John W. McHugh
Sam Pool



TALavera TILE

Handmade in Mexico, Talavera tiles are available in dozens of designs, or in solid colors. They're perfect for countertops, bathrooms, sunken tubs, arches, accent panels, or any use your imagination can devise. There are also Talavera house number tiles, tiles with fruit and vegetable patterns, Talavera washbasins and accessory tiles, and terra cotta pavers and roofing tiles available. They are uniquely attractive . . . and truly reflect the beauty of New Mexico architecture. Write or come by for our Talavera brochure.



Artesanos Imports Co.

222 Galisteo Street • (505) 983-5563
Santa Fe, New Mexico 87501


The paints and coatings Southwestern professionals use.

Easy-on interior paints, climate-designed exterior paints, color coordinated wall-coverings, industrial-technical coatings, and a complete selection of professional supplies and accessories. Since 1936.

Hanley Paint

Manufacturing Co.

Albuquerque, N.M.: 1214 San Pedro N.E.
El Paso, Texas: 1531 Magoffin, 9054 Dyer,
7636 Gateway East, 5937 N. Mesa



albuquerque little theater addition

george wynn, architect

PERFORMANCE

Through-the-wall brick
is the able partner
to your unlimited
imagination, combining
beauty and structural
capabilities in a
masonry unit
that does it all


See our representatives
for more facts about our
brick and the many ways
it can perform for you.

SUMMIT BRICK

5905 Marble, N.E. 268-9764
Albuquerque, New Mexico

A commitment to quality.

TOTAL VERSATILITY IN PRECAST CONCRETE



NINO'S HOME CENTER - GRANTS
GAY-DON CONSTRUCTION - CONTRACTOR
PAT GALES - ARCHITECT

BORDER MACHINERY FACILITY
JAYNES CORP. - CONTRACTOR
ROBERT ARMSTRONG - ARCHITECT
RANDY HOLT & ASSOC. - STRUCTURAL
ENGINEER

NEWPORT IV OFFICE BUILDING
CRADDOCK DEVELOPMENT CO.
DAVID WERNER - ARCHITECT
RANDY HOLT & ASSOC. - STRUCTURAL
ENGINEER

Stanley Structures produces and erects a full range of precast products for apartments, offices, warehouses, commercial and industrial buildings, including walls, floors and roofs. These products include twin tees, flat slabs, girders, beams, columns, stairs and wall panels.



Stanley Structures
1304 Menaul, N. E.
P.O. Box 3855
Albuquerque, New Mexico 87110
(505) 345-5671



BUILDERS BLOCK

Members:
New Mexico Concrete
Masonry Association
National Concrete
Masonry Association

**Quality Concrete Masonry Products
and many allied building materials.
Serving New Mexico and West Texas
for over a quarter of a century.**

P.O. Box 1633
Roswell, NM 88201
505/622-1321

P.O. Drawer FF
Las Cruces, NM 88001
505/524-3633

Telephone
El Paso
915/532-9695

PROVEN CEMENTITIOUS COATINGS

- MODIFIED COATINGS
- CONVENTIONAL STUCCO
- MASONRY PAINTS

MANUFACTURED IN ALBUQUERQUE, N.M.



SUPER-FLEX I, an acrylic base modified cementitious coating that may be trowel applied and textured as with stucco.

SUPER-FLEX II, a superior thin coat finish developed as a spray material for a flexible finish for masonry, metal, and other non-porous surfaces. Ideal for coating asbestos board, foam board, woodrock and as a bed coat for marble crete.

BRAVO MASONRY PAINT, a waterproof filler and color coat for concrete block, slump block, precast concrete or any masonry cement substrate. Just add water - six standard plus custom colors.

FOR BROCHURES AND INFORMATION - CALL OR WRITE



STUCCO CO., INC.

4100 1/2 BROADWAY, S.E.
ALBUQUERQUE, N. M. 87102
(505) 873-1180

Congoleum® FINE FLOORS



PEERLESS™

CUSHIONED VINYL FLOORS. THE ULTIMATE IN CUSTOM FLOORS FOR COMMERCIAL INSTALLATION. THE WHITE SHIELD BACK ALLOWS INSTALLATION ON OR BELOW GRADE.

ASK TO SEE THE WIDE SELECTION OF BEAUTIFUL PATTERNS IN PEERLESS CUSHIONED VINYL SHEET GOODS. EXTRA RUGGED, YET SO BEAUTIFUL.



125 DALE, S. E.
P. O. BOX 2511, ALBUQUERQUE, NM 87125
PHONE 877-5340

ALBUQUERQUE TESTING LABORATORY.... TO BE SURE!



SUBSOIL INVESTIGATIONS
PHYSICAL TESTING
INSPECTION
RESEARCH
WELDING CERTIFICATION
NUCLEAR DENSITY
LABORATORY ANALYSIS AND
EVALUATION OF CONSTRUCTION
MATERIALS

ALL WORK DONE UNDER SUPERVISION OF REGISTERED
PROFESSIONAL ENGINEERS

532 JEFFERSON, N. E.
ALBUQUERQUE, NM
P. O. BOX 4101

PHONE 255-8916 or 255-1322



Ahead of schedule. Because we were behind them.

Brooks and Clay, Inc. served as general contractors for Albuquerque's Mound Terrace Office Complex. They used Trus Joist components for the structural system designed by Dean & Hunt Associates, architects. Here's what Robert W. Brooks told us later:

"We would like to compliment your organization and the Trus Joist Co. for the way the joist system was handled... The easy application and quick delivery time has our Company well ahead of schedule."

It figures. Trus Joists are built for speed. For labor savings. For optimum strength. Give us a call and find out for yourself.

In Albuquerque, call
McGill Stephens, Inc.,
Suite LL6, Citizens Bank
Bldg., 2500 Louisiana Blvd.,
N.E., Albuquerque 87110,
Phone 505/292-3366

In El Paso, call
McGill Stephens, Inc.,
4100 Rio Bravo St.,
Suite 320, El Paso 79902,
Phone 915/544-4505


Trus Joist structural roof and floor systems distributed by McGill Stephens, Inc., Albuquerque and El Paso.



Ever-Strait Door Systems

EVERY FEATURE A RESIDENTIAL OR COMMERCIAL
ENTRY DOOR SHOULD HAVE

(Storm doors not recommended by manufacturer)



FOR COMPLETE SPECIFICATION INFORMATION CALL

THE
OVERHEAD DOOR
TRADE MARK
INSULATED ENTRY
SYSTEMS, INC.

2840 LOS ARBOLES AVE., N. E.
ALBUQUERQUE, NEW MEXICO
PHONE 344-4156



YOU DIDN'T PLAN ON AN ENERGY CRISIS, BUT NOW YOU'RE PLANNING YOUR NEXT BUILDING.

Which building material will you use?

You've got energy shortages to think about. Air-conditioning costs. Heat gain through the long, hot summers. Heat loss in the winter months. Heating equipment costs. The whole set of energy-use factors suddenly has become critically important. The building material you use affects all of them.

Compare the energy conserving capability of masonry, for instance, with double-plate glass walls.

At 4:00 P.M. on a hot August day in Washington, D.C., the heat gain through a square foot of west-facing insulated brick and concrete block wall will be 2.2 Btus an hour.

The heat gain through a double-plate glass wall in the same location will be 173 Btus a square foot in an hour. A big difference.

Project this differential over 10,000 square feet of wall. You come up with a heat gain through masonry of 22,000 Btuh, while the heat gain through double-plate glass is 1,730,000 Btuh.

In the case of the masonry wall, cooling equipment with a two-ton capacity can handle the heat gain. But with the double-plate glass wall, about 143 tons of cooling capacity will be needed.

An analysis of a typical 10-story building shows that over its useful life, the air-conditioning cost for a square foot of our masonry wall will be about 23 cents. For the double-plate glass wall, it will be \$7.60.

It takes a lot of money to buy, install and create space for all the extra air-conditioning equipment

required by the double-plate glass wall. A lot of money and a lot of energy to run that equipment.

Compare the heat loss in winter. It has a dramatic effect on energy consumption and building operation costs.

Our masonry wall, for example, has a "U-value" of .12. The double-plate glass wall has a "U-value" of .55. (U-values are used to determine heat loss through one square foot of wall area in Btuh per degree Fahrenheit differential across the wall.)

This means that the masonry wall is about 450% more efficient, on the average, than the glass wall in reducing heat loss.

Over the useful life of the building, the heating cost per square foot of wall area for masonry will be about 30 cents. For double-plate glass, about \$1.38.

In a time of one energy crisis after another, masonry makes eminently good sense as a good citizen.

The masonry industry believes that the thermal insulating qualities of masonry are an important economic consideration to building designers, owners and investors, and all citizens.

Masonry walls save on air-conditioning and heating costs. And just as important, they are less expensive to build. The masonry wall we've described would have a 38% lower initial cost than the double-plate glass wall.

If you'd like to find out more, write to us and we'll send you a booklet comparing the thermal

insulating qualities of masonry walls with double-plate glass walls, metal panel walls and pre-cast concrete walls.



International Masonry Institute

823 15th Street, N.W., Washington, D.C. 20005

Please send the booklet comparing insulating qualities of masonry with other building materials.

Name _____

Title _____

Company _____

City _____

State _____

Zip _____

Nature of Business _____

MASON CONTRACTORS ASSOCIATION of NEW MEXICO