

University of New Mexico

UNM Digital Repository

Mathematics and Statistics Faculty and Staff
Publications

Academic Department Resources

6-2011

A Group-Permutation Algorithm to Solve the Generalized SUDOKU

Florentin Smarandache

Follow this and additional works at: https://digitalrepository.unm.edu/math_fsp



Part of the [Dynamical Systems Commons](#), and the [Other Applied Mathematics Commons](#)

Anul XIII, Nr. 1

Ianuarie – Iunie 2011

RECREAȚII MATEMATICE

REVISTĂ DE MATEMATICĂ PENTRU ELEVI ȘI PROFESORI

$$e^{i\pi} = -1$$

Asociația “Recreații Matematice”
IAȘI - 2011

CORESPONDENȚE

A Group-Permutation Algorithm to Solve the Generalized SUDOKU¹

*Florentin SMARANDACHE*²

Abstract. Sudoku can be generalized to squares whose dimensions are $n^2 \times n^2$, where $n \geq 2$, using various symbols (numbers, letters, mathematical symbols, etc.), written just one time on each row and on each column; and the large square is divided into n^2 small squares with the side $n \times n$ and each will contain all n^2 symbols written only once. In this paper we present an elementary solution for the generalized sudoku based on a group-permutation algorithm.

Keywords: permutation, group, sudoku.

MSC 2000: 00A08, 97A20.

Sudoku is a game with numbers, formed by a square with the side of 9, and on each row and column are placed the digits 1, 2, 3, 4, 5, 6, 7, 8, 9, written only one time; the square is subdivided in 9 smaller squares with the side of 3×3 , which, also, must satisfy the same condition, i.e. each square to contain all digits from 1 to 9 written only once.

The Japanese company Nikoli has popularized this game in 1986 under the name of *sudoku*, meaning "single number".

Sudoku can be generalized to squares whose dimensions are $n^2 \times n^2$, where $n \geq 2$, using various symbols (numbers, letters, mathematical symbols, etc.), written just one time on each row and on each column; and the large square is divided into n^2 small squares with the side $n \times n$ and each will contain all n^2 symbols written only once.

An *elementary solution* of one of these *generalized Sudokus*, with elements (symbols) from the set

$$S = \{s_1, s_2, \dots, s_n, s_{n+1}, \dots, s_{2n}, \dots, s_{n^2}\}$$

(supposing that their placement represents the relation of total order on the set of elements S), is:

Row 1: all elements in ascending order

$$s_1, s_2, \dots, s_n, s_{n+1}, \dots, s_{2n}, \dots, s_{n^2}$$

On the next rows we will use circular permutations, considering groups of n elements from the first row as follows:

Row 2:

$$s_{n+1}, s_{n+2}, \dots, s_{2n}; s_{2n+1}, \dots, s_{3n}; \dots, s_{n^2}; s_1, s_2, \dots, s_n$$

¹Articolul a fost publicat de autor în cartea sa *Frate cu meridianele și paralelele*, vol. IV, pp. 201-202, Offsetcolor, Rm. Vâlcea, 2008. Autorul are acordul editurii de republicare a articolului în revista *Recreații Matematice*.

²University of New Mexico, Gallup Campus, USA

Row 3:

$$s_{2n+1}, \dots, s_{3n}; \dots, s_{n^2}; s_1, s_2, \dots, s_n; s_{n+1}, s_{n+2}, \dots, s_{2n},$$

.....
Row n :

$$s_{n^2-n+1}, \dots, s_{n^2}; s_1, \dots, s_n; s_{n+1}, s_{n+2}, \dots, s_{2n}; \dots, s_{3n}; \dots, s_{n^2-n}.$$

Now we start permutations of the elements of row $n + 1$ considering again groups of n elements.

Row $n + 1$:

$$s_2, \dots, s_n, s_{n+1}; s_{n+2}, \dots, s_{2n}, s_{2n+1}; \dots; s_{n^2-n+2}, \dots, s_{n^2}, s_1$$

Row $n + 2$:

$$s_{n+2}, \dots, s_{2n}, s_{2n+1}; \dots; s_{n^2-n+2}, \dots, s_{n^2}, s_1; s_2, \dots, s_n, s_{n+1}$$

.....
Row $2n$:

$$s_{n^2-n+2}, \dots, s_{n^2}, s_1; s_2, \dots, s_n, s_{n+1}; s_{n+2}, \dots, s_{2n}, s_{2n+1}; \dots$$

Row $2n + 1$:

$$s_3, \dots, s_{n+2}; s_{n+3}, \dots, s_{2n+2}; \dots; s_{n^2+3}, \dots, s_{n^2}, s_1, s_2$$

and so on.

Replacing the set S by any *permutation* of its symbols, which we'll note by S' , and applying the same procedure as above, we will obtain a new solution.

The *classical Sudoku* is obtained for $n = 3$.

Below is an example of this group-permutation algorithm for the classical case:

1	2	3	4	5	6	7	8	9
4	5	6	7	8	9	1	2	3
7	8	9	1	2	3	4	5	6
2	3	4	5	6	7	8	9	1
5	6	7	8	9	1	2	3	4
8	9	1	2	3	4	5	6	7
3	4	5	6	7	8	9	1	2
6	7	8	9	1	2	3	4	5
9	1	2	3	4	5	6	7	8

For a $4^2 \times 4^2$ square we use the following 16 symbols:

$$\{A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P\}$$

and use the same group-permutation algorithm to solve this Sudoku.

From one solution to the generalized Sudoku we can get *more solutions* by simply doing permutations of columns or/and of rows of the first solution.

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
E	F	G	H	I	J	K	L	M	N	O	P	A	B	C	D
I	J	K	L	M	N	O	P	A	B	C	D	E	F	G	H
M	N	O	P	A	B	C	D	E	F	G	H	I	J	K	L
B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	A
F	G	H	I	J	K	L	M	N	O	P	A	B	C	D	E
J	K	L	M	N	O	P	A	B	C	D	E	F	G	H	I
N	O	P	A	B	C	D	E	F	G	H	I	J	K	L	M
C	D	E	F	G	H	I	J	K	L	M	N	O	P	A	B
G	H	I	J	K	L	M	N	O	P	A	B	C	D	E	F
K	L	M	N	O	P	A	B	C	D	E	F	G	H	I	J
O	P	A	B	C	D	E	F	G	H	I	J	K	L	M	N
D	E	F	G	H	I	J	K	L	M	N	O	P	A	B	C
H	I	J	K	L	M	N	O	P	A	B	C	D	E	F	G
L	M	N	O	P	A	B	C	D	E	F	G	H	I	J	K
P	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O

Bibliografie

1. **Z. Pitkow** – *Sudoku: Medium to Hard*, Chronicle Books, 2006.
2. **F. Longo** – *Absolutely Nasty Sudoku Level 4* (Mensa), Puzzlewright, 2007.
3. **P. Gordon, F. Longo** – *Mensa Guide to Solving Sudoku: Hundreds of Puzzles Plus Technique to Help You Crack Them All*, Sterling, 2006.